

# Shin-ichi Hisanaga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6019190/publications.pdf>

Version: 2024-02-01

96  
papers

3,879  
citations

117625

34  
h-index

133252

59  
g-index

98  
all docs

98  
docs citations

98  
times ranked

4300  
citing authors

#	ARTICLE	IF	CITATIONS
1	In vivo analysis of the phosphorylation of tau and the tau protein kinases Cdk5-p35 and GSK3 $\beta$ by using Phos-tag SDS-PAGE. <i>Journal of Proteomics</i> , 2022, 262, 104591.	2.4	5
2	Map7D2 and Map7D1 facilitate microtubule stabilization through distinct mechanisms in neuronal cells. <i>Life Science Alliance</i> , 2022, 5, e202201390.	2.8	2
3	Cdk5-mediated JIP1 phosphorylation regulates axonal outgrowth through Notch1 inhibition. <i>BMC Biology</i> , 2022, 20, 115.	3.8	3
4	Lemur tail kinase 1 (LMTK1) regulates the endosomal localization of $\beta$ -secretase BACE1. <i>Journal of Biochemistry</i> , 2021, 170, 729-738.	1.7	4
5	Distinct phosphorylation profiles of tau in brains of patients with different tauopathies. <i>Neurobiology of Aging</i> , 2021, 108, 72-79.	3.1	17
6	LMTK1, a Novel Modulator of Endosomal Trafficking in Neurons. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 112.	2.9	8
7	Hyperactive and impulsive behaviors of LMTK1 knockout mice. <i>Scientific Reports</i> , 2020, 10, 15461.	3.3	6
8	Isoform-dependent subcellular localization of LMTK1A and LMTK1B and their roles in axon outgrowth and spine formation. <i>Journal of Biochemistry</i> , 2020, 168, 23-32.	1.7	3
9	$\beta$ -synuclein strains that cause distinct pathologies differentially inhibit proteasome. <i>ELife</i> , 2020, 9, .	6.0	45
10	The LMTK1-TBC1D9B-Rab11A Cascade Regulates Dendritic Spine Formation via Endosome Trafficking. <i>Journal of Neuroscience</i> , 2019, 39, 9491-9502.	3.6	19
11	Tau isoform expression and phosphorylation in marmoset brains. <i>Journal of Biological Chemistry</i> , 2019, 294, 11433-11444.	3.4	27
12	CD2-associated protein (CD2AP) overexpression accelerates amyloid precursor protein (APP) transfer from early endosomes to the lysosomal degradation pathway. <i>Journal of Biological Chemistry</i> , 2019, 294, 10886-10899.	3.4	28
13	Cyclin-dependent kinase 5 promotes proteasomal degradation of the 5-HT1A receptor via phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 2019, 510, 370-375.	2.1	4
14	Cytoplasmic control of Rab family small GTPases through BAG6. <i>EMBO Reports</i> , 2019, 20, .	4.5	26
15	6. Molecular mechanisms of neural stem cells differentiation. , 2019, , 127-144.		0
16	Isoform-independent and -dependent phosphorylation of microtubule-associated protein tau in mouse brain during postnatal development. <i>Journal of Biological Chemistry</i> , 2018, 293, 1781-1793.	3.4	36
17	S6K/p70S6K1 protects against tau-mediated neurodegeneration by decreasing the level of tau phosphorylated at Ser262 in a <i>Drosophila</i> model of tauopathy. <i>Neurobiology of Aging</i> , 2018, 71, 255-264.	3.1	6
18	Phospho-Tau Bar Code: Analysis of Phosphoisotypes of Tau and Its Application to Tauopathy. <i>Frontiers in Neuroscience</i> , 2018, 12, 44.	2.8	82

#	ARTICLE	IF	CITATIONS
19	Propagation of pathological $\beta$ -synuclein in marmoset brain. <i>Acta Neuropathologica Communications</i> , 2017, 5, 12.	5.2	142
20	Cdk5 Regulation of the GRAB-Mediated Rab8-Rab11 Cascade in Axon Outgrowth. <i>Journal of Neuroscience</i> , 2017, 37, 790-806.	3.6	43
21	Ca <sup>2+</sup> /calmodulin-dependent protein kinase II promotes neurodegeneration caused by tau phosphorylated at Ser262/356 in a transgenic <i>Drosophila</i> model of tauopathy. <i>Journal of Biochemistry</i> , 2017, 162, 335-342.	1.7	29
22	In vivo regulation of glycogen synthase kinase $\beta$ activity in neurons and brains. <i>Scientific Reports</i> , 2017, 7, 8602.	3.3	90
23	Excess APP <sup>O</sup> -glycosylation by GalNAc-T6 decreases $A\beta$ production. <i>Journal of Biochemistry</i> , 2017, 161, 99-111.	1.7	31
24	Cdk5 Regulation of the GRAB-Mediated Rab8-Rab11 Cascade in Axon Outgrowth. <i>Journal of Neuroscience</i> , 2017, 37, 790-806.	3.6	6
25	Quantitative and combinatorial determination of in situ phosphorylation of tau and its FTDP-17 mutants. <i>Scientific Reports</i> , 2016, 6, 33479.	3.3	21
26	Tau phosphorylation at Alzheimer's disease-related Ser356 contributes to tau stabilization when PAR-1/MARK activity is elevated. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 929-934.	2.1	33
27	Kinase activity of endosomal kinase LMTK1A regulates its cellular localization and interactions with cytoskeletons. <i>Genes To Cells</i> , 2016, 21, 1080-1094.	1.2	8
28	The Abundance of Nonphosphorylated Tau in Mouse and Human Tauopathy Brains Revealed by the Use of Phos-Tag Method. <i>American Journal of Pathology</i> , 2016, 186, 398-409.	3.8	20
29	Two Degradation Pathways of the p35 Cdk5 (Cyclin-dependent Kinase) Activation Subunit, Dependent and Independent of Ubiquitination. <i>Journal of Biological Chemistry</i> , 2016, 291, 4649-4657.	3.4	17
30	Effects of p35 Mutations Associated with Mental Retardation on the Cellular Function of p35-CDK5. <i>PLoS ONE</i> , 2015, 10, e0140821.	2.5	2
31	Phosphorylation analysis of tau in neurodegenerative diseases by Phos-tag SDS-PAGE. <i>Denki Eido</i> , 2015, 59, 73-75.	0.0	0
32	Physiological and pathological phosphorylation of tau by Cdk5. <i>Frontiers in Molecular Neuroscience</i> , 2014, 7, 65.	2.9	194
33	The effect of Cyclin-dependent kinase 5 on voltage-dependent calcium channels in PC12 cells varies according to channel type and cell differentiation state. <i>Journal of Neurochemistry</i> , 2014, 130, 498-506.	3.9	7
34	LMTK1 regulates dendritic formation by regulating movement of Rab11A-positive endosomes. <i>Molecular Biology of the Cell</i> , 2014, 25, 1755-1768.	2.1	31
35	Cyclin-dependent kinase 5 phosphorylates and induces the degradation of ataxin-2. <i>Neuroscience Letters</i> , 2014, 563, 112-117.	2.1	14
36	Phosphorylation of Cyclin-dependent Kinase 5 (Cdk5) at Tyr-15 Is Inhibited by Cdk5 Activators and Does Not Contribute to the Activation of Cdk5. <i>Journal of Biological Chemistry</i> , 2014, 289, 19627-19636.	3.4	37

#	ARTICLE	IF	CITATIONS
37	Valproic acid downregulates Cdk5 activity via the transcription of the p35 mRNA. <i>Biochemical and Biophysical Research Communications</i> , 2014, 447, 678-682.	2.1	8
38	Preferential targeting of p39-activated Cdk5 to Rac1-induced lamellipodia. <i>Molecular and Cellular Neurosciences</i> , 2014, 61, 34-45.	2.2	7
39	Phosphorylation of Drebrin by Cyclin-Dependent Kinase 5 and Its Role in Neuronal Migration. <i>PLoS ONE</i> , 2014, 9, e92291.	2.5	51
40	Dab1-mediated colocalization of multi-adaptor protein CIN85 with Reelin receptors, ApoER2 and VLDLR, in neurons. <i>Genes To Cells</i> , 2013, 18, 410-424.	1.2	10
41	Cyclin I is involved in the regulation of cell cycle progression. <i>Cell Cycle</i> , 2013, 12, 2617-2624.	2.6	34
42	Structural Basis for the Different Stability and Activity between the Cdk5 Complexes with p35 and p39 Activators. <i>Journal of Biological Chemistry</i> , 2013, 288, 32433-32439.	3.4	10
43	Isomerase Pin1 Stimulates Dephosphorylation of Tau Protein at Cyclin-dependent Kinase (Cdk5)-dependent Alzheimer Phosphorylation Sites. <i>Journal of Biological Chemistry</i> , 2013, 288, 7968-7977.	3.4	52
44	LMTK1/AATYK1 Is a Novel Regulator of Axonal Outgrowth That Acts via Rab11 in a Cdk5-Dependent Manner. <i>Journal of Neuroscience</i> , 2012, 32, 6587-6599.	3.6	58
45	Cdk5 phosphorylation of its activators p35 and p39 determines subcellular location of the holokinase in a phosphorylation site-specific manner. <i>Journal of Cell Science</i> , 2012, 125, 3421-9.	2.0	34
46	Regulation of Mitochondrial Transport and Inter-Microtubule Spacing by Tau Phosphorylation at the Sites Hyperphosphorylated in Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2012, 32, 2430-2441.	3.6	156
47	Cdk5-induced neuronal cell death: The activation of the conventional Rb-E2F G <sub>1</sub> pathway in post-mitotic neurons. <i>Cell Cycle</i> , 2012, 11, 2049-2049.	2.6	5
48	Cyclin-Dependent Kinase 5 (Cdk5): Preparation and Measurement of Kinase Activity. <i>Neuromethods</i> , 2012, , 87-103.	0.3	1
49	Quantitative analysis of in vivo phosphorylation of Cyclin-dependent kinase activator p35 by Phos-tag SDS-PAGE/immunoblotting. <i>Seibutsu Butsuri Kagaku</i> , 2012, 56, s9-s13.	0.1	0
50	Calpastatin, an endogenous calpain-inhibitor protein, regulates the cleavage of the Cdk5 activator p35 to p25. <i>Journal of Neurochemistry</i> , 2011, 117, 504-515.	3.9	30
51	Small molecule inhibitor of type I transforming growth factor- $\beta$ receptor kinase ameliorates the inhibitory milieu in injured brain and promotes regeneration of nigrostriatal dopaminergic axons. <i>Journal of Neuroscience Research</i> , 2011, 89, 381-393.	2.9	31
52	Neuronal expression of two isoforms of mouse Septin 5. <i>Journal of Neuroscience Research</i> , 2010, 88, 1309-1316.	2.9	11
53	Regulation and role of cyclin-dependent kinase activity in neuronal survival and death. <i>Journal of Neurochemistry</i> , 2010, 115, 1309-1321.	3.9	103
54	AATYK1A phosphorylation by Cdk5 regulates the recycling endosome pathway. <i>Genes To Cells</i> , 2010, 15, 783-797.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Phosphorylation of AATYK1 by Cdk5 Suppresses Its Tyrosine Phosphorylation. <i>PLoS ONE</i> , 2010, 5, e10260.	2.5	18
56	Quantitative Measurement of in Vivo Phosphorylation States of Cdk5 Activator p35 by Phos-tag SDS-PAGE. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1133-1143.	3.8	53
57	Protein Kinase C $\eta$ Regulates Cdk5/p25 Signaling during Myogenesis. <i>Molecular Biology of the Cell</i> , 2010, 21, 1423-1434.	2.1	17
58	Membrane Association Facilitates Degradation and Cleavage of the Cyclin-Dependent Kinase 5 Activators p35 and p39. <i>Biochemistry</i> , 2010, 49, 5482-5493.	2.5	48
59	Effect of Pin1 or Microtubule Binding on Dephosphorylation of FTDP-17 Mutant Tau. <i>Journal of Biological Chemistry</i> , 2009, 284, 16840-16847.	3.4	22
60	Commitment of 1-Methyl-4-phenylpyridinium Ion-induced Neuronal Cell Death by Proteasome-mediated Degradation of p35 Cyclin-dependent Kinase 5 Activator. <i>Journal of Biological Chemistry</i> , 2009, 284, 26029-26039.	3.4	27
61	Novel axonal distribution of neurofilament $\alpha$ phosphorylated at the glycogen synthase kinase 3 $\beta$ phosphorylation site in its E $\alpha$ segment. <i>Journal of Neuroscience Research</i> , 2009, 87, 3088-3097.	2.9	3
62	Myristoylation of p39 and p35 is a determinant of cytoplasmic or nuclear localization of active cyclin $\alpha$ -dependent kinase 5 complexes. <i>Journal of Neurochemistry</i> , 2008, 106, 1325-1336.	3.9	101
63	Palmitoylation $\alpha$ -dependent endosomal localization of AATYK1A and its interaction with Src. <i>Genes To Cells</i> , 2008, 13, 949-964.	1.2	19
64	The Kinase Activity of Cdk5 and Its Regulation. , 2008, , 171-190.		3
65	Suppression of Mutant Huntingtin Aggregate Formation by Cdk5/p35 through the Effect on Microtubule Stability. <i>Journal of Neuroscience</i> , 2008, 28, 8747-8755.	3.6	41
66	Suppression of Calpain-dependent Cleavage of the CDK5 Activator p35 to p25 by Site-specific Phosphorylation. <i>Journal of Biological Chemistry</i> , 2007, 282, 1687-1694.	3.4	65
67	Cdk5 regulates differentiation of oligodendrocyte precursor cells through the direct phosphorylation of paxillin. <i>Journal of Cell Science</i> , 2007, 120, 4355-4366.	2.0	74
68	Phosphorylation of Adult Type Sept5 (CDCrel-1) by Cyclin-dependent Kinase 5 Inhibits Interaction with Syntaxin-1. <i>Journal of Biological Chemistry</i> , 2007, 282, 7869-7876.	3.4	38
69	Regulation of membrane association and kinase activity of Cdk5 $\alpha$ -p35 by phosphorylation of p35. <i>Journal of Neuroscience Research</i> , 2007, 85, 3071-3078.	2.9	14
70	Regulation of the interaction of Disabled $\alpha$ 1 with CIN85 by phosphorylation with Cyclin $\alpha$ -dependent kinase 5. <i>Genes To Cells</i> , 2007, 12, 1315-1327.	1.2	17
71	Cdk5-p39 is a labile complex with the similar substrate specificity to Cdk5-p35. <i>Journal of Neurochemistry</i> , 2007, 102, 1477-1487.	3.9	31
72	p25/Cyclin-dependent kinase 5 promotes the progression of cell death in nucleus of endoplasmic reticulum-stressed neurons. <i>Journal of Neurochemistry</i> , 2007, 102, 133-140.	3.9	54

#	ARTICLE	IF	CITATIONS
73	Enhanced activation of Ca <sup>2+</sup> /Calmodulin-dependent protein kinase II upon downregulation of cyclin-dependent kinase 5-p35. <i>Journal of Neuroscience Research</i> , 2006, 84, 747-754.	2.9	33
74	Control of cyclin-dependent kinase 5 (Cdk5) activity by glutamatergic regulation of p35 stability. <i>Journal of Neurochemistry</i> , 2005, 93, 502-512.	3.9	78
75	Impairment of hippocampal long-term depression and defective spatial learning and memory in p35 <sup>-/-</sup> mice. <i>Journal of Neurochemistry</i> , 2005, 94, 917-925.	3.9	89
76	Activation of latent cyclin-dependent kinase 5 (Cdk5)-p35 complexes by membrane dissociation. <i>Journal of Neurochemistry</i> , 2005, 94, 1535-1545.	3.9	30
77	Phosphorylation of FTDP-17 Mutant tau by Cyclin-dependent Kinase 5 Complexed with p35, p25, or p39. <i>Journal of Biological Chemistry</i> , 2005, 280, 31522-31529.	3.4	37
78	The Regulation of Cyclin-Dependent Kinase 5 Activity through the Metabolism of p35 or p39 Cdk5 Activator. <i>NeuroSignals</i> , 2003, 12, 221-229.	0.9	85
79	Apoptosis-associated tyrosine kinase is a Cdk5 activator p35 binding protein. <i>Biochemical and Biophysical Research Communications</i> , 2003, 310, 398-404.	2.1	25
80	Tau Phosphorylation by Cyclin-dependent Kinase 5/p39 during Brain Development Reduces Its Affinity for Microtubules. <i>Journal of Biological Chemistry</i> , 2003, 278, 10506-10515.	3.4	78
81	Cophosphorylation of amphiphysin I and dynamin I by Cdk5 regulates clathrin-mediated endocytosis of synaptic vesicles. <i>Journal of Cell Biology</i> , 2003, 163, 813-824.	5.2	182
82	Developmental Regulation of the Proteolysis of the p35 Cyclin-Dependent Kinase 5 Activator by Phosphorylation. <i>Journal of Neuroscience</i> , 2003, 23, 1189-1197.	3.6	83
83	In Vivo and in Vitro Phosphorylation at Ser-493 in the Glutamate (E)-segment of Neurofilament-H Subunit by Glycogen Synthase Kinase 3 <sup>β</sup> . <i>Journal of Biological Chemistry</i> , 2002, 277, 36032-36039.	3.4	32
84	Truncation of CDK5 Activator p35 Induces Intensive Phosphorylation of Ser202/Thr205 of Human Tau. <i>Journal of Biological Chemistry</i> , 2002, 277, 44525-44530.	3.4	131
85	Phosphorylation of Myristoylated Alanine-Rich C Kinase Substrate (MARCKS) by Proline-Directed Protein Kinases and Its Dephosphorylation. <i>Journal of Neurochemistry</i> , 2002, 65, 802-809.	3.9	27
86	Two Types of Apoptotic Cell Death of Rat Central Nervous System-Derived Neuroblastoma B50 and B104 Cells: Apoptosis Induced During Proliferation and After Differentiation. <i>Journal of Neurochemistry</i> , 2002, 67, 1856-1865.	3.9	11
87	Phosphorylation of Protein Phosphatase Inhibitor-1 by Cdk5. <i>Journal of Biological Chemistry</i> , 2001, 276, 14490-14497.	3.4	83
88	Calpain-dependent Proteolytic Cleavage of the p35 Cyclin-dependent Kinase 5 Activator to p25. <i>Journal of Biological Chemistry</i> , 2000, 275, 17166-17172.	3.4	346
89	Neurofilaments of aged rats: The strengthened interneurofilament interaction and the reduced amount of NF-M. <i>Journal of Neuroscience Research</i> , 1999, 58, 337-348.	2.9	14
90	Okadaic Acid-Stimulated Degradation of p35, an Activator of CDK5, by Proteasome in Cultured Neurons. <i>Biochemical and Biophysical Research Communications</i> , 1998, 252, 775-778.	2.1	37

#	ARTICLE	IF	CITATIONS
91	Phosphorylation States of Microtubule-Associated Protein 2 (MAP2) Determine the Regulatory Role of MAP2 in Microtubule Dynamics. <i>Biochemistry</i> , 1997, 36, 12574-12582.	2.5	75
92	Porcine brain neurofilament H tail domain kinase: Its identification as cdk5/p26 complex and comparison with cdc2/cyclin B kinase. <i>Cytoskeleton</i> , 1995, 31, 283-297.	4.4	42
93	In situ dephosphorylation of tau by protein phosphatase 2A and 2B in fetal rat primary cultured neurons. <i>FEBS Letters</i> , 1995, 376, 238-242.	2.8	47
94	Activation of ATPase activity of 14S dynein from <i>Tetrahymena</i> cilia by microtubules. <i>FEBS Journal</i> , 1992, 206, 911-917.	0.2	4
95	Ultrastructure of Detergent-Resistant Cytoskeletons in the Noncortical Domain of Sea Urchin Eggs as Revealed by the Quick-Freeze Deep-Etch Technique. <i>Cell Structure and Function</i> , 1992, 17, 277-285.	1.1	0
96	Valproic Acid-Induced Anxiety and Depression Behaviors are Ameliorated in p39 Cdk5 Activator-Deficient Mice. <i>Neurochemical Research</i> , 0, , .	3.3	1