

Antonio Ventosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6019470/publications.pdf>

Version: 2024-02-01

293
papers

15,749
citations

22153

59
h-index

25787

108
g-index

342
all docs

342
docs citations

342
times ranked

9009
citing authors

#	ARTICLE	IF	CITATIONS
1	Judicial Opinions 103â€“111. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	1.7	8
2	Species (Prokaryote). , 2022, , 1-2.		0
3	Culturomicsâ€based genomics sheds light on the ecology of the new haloarchaeal genus <i>Halosegnis</i> . Environmental Microbiology, 2021, 23, 3418-3434.	3.8	25
4	Halophiles in bioremediation of petroleum contaminants: challenges and prospects. , 2021, , 251-291.		4
5	Taxogenomic and Comparative Genomic Analysis of the Genus <i>Saccharomonospora</i> Focused on the Identification of Biosynthetic Clusters PKS and NRPS. Frontiers in Microbiology, 2021, 12, 603791.	3.5	16
6	Prokaryotic Communities in the Thalassohaline Tuz Lake, Deep Zone, and Kayacik, Kaldirim and Yavsan Saltens (Turkey) Assessed by 16S rRNA Amplicon Sequencing. Microorganisms, 2021, 9, 1525.	3.6	9
7	Phylogenomics of Haloarchaea: The Controversy of the Genera <i>Natrinema</i> - <i>Haloterrigena</i> . Frontiers in Microbiology, 2021, 12, 740909.	3.5	66
8	Genomic Insights Into New Species of the Genus <i>Halomicroarcula</i> Reveals Potential for New Osmoadaptative Strategies in Halophilic Archaea. Frontiers in Microbiology, 2021, 12, 751746.	3.5	18
9	SEM at 75: foreword. International Microbiology, 2021, 24, 471-472.	2.4	0
10	Halophiles and Their Biomolecules: Recent Advances and Future Applications in Biomedicine. Marine Drugs, 2020, 18, 33.	4.6	76
11	Diversity of halophilic and halotolerant bacteria in the largest seasonal hypersaline lake (Aran-Bidgol-Iran). Journal of Environmental Health Science & Engineering, 2020, 18, 961-971.	3.0	9
12	<i>Haloglomerula irregularis</i> gen. nov., sp. nov., a New Halophilic Archaeon Isolated from a Marine Saltern. Microorganisms, 2020, 8, 206.	3.6	15
13	Taxogenomics of the Genus <i>Cyclobacterium</i> : <i>Cyclobacterium xiamenense</i> and <i>Cyclobacterium halophilum</i> as Synonyms and Description of <i>Cyclobacterium plantarum</i> sp. nov.. Microorganisms, 2020, 8, 610.	3.6	12
14	Draft Genome Sequence of <i>Saccharomonospora piscinae</i> KCTC 19743 T , an Actinobacterium Containing Secondary Metabolite Biosynthetic Gene Clusters. Microbiology Resource Announcements, 2020, 9, .	0.6	1
15	<i>Natronomonas salsuginis</i> sp. nov., a New Inhabitant of a Marine Solar Saltern. Microorganisms, 2020, 8, 605.	3.6	13
16	Genome-based analyses reveal a synonymy among <i>Halorubrum distributum</i> Zvyagintseva and Tarasov 1989; Oren and Ventosa 1996, <i>Halorubrum terrestre</i> Ventosa et al. 2004, <i>Halorubrum arcis</i> Xu et al. 2007 and <i>Halorubrum litoreum</i> Cui et al. 2007. Emended description of <i>Halorubrum distributum</i> Zvyagintseva and Tarasov 1989; Oren and Ventosa 1996. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1698-1705.	1.7	14
17	<i>Spiribacter aquaticus</i> Leon et al. 2017 is a later heterotypic synonym of <i>Spiribacter roseus</i> Leon et al. 2016. Reclassification of <i>Halopeptonella vilamensis</i> Menes et al. 2016 as <i>Spiribacter vilamensis</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2873-2878.	1.7	13
18	Halophiles and Their Vast Potential in Biofuel Production. Frontiers in Microbiology, 2019, 10, 1895.	3.5	77

#	ARTICLE	IF	CITATIONS
19	New Halonotius Species Provide Genomics-Based Insights Into Cobalamin Synthesis in Haloarchaea. <i>Frontiers in Microbiology</i> , 2019, 10, 1928.	3.5	34
20	Characterization of <i>Salinivibrio socompensis</i> sp. nov., A New Halophilic Bacterium Isolated from the High-Altitude Hypersaline Lake Socompa, Argentina. <i>Microorganisms</i> , 2019, 7, 241.	3.6	20
21	Comparative Genomics and Phylogenomic Analysis of the Genus <i>Salinivibrio</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2104.	3.5	23
22	Optimized Preparation of Levofloxacin Loaded Polymeric Nanoparticles. <i>Pharmaceutics</i> , 2019, 11, 57.	4.5	37
23	Editorial: Microbial Taxonomy, Phylogeny and Biodiversity. <i>Frontiers in Microbiology</i> , 2019, 10, 1324.	3.5	3
24	Spatial distribution of prokaryotic communities in hypersaline soils. <i>Scientific Reports</i> , 2019, 9, 1769.	3.3	33
25	Ecology and physiology of halophilic microorganisms – Thematic issue based on papers presented at Halophiles 2019 – 12th International Conference on Halophilic Microorganisms, Cluj-Napoca, Romania, 24–28 June, 2019. <i>FEMS Microbiology Letters</i> , 2019, 366, .	1.8	5
26	<i>Halonotius aquaticus</i> sp. nov., a new haloarchaeon isolated from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1306-1312.	1.7	12
27	<i>Planomicrobium iranicum</i> sp. nov., a novel slightly halophilic bacterium isolated from a hypersaline wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1433-1437.	1.7	9
28	<i>Halorientalis pallida</i> sp. nov., an extremely halophilic archaeon isolated from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3636-3643.	1.7	12
29	International Committee on Systematics of Prokaryotes subcommittee on the taxonomy of Halobacteria and subcommittee on the taxonomy of Halomonadaceae. Minutes of the joint open meeting, 26 June 2019, Cluj-Napoca, Romania. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3657-3661.	1.7	8
30	Metagenome Sequencing of Prokaryotic Microbiota from Two Hypersaline Soils of the Odiel Salt Marshes in Huelva, Southwestern Spain. <i>Genome Announcements</i> , 2018, 6, .	0.8	8
31	<i>Salinivibrio kushneri</i> sp. nov., a moderately halophilic bacterium isolated from salterns. <i>Systematic and Applied Microbiology</i> , 2018, 41, 159-166.	2.8	19
32	Detection of industrially potential enzymes of moderately halophilic bacteria on salted goat skins. <i>Biyokimya Dergisi</i> , 2018, 43, 312-322.	0.5	6
33	Metagenomic Insights into the Phylogenetic and Metabolic Diversity of the Prokaryotic Community Dwelling in Hypersaline Soils from the Odiel Saltmarshes (SW Spain). <i>Genes</i> , 2018, 9, 152.	2.4	50
34	Hypersaline Environments of Iran: Prokaryotic Biodiversity and Their Potentials in Microbial Biotechnology. <i>Microorganisms for Sustainability</i> , 2018, , 265-298.	0.7	4
35	Compatible Solute Synthesis and Import by the Moderate Halophile <i>Spiribacter salinus</i> : Physiology and Genomics. <i>Frontiers in Microbiology</i> , 2018, 9, 108.	3.5	44
36	Genotypic and Lipid Analyses of Strains From the Archaeal Genus <i>Halorubrum</i> Reveal Insights Into Their Taxonomy, Divergence, and Population Structure. <i>Frontiers in Microbiology</i> , 2018, 9, 512.	3.5	19

#	ARTICLE	IF	CITATIONS
37	A brief reflection of International Microbiology's history and future direction. <i>International Microbiology</i> , 2018, 21, 1-2.	2.4	2
38	Proposed minimal standards for the use of genome data for the taxonomy of prokaryotes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 461-466.	1.7	2,359
39	Emended description of <i>Salinivibrio proteolyticus</i> , including <i>Salinivibrio costicola</i> subsp. <i>vallismortis</i> and five new isolates. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1599-1607.	1.7	6
40	<i>Salipaludibacillus halalkaliphilus</i> sp. nov., a moderately haloalkaliphilic bacterium from a coastal-marine wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2214-2219.	1.7	11
41	<i>Halorubrum chaoviator</i> Mancinelli et al. 2009 is a later, heterotypic synonym of <i>Halorubrum ezzemoulense</i> Kharroub et al. 2006. Emended description of <i>Halorubrum ezzemoulense</i> Kharroub et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3657-3665.	1.7	11
42	Draft Genome Sequence of <i>Saccharomonospora</i> sp. Strain LRS4.154, a Moderately Halophilic Actinobacterium with the Biotechnologically Relevant Polyketide Synthase and Nonribosomal Peptide Synthetase Systems. <i>Genome Announcements</i> , 2017, 5, .	0.8	1
43	Draft Genome Sequences of <i>Salinivibrio proteolyticus</i> , <i>Salinivibrio sharmensis</i> , <i>Salinivibrio siamensis</i> , <i>Salinivibrio costicola</i> subsp. <i>alcaliphilus</i> , <i>Salinivibrio costicola</i> subsp. <i>vallismortis</i> , and 29 New Isolates Belonging to the Genus <i>Salinivibrio</i> . <i>Genome Announcements</i> , 2017, 5, .	0.8	7
44	Assessment of MultiLocus Sequence Analysis As a Valuable Tool for the Classification of the Genus <i>Salinivibrio</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 1107.	3.5	19
45	<i>Soortia roseihalophila</i> gen. nov., sp. nov., a new taxon in the order <i>Balneolales</i> isolated from a travertine spring, and description of <i>Soortiaceae</i> fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 113-120.	1.7	12
46	<i>Aliidiomarina sedimenti</i> sp. nov., a haloalkaliphilic bacterium in the family <i>Idiomarinaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2087-2092.	1.7	12
47	<i>Natrinema soli</i> sp. nov., a novel halophilic archaeon isolated from a hypersaline wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2142-2147.	1.7	15
48	<i>Marinobacter aquaticus</i> sp. nov., a moderately halophilic bacterium from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2622-2627.	1.7	15
49	<i>Spiribacter aquaticus</i> sp. nov., a novel member of the genus <i>Spiribacter</i> isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2947-2952.	1.7	16
50	<i>Natronoarchaeum persicum</i> sp. nov., a haloarchaeon isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3339-3344.	1.7	8
51	<i>Prauserella oleivorans</i> sp. nov., a halophilic and thermotolerant crude-oil-degrading actinobacterium isolated from an oil-contaminated mud pit. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3381-3386.	1.7	11
52	<i>Salinifilum</i> gen. nov., with description of <i>Salinifilum proteinilyticum</i> sp. nov., an extremely halophilic actinomycete isolated from Meighan wetland, Iran, and reclassification of <i>Saccharopolyspora aidingensis</i> as <i>Salinifilum aidingensis</i> comb. nov. and <i>Saccharopolyspora ghardaiensis</i> as <i>Salinifilum ghardaiensis</i> comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4221-4227.	1.7	27
53	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halobacteria and Subcommittee on the taxonomy of Halomonadaceae. Minutes of the joint open meeting, 11 July 2017, Valencia, Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4279-4283.	1.7	8
54	Systematics of haloarchaea and biotechnological potential of their hydrolytic enzymes. <i>Microbiology (United Kingdom)</i> , 2017, 163, 623-645.	1.8	99

#	ARTICLE	IF	CITATIONS
55	Microbial Diversity in Sediment Ecosystems (Evaporites Domes, Microbial Mats, and Crusts) of Hypersaline Laguna Tebenquiche, Salar de Atacama, Chile. <i>Frontiers in Microbiology</i> , 2016, 7, 1284.	3.5	79
56	<i>Halorubrum halodurans</i> sp. nov., an extremely halophilic archaeon isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 435-444.	1.7	16
57	<i>Halosiccatus urmianus</i> gen. nov., sp. nov., a haloarchaeon from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 725-730.	1.7	19
58	<i>Oceanobacillus halophilus</i> sp. nov., a novel moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1317-1322.	1.7	22
59	<i>Aliidiomarina iranensis</i> sp. nov., a haloalkaliphilic bacterium from a coastal-marine wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2099-2105.	1.7	15
60	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halomonadaceae, Minutes of the closed meeting, 23 May 2016, San Juan, Puerto Rico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4290-4290.	1.7	1
61	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halobacteriaceae and subcommittee on the taxonomy of Halomonadaceae. Minutes of the joint open meeting, 23 May 2016, San Juan, Puerto Rico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4291-4295.	1.7	27
62	<i>Spiribacter roseus</i> sp. nov., a moderately halophilic species of the genus <i>Spiribacter</i> from salterns. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4218-4224.	1.7	20
63	<i>Oceanobacillus longus</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4225-4230.	1.7	11
64	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halobacteriaceae. Minutes of the closed meeting, 23 May 2016, San Juan, Puerto Rico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4289-4289.	1.7	2
65	Horizontal Gene Transfer, Dispersal and Haloarchaeal Speciation. <i>Life</i> , 2015, 5, 1405-1426.	2.4	28
66	<i>Halovenus salina</i> sp. nov., an extremely halophilic archaeon isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3016-3023.	1.7	11
67	Microbial diversity of hypersaline environments: a metagenomic approach. <i>Current Opinion in Microbiology</i> , 2015, 25, 80-87.	5.1	157
68	<i>Halovarius luteus</i> gen. nov., sp. nov., an extremely halophilic archaeon from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2420-2425.	1.7	25
69	<i>Aquisalimonas lutea</i> sp. nov., a moderately halophilic bacterium from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1354-1359.	1.7	7
70	<i>Halorubrum persicum</i> sp. nov., an extremely halophilic archaeon isolated from sediment of a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1770-1778.	1.7	23
71	<i>Halostagnicola bangensis</i> sp. nov., an alkaliphilic haloarchaeon from a soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 754-759.	1.7	13
72	<i>Fodinicurvata halophila</i> sp. nov., a moderately halophilic bacterium from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 766-771.	1.7	14

#	ARTICLE	IF	CITATIONS
73	<i>Halovivax cerinus</i> sp. nov., an extremely halophilic archaeon from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 65-70.	1.7	11
74	Screening and comparative assay of poly-hydroxyalkanoates produced by bacteria isolated from the Gavkhooni Wetland in Iran and evaluation of poly- β -hydroxybutyrate production by halotolerant bacterium <i>Oceanimonas</i> sp. GK1. <i>Annals of Microbiology</i> , 2015, 65, 517-526.	2.6	51
75	<i>Nocardia halotolerans</i> sp. nov., a halotolerant actinomycete isolated from saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3148-3154.	1.7	11
76	<i>Salininema proteolyticum</i> gen. nov., sp. nov., a halophilic rare actinomycete isolated from wetland soil, and emended description of the family Glycomycetaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3727-3733.	1.7	16
77	<i>Idiomarina aquatica</i> sp. nov., a moderately halophilic bacterium isolated from salterns. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4595-4600.	1.7	15
78	<i>Spiribacter curvatus</i> sp. nov., a moderately halophilic bacterium isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4638-4643.	1.7	18
79	<i>Pseudorhodoplanes sinuspersici</i> gen. nov., sp. nov., isolated from oil-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4743-4748.	1.7	26
80	<i>Archaea</i> , 2015, , 118-122.		0
81	Population and genomic analysis of the genus <i>Halorubrum</i> . <i>Frontiers in Microbiology</i> , 2014, 5, 140.	3.5	46
82	Evidence from phylogenetic and genome fingerprinting analyses suggests rapidly changing variation in <i>Halorubrum</i> and <i>Haloarcula</i> populations. <i>Frontiers in Microbiology</i> , 2014, 5, 143.	3.5	25
83	Comparison of prokaryotic community structure from Mediterranean and Atlantic saltern concentrator ponds by a metagenomic approach. <i>Frontiers in Microbiology</i> , 2014, 5, 196.	3.5	80
84	<i>Cyclobacterium halophilum</i> sp. nov., a marine bacterium isolated from a coastal-marine wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1000-1005.	1.7	11
85	<i>Oceanobacillus limi</i> sp. nov., a moderately halophilic bacterium from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1284-1289.	1.7	32
86	<i>Aquibacillus halophilus</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Virgibacillus koreensis</i> as <i>Aquibacillus koreensis</i> comb. nov. and <i>Virgibacillus albus</i> as <i>Aquibacillus albus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3616-3623.	1.7	36
87	<i>Salinispirillum marinum</i> gen. nov., sp. nov., a haloalkaliphilic bacterium in the family "Saccharospirillaceae"™. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3610-3615.	1.7	17
88	<i>Halovivax limisalsi</i> sp. nov., an extremely halophilic archaeon from hypersaline mud. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3422-3426.	1.7	12
89	<i>Flavobacterium tructae</i> sp. nov. and <i>Flavobacterium piscis</i> sp. nov., isolated from farmed rainbow trout (<i>Oncorhynchus mykiss</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 392-399.	1.7	44
90	Prokaryotic taxonomic and metabolic diversity of an intermediate salinity hypersaline habitat assessed by metagenomics. <i>FEMS Microbiology Ecology</i> , 2014, 88, 623-635.	2.7	87

#	ARTICLE	IF	CITATIONS
91	Colloidal and biological properties of cationic single-chain and dimeric surfactants. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 114, 247-254.	5.0	43
92	<i>Aliicoccus persicus</i> gen. nov., sp. nov., a halophilic member of the Firmicutes isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1964-1969.	1.7	21
93	<i>Alloactinosynnema iranicum</i> sp. nov., a rare actinomycete isolated from a hypersaline wetland, and emended description of the genus <i>Alloactinosynnema</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1173-1179.	1.7	11
94	<i>Salinitrix halophila</i> gen. nov., sp. nov., a halophilic bacterium in the family Thermoactinomycetaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4115-4119.	1.7	18
95	<i>Halorientalis persicus</i> sp. nov., an extremely halophilic archaeon isolated from a salt lake and emended description of the genus <i>Halorientalis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 940-944.	1.7	28
96	Metagenomic Sequence of Prokaryotic Microbiota from an Intermediate-Salinity Pond of a Saltern in Isla Cristina, Spain. <i>Genome Announcements</i> , 2014, 2, .	0.8	13
97	The Santa Pola saltern as a model for studying the microbiota of hypersaline environments. <i>Extremophiles</i> , 2014, 18, 811-824.	2.3	113
98	<i>Pseudomonas salegens</i> sp. nov., a halophilic member of the genus <i>Pseudomonas</i> isolated from a wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3565-3570.	1.7	25
99	Diversity and distribution of <i>Halomonas</i> in Rambla Salada, a hypersaline environment in the southeast of Spain. <i>FEMS Microbiology Ecology</i> , 2014, 87, 460-474.	2.7	26
100	<i>Larsenia salina</i> gen. nov., sp. nov., a new member of the family Halomonadaceae based on multilocus sequence analysis. <i>Systematic and Applied Microbiology</i> , 2014, 37, 480-487.	2.8	20
101	From Metagenomics to Pure Culture: Isolation and Characterization of the Moderately Halophilic Bacterium <i>Spiribacter salinus</i> gen. nov., sp. nov. <i>Applied and Environmental Microbiology</i> , 2014, 80, 3850-3857.	3.1	78
102	The Genus <i>Virgibacillus</i> . , 2014, , 455-465.		7
103	The Family Halomonadaceae. , 2014, , 325-360.		8
104	<i>Archaea</i> . , 2014, , 1-5.		0
105	<i>Bacillus halosaccharovorans</i> sp. nov., a moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2776-2781.	1.7	33
106	Genomes of <i>Spiribacter</i> , a streamlined, successful halophilic bacterium. <i>BMC Genomics</i> , 2013, 14, 787.	2.8	54
107	<i>Halopenitus malekzadehii</i> sp. nov., an extremely halophilic archaeon isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3232-3236.	1.7	17
108	<i>Limimonas halophila</i> gen. nov., sp. nov., an extremely halophilic bacterium in the family Rhodospirillaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1562-1567.	1.7	29

#	ARTICLE	IF	CITATIONS
109	<i>Bacillus persicus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1229-1234.	1.7	23
110	Characterization of flavobacteria possibly associated with fish and fish farm environment. Description of three novel <i>Flavobacterium</i> species: <i>Flavobacterium collinsii</i> sp. nov., <i>Flavobacterium branchiarum</i> sp. nov., and <i>Flavobacterium branchiicola</i> sp. nov.. <i>Aquaculture</i> , 2013, 416-417, 346-353.	3.5	34
111	<i>Bacillus salsus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3324-3329.	1.7	19
112	<i>Ornithinibacillus halophilus</i> sp. nov., a moderately halophilic, Gram-stain-positive, endospore-forming bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 844-848.	1.7	28
113	Systematic and biotechnological aspects of halophilic and halotolerant actinomycetes. <i>Extremophiles</i> , 2013, 17, 1-13.	2.3	94
114	<i>Saliterribacillus persicus</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 345-351.	1.7	31
115	<i>Marinobacter persicus</i> sp. nov., a moderately halophilic bacterium from a saline lake in Iran. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 47-54.	1.7	27
116	Metagenome Sequencing of Prokaryotic Microbiota from Two Hypersaline Ponds of a Marine Saltern in Santa Pola, Spain. <i>Genome Announcements</i> , 2013, 1, .	0.8	35
117	Draft Genome of <i>Spiribacter salinus</i> M19-40, an Abundant Gammaproteobacterium in Aquatic Hypersaline Environments. <i>Genome Announcements</i> , 2013, 1, .	0.8	14
118	Draft Genome Sequence of the Moderately Halophilic Bacterium <i>Marinobacter lipolyticus</i> Strain SM19. <i>Genome Announcements</i> , 2013, 1, .	0.8	8
119	Draft Genome of the Marine Gammaproteobacterium <i>Halomonas titanicae</i> . <i>Genome Announcements</i> , 2013, 1, e0008313.	0.8	15
120	Draft Genome Sequence of the Moderately Halophilic Bacterium <i>Pseudoalteromonas ruthenica</i> Strain CP76. <i>Genome Announcements</i> , 2013, 1, .	0.8	2
121	<i>Natronococcus roseus</i> sp. nov., a haloalkaliphilic archaeon from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 104-108.	1.7	32
122	<i>Flavobacterium plurextorum</i> sp. nov. Isolated from Farmed Rainbow Trout (<i>Oncorhynchus mykiss</i>). <i>PLoS ONE</i> , 2013, 8, e67741.	2.5	27
123	Prokaryotic Diversity in Aran-Bidgol Salt Lake, the Largest Hypersaline Playa in Iran. <i>Microbes and Environments</i> , 2012, 27, 87-93.	1.6	70
124	Tellurite removal by a tellurium-tolerant halophilic bacterial strain, <i>Thermoactinomyces</i> sp. QS-2006. <i>Annals of Microbiology</i> , 2012, 62, 1031-1037.	2.6	13
125	<i>Bacillus iranensis</i> sp. nov., a moderate halophile from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 811-816.	1.7	39
126	<i>Chryseobacterium viscerum</i> sp. nov., isolated from diseased fish. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2934-2940.	1.7	45

#	ARTICLE	IF	CITATIONS
127	Halopenitus persicus gen. nov., sp. nov., an archaeon from an inland salt lake. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1932-1936.	1.7	40
128	Haloarchaeobius iranensis gen. nov., sp. nov., an extremely halophilic archaeon isolated from a saline lake. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1021-1026.	1.7	39
129	Novel ether lipid cardiolipins in archaeal membranes of extreme haloalkaliphiles. Biochimica Et Biophysica Acta - Biomembranes, 2012, 1818, 1365-1373.	2.6	56
130	Identification of amino acids involved in the hydrolytic activity of lipase LipBL from Marinobacter lipolyticus. Microbiology (United Kingdom), 2012, 158, 2192-2203.	1.8	35
131	Halovenus aranensis gen. nov., sp. nov., an extremely halophilic archaeon from Aran-Bidgol salt lake. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1331-1336.	1.7	37
132	Multilocus sequence analysis of the family Halomonadaceae. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 520-538.	1.7	86
133	Alteribacillus bidgolensis gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of Bacillus persepolensis as Alteribacillus persepolensis comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2691-2697.	1.7	34
134	Taxonomy of Halophilic Archaea and Bacteria. , 2012, , 59-80.		11
135	Salinibacter iranicus sp. nov. and Salinibacter luteus sp. nov., isolated from a salt lake, and emended descriptions of the genus Salinibacter and of Salinibacter ruber. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1521-1527.	1.7	64
136	Chryseobacterium tructae sp. nov., isolated from rainbow trout (Oncorhynchus mykiss). Systematic and Applied Microbiology, 2012, 35, 315-319.	2.8	19
137	Bacterial and archaeal diversity in two hot spring microbial mats from the geothermal region of Tengchong, China. Extremophiles, 2012, 16, 607-618.	2.3	49
138	Biodegradation of polycyclic aromatic hydrocarbons by a halophilic microbial consortium. Applied Microbiology and Biotechnology, 2012, 95, 789-798.	3.6	94
139	Chryseobacterium oncorhynchi sp. nov., isolated from rainbow trout (Oncorhynchus mykiss). Systematic and Applied Microbiology, 2012, 35, 24-29.	2.8	40
140	A Novel Halophilic Lipase, LipBL, Showing High Efficiency in the Production of Eicosapentaenoic Acid (EPA). PLoS ONE, 2011, 6, e23325.	2.5	75
141	Taxonomy of Halophiles. , 2011, , 255-308.		42
142	New Abundant Microbial Groups in Aquatic Hypersaline Environments. Scientific Reports, 2011, 1, 135.	3.3	288
143	Halophilic and Haloalkaliphilic, Aerobic Endospore-forming Bacteria in Soil. Soil Biology, 2011, , 309-339.	0.8	14
144	A multilocus sequence analysis approach to the phylogeny and taxonomy of the Halobacteriales. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2984-2995.	1.7	54

#	ARTICLE	IF	CITATIONS
145	<i>Salimicrobium salexigens</i> sp. nov., a moderately halophilic bacterium from salted hides. <i>Systematic and Applied Microbiology</i> , 2011, 34, 435-9.	2.8	9
146	<i>Bacillus locisalis</i> sp. nov., a new haloalkaliphilic species from hypersaline and alkaline lakes of China, Kenya and Tanzania. <i>Systematic and Applied Microbiology</i> , 2011, 34, 424-428.	2.8	17
147	<i>Halorubrum aquaticum</i> sp. nov., an archaeon isolated from hypersaline lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1144-1148.	1.7	19
148	A halotolerant <i>Alcanivorax</i> sp. strain with potential application in saline soil remediation. <i>Applied Microbiology and Biotechnology</i> , 2011, 90, 305-312.	3.6	57
149	Azo dye decolorization by halophilic and halotolerant microorganisms. <i>Annals of Microbiology</i> , 2011, 61, 217-230.	2.6	55
150	<i>Thalassobacillus pellis</i> sp. nov., a moderately halophilic, Gram-positive bacterium isolated from salted hides. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1206-1210.	1.7	13
151	Taxonomy, Phylogeny, and Biotechnological Interest of the Family Halomonadaceae. , 2011, , 27-64.		9
152	The Hypersaline Lakes of Inner Mongolia: The MGAtch Project. , 2011, , 65-107.		3
153	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halobacteriaceae and Subcommittee on the taxonomy of Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2792-2795.	1.7	7
154	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2791-2791.	1.7	2
155	Phylogenetic relationships within the family Halomonadaceae based on comparative 23S and 16S rRNA gene sequence analysis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 737-748.	1.7	60
156	The extremely halophilic bacterium <i>Salicola marasensis</i> IC10 accumulates the compatible solute betaine. <i>Systematic and Applied Microbiology</i> , 2010, 33, 308-310.	2.8	9
157	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of Halobacteriaceae and Subcommittee on the taxonomy of Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2257-2259.	1.7	7
158	<i>Natronorubrum sediminis</i> sp. nov., an archaeon isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1802-1806.	1.7	22
159	<i>Bacillus halochares</i> sp. nov., a halophilic bacterium isolated from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1432-1436.	1.7	26
160	Taxonomic study of the genus <i>Salinicola</i> : transfer of <i>Halomonas salaria</i> and <i>Chromohalobacter salarius</i> to the genus <i>Salinicola</i> as <i>Salinicola salarius</i> comb. nov. and <i>Salinicola halophilus</i> nom. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 963-971.	1.7	30
161	<i>Moraxella porci</i> sp. nov., isolated from pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2446-2450.	1.7	30
162	<i>Halomonas titanicae</i> sp. nov., a halophilic bacterium isolated from the RMS Titanic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2768-2774.	1.7	79

#	ARTICLE	IF	CITATIONS
163	<i>Lentibacillus persicus</i> sp. nov., a moderately halophilic species isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1407-1412.	1.7	20
164	Halophiles 2010: Life in Saline Environments. <i>Applied and Environmental Microbiology</i> , 2010, 76, 6971-6981.	3.1	177
165	<i>Virgibacillus salinus</i> sp. nov., a moderately halophilic bacterium from sediment of a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3068-3073.	1.7	27
166	The Haloprotease CPI Produced by the Moderately Halophilic Bacterium <i>Pseudoalteromonas ruthenica</i> Is Secreted by the Type II Secretion Pathway. <i>Applied and Environmental Microbiology</i> , 2009, 75, 4197-4201.	3.1	13
167	Description of <i>Kushneria aurantia</i> gen. nov., sp. nov., a novel member of the family Halomonadaceae, and a proposal for reclassification of <i>Halomonas marisflavi</i> as <i>Kushneria marisflavi</i> comb. nov., of <i>Halomonas indalinina</i> as <i>Kushneria indalinina</i> comb. nov. and of <i>Halomonas avicenniae</i> as <i>Kushneria avicenniae</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 397-405.	1.7	87
168	Proposed minimal standards for describing new taxa of aerobic, endospore-forming bacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2114-2121.	1.7	428
169	<i>Halorubrum chaoviator</i> sp. nov., a haloarchaeon isolated from sea salt in Baja California, Mexico, Western Australia and Naxos, Greece. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1908-1913.	1.7	50
170	<i>Halomonas ilicicola</i> sp. nov., a moderately halophilic bacterium isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 578-582.	1.7	36
171	<i>Piscibacillus halophilus</i> sp. nov., a moderately halophilic bacterium from a hypersaline Iranian lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3095-3099.	1.7	24
172	Transfer of <i>Teichococcus ludipueritiae</i> and <i>Muricoccus roseus</i> to the genus <i>Roseomonas</i> , as <i>Roseomonas ludipueritiae</i> comb. nov. and <i>Roseomonas rosea</i> comb. nov., respectively, and emended description of the genus <i>Roseomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1193-1198.	1.7	65
173	<i>Moraxella pluranimalium</i> sp. nov., isolated from animal specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 671-674.	1.7	22
174	Production, optimization and purification of a novel extracellular protease from the moderately halophilic bacterium <i>Halobacillus karajensis</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 21-27.	3.0	70
175	Screening and isolation of halophilic bacteria producing extracellular hydrolyses from Howz Soltan Lake, Iran. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 333-340.	3.0	207
176	<i>Halobacterium salinarum</i> strain MMD047-A low-salt adapted member of the Halobacteriaceae?. <i>Biotechnology and Bioprocess Engineering</i> , 2009, 14, 869-870.	2.6	2
177	Characterization of <i>Salicola</i> sp. <i>fic10</i> , a lipase- and protease-producing extreme halophile. <i>FEMS Microbiology Ecology</i> , 2009, 68, 59-71.	2.7	62
178	Microbial Biogeography of Six Salt Lakes in Inner Mongolia, China, and a Salt Lake in Argentina. <i>Applied and Environmental Microbiology</i> , 2009, 75, 5750-5760.	3.1	119
179	<i>Thalassobacillus cyri</i> sp. nov., a moderately halophilic Gram-positive bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2565-2570.	1.7	22
180	Emended descriptions of genera of the family Halobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 637-642.	1.7	131

#	ARTICLE	IF	CITATIONS
181	<i>Bacillus persepolensis</i> sp. nov., a moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2352-2358.	1.7	28
182	Prokaryotic diversity in one of the largest hypersaline coastal lagoons in the world. <i>Extremophiles</i> , 2008, 12, 595-604.	2.3	34
183	Nanoarchaeal 16S rRNA gene sequences are widely dispersed in hyperthermophilic and mesophilic halophilic environments. <i>Extremophiles</i> , 2008, 12, 651-656.	2.3	65
184	<i>Halorubrum californiense</i> sp. nov., an extreme archaeal halophile isolated from a crystallizer pond at a solar salt plant in California, USA. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2710-2715.	1.7	37
185	Biogeography of the ubiquitous marine bacterium <i>Alteromonas macleodii</i> determined by multilocus sequence analysis. <i>Molecular Ecology</i> , 2008, 17, 4092-4106.	3.9	62
186	<i>Aquisalibacillus elongatus</i> gen. nov., sp. nov., a moderately halophilic bacterium of the family Bacillaceae isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1922-1926.	1.7	43
187	Halophilic and Halotolerant Micro-Organisms from Soils. <i>Soil Biology</i> , 2008, , 87-115.	0.8	51
188	<i>Halobacillus mangrovi</i> sp. nov., a moderately halophilic bacterium isolated from the black mangrove <i>Avicennia germinans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 125-130.	1.7	35
189	<i>Bacillus aidingensis</i> sp. nov., a moderately halophilic bacterium isolated from Ai-Ding salt lake in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2828-2832.	1.7	42
190	<i>Halorubrum luteum</i> sp. nov., isolated from Lake Chagannor, Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1705-1708.	1.7	30
191	<i>Haloterrigena salina</i> sp. nov., an extremely halophilic archaeon isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2880-2884.	1.7	66
192	<i>Algoriphagus hitonicola</i> sp. nov., isolated from an athalassohaline lagoon. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 424-428.	1.7	32
193	<i>Halorubrum kocurii</i> sp. nov., an archaeon isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2031-2035.	1.7	33
194	<i>Salsuginibacillus kocurii</i> gen. nov., sp. nov., a moderately halophilic bacterium from soda-lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2381-2386.	1.7	38
195	Recommended minimal standards for describing new taxa of the family Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2436-2446.	1.7	132
196	<i>Halomonas avicenniae</i> sp. nov., isolated from the salty leaves of the black mangrove <i>Avicennia germinans</i> in Puerto Rico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 900-905.	1.7	32
197	<i>Aerococcus suis</i> sp. nov., isolated from clinical specimens from swine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1291-1294.	1.7	32
198	<i>Flavobacterium ceti</i> sp. nov., isolated from beaked whales (<i>Ziphius cavirostris</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2604-2608.	1.7	35

#	ARTICLE	IF	CITATIONS
199	<i>Bacillus chagannorensis</i> sp. nov., a moderate halophile from a soda lake in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2084-2088.	1.7	46
200	<i>Aquisalimonas asiatica</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from an alkaline, saline lake in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1137-1142.	1.7	31
201	<i>Halovivax ruber</i> sp. nov., an extremely halophilic archaeon isolated from Lake Xilinhot, Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1024-1027.	1.7	25
202	<i>Halorubrum ejinorensis</i> sp. nov., isolated from Lake Ejinor, Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2538-2542.	1.7	23
203	<i>Halopiger xanaduensis</i> gen. nov., sp. nov., an extremely halophilic archaeon isolated from saline Lake Shangmatala in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1402-1407.	1.7	56
204	<i>Chromohalobacter japonicus</i> sp. nov., a moderately halophilic bacterium isolated from a Japanese salty food. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2262-2266.	1.7	29
205	Sequence analysis of an Archaeal virus isolated from a hypersaline lake in Inner Mongolia, China. <i>BMC Genomics</i> , 2007, 8, 410.	2.8	66
206	<i>Pseudomonas simiae</i> sp. nov., isolated from clinical specimens from monkeys (<i>Callithrix geoffroyi</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2671-2676.	1.7	35
207	The Family Halomonadaceae. , 2006, , 811-835.		57
208	Unusual micro-organisms from unusual habitats: hypersaline environments. , 2006, , 223-254.		103
209	Identification of a promoter region on the <i>Halomonas elongata</i> cryptic plasmid pHE1 employing the <i>inaZ</i> reporter gene of <i>Pseudomonas syringae</i> . <i>FEMS Microbiology Letters</i> , 2006, 154, 45-51.	1.8	11
210	Fatty acid and DNA analyses of Permian bacteria isolated from ancient salt crystals reveal differences with their modern relatives. <i>Extremophiles</i> , 2006, 10, 71-78.	2.3	10
211	Bactericidal Activity of Copper and Niobium-Alloyed Austenitic Stainless Steel. <i>Current Microbiology</i> , 2006, 53, 491-495.	2.2	24
212	Osmoprotection of <i>Salmonella enterica</i> serovar Typhimurium by Ni ³ -acetyldiaminobutyrate, the precursor of the compatible solute ectoine. <i>Systematic and Applied Microbiology</i> , 2006, 29, 626-633.	2.8	18
213	<i>Natrinema ejinorensis</i> sp. nov., isolated from a saline lake in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2683-2687.	1.7	27
214	<i>Pedobacter aquatilis</i> sp. nov., isolated from drinking water, and emended description of the genus <i>Pedobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1853-1858.	1.7	78
215	<i>Roseomonas aquatica</i> sp. nov., isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2291-2295.	1.7	60
216	<i>Halorubrum orientale</i> sp. nov., a halophilic archaeon isolated from Lake Ejinor, Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2559-2563.	1.7	26

#	ARTICLE	IF	CITATIONS
217	Reclassification of <i>Pseudomonas beijerinckii</i> Hof 1935 as <i>Chromohalobacter beijerinckii</i> comb. nov., and emended description of the species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1953-1957.	1.7	30
218	International Committee on Systematics of Prokaryotes; Subcommittee on the taxonomy of the Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2021-2022.	1.7	1
219	Identification of Eukaryotic Open Reading Frames in Metagenomic cDNA Libraries Made from Environmental Samples. <i>Applied and Environmental Microbiology</i> , 2006, 72, 135-143.	3.1	63
220	<i>Caldalkalibacillus thermarum</i> gen. nov., sp. nov., a novel alkalithermophilic bacterium from a hot spring in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1217-1221.	1.7	53
221	<i>Massilia aurea</i> sp. nov., isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2449-2453.	1.7	89
222	<i>Methylobacterium adhaesivum</i> sp. nov., a methylotrophic bacterium isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 339-342.	1.7	48
223	<i>Chryseobacterium hispanicum</i> sp. nov., isolated from the drinking water distribution system of Sevilla, Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1589-1592.	1.7	40
224	<i>Halostagnicola larsenii</i> gen. nov., sp. nov., an extremely halophilic archaeon from a saline lake in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1519-1524.	1.7	45
225	<i>Halalkalicoccus tibetensis</i> gen. nov., sp. nov., representing a novel genus of haloalkaliphilic archaea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2501-2505.	1.7	78
226	Contribution of chemical changes in membrane lipids to the osmoadaptation of the halophilic bacterium <i>Chromohalobacter salexigens</i> . <i>Systematic and Applied Microbiology</i> , 2005, 28, 571-581.	2.8	28
227	Catabolic versatility of aromatic compound-degrading halophilic bacteria. <i>FEMS Microbiology Ecology</i> , 2005, 54, 97-109.	2.7	109
228	<i>Methylobacterium variabile</i> sp. nov., a methylotrophic bacterium isolated from an aquatic environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1429-1433.	1.7	40
229	<i>Methylobacterium hispanicum</i> sp. nov. and <i>Methylobacterium aquaticum</i> sp. nov., isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 281-287.	1.7	78
230	<i>Paenibacillus rhizosphaerae</i> sp. nov., isolated from the rhizosphere of <i>Cicer arietinum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1305-1309.	1.7	28
231	<i>Thalassobacillus devorans</i> gen. nov., sp. nov., a moderately halophilic, phenol-degrading, Gram-positive bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1789-1795.	1.7	93
232	<i>Nitriicola lacisaponensis</i> gen. nov., sp. nov., a novel alkaliphilic bacterium isolated from an alkaline, saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2273-2278.	1.7	47
233	<i>Methylobacterium isbiliense</i> sp. nov., isolated from the drinking water system of Sevilla, Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2333-2337.	1.7	44
234	International Committee on Systematics of Prokaryotes; Subcommittee on the taxonomy of the Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2231-2232.	1.7	1

#	ARTICLE	IF	CITATIONS
235	Halophilic Archaea and Bacteria as a Source of Extracellular Hydrolytic Enzymes. , 2005, , 337-354.		26
236	Complex regulation of the synthesis of the compatible solute ectoine in the halophilic bacterium <i>Chromohalobacter salexigens</i> DSM 3043T. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3051-3063.	1.8	112
237	Taxonomic study of <i>Halorubrum distributum</i> and proposal of <i>Halorubrum terrestre</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 389-392.	1.7	50
238	<i>Halomonas neptunia</i> sp. nov., <i>Halomonas sulfidaeris</i> sp. nov., <i>Halomonas axialensis</i> sp. nov. and <i>Halomonas hydrothermalis</i> sp. nov.: halophilic bacteria isolated from deep-sea hydrothermal-vent environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 499-511.	1.7	157
239	<i>Halorubrum tibetense</i> sp. nov., a novel haloalkaliphilic archaeon from Lake Zabuye in Tibet, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1213-1216.	1.7	57
240	<i>Haloferax sulfurifontis</i> sp. nov., a halophilic archaeon isolated from a sulfide- and sulfur-rich spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2275-2279.	1.7	51
241	Salt-Inducible Multidrug Efflux Pump Protein in the Moderately Halophilic Bacterium <i>Chromohalobacter</i> sp. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4424-4431.	3.1	35
242	Bacterial diversity of the Inner Mongolian Baer Soda Lake as revealed by 16S rRNA gene sequence analyses. <i>Extremophiles</i> , 2004, 8, 45-51.	2.3	65
243	<i>Halomonas organivorans</i> sp. nov., a moderate halophile able to degrade aromatic compounds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1723-1728.	1.7	175
244	Genetics of Osmoadaptation by Accumulation of Compatible Solutes in the Moderate Halophile <i>Chromohalobacter salexigens</i> : Its Potential in Agriculture Under Osmotic Stress Conditions. , 2004, , 135-153.		2
245	Screening and characterization of the protease CP1 produced by the moderately halophilic bacterium <i>Pseudoalteromonas</i> sp. strain CP76. <i>Extremophiles</i> , 2003, 7, 221-228.	2.3	122
246	Isolation of <i>Halobacterium salinarum</i> retrieved directly from halite brine inclusions. <i>Environmental Microbiology</i> , 2003, 5, 1094-1102.	3.8	120
247	International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of the Halomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 921-922.	1.7	2
248	Taxonomic study of sucrose-positive <i>Aeromonas jandaei</i> -like isolates from faeces, water and eels: emendation of <i>A. jandaei</i> Carnahan et al. 1992. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1411-1419.	1.7	31
249	<i>Herbaspirillum lusitanum</i> sp. nov., a novel nitrogen-fixing bacterium associated with root nodules of <i>Phaseolus vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1979-1983.	1.7	121
250	Phylogeny of the family Halomonadaceae based on 23S and 16S rDNA sequence analyses.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 241-249.	1.7	139
251	Proposal of <i>Cobetia marina</i> gen. nov., comb. nov., within the Family Halomonadaceae, to Include the Species <i>Halomonas marina</i> . <i>Systematic and Applied Microbiology</i> , 2002, 25, 207-211.	2.8	130
252	Taxonomic characterization of <i>Haloferax</i> sp. (" <i>H. alicantei</i> ") strain Aa 2.2: description of <i>Haloferax lucentensis</i> sp. nov.. <i>Extremophiles</i> , 2002, 6, 479-483.	2.3	48

#	ARTICLE	IF	CITATIONS
253	<i>Marinospirillum alkaliphilum</i> sp. nov., a new alkaliphilic helical bacterium from Haoji soda lake in Inner Mongolia Autonomous Region of China. <i>Extremophiles</i> , 2002, 6, 33-37.	2.3	23
254	<i>Salinicoccus alkaliphilus</i> sp. nov., a novel alkaliphile and moderate halophile from Baer Soda Lake in Inner Mongolia Autonomous Region, China.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 789-793.	1.7	30
255	Phylum All. Euryarchaeota phy. nov.. , 2001, , 211-355.		50
256	Stable Low Molecular Weight RNA Analyzed by Staircase Electrophoresis, a Molecular Signature for Both Prokaryotic and Eukaryotic Microorganisms. <i>Systematic and Applied Microbiology</i> , 2001, 24, 490-499.	2.8	19
257	Production and biochemical characterization of an α -amylase from the moderate halophile <i>Halomonas meridiana</i> . <i>FEMS Microbiology Letters</i> , 2000, 183, 67-71.	1.8	130
258	Taxonomic Analysis of Extremely Halophilic Archaea Isolated from 56-Years-Old Dead Sea Brine Samples. <i>Systematic and Applied Microbiology</i> , 2000, 23, 376-385.	2.8	12
259	The α -amylase gene <i>amyH</i> of the moderate halophile <i>Halomonas meridiana</i> : cloning and molecular characterization The EMBL accession number for the sequence reported in this paper is AJ239061.. <i>Microbiology (United Kingdom)</i> , 2000, 146, 861-868.	1.8	67
260	Genes for the synthesis of the osmoprotectant glycine betaine from choline in the moderately halophilic bacterium <i>Halomonas elongata</i> DSM 3043 The EMBL accession number for the sequence reported in this paper is AJ238780.. <i>Microbiology (United Kingdom)</i> , 2000, 146, 455-463.	1.8	71
261	<i>Bacillus marismortui</i> sp. nov., a new moderately halophilic species from the Dead Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 521-530.	1.7	111
262	<i>Haloarcula quadrata</i> sp. nov., a square, motile archaeon isolated from a brine pool in Sinai (Egypt). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 1149-1155.	1.7	81
263	Proposal to transfer <i>Halococcus turkmenicus</i> , <i>Halobacterium trapanicum</i> JCM 9743 and strain GSL-11 to <i>Haloterrigena turkmenica</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 131-136.	1.7	110
264	In Memoriam-Benjamin Elazari Volcani. <i>International Journal of Salt Lake Research</i> , 1999, 8, 3-6.	0.1	2
265	Benjamin Elazari Volcani, 1915-1999. <i>Extremophiles</i> , 1999, 3, 173-174.	2.3	6
266	Genetic Organization of the Mobilization Region of the Plasmid pHE1 from <i>Halomonas elongata</i> . <i>Systematic and Applied Microbiology</i> , 1999, 22, 520-529.	2.8	15
267	<i>Halomonas campisalis</i> sp.nov., a Denitrifying, Moderately Haloalkaliphilic Bacterium. <i>Systematic and Applied Microbiology</i> , 1999, 22, 551-558.	2.8	137
268	Role of N ¹³ -Acetyldiaminobutyrate as an Enzyme Stabilizer and an Intermediate in the Biosynthesis of Hydroxyectoine. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3774-3779.	3.1	75
269	Characterization of the Genes for the Biosynthesis of the Compatible Solute Ectoine in the Moderately Halophilic Bacterium <i>Halomonas elongata</i> DSM 3043. <i>Systematic and Applied Microbiology</i> , 1998, 21, 487-497.	2.8	91
270	Synthesis of Glycine Betaine from Exogenous Choline in the Moderately Halophilic Bacterium <i>Halomonas elongata</i> . <i>Applied and Environmental Microbiology</i> , 1998, 64, 4095-4097.	3.1	65

#	ARTICLE	IF	CITATIONS
271	Biology of Moderately Halophilic Aerobic Bacteria. <i>Microbiology and Molecular Biology Reviews</i> , 1998, 62, 504-544.	6.6	1,121
272	Isolation and Characterization of Salt-sensitive Mutants of the Moderate Halophile <i>Halomonas elongata</i> and Cloning of the Ectoine Synthesis Genes. <i>Journal of Biological Chemistry</i> , 1997, 272, 25794-25801.	3.4	96
273	Host Range, Stability and Compatibility of Broad Host-Range-Plasmids and a Shuttle Vector in Moderately Halophilic Bacteria. Evidence of Intrageneric and Intergeneric Conjugation in Moderate Halophiles. <i>Systematic and Applied Microbiology</i> , 1997, 20, 173-181.	2.8	36
274	Salt-Sensitive and Auxotrophic Mutants of <i>Halomonas elongata</i> and <i>H. meridiana</i> by Use of Hydroxylamine Mutagenesis. <i>Current Microbiology</i> , 1997, 34, 85-90.	2.2	11
275	Identification of a promoter region on the <i>Halomonas elongata</i> cryptic plasmid pHE1 employing the <i>inaZ</i> reporter gene of <i>Pseudomonas syringae</i> . <i>FEMS Microbiology Letters</i> , 1997, 154, 45-51.	1.8	2
276	Isolation of cryptic plasmids from moderately halophilic eubacteria of the genus <i>Halomonas</i> . Characterization of a small plasmid from <i>H. elongata</i> and its use for shuttle vector construction. <i>Molecular Genetics and Genomics</i> , 1995, 246, 411-418.	2.4	46
277	Influence of salt concentration on the susceptibility of moderately halophilic bacteria to antimicrobials and its potential use for genetic transfer studies. <i>Current Microbiology</i> , 1995, 31, 365-371.	2.2	22
278	Construction of Novel Shuttle Vectors for Use between Moderately Halophilic Bacteria and <i>Escherichia coli</i> . <i>Plasmid</i> , 1995, 34, 157-164.	1.4	24
279	Halotolerant <i>Thermus</i> Strains from Marine and Terrestrial Hot Springs Belong to <i>Thermus thermophilus</i> (ex Oshima and Imahori, 1974) nom. rev. emend.. <i>Systematic and Applied Microbiology</i> , 1995, 17, 526-532.	2.8	55
280	Taxonomy and Phylogeny of Moderately Halophilic Bacteria. , 1994, , 231-242.		11
281	DNA-rRNA hybridization studies on <i>Halococcus saccharolyticus</i> and other halobacteria. <i>FEMS Microbiology Letters</i> , 1993, 111, 69-72.	1.8	5
282	Taxonomy of New Species of Moderately Halophilic Eubacteria. , 1991, , 45-51.		3
283	Physical map of a 257 kilobase-pairs region from the genome of the archaeobacterium <i>Halococcus saccharolyticus</i> . <i>Current Microbiology</i> , 1991, 23, 299-302.	2.2	4
284	Deoxyribonucleic acid relatedness among strains of the moderately halophilic species <i>Deleya halophila</i> . <i>Current Microbiology</i> , 1991, 22, 103-107.	2.2	0
285	Polar lipids of non-alkaliphilic Halococci. <i>Lipids and Lipid Metabolism</i> , 1990, 1046, 127-135.	2.6	31
286	DNA-DNA homology studies among strains of <i>Haloferax</i> and other halobacteria. <i>Current Microbiology</i> , 1989, 18, 253-256.	2.2	23
287	<i>Halococcus saccharolyticus</i> sp. nov., a New Species of Extremely Halophilic Non-alkaliphilic Cocci. <i>Systematic and Applied Microbiology</i> , 1989, 12, 167-171.	2.8	45
288	Cellular Fatty Acid Composition of Moderately Halophilic Cocci. <i>Systematic and Applied Microbiology</i> , 1989, 12, 141-144.	2.8	21

#	ARTICLE	IF	CITATIONS
289	Haloarcula hispanica spec. nov. and Haloferax gibbonsii spec, nov., Two New Species of Extremely Halophilic Archaeobacteria. Systematic and Applied Microbiology, 1986, 8, 75-79.	2.8	129
290	Classification of Non-alkaliphilic Halobacteria Based on Numerical Taxonomy and Polar Lipid Composition, and Description of Haloarcula gen. nov. and Haloferax gen. nov.. Systematic and Applied Microbiology, 1986, 8, 89-99.	2.8	310
291	Antagonistic interactions among halobacteria due to halocin production. FEMS Microbiology Letters, 1986, 36, 177-182.	1.8	33
292	Lethality and mutagenicity inHalobacterium mediterranei caused by N-methyl-Nâ€²-nitro-N-nitrosoguanidine. Current Microbiology, 1984, 11, 165-169.	2.2	9
293	Moderately Halophilic and Halotolerant Species ofBacillus and Related Genera. , 0, , 83-99.		37