
Athene Lane

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6022048/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	10-Year Outcomes after Monitoring, Surgery, or Radiotherapy for Localized Prostate Cancer. New England Journal of Medicine, 2016, 375, 1415-1424.	13.9	2,101
2	Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. New England Journal of Medicine, 2016, 375, 1425-1437.	13.9	962
3	Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality. JAMA - Journal of the American Medical Association, 2018, 319, 883.	3.8	296
4	Short term outcomes of prostate biopsy in men tested for cancer by prostate specific antigen: prospective evaluation within ProtecT study. BMJ: British Medical Journal, 2012, 344, d7894-d7894.	2.4	211
5	Active monitoring, radical prostatectomy, or radiotherapy for localised prostate cancer: study design and diagnostic and baseline results of the ProtecT randomised phase 3 trial. Lancet Oncology, The, 2014, 15, 1109-1118.	5.1	205
6	It's not just what you say, it's also how you say it: Opening the â€~black box' of informed consent appointments in randomised controlled trials. Social Science and Medicine, 2009, 68, 2018-2028.	1.8	154
7	Circulating Folate, Vitamin B12, Homocysteine, Vitamin B12 Transport Proteins, and Risk of Prostate Cancer: a Case-Control Study, Systematic Review, and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1632-1642.	1.1	142
8	Development of a complex intervention improved randomization and informed consent in a randomized controlled trial. Journal of Clinical Epidemiology, 2009, 62, 29-36.	2.4	133
9	How Does Active Surveillance for Prostate Cancer Affect Quality of Life? A Systematic Review. European Urology, 2015, 67, 637-645.	0.9	105
10	Systematic Review and Meta-analysis of Factors Determining Change to Radical Treatment in Active Surveillance for Localized Prostate Cancer. European Urology, 2015, 67, 993-1005.	0.9	96
11	Exploring treatment preferences facilitated recruitment to randomized controlled trials. Journal of Clinical Epidemiology, 2011, 64, 1127-1136.	2.4	93
12	One-stage or two-stage revision surgery for prosthetic hip joint infection – the INFORM trial: a study protocol for a randomised controlled trial. Trials, 2016, 17, 90.	0.7	66
13	Genetic Variants in the Vitamin D Receptor Are Associated with Advanced Prostate Cancer at Diagnosis: Findings from the Prostate Testing for Cancer and Treatment Study and a Systematic Review. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2874-2881.	1.1	64
14	Associations of circulating 25â€hydroxyvitamin D with prostate cancer diagnosis, stage and grade. International Journal of Cancer, 2012, 131, 1187-1196.	2.3	63
15	Association of diabetes mellitus with prostate cancer: Nested case–control study (Prostate testing) Tj ETQq1 1	0,784314	⊧rg₿T /Over
16	Impact of Helicobacter pylori eradication on dyspepsia, health resource use, and quality of life in the Bristol helicobacter project: randomised controlled trial. BMJ: British Medical Journal, 2006, 332, 199-204.	2.4	54
17	Systematic review and meta-analysis of the associations between body mass index, prostate cancer, advanced prostate cancer, and prostate-specific antigen. Cancer Causes and Control, 2020, 31, 431-449.	0.8	53
18	Patientâ€reported outcomes in the ProtecT randomized trial of clinically localized prostate cancer treatments: study design, and baseline urinary, bowel and sexual function and quality of life. BJU International, 2016, 118, 869-879.	1.3	52

#	Article	IF	CITATIONS
19	Circulating Insulin-Like Growth Factors and IGF-Binding Proteins in PSA-Detected Prostate Cancer: The Large Case–Control Study ProtecT. Cancer Research, 2012, 72, 503-515.	0.4	50
20	Life course sun exposure and risk of prostate cancer: Populationâ€based nested caseâ€control study and metaâ€analysis. International Journal of Cancer, 2009, 125, 1414-1423.	2.3	49
21	Decision-Making about PSA Testing and Prostate Biopsies: A Qualitative Study Embedded in a Primary Care Randomised Trial. European Urology, 2008, 53, 1186-1193.	0.9	41
22	Associations of aspirin, nonsteroidal antiâ€inflammatory drug and paracetamol use with PSAâ€detected prostate cancer: Findings from a large, populationâ€based, case–control study (the ProtecT study). International Journal of Cancer, 2011, 128, 1442-1448.	2.3	41
23	Mortality Among Men with Advanced Prostate Cancer Excluded from the ProtecT Trial. European Urology, 2017, 71, 381-388.	0.9	41
24	â€~Recruitment, recruitment, recruitment' – the need for more focus on retention: a qualitative study of five trials. Trials, 2018, 19, 76.	0.7	41
25	The importance of dietary change for men diagnosed with and at risk of prostate cancer: a multi-centre interview study with men, their partners and health professionals. BMC Family Practice, 2014, 15, 81.	2.9	40
26	Contemporary accuracy of death certificates for coding prostate cancer as a cause of death: Is reliance on death certification good enough? A comparison with blinded review by an independent cause of death evaluation committee. British Journal of Cancer, 2016, 115, 90-94.	2.9	38
27	Identifying research priorities for effective retention strategies in clinical trials. Trials, 2017, 18, 406.	0.7	38
28	Investigating the effects of lycopene and green tea on the metabolome of men at risk of prostate cancer: The ProDiet randomised controlled trial. International Journal of Cancer, 2019, 144, 1918-1928.	2.3	37
29	Diagnostic Assessment of Lower Urinary Tract Symptoms in Men Considering Prostate Surgery: A Noninferiority Randomised Controlled Trial of Urodynamics in 26 Hospitals. European Urology, 2020, 78, 701-710.	0.9	36
30	Adherence to Dietary and Lifestyle Recommendations and Prostate Cancer Risk in the Prostate Testing for Cancer and Treatment (ProtecT) Trial. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2066-2077.	1.1	33
31	Associations of vitamin D pathway genes with circulating 25-hydroxyvitamin-D, 1,25-dihydroxyvitamin-D, and prostate cancer: a nested case–control study. Cancer Causes and Control, 2015, 26, 205-218.	0.8	33
32	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. Cancer Causes and Control, 2012, 23, 907-917.	0.8	32
33	ProDiet: A Phase II Randomized Placebo-controlled Trial of Green Tea Catechins and Lycopene in Men at Increased Risk of Prostate Cancer. Cancer Prevention Research, 2018, 11, 687-696.	0.7	32
34	A placebo-controlled randomized trial of eradication of Helicobacter pylori in the general population:. Contemporary Clinical Trials, 2002, 23, 321-332.	2.0	31
35	Associations of adiponectin and leptin with stage and grade of PSA-detected prostate cancer: the ProtecT study. Cancer Causes and Control, 2013, 24, 323-334.	0.8	30
36	Evaluating the population impact of hepatitis C direct acting antiviral treatment as prevention for people who inject drugs (EPIToPe) – a natural experiment (protocol). BMJ Open, 2019, 9, e029538.	0.8	30

Athene Lane

#	Article	IF	CITATIONS
37	The Rationale and Design of the Reducing Pathology in Alzheimer's Disease through Angiotensin TaRgeting (RADAR) Trial. Journal of Alzheimer's Disease, 2017, 61, 803-814.	1.2	28
38	Reducing attrition within clinical trials: The communication of retention and withdrawal within patient information leaflets. PLoS ONE, 2018, 13, e0204886.	1.1	27
39	A Genetic Risk Score to Personalize Prostate Cancer Screening, Applied to Population Data. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1731-1738.	1.1	27
40	Prostate-specific antigen (PSA) testing of men in UK general practice: a 10-year longitudinal cohort study. BMJ Open, 2017, 7, e017729.	0.8	27
41	The relation between adiposity throughout the life course and variation in IGFs and IGFBPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. Cancer Causes and Control, 2010, 21, 1829-1842.	0.8	26
42	Safety and efficacy of losartan for the reduction of brain atrophy in clinically diagnosed Alzheimer's disease (the RADAR trial): a double-blind, randomised, placebo-controlled, phase 2 trial. Lancet Neurology, The, 2021, 20, 895-906.	4.9	26
43	Physical activity, alcohol consumption, BMI and smoking status before and after prostate cancer diagnosis in the ProtecT trial: Opportunities for lifestyle modification. International Journal of Cancer, 2015, 137, 1509-1515.	2.3	25
44	Quality control of uroflowmetry and urodynamic data from two large multicenter studies of male lower urinary tract symptoms. Neurourology and Urodynamics, 2020, 39, 1170-1177.	0.8	25
45	Trial Steering Committees in randomised controlled trials: A survey of registered clinical trials units to establish current practice and experiences. Clinical Trials, 2015, 12, 664-676.	0.7	24
46	Using digital tools in the recruitment and retention in randomised controlled trials: survey of UK Clinical Trial Units and a qualitative study. Trials, 2020, 21, 304.	0.7	24
47	Exploring the role and function of trial steering committees: results of an expert panel meeting. Trials, 2015, 16, 597.	0.7	23
48	Misclassification of outcome in case–control studies: Methods for sensitivity analysis. Statistical Methods in Medical Research, 2016, 25, 2377-2393.	0.7	23
49	Barriers and facilitators to healthy lifestyle and acceptability of a dietary and physical activity intervention among African Caribbean prostate cancer survivors in the UK: a qualitative study. BMJ Open, 2017, 7, e017217.	0.8	23
50	Systematic review evaluating randomized controlled trials of smoking and alcohol cessation interventions in people with head and neck cancer and oral dysplasia. Head and Neck, 2018, 40, 1845-1853.	0.9	23
51	Clinical and Patient-reported Outcome Measures in Men Referred for Consideration of Surgery to Treat Lower Urinary Tract Symptoms: Baseline Results and Diagnostic Findings of the Urodynamics for Prostate Surgery Trial; Randomised Evaluation of Assessment Methods (UPSTREAM). European Urology Focus. 2019. 5. 340-350.	1.6	23
52	Challenges to and Facilitators of Recruitment to an Alzheimer's Disease Clinical Trial: A Qualitative Interview Study. Journal of Alzheimer's Disease, 2019, 69, 1067-1075.	1.2	23
53	Functional and quality of life outcomes of localised prostate cancer treatments (Prostate Testing) Tj ETQq1 1	0.784314 rg 1.3	$_{23}^{\text{gBT}/\text{Overlock}}$
54	Thulium laser transurethral vaporesection of the prostate versus transurethral resection of the prostate for men with lower urinary tract symptoms or urinary retention (UNBLOCS): a randomised controlled trial. Lancet, The, 2020, 396, 50-61.	6.3	22

#	Article	IF	CITATIONS
55	Active monitoring, radical prostatectomy and radical radiotherapy in PSA-detected clinically localised prostate cancer: the ProtecT three-arm RCT. Health Technology Assessment, 2020, 24, 1-176.	1.3	22
56	Urodynamics tests for the diagnosis and management of bladder outlet obstruction in men: the UPSTREAM non-inferiority RCT. Health Technology Assessment, 2020, 24, 1-122.	1.3	21
57	Effect of Helicobacter pylori infection on blood pressure: a community based cross sectional study. BMJ: British Medical Journal, 2001, 323, 264-265.	2.4	20
58	Associations of Folate, Vitamin B12, Homocysteine, and Folate-Pathway Polymorphisms with Prostate-Specific Antigen Velocity in Men with Localized Prostate Cancer. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2833-2838.	1.1	20
59	Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the Prostate testing for cancer and Treatment study. Cancer Causes and Control, 2012, 23, 575-588.	0.8	20
60	Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. Trials, 2018, 19, 132.	0.7	20
61	Associations of Lifestyle Factors and Anthropometric Measures with Repeat PSA Levels During Active Surveillance/Monitoring. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1877-1885.	1.1	19
62	Detection of prostate cancer in unselected young men: prospective cohort nested within a randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 1139.	2.4	18
63	A Peer Review Intervention for Monitoring and Evaluating sites (PRIME) that improved randomized controlled trial conduct and performance. Journal of Clinical Epidemiology, 2011, 64, 628-636.	2.4	18
64	Establishing nurse-led active surveillance for men with localised prostate cancer: development and formative evaluation of a model of care in the ProtecT trial. BMJ Open, 2015, 5, e008953.	0.8	18
65	Investigating the prostate specific antigen, body mass index and age relationship: is an age–BMI-adjusted PSA model clinically useful?. Cancer Causes and Control, 2016, 27, 1465-1474.	0.8	17
66	Acceptability of dietary and physical activity lifestyle modification for men following radiotherapy or radical prostatectomy for localised prostate cancer: a qualitative investigation. BMC Urology, 2017, 17, 94.	0.6	17
67	Feasibility and cost of obtaining informed consent for essential review of medical records in large-scale health services research. Journal of Health Services Research and Policy, 2009, 14, 77-81.	0.8	16
68	Role of information in preparing men for transrectal ultrasound guided prostate biopsy: a qualitative study embedded in the ProtecT trial. BMC Health Services Research, 2015, 15, 80.	0.9	16
69	What are the roles and valued attributes of a Trial Steering Committee? Ethnographic study of eight clinical trials facing challenges. Trials, 2016, 17, 307.	0.7	16
70	A prospective cohort and extended comprehensive-cohort design provided insights about the generalizability of a pragmatic trial: the ProtecT prostate cancer trial. Journal of Clinical Epidemiology, 2018, 96, 35-46.	2.4	16
71	Additional SNPs improve risk stratification of a polygenic hazard score for prostate cancer. Prostate Cancer and Prostatic Diseases, 2021, 24, 532-541.	2.0	16
72	Developing new age-specific prostate-specific antigen thresholds for testing for prostate cancer. Cancer Causes and Control, 2018, 29, 383-388.	0.8	15

#	Article	IF	CITATIONS
73	The ProtecT randomised trial cost-effectiveness analysis comparing active monitoring, surgery, or radiotherapy for prostate cancer. British Journal of Cancer, 2020, 123, 1063-1070.	2.9	15
74	Grading Severity and Bother Using the International Prostate Symptom Score and International Consultation on Incontinence Questionnaire Male Lower Urinary Tract Symptoms Score in Men Seeking Lower Urinary Tract Symptoms Therapy. Journal of Urology, 2020, 204, 1003-1011.	0.2	15
75	Prostate cancer - evidence of exercise and nutrition trial (PrEvENT): study protocol for a randomised controlled feasibility trial. Trials, 2016, 17, 123.	0.7	14
76	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGFâ€I, IGFâ€I, IGFBPâ€I, IGFBPâ€2 and IGFBPâ€3 in a pooled analysis of 16,024 men from 22 studies. International Journal of Cancer, 2019, 145, 3244-3256.	2.3	14
77	Associations of sexual dysfunction symptoms with PSA-detected localised and advanced prostate cancer: A case-control study nested within the UK population-based ProtecT (Prostate testing for) Tj ETQq1 1 0.78	8 43 :14 rg8	3T1/Dverlock
78	A randomised controlled trial to determine the clinical and cost effectiveness of thulium laser transurethral vaporesection of the prostate (ThuVARP) versus transurethral resection of the prostate (TURP) in the National Health Service (NHS) $\hat{a} \in $ the UNBLOCS trial: a study protocol for a randomised controlled trial. Trials, 2017, 18, 179.	0.7	13
79	Development of a New Method for Monitoring Prostate-Specific Antigen Changes in Men with Localised Prostate Cancer: A Comparison of Observational Cohorts. European Urology, 2010, 57, 446-452.	0.9	12
80	Statistical analysis plan for the Urodynamics for Prostate Surgery Trial; Randomised Evaluation of Assessment Methods (UPSTREAM). Trials, 2017, 18, 455.	0.7	12
81	Randomised controlled trial of effects of <i>Helicobacter pylori</i> infection and its eradication on heartburn and gastro-oesophageal reflux: Bristol helicobacter project. BMJ: British Medical Journal, 2004, 328, 1417.	2.4	11
82	Setting an Agenda for Assessment of Health-related Quality of Life Among Men with Prostate Cancer on Active Surveillance: A Consensus Paper from a European School of Oncology Task Force. European Urology, 2017, 71, 274-280.	0.9	11
83	Prostate Surgery for Men with Lower Urinary Tract Symptoms: Do We Need Urodynamics to Find the Right Candidates? Exploratory Findings from the UPSTREAM Trial. European Urology Focus, 2022, 8, 1331-1339.	1.6	11
84	Gleason drift in the <scp>NIHR P</scp> rotec <scp>T</scp> study. Histopathology, 2015, 66, 438-446.	1.6	9
85	Phase II randomised control feasibility trial of a nutrition and physical activity intervention after radical prostatectomy for prostate cancer. BMJ Open, 2019, 9, e029480.	0.8	9
86	The causal roles of vitamin B(12) and transcobalamin in prostate cancer: can Mendelian randomization analysis provide definitive answers?. International Journal of Molecular Epidemiology and Genetics, 2011, 2, 316-27.	0.4	9
87	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. Cancer Causes and Control, 2013, 24, 39-45.	0.8	8
88	Estimating the sensitivity of a prostate cancer screening programme for different PSA cut-off levels: A UK case study. Cancer Epidemiology, 2018, 52, 99-105.	0.8	8
89	TReatIng Urinary symptoms in Men in Primary Healthcare using non-pharmacological and non-surgical interventions (TRIUMPH) compared with usual care: study protocol for a cluster randomised controlled trial. Trials, 2019, 20, 546.	0.7	8
90	Longitudinal prostate-specific antigen reference ranges: Choosing the underlying model of age-related changes. Statistical Methods in Medical Research, 2016, 25, 1875-1891.	0.7	7

#	Article	IF	CITATIONS
91	Strategies adopted by men to deal with uncertainty and anxiety when following an active surveillance/monitoring protocol for localised prostate cancer and implications for care: a longitudinal qualitative study embedded within the ProtecT trial. BMJ Open, 2020, 10, e036024.	0.8	7
92	Alteration of Metabolic Conditions Impacts the Regulation of IGF-II/H19 Imprinting Status in Prostate Cancers, 2021, 13, 825.	1.7	7
93	Seasonal variation in prostate-specific antigen levels: a large cross-sectional study of men in the UK. BJU International, 2011, 108, 1409-1414.	1.3	6
94	â€~We all want to succeed, but we've also got to be realistic about what is happening': an ethnographic study of relationships in trial oversight and their impact. Trials, 2017, 18, 612.	0.7	6
95	Factors associated with trial recruitment, preferences, and treatments received were elucidated in a comprehensive cohort study. Journal of Clinical Epidemiology, 2019, 113, 200-213.	2.4	6
96	The costâ€effectiveness of transurethral resection of the prostate vs thulium laser transurethral vaporesection of the prostate in the UNBLOCS randomised controlled trial for benign prostatic obstruction. BJU International, 2020, 126, 595-603.	1.3	6
97	Incorporating Known Genetic Variants Does Not Improve the Accuracy of PSA Testing to Identify High Risk Prostate Cancer on Biopsy. PLoS ONE, 2015, 10, e0136735.	1.1	6
98	Thulium laser transurethral vaporesection versus transurethral resection of the prostate for benign prostatic obstruction: the UNBLOCS RCT. Health Technology Assessment, 2020, 24, 1-96.	1.3	6
99	Prostateâ€specific antigen patterns in <scp>US</scp> and European populations: comparison of six diverse cohorts. BJU International, 2016, 118, 911-918.	1.3	5
100	Characteristics of men responding to an invitation to undergo testing for prostate cancer as part of a randomised trial. Trials, 2016, 17, 497.	0.7	5
101	Urodynamic Testing for Men with Voiding Symptoms Considering Interventional Therapy: The Merits of a Properly Constructed Randomised Trial. European Urology, 2016, 69, 759-760.	0.9	5
102	Treating Women with Recurrent Stress Urinary Incontinence: A Hornet's Nest Still Needing Proper Clinical Evidence. European Urology, 2021, 79, 6-7.	0.9	5
103	Developing an online, searchable database to systematically map and organise current literature on retention research (ORRCA2). Clinical Trials, 2022, 19, 71-80.	0.7	5
104	Use of the International Consultation on Incontinence Questionnaires Bladder Diary in Men Seeking therapy for Lower Urinary Tract Symptoms. European Urology Focus, 2022, 8, 66-74.	1.6	5
105	Development, validation and evaluation of an instrument for active monitoring of men with clinically localised prostate cancer: systematic review, cohort studies and qualitative study. Health Services and Delivery Research, 2015, 3, 1-138.	1.4	4
106	A third trial oversight committee: Functions, benefits and issues. Clinical Trials, 2020, 17, 106-112.	0.7	3
107	Protocol for an â€~efficient design' cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHIldren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. BMJ Open, 2021, 11, e041769.	0.8	3
108	Losartan to slow the progression of mild-to-moderate Alzheimer's disease through angiotensin targeting: the RADAR RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-72.	0.9	3

#	Article	IF	CITATIONS
109	Learning from COVID-19 related trial adaptations to inform efficient trial design—a sequential mixed methods study. BMC Medical Research Methodology, 2022, 22, 128.	1.4	3
110	Post-diagnosis serum insulin-like growth factors in relation to dietary and lifestyle changes in the Prostate testing for cancer and Treatment (ProtecT) trial. Cancer Causes and Control, 2017, 28, 877-888.	0.8	2
111	Best-BRA (Is subpectoral or prepectoral implant placement best in immediate breast reconstruction?): a protocol for a pilot randomised controlled trial of subpectoral versus prepectoral immediate implant-based breast reconstruction in women following mastectomy. BMJ Open, 2021, 11, e050886.	0.8	2
112	Qualitative Assessment of the Conservative Management of Nocturia with Standardised Written Materials for Lower Urinary Tract Symptoms in Men Treated in Primary Care. European Urology Focus, 2022, , .	1.6	2
113	What accompanies a postal questionnaire and why does it matter?. International Journal of Public Health, 2004, 49, 413-415.	2.7	1
114	A cohort examination to establish reporting of the remit and function of Trial Steering Committees in randomised controlled trials. Trials, 2017, 18, 590.	0.7	1
115	Reply to Sachin Malde, Arun Sahai, and Eskinder Solomon's Letter to the Editor re: Marcus J. Drake, Amanda L. Lewis, Grace J. Young, et al. Diagnostic Assessment of Lower Urinary Tract Symptoms in Men Considering Prostate Surgery: A Noninferiority Randomised Controlled Trial of Urodynamics in 26 Hospitals. Eur Urol 2020:78:701–10. European Urology. 2020. 78. e234-e235.	0.9	1
116	Effective management of male lower urinary tract symptoms in primary care. British Journal of General Practice, 2021, 71, 388-389.	0.7	1
117	The importance of overcoming the challenges in delivering the Proper Understanding of Recurrent Stress Urinary Incontinence Treatment (PURSUIT) study. , 2022, 1, 100020.		1
118	Reply to Satoshi Funada, Takashi Yoshioka, and Yan Luo's Letter to the Editor re: Marcus J. Drake, Amanda L. Lewis, Grace J. Young, et al. Diagnostic Assessment of Lower Urinary Tract Symptoms in Men Considering Prostate Surgery: A Noninferiority Randomised Controlled Trial of Urodynamics in 26 Hospitals. Eur Urol 2020;78:701–10. European Urology, 2021, 79, e89-e90.	0.9	0
119	Reply by Authors. Journal of Urology, 2020, 204, 1011-1011.	0.2	0
120	Increased transparency was required when reporting imputation of primary outcome data in clinical trials. Journal of Clinical Epidemiology, 2022, 146, 60-67.	2.4	0