
Richard Grencis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6028501/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Hatching of parasitic nematode eggs: a crucial step determining infection. Trends in Parasitology, 2022, 38, 174-187. | 3.3 | 28 |
| 2 | Defining the early stages of intestinal colonisation by whipworms. Nature Communications, 2022, 13, 1725. | 12.8 | 18 |
| 3 | <scp>Antiâ€<i>Trichuris</i></scp> mucosal responses are maintained during <i>H. bakeri</i> coâ€infection despite impaired parasite expulsion. Parasite Immunology, 2022, 44, e12936. | 1.5 | 4 |
| 4 | Immunity to Trichinella. , 2021, , 267-294. | | 0 |
| 5 | Intestinal helminth co-infection is an unrecognised risk factor for increased pneumococcal carriage density and invasive disease. Scientific Reports, 2021, 11, 6984. | 3.3 | 6 |
| 6 | Immunoregulatory molecules secreted by Trichuris muris. Parasitology, 2021, , 1-7. | 1.5 | 6 |
| 7 | The interplay between <i>Trichuris</i> and the microbiota. Parasitology, 2021, 148, 1806-1813. | 1.5 | 16 |
| 8 | <i>Trichuris muris</i> and comorbidities – within a mouse model context. Parasitology, 2021, 148, 1774-1782. | 1.5 | 10 |
| 9 | Functional Characterization of the Oxantel-Sensitive Acetylcholine Receptor from Trichuris muris. Pharmaceuticals, 2021, 14, 698. | 3.8 | 6 |
| 10 | Sustained Post-Developmental T-Bet Expression Is Critical for the Maintenance of Type One Innate Lymphoid Cells In Vivo. Frontiers in Immunology, 2021, 12, 760198. | 4.8 | 11 |
| 11 | High-throughput phenotyping reveals expansive genetic and structural underpinnings of immune variation. Nature Immunology, 2020, 21, 86-100. | 14.5 | 32 |
| 12 | Organoids – New Models for Host–Helminth Interactions. Trends in Parasitology, 2020, 36, 170-181. | 3.3 | 43 |
| 13 | Interleukin-33 rescues perivascular adipose tissue anticontractile function in obesity. American Journal of Physiology - Heart and Circulatory Physiology, 2020, 319, H1387-H1397. | 3.2 | 15 |
| 14 | Development of caecaloids to study host–pathogen interactions: new insights into immunoregulatory functions of Trichuris muris extracellular vesicles in the caecum. International Journal for Parasitology, 2020, 50, 707-718. | 3.1 | 23 |
| 15 | Extracellular vesicles from Heligmosomoides bakeri and Trichuris muris contain distinct microRNA families and small RNAs that could underpin different functions in the host. International Journal for Parasitology, 2020, 50, 719-729. | 3.1 | 16 |
| 16 | Regulatory RNAs: A Universal Language for Inter-Domain Communication. International Journal of Molecular Sciences, 2020, 21, 8919. | 4.1 | 18 |
| 17 | Whipworm and roundworm infections. Nature Reviews Disease Primers, 2020, 6, 44. | 30.5 | 114 |
| 18 | Immunity to Soil-Transmitted Helminths: Evidence From the Field and Laboratory Models. Frontiers in Immunology, 2020, 11, 1286. | 4.8 | 33 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | IL-17A both initiates, via IFNÎ ³ suppression, and limits the pulmonary type-2 immune response to nematode infection. Mucosal Immunology, 2020, 13, 958-968. | 6.0 | 42 |
| 20 | Contrasting impact of rural, versus urban, living on glucose metabolism and blood pressure in Uganda. Wellcome Open Research, 2020, 5, 39. | 1.8 | 2 |
| 21 | The major secreted protein of the whipworm parasite tethers to matrix and inhibits interleukin-13 function. Nature Communications, 2019, 10, 2344. | 12.8 | 48 |
| 22 | TGFβ-activation by dendritic cells drives Th17 induction and intestinal contractility and augments the expulsion of the parasite Trichinella spiralis in mice. PLoS Pathogens, 2019, 15, e1007657. | 4.7 | 24 |
| 23 | The lung environment controls alveolar macrophage metabolism and responsiveness in type 2 inflammation. Nature Immunology, 2019, 20, 571-580. | 14.5 | 140 |
| 24 | ILC2s mediate systemic innate protection by priming mucus production at distal mucosal sites. Journal of Experimental Medicine, 2019, 216, 2714-2723. | 8.5 | 52 |
| 25 | Trickle infection and immunity to Trichuris muris. PLoS Pathogens, 2019, 15, e1007926. | 4.7 | 35 |
| 26 | Exclusive dependence of IL-10Rα signalling on intestinal microbiota homeostasis and control of whipworm infection. PLoS Pathogens, 2019, 15, e1007265. | 4.7 | 24 |
| 27 | T-bet controls intestinal mucosa immune responses via repression of type 2 innate lymphoid cell function. Mucosal Immunology, 2019, 12, 51-63. | 6.0 | 30 |
| 28 | Trickle infection and immunity to Trichuris muris. , 2019, 15, e1007926. | | 0 |
| 29 | Trickle infection and immunity to Trichuris muris. , 2019, 15, e1007926. | | 0 |
| 30 | Trickle infection and immunity to Trichuris muris. , 2019, 15, e1007926. | | 0 |
| 31 | Trickle infection and immunity to Trichuris muris. , 2019, 15, e1007926. | | 0 |
| 32 | Trickle infection and immunity to Trichuris muris. , 2019, 15, e1007926. | | 0 |
| 33 | A sticky end for gastrointestinal helminths; the role of the mucus barrier. Parasite Immunology, 2018, 40, e12517. | 1.5 | 93 |
| 34 | Vaccination Against Whipworm: Identification of Potential Immunogenic Proteins in Trichuris muris Excretory/Secretory Material. Scientific Reports, 2018, 8, 4508. | 3.3 | 19 |
| 35 | Manipulation of host and parasite microbiotas: Survival strategies during chronic nematode infection. Science Advances, 2018, 4, eaap7399. | 10.3 | 106 |
| 36 | Antibiotics induce sustained dysregulation of intestinal T cell immunity by perturbing macrophage homeostasis. Science Translational Medicine, 2018, 10, . | 12.4 | 200 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Extracellular vesicles induce protective immunity against <i>Trichuris muris</i> . Parasite Immunology, 2018, 40, e12536. | 1.5 | 72 |
| 38 | lmmune-driven alterations in mucin sulphation is an important mediator of Trichuris muris helminth expulsion. PLoS Pathogens, 2017, 13, e1006218. | 4.7 | 35 |
| 39 | Chronic Trichuris muris infection causes neoplastic change in the intestine and exacerbates tumour formation in APC min/+ mice. PLoS Neglected Tropical Diseases, 2017, 11, e0005708. | 3.0 | 27 |
| 40 | Tuft Cells: A New Flavor in Innate Epithelial Immunity. Trends in Parasitology, 2016, 32, 583-585. | 3.3 | 31 |
| 41 | New Role of Nod Proteins in Regulation of Intestinal Goblet Cell Response in the Context of Innate Host Defense in an Enteric Parasite Infection. Infection and Immunity, 2016, 84, 275-285. | 2.2 | 25 |
| 42 | The autophagy gene Atg1611 differentially regulates Treg and TH2 cells to control intestinal inflammation. ELife, 2016, 5, e12444. | 6.0 | 153 |
| 43 | Differential alterations in the small intestine epithelial cell turnover during acute and chronic infection with Echinostoma caproni (Trematoda). Parasites and Vectors, 2015, 8, 334. | 2.5 | 19 |
| 44 | Chronic Trichuris muris Infection in C57BL/6 Mice Causes Significant Changes in Host Microbiota and Metabolome: Effects Reversed by Pathogen Clearance. PLoS ONE, 2015, 10, e0125945. | 2.5 | 220 |
| 45 | Immunity to Helminths: Resistance, Regulation, and Susceptibility to Gastrointestinal Nematodes. Annual Review of Immunology, 2015, 33, 201-225. | 21.8 | 175 |
| 46 | Immunity to gastrointestinal nematodes: mechanisms and myths. Immunological Reviews, 2014, 260, 183-205. | 6.0 | 101 |
| 47 | Whipworm genome and dual-species transcriptome analyses provide molecular insights into an intimate host-parasite interaction. Nature Genetics, 2014, 46, 693-700. | 21.4 | 139 |
| 48 | Serine Protease(s) Secreted by the Nematode Trichuris muris Degrade the Mucus Barrier. PLoS Neglected Tropical Diseases, 2012, 6, e1856. | 3.0 | 99 |
| 49 | PWE-246â€Infliximab treatment significantly reduces inflammatory macrophage numbers while preserving regulatory macrophages in a mouse model of chronic Crohn's colitis. Gut, 2012, 61, A398.1-A398. | 12.1 | 0 |
| 50 | Trichuris muris: a model of gastrointestinal parasite infection. Seminars in Immunopathology, 2012, 34, 815-828. | 6.1 | 135 |
| 51 | PWE-245â€Anti-TNFα antibody therapy and parenteral corticosteroids demonstrate distinct effects in the treatment of experimentalTrichuris muris-induced chronic colitis. Gut, 2012, 61, A397.3-A398. | 12.1 | 0 |
| 52 | Changes in the mucosal barrier during acute and chronic <i>Trichuris muris</i> infection. Parasite Immunology, 2011, 33, 45-55. | 1.5 | 74 |
| 53 | Muc5ac: a critical component mediating the rejection of enteric nematodes. Journal of Experimental Medicine, 2011, 208, 893-900. | 8.5 | 265 |
| 54 | Colonic transcriptional profiling in resistance and susceptibility to trichuriasis. Inflammatory Bowel Diseases, 2010, 16, 2065-2079. | 1.9 | 36 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Exploitation of the Intestinal Microflora by the Parasitic Nematode <i>Trichuris muris</i> . Science, 2010, 328, 1391-1394. | 12.6 | 295 |
| 56 | Mucin Gene Deficiency in Mice Impairs Host Resistance to an Enteric Parasitic Infection. Gastroenterology, 2010, 138, 1763-1771.e5. | 1.3 | 162 |
| 57 | IL-33, a Potent Inducer of Adaptive Immunity to Intestinal Nematodes. Journal of Immunology, 2008, 180, 2443-2449. | 0.8 | 353 |
| 58 | The intestinal epithelium: sensors to effectors in nematode infection. Mucosal Immunology, 2008, 1, 252-264. | 6.0 | 112 |
| 59 | An Increase in Epithelial Cell Apoptosis Is Associated with Chronic Intestinal Nematode Infection. Infection and Immunity, 2007, 75, 1556-1564. | 2.2 | 49 |
| 60 | Intraepithelial NK Cell-Derived IL-13 Induces Intestinal Pathology Associated with Nematode Infection. Journal of Immunology, 2005, 175, 3207-3213. | 0.8 | 90 |
| 61 | Accelerated Intestinal Epithelial Cell Turnover: A New Mechanism of Parasite Expulsion. Science, 2005, 308, 1463-1465. | 12.6 | 407 |
| 62 | The Trichuris muris System: a Paradigm of Resistance and Susceptibility to Intestinal Nematode Infection. Advances in Parasitology, 2004, 57, 255-307. | 3.2 | 141 |
| 63 | Leucocyte recruitment during enteric nematode infection. Immunology, 2001, 103, 505-510. | 4.4 | 16 |
| 64 | The effect of challenge and trickle Trichuris muris infections on the polarisation of the immune response. International Journal for Parasitology, 2001, 31, 1627-1637. | 3.1 | 74 |
| 65 | Vaccination against coccidiosis: host strain-dependent evocation of protective and suppressive subsets of murine lymphocytes. Parasite Immunology, 2000, 22, 161-172. | 1.5 | 4 |
| 66 | Trichuris muris: Host Intestinal Epithelial Cell Hyperproliferation during Chronic Infection Is Regulated by Interferon-l ³ . Experimental Parasitology, 1999, 92, 144-153. | 1.2 | 80 |
| 67 | A distinct role for interleukin-13 in Th2-cell-mediated immune responses. Current Biology, 1998, 8, 339-342. | 3.9 | 337 |
| 68 | A critical role for IL-13 in resistance to intestinal nematode infection. Journal of Immunology, 1998, 160, 3453-61. | 0.8 | 203 |
| 69 | Antibody-independent effector mechanisms in resistance to the intestinal nematode parasite Trichuris muris. Infection and Immunity, 1996, 64, 2950-2954. | 2.2 | 66 |
| 70 | Cytokine-mediated regulation of chronic intestinal helminth infection Journal of Experimental Medicine, 1994, 179, 347-351. | 8.5 | 406 |
| 71 | Low-level infection withTrichuris muris significantly affects the polarization of the CD4 response. European Journal of Immunology, 1994, 24, 3113-3118. | 2.9 | 132 |
| 72 | The in vivo role of stem cell factor (câ€kit ligand) on mastocytosis and host protective immunity to the intestinal nematode Trichinella spiralis in mice. Parasite Immunology, 1993, 15, 55-59. | 1.5 | 103 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Immunological relationships during primary infection with Heligmosomoides polygyrus (Nematospiroides dubius): downregulation of specific cytokine secretion (IL-9 and IL-10) correlates with poor mastocytosis and chronic survival of adult worms. Parasite Immunology, 1993, 15, 415-421. | 1.5 | 63 |
| 74 | Cellular immune responses to the murine nematode parasite Trichuris muris. I. Differential cytokine production during acute or chronic infection. Immunology, 1991, 72, 508-13. | 4.4 | 161 |
| 75 | Host protective immunity to Trichinella spiralis in mice: activation of Th cell subsets and lymphokine secretion in mice expressing different response phenotypes. Immunology, 1991, 74, 329-32. | 4.4 | 146 |
| 76 | Adaptive Immune Effector Mechanisms against Intracellular Protozoa and Gut-Dwelling Nematodes. , 0, , 235-246. | | 2 |