

# Peter J Shortland

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6031868/publications.pdf>

Version: 2024-02-01

45  
papers

2,781  
citations

304743

22  
h-index

276875

41  
g-index

46  
all docs

46  
docs citations

46  
times ranked

2141  
citing authors

#	ARTICLE	IF	CITATIONS
1	Peripheral nerve injury triggers central sprouting of myelinated afferents. <i>Nature</i> , 1992, 355, 75-78.	27.8	1,076
2	Forced Disruption of Anatomy Education in Australia and New Zealand: An Acute Response to the Covid-19 Pandemic. <i>Anatomical Sciences Education</i> , 2020, 13, 284-300.	3.7	300
3	Chronic peripheral nerve section results in a rearrangement of the central axonal arborizations of axotomized A beta primary afferent neurons in the rat spinal cord. <i>Journal of Comparative Neurology</i> , 1993, 330, 65-82.	1.6	128
4	Sensitization of high mechanothreshold superficial dorsal horn and flexor motor neurones following chemosensitive primary afferent activation. <i>Pain</i> , 1994, 58, 141-155.	4.2	121
5	NGF and GDNF ameliorate the increase in ATF3 expression which occurs in dorsal root ganglion cells in response to peripheral nerve injury. <i>European Journal of Neuroscience</i> , 2004, 19, 1437-1445.	2.6	104
6	Morphology and somatotopic organization of the central terminals of hindlimb hair follicle afferents in the rat lumbar spinal cord. <i>Journal of Comparative Neurology</i> , 1989, 289, 416-433.	1.6	89
7	ATF3 expression in L4 dorsal root ganglion neurons after L5 spinal nerve transection. <i>European Journal of Neuroscience</i> , 2006, 23, 365-373.	2.6	81
8	Co-treatment with riluzole and GDNF is necessary for functional recovery after ventral root avulsion injury. <i>Experimental Neurology</i> , 2004, 187, 359-366.	4.1	80
9	Collateral sprouting of the central terminals of cutaneous primary afferent neurons in the rat spinal cord: Pattern, morphology, and influence of targets. <i>Journal of Comparative Neurology</i> , 1990, 300, 370-385.	1.6	64
10	Dynamic Pattern of Reg-2 Expression in Rat Sensory Neurons after Peripheral Nerve Injury. <i>Journal of Neuroscience</i> , 2002, 22, 7493-7501.	3.6	56
11	Behavioural phenotypes in the cuprizone model of central nervous system demyelination. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 107, 23-46.	6.1	55
12	The roles of microglia and astrocytes in phagocytosis and myelination: Insights from the cuprizone model of multiple sclerosis. <i>Glia</i> , 2022, 70, 1215-1250.	4.9	49
13	Morphology and somatotopy of the central arborizations of rapidly adapting glabrous skin afferents in the rat lumbar spinal cord. <i>Journal of Comparative Neurology</i> , 1993, 329, 491-511.	1.6	47
14	Neonatal Sciatic Nerve Section Results in a Rearrangement of the Central Terminals of Saphenous and Axotomized Sciatic Nerve Afferents in the Dorsal Horn of the Spinal Cord of the Adult Rat. <i>European Journal of Neuroscience</i> , 1994, 6, 75-86.	2.6	43
15	Neonatal capsaicin treatment induces invasion of the substantia gelatinosa by the terminal arborizations of hair follicle afferents in the rat dorsal horn. <i>Journal of Comparative Neurology</i> , 1990, 296, 23-31.	1.6	38
16	Revisiting the Pathoetiology of Multiple Sclerosis: Has the Tail Been Wagging the Mouse?. <i>Frontiers in Immunology</i> , 2020, 11, 572186.	4.8	33
17	Riluzole promotes cell survival and neurite outgrowth in rat sensory neurones <i>in vitro</i> . <i>European Journal of Neuroscience</i> , 2006, 24, 3343-3353.	2.6	31
18	Functional Connections Formed by Saphenous Nerve Terminal Sprouts in the Dorsal Horn Following Neonatal Sciatic Nerve Section. <i>European Journal of Neuroscience</i> , 1991, 3, 383-396.	2.6	30

#	ARTICLE	IF	CITATIONS
19	Segmental Spinal Root Avulsion in the Adult Rat: A Model To Study Avulsion Injury Pain. <i>Journal of Neurotrauma</i> , 2013, 30, 160-172.	3.4	30
20	Behavioural and histological changes in cuprizone-fed mice. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 508-523.	4.1	29
21	Cell death after dorsal root injury. <i>Neuroscience Letters</i> , 2008, 433, 231-234.	2.1	28
22	Suppression of the Peripheral Immune System Limits the Central Immune Response Following Cuprizone-Feeding: Relevance to Modelling Multiple Sclerosis. <i>Cells</i> , 2019, 8, 1314.	4.1	24
23	The effect of neonatal peripheral nerve section on the somadendritic growth of sensory projection cells in the rat spinal cord. <i>Developmental Brain Research</i> , 1988, 42, 129-136.	1.7	23
24	Effects of peripheral nerve injury on parvalbumin expression in adult rat dorsal root ganglion neurons. <i>BMC Neuroscience</i> , 2015, 16, 93.	1.9	23
25	CD8 T-cell Recruitment Into the Central Nervous System of Cuprizone-Fed Mice: Relevance to Modeling the Etiology of Multiple Sclerosis. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 43.	3.7	22
26	Murine neural crest stem cells and embryonic stem cell-derived neuron precursors survive and differentiate after transplantation in a model of dorsal root avulsion. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017, 11, 129-137.	2.7	20
27	The Effects of Minocycline or Riluzole Treatment on Spinal Root Avulsion-Induced Pain in Adult Rats. <i>Journal of Pain</i> , 2014, 15, 664-675.	1.4	19
28	Peripheral and central predictors of whisker afferent morphology in the rat brainstem. , 1996, 375, 481-501.		17
29	Human Embryonic Stem Cell-Derived Progenitors Assist Functional Sensory Axon Regeneration after Dorsal Root Avulsion Injury. <i>Scientific Reports</i> , 2015, 5, 10666.	3.3	17
30	Sensory perturbations using suture and sutureless repair of transected median nerve in rats. <i>Somatosensory &amp; Motor Research</i> , 2016, 33, 20-28.	0.9	14
31	Proteomics of Multiple Sclerosis: Inherent Issues in Defining the Pathoetiology and Identifying (Early) Biomarkers. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7377.	4.1	13
32	Central Projections of Identified Trigeminal Primary Afferents after Molar Pulp Deafferentation in Adult Rats. <i>Somatosensory &amp; Motor Research</i> , 1995, 12, 277-297.	0.9	11
33	Delayed administration of NGF reverses nerve injury induced central alterations of primary afferents. <i>NeuroReport</i> , 2001, 12, 1899-1902.	1.2	11
34	Perfusion assessment in rat spinal cord tissue using photoplethysmography and laser Doppler flux measurements. <i>Journal of Biomedical Optics</i> , 2013, 18, 037005.	2.6	11
35	Alterations in the distribution of stimulus-evoked c-fos in the spinal cord after neonatal peripheral nerve injury in the rat. <i>Developmental Brain Research</i> , 2000, 119, 243-250.	1.7	10
36	Whisker-related circuitry in the trigeminal nucleus principalis: Topographic precision. <i>Somatosensory &amp; Motor Research</i> , 2015, 32, 8-20.	0.9	9

#	ARTICLE	IF	CITATIONS
37	Variability of Oxaliplatin-Induced Neuropathic Pain Symptoms in Each Cycle and Its Implications on the Management of Colorectal Cancer Patients: A Retrospective Study in South Western Sydney Local Health District Hospitals, Sydney, Australia. <i>Journal of Oncology</i> , 2019, 2019, 1-11.	1.3	7
38	Histological and Top-Down Proteomic Analyses of the Visual Pathway in the Cuprizone Demyelination Model. <i>Journal of Molecular Neuroscience</i> , 2022, 72, 1374-1401.	2.3	5
39	Vascular changes associated with spinal root avulsion injury. <i>Somatosensory &amp; Motor Research</i> , 2015, 32, 158-162.	0.9	4
40	Noxious, but not innocuous, thermal stimuli evoke pERK expression in dorsal horn neurons after spared nerve injury in adult rats. <i>Neuroscience Letters</i> , 2017, 654, 49-55.	2.1	3
41	ORGANIZATION OF THE NERVOUS SYSTEM. , 2010, , 1-30.		2
42	Differing roles for parvalbumin neurons after nerve injury. <i>Neural Regeneration Research</i> , 2016, 11, 1241.	3.0	2
43	THE SPINAL CORD. , 2010, , 59-78.		1
44	Minocycline Treatment Reduces Mass and Force Output From Fast-Twitch Mouse Muscles and Inhibits Myosin Production in C2C12 Myotubes. <i>Frontiers in Physiology</i> , 2021, 12, 696039.	2.8	1
45	MOTOR SYSTEMS II. , 2010, , 181-197.		0