

Rebecca Elliott

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6033339/publications.pdf>

Version: 2024-02-01

166
papers

15,464
citations

26630

56
h-index

18130

120
g-index

172
all docs

172
docs citations

172
times ranked

15522
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuronal correlates of theory of mind and empathy: A functional magnetic resonance imaging study in a nonverbal task. <i>NeuroImage</i> , 2006, 29, 90-98.	4.2	838
2	Dissociable Functions in the Medial and Lateral Orbitofrontal Cortex: Evidence from Human Neuroimaging Studies. <i>Cerebral Cortex</i> , 2000, 10, 308-317.	2.9	770
3	Dissociable Neural Responses in Human Reward Systems. <i>Journal of Neuroscience</i> , 2000, 20, 6159-6165.	3.6	655
4	Executive functions and their disorders. <i>British Medical Bulletin</i> , 2003, 65, 49-59.	6.9	604
5	Response inhibition and impulsivity: an fMRI study. <i>Neuropsychologia</i> , 2003, 41, 1959-1966.	1.6	496
6	Differential Response Patterns in the Striatum and Orbitofrontal Cortex to Financial Reward in Humans: A Parametric Functional Magnetic Resonance Imaging Study. <i>Journal of Neuroscience</i> , 2003, 23, 303-307.	3.6	472
7	A systematic review and meta-analysis of exercise interventions in schizophrenia patients. <i>Psychological Medicine</i> , 2015, 45, 1343-1361.	4.5	447
8	Cognitive Mechanisms of Treatment in Depression. <i>Neuropsychopharmacology</i> , 2012, 37, 117-136.	5.4	440
9	Neuropsychological impairments in unipolar depression: the influence of perceived failure on subsequent performance. <i>Psychological Medicine</i> , 1996, 26, 975-989.	4.5	412
10	The Neural Basis of Mood-Congruent Processing Biases in Depression. <i>Archives of General Psychiatry</i> , 2002, 59, 597.	12.3	400
11	Effects of methylphenidate on spatial working memory and planning in healthy young adults. <i>Psychopharmacology</i> , 1997, 131, 196-206.	3.1	354
12	The neural response to emotional prosody, as revealed by functional magnetic resonance imaging. <i>Neuropsychologia</i> , 2003, 41, 1410-1421.	1.6	313
13	Attention to pain localization and unpleasantness discriminates the functions of the medial and lateral pain systems. <i>European Journal of Neuroscience</i> , 2005, 21, 3133-3142.	2.6	284
14	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw115.	4.3	270
15	Prefrontal dysfunction in depressed patients performing a complex planning task: a study using positron emission tomography. <i>Psychological Medicine</i> , 1997, 27, 931-942.	4.5	266
16	Affective Cognition and its Disruption in Mood Disorders. <i>Neuropsychopharmacology</i> , 2011, 36, 153-182.	5.4	264
17	Neuropsychological evidence for frontostriatal dysfunction in schizophrenia. <i>Psychological Medicine</i> , 1995, 25, 619-630.	4.5	261
18	State-dependent changes in hippocampal grey matter in depression. <i>Molecular Psychiatry</i> , 2013, 18, 1265-1272.	7.9	257

#	ARTICLE	IF	CITATIONS
19	Abnormal response to negative feedback in unipolar depression: evidence for a diagnosis specific impairment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997, 63, 74-82.	1.9	250
20	The Effect of Citalopram Pretreatment on Neuronal Responses to Neuropsychological Tasks in Normal Volunteers: An fMRI Study. <i>Neuropsychopharmacology</i> , 2005, 30, 1724-1734.	5.4	250
21	The neural basis of maternal responsiveness to infants: an fMRI study. <i>NeuroReport</i> , 2004, 15, 1825-1829.	1.2	209
22	Abnormal ventral frontal response during performance of an affective go/no go task in patients with mania. <i>Biological Psychiatry</i> , 2004, 55, 1163-1170.	1.3	204
23	Differential neural response to positive and negative feedback in planning and guessing tasks. <i>Neuropsychologia</i> , 1997, 35, 1395-1404.	1.6	194
24	Arthritic pain is processed in brain areas concerned with emotions and fear. <i>Arthritis and Rheumatism</i> , 2007, 56, 1345-1354.	6.7	189
25	Ventromedial prefrontal cortex mediates guessing. <i>Neuropsychologia</i> , 1999, 37, 403-411.	1.6	184
26	Selective attention to emotional stimuli in a verbal go/no-go task. <i>NeuroReport</i> , 2000, 11, 1739-1744.	1.2	176
27	Activation of Different Anterior Cingulate Foci in Association with Hypothesis Testing and Response Selection. <i>NeuroImage</i> , 1998, 8, 17-29.	4.2	164
28	Increased Amygdala Responses to Sad But Not Fearful Faces in Major Depression: Relation to Mood State and Pharmacological Treatment. <i>American Journal of Psychiatry</i> , 2012, 169, 841-850.	7.2	163
29	Abnormal neural response to feedback on planning and guessing tasks in patients with unipolar depression. <i>Psychological Medicine</i> , 1998, 28, 559-571.	4.5	156
30	CNR1 Gene is Associated with High Neuroticism and Low Agreeableness and Interacts with Recent Negative Life Events to Predict Current Depressive Symptoms. <i>Neuropsychopharmacology</i> , 2009, 34, 2019-2027.	5.4	153
31	The neuropsychological profile in unipolar depression. <i>Trends in Cognitive Sciences</i> , 1998, 2, 447-454.	7.8	152
32	The CREB1-BDNF-NTRK2 Pathway in Depression: Multiple Gene-Cognition-Environment Interactions. <i>Biological Psychiatry</i> , 2011, 69, 762-771.	1.3	142
33	Prediction error for free monetary reward in the human prefrontal cortex. <i>NeuroImage</i> , 2004, 23, 777-786.	4.2	137
34	Temporal discounting in major depressive disorder. <i>Psychological Medicine</i> , 2014, 44, 1825-1834.	4.5	134
35	Social cognition in multiple sclerosis. <i>Neurology</i> , 2016, 87, 1727-1736.	1.1	133
36	Neurobiological substrates of antisocial and borderline personality disorder: preliminary results of a functional fMRI study. <i>Criminal Behaviour and Mental Health</i> , 2004, 14, 39-54.	0.8	131

#	ARTICLE	IF	CITATIONS
37	Neuronal effects of acute citalopram detected by pharmacMRI. <i>Psychopharmacology</i> , 2005, 180, 680-686.	3.1	121
38	Neural response to emotional prosody in schizophrenia and in bipolar affective disorder. <i>British Journal of Psychiatry</i> , 2004, 184, 223-230.	2.8	119
39	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. <i>NeuroReport</i> , 2007, 18, 1351-1355.	1.2	118
40	Instrumental responding for rewards is associated with enhanced neuronal response in subcortical reward systems. <i>NeuroImage</i> , 2004, 21, 984-990.	4.2	113
41	Medial orbitofrontal cortex codes relative rather than absolute value of financial rewards in humans. <i>European Journal of Neuroscience</i> , 2008, 27, 2213-2218.	2.6	112
42	State-dependent alteration in face emotion recognition in depression. <i>British Journal of Psychiatry</i> , 2011, 198, 302-308.	2.8	111
43	Serotonergic modulation of neuronal responses to behavioural inhibition and reinforcing stimuli: an fMRI study in healthy volunteers. <i>European Journal of Neuroscience</i> , 2006, 23, 552-560.	2.6	99
44	Specific Neuropsychological Deficits in Schizophrenic Patients with Preserved Intellectual Function. <i>Cognitive Neuropsychiatry</i> , 1998, 3, 45-69.	1.3	93
45	Exercise as an intervention for first-episode psychosis: a feasibility study. <i>Microbial Biotechnology</i> , 2018, 12, 307-315.	1.7	91
46	Role of the Orbitofrontal Cortex in Reinforcement Processing and Inhibitory Control: Evidence from functional magnetic resonance imaging Studies in Healthy Human Subjects. <i>International Review of Neurobiology</i> , 2005, 65, 89-116.	2.0	87
47	Ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT): a multicentre, double-blind, randomised, parallel-group, superiority trial. <i>Lancet Psychiatry</i> , 2017, 4, 365-377.	7.4	82
48	The neuropsychology of schizophrenia: relations with clinical and neurobiological dimensions. <i>Psychological Medicine</i> , 1995, 25, 581-594.	4.5	80
49	Hedonic and Informational Functions of the Human Orbitofrontal Cortex. <i>Cerebral Cortex</i> , 2010, 20, 198-204.	2.9	80
50	Attenuated responses to emotional expressions in women with generalized anxiety disorder. <i>Psychological Medicine</i> , 2011, 41, 1009-1018.	4.5	79
51	5-HT _{2C} receptor activation by m-chlorophenylpiperazine detected in humans with fMRI. <i>NeuroReport</i> , 2002, 13, 1547-1551.	1.2	78
52	Neuronal correlates of reward and loss in Cluster B personality disorders: A functional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 151-167.	1.8	77
53	Assessing human 5-HT function in vivo with pharmacMRI. <i>Neuropharmacology</i> , 2008, 55, 1029-1037.	4.1	75
54	fMRI and cognitive dysfunction in schizophrenia. <i>Trends in Cognitive Sciences</i> , 2001, 5, 71-81.	7.8	69

#	ARTICLE	IF	CITATIONS
55	EMOTICOM: A Neuropsychological Test Battery to Evaluate Emotion, Motivation, Impulsivity, and Social Cognition. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 25.	2.0	64
56	Critical role of the right VLPFC in emotional regulation of social exclusion: a tDCS study. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 357-366.	3.0	64
57	Multivariate and repeated measures (MRM): A new toolbox for dependent and multimodal group-level neuroimaging data. <i>NeuroImage</i> , 2016, 132, 373-389.	4.2	61
58	Cell-Type-Specific Type I Interferon Antagonism Influences Organ Tropism of Murine Coronavirus. <i>Journal of Virology</i> , 2011, 85, 10058-10068.	3.4	59
59	Regional default mode network connectivity in major depressive disorder: modulation by acute intravenous citalopram. <i>Translational Psychiatry</i> , 2019, 9, 116.	4.8	59
60	Neuronal correlates and serotonergic modulation of behavioural inhibition and reward in healthy and antisocial individuals. <i>Journal of Psychiatric Research</i> , 2010, 44, 123-131.	3.1	58
61	Apathy and impulse control disorders in Parkinson's disease: A direct comparison. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 198-203.	2.2	58
62	The effects and determinants of exercise participation in first-episode psychosis: a qualitative study. <i>BMC Psychiatry</i> , 2016, 16, 36.	2.6	58
63	Reversed Frontotemporal Connectivity During Emotional Face Processing in Remitted Depression. <i>Biological Psychiatry</i> , 2012, 72, 604-611.	1.3	55
64	Altered cognitive function in systemic lupus erythematosus and associations with inflammation and functional and structural brain changes. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 934-940.	0.9	50
65	The Neural Basis of Maternal Bonding. <i>PLoS ONE</i> , 2014, 9, e88436.	2.5	50
66	Diminished Neural and Cognitive Responses to Facial Expressions of Disgust in Patients with Psoriasis: A Functional Magnetic Resonance Imaging Study. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2613-2619.	0.7	49
67	The effect of acute citalopram on face emotion processing in remitted depression: A pharmacMRI study. <i>European Neuropsychopharmacology</i> , 2011, 21, 140-148.	0.7	47
68	Interaction between a history of depression and rumination on neural response to emotional faces. <i>Psychological Medicine</i> , 2011, 41, 1845-1855.	4.5	47
69	Social-economical decision making in current and remitted major depression. <i>Psychological Medicine</i> , 2015, 45, 1301-1313.	4.5	46
70	Dopaminergic influences on executive function and impulsive behaviour in impulse control disorders in Parkinson's disease. <i>Journal of Neuropsychology</i> , 2013, 7, 306-325.	1.4	44
71	Co-operation with another player in a financially rewarded guessing game activates regions implicated in theory of mind. <i>Social Neuroscience</i> , 2006, 1, 385-395.	1.3	42
72	A Functional Magnetic Resonance Imaging Paradigm of Expressed Emotion in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 25-29.	1.0	41

#	ARTICLE	IF	CITATIONS
73	Serotonin 2A Receptors, Citalopram and Tryptophan-Depletion: a Multimodal Imaging Study of their Interactions During Response Inhibition. <i>Neuropsychopharmacology</i> , 2013, 38, 996-1005.	5.4	41
74	Increased Amygdala Response to Shame in Remitted Major Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e86900.	2.5	41
75	Does oxytocin modulate variation in maternal caregiving in healthy new mothers?. <i>Brain Research</i> , 2014, 1580, 143-150.	2.2	41
76	Natural variation in maternal sensitivity is reflected in maternal brain responses to infant stimuli.. <i>Behavioral Neuroscience</i> , 2016, 130, 500-510.	1.2	41
77	Brain imaging correlates of cognitive impairment in depression. <i>Frontiers in Human Neuroscience</i> , 2009, 3, 30.	2.0	39
78	Playing it safe but losing anyway” Serotonergic signaling of negative outcomes in dorsomedial prefrontal cortex in the context of risk-aversion. <i>European Neuropsychopharmacology</i> , 2013, 23, 919-930.	0.7	39
79	Reduced Medial Prefrontal Responses to Social Interaction Images in Remitted Depression. <i>Archives of General Psychiatry</i> , 2012, 69, 37.	12.3	38
80	The right VLPFC and downregulation of social pain: A TMS study. <i>Human Brain Mapping</i> , 2020, 41, 1362-1371.	3.6	38
81	Neural correlates of choice behavior related to impulsivity and venturesomeness. <i>Neuropsychologia</i> , 2011, 49, 2311-2320.	1.6	37
82	The detrimental effects of emotional process dysregulation on decision-making in substance dependence. <i>Frontiers in Integrative Neuroscience</i> , 2012, 6, 101.	2.1	37
83	Serotonin 2A receptors contribute to the regulation of risk-averse decisions. <i>NeuroImage</i> , 2013, 83, 35-44.	4.2	36
84	Empathy, ToM, and self”other differentiation: An fMRI study of internal states. <i>Social Neuroscience</i> , 2014, 9, 50-62.	1.3	36
85	Improving emotion regulation of social exclusion in depression-prone individuals: a tDCS study targeting right VLPFC. <i>Psychological Medicine</i> , 2020, 50, 2768-2779.	4.5	36
86	Risk-Taking Behavior in a Gambling Task Associated with Variations in the Tryptophan Hydroxylase 2 Gene: Relevance to Psychiatric Disorders. <i>Neuropsychopharmacology</i> , 2010, 35, 1109-1119.	5.4	35
87	Testing the cognitive effort hypothesis of cognitive impairment in major depression. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 74-80.	1.3	34
88	The HTR1A and HTR1B receptor genes influence stress-related information processing. <i>European Neuropsychopharmacology</i> , 2011, 21, 129-139.	0.7	33
89	Neural pathways of maternal responding: systematic review and meta-analysis. <i>Archives of Women's Mental Health</i> , 2019, 22, 179-187.	2.6	32
90	Lack of behavioural effects after acute tyrosine depletion in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2005, 19, 5-11.	4.0	31

#	ARTICLE	IF	CITATIONS
91	The Role of Self-Blaming Moral Emotions in Major Depression and Their Impact on Social-Economical Decision Making. <i>Frontiers in Psychology</i> , 2013, 4, 310.	2.1	30
92	Naltrexone ameliorates functional network abnormalities in alcohol-dependent individuals. <i>Addiction Biology</i> , 2018, 23, 425-436.	2.6	30
93	Neural substrates for anticipation and consumption of social and monetary incentives in depression. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 815-826.	3.0	30
94	Neuropsychology – dementia and affective disorders. <i>British Medical Bulletin</i> , 1996, 52, 627-643.	6.9	28
95	Cognitive dysfunction and functional magnetic resonance imaging in systemic lupus erythematosus. <i>Lupus</i> , 2015, 24, 1239-1247.	1.6	28
96	Acute D3 Antagonist GSK598809 Selectively Enhances Neural Response During Monetary Reward Anticipation in Drug and Alcohol Dependence. <i>Neuropsychopharmacology</i> , 2017, 42, 1049-1057.	5.4	28
97	Variability in the Effect of 5-HTTLPR on Depression in a Large European Population: The Role of Age, Symptom Profile, Type and Intensity of Life Stressors. <i>PLoS ONE</i> , 2015, 10, e0116316.	2.5	28
98	A temporal analysis of the central neural processing of itch. <i>British Journal of Dermatology</i> , 2012, 166, 994-1001.	1.5	27
99	The Imperial College Cambridge Manchester (ICCAM) platform study: An experimental medicine platform for evaluating new drugs for relapse prevention in addiction. Part A: Study description. <i>Journal of Psychopharmacology</i> , 2015, 29, 943-960.	4.0	27
100	Sample Size Estimation for Comparing Parameters Using Dynamic Causal Modeling. <i>Brain Connectivity</i> , 2012, 2, 80-90.	1.7	26
101	Neuronal Nitric Oxide Synthase (NOS1) Polymorphisms Interact with Financial Hardship to Affect Depression Risk. <i>Neuropsychopharmacology</i> , 2014, 39, 2857-2866.	5.4	26
102	Neural origins of psychosocial functioning impairments in major depression. <i>Lancet Psychiatry</i> , 2015, 2, 835-843.	7.4	26
103	Impulsivity in abstinent alcohol and polydrug dependence: a multidimensional approach. <i>Psychopharmacology</i> , 2016, 233, 1487-1499.	3.1	26
104	Subgenual Cingulate Amygdala Functional Disconnection and Vulnerability to Melancholic Depression. <i>Neuropsychopharmacology</i> , 2016, 41, 2082-2090.	5.4	26
105	Acute naltrexone does not remediate frontostriatal disturbances in alcoholic and alcohol polysubstance-dependent populations during a monetary incentive delay task. <i>Addiction Biology</i> , 2017, 22, 1576-1589.	2.6	26
106	Time-dependent neuronal changes associated with craving in opioid dependence: an fMRI study. <i>Addiction Biology</i> , 2018, 23, 1168-1178.	2.6	26
107	Detection of the acute effects of hydrocortisone in the hippocampus using pharmacological fMRI. <i>European Neuropsychopharmacology</i> , 2012, 22, 867-874.	0.7	25
108	The Neural Response in Short-Term Visual Recognition Memory for Perceptual Conjunctions. <i>NeuroImage</i> , 1998, 7, 14-22.	4.2	24

#	ARTICLE	IF	CITATIONS
109	Rumination in migraine: Mediating effects of brooding and reflection between migraine and psychological distress. <i>Psychology and Health</i> , 2016, 31, 1481-1497.	2.2	24
110	Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: a potential risk mechanism for depression. <i>Translational Psychiatry</i> , 2016, 6, e745-e745.	4.8	23
111	Long-term maintenance and effects of exercise in early psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 578-585.	1.7	23
112	TOMM40 rs2075650 May Represent a New Candidate Gene for Vulnerability to Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2014, 39, 1743-1753.	5.4	21
113	A novel resting-state functional magnetic resonance imaging signature of resilience to recurrent depression. <i>Psychological Medicine</i> , 2017, 47, 597-607.	4.5	21
114	The impact of COVID-19 social isolation on aspects of emotional and social cognition. <i>Cognition and Emotion</i> , 2022, 36, 49-58.	2.0	21
115	Acute serotonin 2A receptor blocking alters the processing of fearful faces in the orbitofrontal cortex and amygdala. <i>Journal of Psychopharmacology</i> , 2013, 27, 903-914.	4.0	20
116	Effects of acute tryptophan depletion on central processing of <sc>CT</sc>-targeted and discriminatory touch in humans. <i>European Journal of Neuroscience</i> , 2016, 44, 2072-2083.	2.6	18
117	Challenges in implementing an exercise intervention within residential psychiatric care: A mixed methods study. <i>Mental Health and Physical Activity</i> , 2017, 12, 141-146.	1.8	18
118	Effects of naltrexone are influenced by childhood adversity during negative emotional processing in addiction recovery. <i>Translational Psychiatry</i> , 2017, 7, e1054-e1054.	4.8	18
119	Adolescent Major Depressive Disorder: Neuroimaging Evidence of Sex Difference during an Affective Go/No-Go Task. <i>Frontiers in Psychiatry</i> , 2017, 8, 119.	2.6	18
120	Common genetic variation associated with increased susceptibility to prostate cancer does not increase risk of radiotherapy toxicity. <i>British Journal of Cancer</i> , 2016, 114, 1165-1174.	6.4	17
121	Genetic variants in the catechol <i>o</i> -methyltransferase gene are associated with impulsivity and executive function: Relevance for major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 928-940.	1.7	16
122	Aberrant brain responses to emotionally valent words is normalised after cognitive behavioural therapy in female depressed adolescents. <i>Journal of Affective Disorders</i> , 2016, 189, 54-61.	4.1	16
123	The ICCAM platform study: An experimental medicine platform for evaluating new drugs for relapse prevention in addiction. Part B: fMRI description. <i>Journal of Psychopharmacology</i> , 2017, 31, 3-16.	4.0	16
124	Changes in the neural correlates of self-blame following mindfulness-based cognitive therapy in remitted depressed participants. <i>Psychiatry Research - Neuroimaging</i> , 2020, 304, 111152.	1.8	15
125	Big Five personality facets explaining variance in anxiety and depressive symptoms in a community sample. <i>Journal of Affective Disorders</i> , 2020, 274, 515-521.	4.1	15
126	Enhanced subgenual cingulate response to altruistic decisions in remitted major depressive disorder. <i>NeuroImage: Clinical</i> , 2014, 4, 701-710.	2.7	14

#	ARTICLE	IF	CITATIONS
127	Cooperative Behavior in the Ultimatum Game and Prisoner's Dilemma Depends on Players' Contributions. <i>Frontiers in Psychology</i> , 2017, 8, 1017.	2.1	14
128	Attentional bias to food varies as a function of metabolic state independent of weight status. <i>Appetite</i> , 2019, 143, 104388.	3.7	14
129	Factors associated with depression in people with inflammatory bowel disease: The relationship between active disease and biases in neurocognitive processing. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13647.	3.0	14
130	COVID-19 induced social isolation; implications for understanding social cognition in mental health. <i>Psychological Medicine</i> , 2022, 52, 3748-3749.	4.5	14
131	Mirtazapine antagonises the subjective, hormonal and neuronal effects of m-chlorophenylpiperazine (mCPP) infusion: A pharmacological-challenge fMRI (phMRI) study. <i>NeuroImage</i> , 2011, 58, 497-507.	4.2	13
132	Striatal hypoactivation and cognitive slowing in patients with partially remitted and remitted major depression. <i>PsyCh Journal</i> , 2016, 5, 191-205.	1.1	13
133	Decreased Openness to Experience Is Associated with Migraine-Type Headaches in Subjects with Lifetime Depression. <i>Frontiers in Neurology</i> , 2017, 8, 270.	2.4	13
134	Increased Parietal and Frontal Activation after Remission from Recurrent Major Depression: A Repeated fMRI Study. <i>Cognitive Therapy and Research</i> , 2007, 31, 147-160.	1.9	12
135	A comparison of permutation and parametric testing for between group effective connectivity differences using DCM. <i>NeuroImage</i> , 2010, 50, 509-515.	4.2	12
136	Neuroticism predicts the impact of serotonin challenges on fear processing in subgenual anterior cingulate cortex. <i>Scientific Reports</i> , 2018, 8, 17889.	3.3	12
137	Stevia Beverage Consumption prior to Lunch Reduces Appetite and Total Energy Intake without Affecting Glycemia or Attentional Bias to Food Cues: A Double-Blind Randomized Controlled Trial in Healthy Adults. <i>Journal of Nutrition</i> , 2020, 150, 1126-1134.	2.9	12
138	Cognitive function after electroconvulsive therapy for depression: relationship to clinical response. <i>Psychological Medicine</i> , 2021, 51, 1647-1656.	4.5	12
139	Study protocol for the randomised controlled trial: Ketamine augmentation of ECT to improve outcomes in depression (Ketamine-ECT study). <i>BMC Psychiatry</i> , 2015, 15, 257.	2.6	11
140	An investigation into aripiprazole's partial D2 agonist effects within the dorsolateral prefrontal cortex during working memory in healthy volunteers. <i>Psychopharmacology</i> , 2016, 233, 1415-1426.	3.1	11
141	Differences in neural and cognitive response to emotional faces in middle-aged dizygotic twins at familial risk of depression. <i>Psychological Medicine</i> , 2017, 47, 2345-2357.	4.5	11
142	Naltrexone differentially modulates the neural correlates of motor impulse control in abstinent alcohol-dependent and polysubstance-dependent individuals. <i>European Journal of Neuroscience</i> , 2019, 50, 2311-2321.	2.6	11
143	Psychometric Properties and Validation of the EMOTICOM Test Battery in a Healthy Danish Population. <i>Frontiers in Psychology</i> , 2019, 10, 2660.	2.1	10
144	Disturbances across whole brain networks during reward anticipation in an abstinent addiction population. <i>NeuroImage: Clinical</i> , 2020, 27, 102297.	2.7	10

#	ARTICLE	IF	CITATIONS
145	Childhood Adversity Moderates the Effects of HTR2A Epigenetic Regulatory Polymorphisms on Rumination. <i>Frontiers in Psychiatry</i> , 2019, 10, 394.	2.6	9
146	Emotion regulation of social exclusion: a cross-cultural study. <i>Humanities and Social Sciences Communications</i> , 2021, 8, .	2.9	9
147	Cueing emotional memories during slow wave sleep modulates next-day activity in the orbitofrontal cortex and the amygdala. <i>NeuroImage</i> , 2022, 253, 119120.	4.2	9
148	Frontal haemodynamic responses in depression and the effect of electroconvulsive therapy. <i>Journal of Psychopharmacology</i> , 2019, 33, 1003-1014.	4.0	8
149	The effects of disease activity on neuronal and behavioural cognitive processes in systemic lupus erythematosus. <i>Rheumatology</i> , 2021, 61, 195-204.	1.9	8
150	Neural substrates of expectancy violation associated with social feedback in individuals with subthreshold depression. <i>Psychological Medicine</i> , 2020, , 1-9.	4.5	7
151	Agency and intentionality-dependent experiences of moral emotions. <i>Personality and Individual Differences</i> , 2020, 164, 110125.	2.9	7
152	Abnormal sensitivity to negative feedback in late-life depression. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 333-340.	1.8	6
153	Introducing Neuropsychology. , 0, , .		6
154	Complex mediating effects of rumination facets between personality traits and depressive symptoms. <i>International Journal of Psychology</i> , 2021, 56, 721-728.	2.8	5
155	Positive Shifts in Emotion Evaluation Following Mindfulness-Based Cognitive Therapy (MBCT) in Remitted Depressed Participants. <i>Mindfulness</i> , 2021, 12, 623-635.	2.8	5
156	Patrolling the boundaries of social domains: Neural activations to violations of expectations for romantic and work relationships. <i>Social Neuroscience</i> , 2021, 16, 513-521.	1.3	5
157	Optimism Facilitates the Utilisation of Prior Cues. <i>European Journal of Personality</i> , 2011, 25, 424-430.	3.1	4
158	The role of neuropsychological mechanisms in implementation intentions to reduce alcohol consumption among heavy drinkers: a randomized trial. <i>Journal of Behavioral Medicine</i> , 2020, 43, 576-586.	2.1	4
159	The effects of disease activity, inflammation, depression and cognitive fatigue on resting state fMRI in systemic lupus erythematosus. <i>Rheumatology</i> , 2022, 61, S139-S147.	1.9	3
160	Chronic alcohol exposure differentially modulates structural and functional properties of amygdala: A cross-sectional study. <i>Addiction Biology</i> , 2021, 26, e12980.	2.6	2
161	An ongoing process of reconnection: A qualitative exploration of mindfulness-based cognitive therapy for adults in remission from depression. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 173-190.	2.5	2
162	Self-reported Rumination as Trait Marker for Depression: Evidence from Functional Neuroimaging [PW07-02]. <i>European Psychiatry</i> , 2009, 24, .	0.2	1

#	ARTICLE	IF	CITATIONS
163	Self-reported Rumination as Trait Marker for Depression: Evidence from Functional Neuroimaging [P02-20]. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
164	P.2.b.018 Impaired face emotion recognition in depression: the influence of pharmacological and psychological factors. <i>European Neuropsychopharmacology</i> , 2014, 24, S388.	0.7	0
165	319.â€fTHE EFFECTS OF DISEASE ACTIVITY IN SYSTEMIC LUPUS ERYTHEMATOSUS ON ATTENTION. <i>Rheumatology</i> , 2017, 56, .	1.9	0
166	Relationship Between Gender and Performance on Emotion Perception Tasks in a Latino Population. <i>International Journal of Psychological Research</i> , 2021, 14, 106-114.	0.6	0