

# Yuko Odagiri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6034044/publications.pdf>

Version: 2024-02-01

73  
papers

2,184  
citations

279798

23  
h-index

243625

44  
g-index

80  
all docs

80  
docs citations

80  
times ranked

2943  
citing authors

#	ARTICLE	IF	CITATIONS
1	Acceptance of a COVID-19 Vaccine in Japan during the COVID-19 Pandemic. <i>Vaccines</i> , 2021, 9, 210.	4.4	196
2	Is objectively measured light-intensity physical activity associated with health outcomes after adjustment for moderate-to-vigorous physical activity in adults? A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 65.	4.6	137
3	Association of physical activity and neighborhood environment among Japanese adults. <i>Preventive Medicine</i> , 2009, 48, 321-325.	3.4	125
4	Association between Perceived Neighborhood Environment and Walking among Adults in 4 Cities in Japan. <i>Journal of Epidemiology</i> , 2010, 20, 277-286.	2.4	123
5	Perceived Neighborhood Environment and Walking for Specific Purposes Among Elderly Japanese. <i>Journal of Epidemiology</i> , 2011, 21, 481-490.	2.4	123
6	Factors Associated With Shift Work Disorder in Nurses Working With Rapid-Rotation Schedules in Japan: The Nurses' Sleep Health Project. <i>Chronobiology International</i> , 2013, 30, 628-636.	2.0	113
7	Changes in Psychological Distress During the COVID-19 Pandemic in Japan: A Longitudinal Study. <i>Journal of Epidemiology</i> , 2020, 30, 522-528.	2.4	86
8	Development of a Short Questionnaire to Measure an Extended Set of Job Demands, Job Resources, and Positive Health Outcomes: The New Brief Job Stress Questionnaire. <i>Industrial Health</i> , 2014, 52, 175-189.	1.0	83
9	Adoption of personal protective measures by ordinary citizens during the COVID-19 outbreak in Japan. <i>International Journal of Infectious Diseases</i> , 2020, 94, 139-144.	3.3	82
10	Associations of working from home with occupational physical activity and sedentary behavior under the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2021, 63, e12212.	2.1	80
11	Relationship of Nurse Burnout with Personality Characteristics and Coping Behaviors. <i>Industrial Health</i> , 2008, 46, 326-335.	1.0	77
12	Types of social participation and psychological distress in Japanese older adults: A five-year cohort study. <i>PLoS ONE</i> , 2017, 12, e0175392.	2.5	72
13	Socioeconomic Determinants of Bullying in the Workplace: A National Representative Sample in Japan. <i>PLoS ONE</i> , 2015, 10, e0119435.	2.5	55
14	Effect on Mental Health of a Participatory Intervention to Improve Psychosocial Work Environment: A Cluster Randomized Controlled Trial among Nurses. <i>Journal of Occupational Health</i> , 2013, 55, 173-183.	2.1	53
15	Social participation among older adults not engaged in full- or part-time work is associated with more physical activity and less sedentary time. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1921-1927.	1.5	51
16	Development of a Short Version of the New Brief Job Stress Questionnaire. <i>Industrial Health</i> , 2014, 52, 535-540.	1.0	47
17	Incorrect Use of Face Masks during the Current COVID-19 Pandemic among the General Public in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6484.	2.6	45
18	The Effort-Reward Imbalance Model: Experience in Japanese Working Population. <i>Journal of Occupational Health</i> , 2002, 44, 398-407.	2.1	41

#	ARTICLE	IF	CITATIONS
19	Sociodemographic Variation in the Perception of Barriers to Exercise Among Japanese Adults. <i>Journal of Epidemiology</i> , 2009, 19, 161-168.	2.4	33
20	Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 715-721.	0.4	30
21	Association of overtime work hours with various stress responses in 59,021 Japanese workers: Retrospective cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0229506.	2.5	30
22	PokÅ©mon GO and psychological distress, physical complaints, and work performance among adult workers: a retrospective cohort study. <i>Scientific Reports</i> , 2017, 7, 10758.	3.3	29
23	Changes in implementation of personal protective measures by ordinary Japanese citizens: A longitudinal study from the early phase to the community transmission phase of the COVID-19 outbreak. <i>International Journal of Infectious Diseases</i> , 2020, 96, 371-375.	3.3	29
24	Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 519-528.	3.4	22
25	Trends in COVID-19 vaccination intent from pre- to post-COVID-19 vaccine distribution and their associations with the 5C psychological antecedents of vaccination by sex and age in Japan. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 3954-3962.	3.3	22
26	Sociodemographic Determinants of Pedometer-Determined Physical Activity Among Japanese Adults. <i>American Journal of Preventive Medicine</i> , 2011, 40, 566-571.	3.0	21
27	Characteristics of Accelerometry Respondents to a Mail-Based Surveillance Study. <i>Journal of Epidemiology</i> , 2010, 20, 446-452.	2.4	20
28	Organizational Justice, Willingness to Work, and Psychological Distress. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 174-181.	1.7	19
29	Effect of the National Stress Check Program on mental health among workers in Japan: A 1â€¥year retrospective cohort study. <i>Journal of Occupational Health</i> , 2018, 60, 298-306.	2.1	19
30	Development of severe psychological distress among low-income individuals during the COVID-19 pandemic: longitudinal study. <i>BJPsych Open</i> , 2021, 7, e50.	0.7	19
31	Changes in the medical treatment status of Japanese outpatients during the coronavirus disease 2019 pandemic. <i>Journal of General and Family Medicine</i> , 2021, 22, 246-261.	0.8	19
32	RELIABILITY OF THE ABBREVIATED NEIGHBORHOOD ENVIRONMENT WALKABILITY SCALE JAPANESE VERSION. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2009, 58, 453-462.	0.0	18
33	Drivers Are More Physically Active Than Non-Drivers in Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1094.	2.6	18
34	Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020, 20, 101169.	1.8	18
35	The actual implementation status of self-isolation among Japanese workers during the COVID-19 outbreak. <i>Tropical Medicine and Health</i> , 2020, 48, 63.	2.8	18
36	Gender differences in association between psychological distress and detailed living arrangements among Japanese older adults, aged 65â€¥74Å¥years. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 823-830.	3.1	13

#	ARTICLE	IF	CITATIONS
37	&lt;p&gt;Influence of Parenting Quality and Neuroticism on Perceived Job Stressors and Psychological and Physical Stress Response in Adult Workers from the Community&lt;/p&gt;. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2007-2015.	2.2	12
38	DEVELOPMENT OF A SHORT VERSION OF THE PERCEIVED BENEFITS AND BARRIERS TO EXERCISE SCALE. Japanese Journal of Physical Fitness and Sports Medicine, 2009, 58, 507-516.	0.0	12
39	Objectively Measured Intensity-specific Physical Activity and Hippocampal Volume Among Community-dwelling Older Adults. Journal of Epidemiology, 2022, 32, 489-495.	2.4	11
40	Combined Effects of Parenting in Childhood and Resilience on Work Stress in Nonclinical Adult Workers From the Community. Frontiers in Psychiatry, 2020, 11, 776.	2.6	10
41	&lt;p&gt;Association of Chronotypes and Sleep Disturbance with Perceived Job Stressors and Stress Response: A Covariance Structure Analysis&lt;/p&gt;. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 1997-2005.	2.2	10
42	Individual-level social capital and COVID-19 vaccine hesitancy in Japan: a cross-sectional study. Human Vaccines and Immunotherapeutics, 2022, 18, .	3.3	10
43	Circadian Changes in Urinary Bicarbonate, Nitric Oxide Metabolites and pH in Female Player during Handball Camp Involved in an Exercise, Rest and Sleep Cycle.. Tohoku Journal of Experimental Medicine, 2002, 196, 281-291.	1.2	9
44	Organizational justice and insomnia: a prospective cohort study examining insomnia onset and persistence. International Archives of Occupational and Environmental Health, 2017, 90, 133-140.	2.3	9
45	Mental illness and a high&€risk, elderly <sc>J</sc>apanese population: characteristic differences related to gender and residential location. Psychogeriatrics, 2013, 13, 229-236.	1.2	8
46	How Frequently Do Ordinary Citizens Practice Hand Hygiene at Appropriate Moments during the COVID-19 Pandemic in Japan?. Japanese Journal of Infectious Diseases, 2021, 74, 405-410.	1.2	8
47	Survey on usage and concerns of a COVID-19 contact tracing application in Japan. Public Health in Practice, 2021, 2, 100125.	1.5	8
48	Organizational justice and insomnia: Relationships between justice components and insomnia symptoms among private company workers in Japan. Journal of Occupational Health, 2015, 57, 142-150.	2.1	7
49	Psychometric assessment of a scale to measure bonding workplace social capital. PLoS ONE, 2017, 12, e0179461.	2.5	7
50	Bout Length-Specific Physical Activity and Adherence to Physical Activity Recommendations among Japanese Adults. International Journal of Environmental Research and Public Health, 2019, 16, 1991.	2.6	7
51	Associations between work-related stressors and QALY in a general working population in Japan: a cross-sectional study. International Archives of Occupational and Environmental Health, 2021, 94, 1375-1383.	2.3	6
52	Exposure to prolonged sedentary behavior on weekdays rather than weekends in white-collar workers in comparison with blue-collar workers. Journal of Occupational Health, 2021, 63, e12246.	2.1	6
53	Significance of Post-Exercise Increment of Urinary Bicarbonate and pH in Subjects Loaded with Submaximal Cycling Exercise. Tohoku Journal of Experimental Medicine, 2004, 202, 203-211.	1.2	5
54	Persistence of Mental Health Deterioration Among People Living Alone During the COVID-19 Pandemic: A Periodically-repeated Longitudinal Study. Journal of Epidemiology, 2022, 32, 345-353.	2.4	5

#	ARTICLE	IF	CITATIONS
55	Marked Increase in Urinary Bicarbonate and pH Caused by Heavy Muscular Exercise with Dynamic Knee Extension.. Tohoku Journal of Experimental Medicine, 2002, 198, 31-39.	1.2	4
56	Relation between self-reported weight cycling history, dieting and bio-behavioral health in Japanese adult males. Environmental Health and Preventive Medicine, 2002, 6, 248-255.	3.4	4
57	Associations of older adults's excursions from home with health-related physical activity and sedentary behavior. Archives of Gerontology and Geriatrics, 2021, 92, 104276.	3.0	4
58	EATING DISORDER SYMPTOMS, WEIGHT LOSS BEHAVIORS AND WEIGHT-CYCLING IN FEMALE COLLEGE STUDENTS : CORRELATES OF EXERCISE PRACTICE. Japanese Journal of Physical Fitness and Sports Medicine, 1999, 48, 607-618.	0.0	3
59	Association of Social Skills with Psychological Distress among Female Nurses in Japan. Industrial Health, 2011, 49, 677-685.	1.0	3
60	Suggestions for new organizational-level item pools for the national Stress Check Program from management philosophy and mission statement: A qualitative study using unsupervised learning. Journal of Occupational Health, 2022, 64, e12335.	2.1	3
61	Development, validity, and reliability of the Japanese version of the 7C of vaccination readiness scale. American Journal of Infection Control, 2023, 51, 426-433.	2.3	3
62	Factors Associated with the Benefit Sought in Leisure Time and Fitness Club Experiences: A Cross-Sectional Study of Japanese Adults. Journal of Japan Society of Sports Industry, 2017, 27, 1_1-1_11.	0.0	2
63	Exposure to organisational injustice and serious psychological distress: longitudinal analysis of details of exposure from a private Japanese company. BMJ Open, 2019, 9, e029556.	1.9	2
64	IMPLICATIONS OF THE AMINO ACID METABOLISM REGARDING CHANGES IN THE MOOD PROFILE FOLLOWING ULTRA-ENDURANCE EXERCISE. Japanese Journal of Physical Fitness and Sports Medicine, 1999, 48, 201-210.	0.0	1
65	Differences in the physical activity patterns among young old adults by three residential locations in Japan. Japanese Journal of Physical Fitness and Sports Medicine, 2015, 64, 145-154.	0.0	1
66	The association of TV viewing time and moderate to vigorous physical activity with overweight/obesity among Japanese municipal office workers. Japanese Journal of Physical Fitness and Sports Medicine, 2012, 61, 421-426.	0.0	0
67	Sociodemographic, biological, psychological, and behavioral correlates of cycling in community-dwelling Japanese older adults: A cross-sectional study. The Journal of Physical Fitness and Sports Medicine, 2017, 6, 175-182.	0.3	0
68	Title is missing!. , 2020, 15, e0229506.		0
69	Title is missing!. , 2020, 15, e0229506.		0
70	Title is missing!. , 2020, 15, e0229506.		0
71	Title is missing!. , 2020, 15, e0229506.		0
72	Title is missing!. , 2020, 15, e0229506.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 15, e0229506.		0