

Yuko Odagiri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6034044/publications.pdf>

Version: 2024-02-01

73
papers

2,184
citations

279798

23
h-index

243625

44
g-index

80
all docs

80
docs citations

80
times ranked

2943
citing authors

#	ARTICLE	IF	CITATIONS
1	Development, validity, and reliability of the Japanese version of the 7C of vaccination readiness scale. <i>American Journal of Infection Control</i> , 2023, 51, 426-433.	2.3	3
2	Objectively Measured Intensity-specific Physical Activity and Hippocampal Volume Among Community-dwelling Older Adults. <i>Journal of Epidemiology</i> , 2022, 32, 489-495.	2.4	11
3	Persistence of Mental Health Deterioration Among People Living Alone During the COVID-19 Pandemic: A Periodically-repeated Longitudinal Study. <i>Journal of Epidemiology</i> , 2022, 32, 345-353.	2.4	5
4	Suggestions for new organizational-level item pools for the national Stress Check Program from management philosophy and mission statement: A qualitative study using unsupervised learning. <i>Journal of Occupational Health</i> , 2022, 64, e12335.	2.1	3
5	Individual-level social capital and COVID-19 vaccine hesitancy in Japan: a cross-sectional study. <i>Human Vaccines and Immunotherapeutics</i> , 2022, 18, .	3.3	10
6	Associations of older adults's excursions from home with health-related physical activity and sedentary behavior. <i>Archives of Gerontology and Geriatrics</i> , 2021, 92, 104276.	3.0	4
7	Associations of working from home with occupational physical activity and sedentary behavior under the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2021, 63, e12212.	2.1	80
8	Development of severe psychological distress among low-income individuals during the COVID-19 pandemic: longitudinal study. <i>BJPsych Open</i> , 2021, 7, e50.	0.7	19
9	Acceptance of a COVID-19 Vaccine in Japan during the COVID-19 Pandemic. <i>Vaccines</i> , 2021, 9, 210.	4.4	196
10	Changes in the medical treatment status of Japanese outpatients during the coronavirus disease 2019 pandemic. <i>Journal of General and Family Medicine</i> , 2021, 22, 246-261.	0.8	19
11	Associations between work-related stressors and QALY in a general working population in Japan: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1375-1383.	2.3	6
12	How Frequently Do Ordinary Citizens Practice Hand Hygiene at Appropriate Moments during the COVID-19 Pandemic in Japan?. <i>Japanese Journal of Infectious Diseases</i> , 2021, 74, 405-410.	1.2	8
13	Survey on usage and concerns of a COVID-19 contact tracing application in Japan. <i>Public Health in Practice</i> , 2021, 2, 100125.	1.5	8
14	Exposure to prolonged sedentary behavior on weekdays rather than weekends in white-collar workers in comparison with blue-collar workers. <i>Journal of Occupational Health</i> , 2021, 63, e12246.	2.1	6
15	Trends in COVID-19 vaccination intent from pre- to post-COVID-19 vaccine distribution and their associations with the 5C psychological antecedents of vaccination by sex and age in Japan. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 3954-3962.	3.3	22
16	Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020, 20, 101169.	1.8	18
17	The actual implementation status of self-isolation among Japanese workers during the COVID-19 outbreak. <i>Tropical Medicine and Health</i> , 2020, 48, 63.	2.8	18
18	<p></p>Influence of Parenting Quality and Neuroticism on Perceived Job Stressors and Psychological and Physical Stress Response in Adult Workers from the Community<p></p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2007-2015.	2.2	12

#	ARTICLE	IF	CITATIONS
19	Combined Effects of Parenting in Childhood and Resilience on Work Stress in Nonclinical Adult Workers From the Community. <i>Frontiers in Psychiatry</i> , 2020, 11, 776.	2.6	10
20	<p>Association of Chronotypes and Sleep Disturbance with Perceived Job Stressors and Stress Response: A Covariance Structure Analysis</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1997-2005.	2.2	10
21	Incorrect Use of Face Masks during the Current COVID-19 Pandemic among the General Public in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6484.	2.6	45
22	Changes in implementation of personal protective measures by ordinary Japanese citizens: A longitudinal study from the early phase to the community transmission phase of the COVID-19 outbreak. <i>International Journal of Infectious Diseases</i> , 2020, 96, 371-375.	3.3	29
23	Association of overtime work hours with various stress responses in 59,021 Japanese workers: Retrospective cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0229506.	2.5	30
24	Adoption of personal protective measures by ordinary citizens during the COVID-19 outbreak in Japan. <i>International Journal of Infectious Diseases</i> , 2020, 94, 139-144.	3.3	82
25	Changes in Psychological Distress During the COVID-19 Pandemic in Japan: A Longitudinal Study. <i>Journal of Epidemiology</i> , 2020, 30, 522-528.	2.4	86
26	Title is missing!. , 2020, 15, e0229506.		0
27	Title is missing!. , 2020, 15, e0229506.		0
28	Title is missing!. , 2020, 15, e0229506.		0
29	Title is missing!. , 2020, 15, e0229506.		0
30	Title is missing!. , 2020, 15, e0229506.		0
31	Title is missing!. , 2020, 15, e0229506.		0
32	Bout Length-Specific Physical Activity and Adherence to Physical Activity Recommendations among Japanese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1991.	2.6	7
33	Exposure to organisational injustice and serious psychological distress: longitudinal analysis of details of exposure from a private Japanese company. <i>BMJ Open</i> , 2019, 9, e029556.	1.9	2
34	Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 715-721.	0.4	30
35	Effect of the National Stress Check Program on mental health among workers in Japan: A 1â€year retrospective cohort study. <i>Journal of Occupational Health</i> , 2018, 60, 298-306.	2.1	19
36	Drivers Are More Physically Active Than Non-Drivers in Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1094.	2.6	18

#	ARTICLE	IF	CITATIONS
37	Is objectively measured light-intensity physical activity associated with health outcomes after adjustment for moderate-to-vigorous physical activity in adults? A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 65.	4.6	137
38	Social participation among older adults not engaged in full- or part-time work is associated with more physical activity and less sedentary time. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1921-1927.	1.5	51
39	Organizational justice and insomnia: a prospective cohort study examining insomnia onset and persistence. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 133-140.	2.3	9
40	Common GO and psychological distress, physical complaints, and work performance among adult workers: a retrospective cohort study. <i>Scientific Reports</i> , 2017, 7, 10758.	3.3	29
41	Factors Associated with the Benefit Sought in Leisure Time and Fitness Club Experiences: A Cross-Sectional Study of Japanese Adults. <i>Journal of Japan Society of Sports Industry</i> , 2017, 27, 1_1-1_11.	0.0	2
42	Types of social participation and psychological distress in Japanese older adults: A five-year cohort study. <i>PLoS ONE</i> , 2017, 12, e0175392.	2.5	72
43	Psychometric assessment of a scale to measure bonding workplace social capital. <i>PLoS ONE</i> , 2017, 12, e0179461.	2.5	7
44	Sociodemographic, biological, psychological, and behavioral correlates of cycling in community-dwelling Japanese older adults: A cross-sectional study. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2017, 6, 175-182.	0.3	0
45	Organizational justice and insomnia: Relationships between justice components and insomnia symptoms among private company workers in Japan. <i>Journal of Occupational Health</i> , 2015, 57, 142-150.	2.1	7
46	Socioeconomic Determinants of Bullying in the Workplace: A National Representative Sample in Japan. <i>PLoS ONE</i> , 2015, 10, e0119435.	2.5	55
47	Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 519-528.	3.4	22
48	Differences in the physical activity patterns among young old adults by three residential locations in Japan. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2015, 64, 145-154.	0.0	1
49	Development of a Short Questionnaire to Measure an Extended Set of Job Demands, Job Resources, and Positive Health Outcomes: The New Brief Job Stress Questionnaire. <i>Industrial Health</i> , 2014, 52, 175-189.	1.0	83
50	Gender differences in association between psychological distress and detailed living arrangements among Japanese older adults, aged 65-74 years. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 823-830.	3.1	13
51	Development of a Short Version of the New Brief Job Stress Questionnaire. <i>Industrial Health</i> , 2014, 52, 535-540.	1.0	47
52	Factors Associated With Shift Work Disorder in Nurses Working With Rapid-Rotation Schedules in Japan: The Nurses' Sleep Health Project. <i>Chronobiology International</i> , 2013, 30, 628-636.	2.0	113
53	Mental illness and a high-risk, elderly Japanese population: characteristic differences related to gender and residential location. <i>Psychogeriatrics</i> , 2013, 13, 229-236.	1.2	8
54	Effect on Mental Health of a Participatory Intervention to Improve Psychosocial Work Environment: A Cluster Randomized Controlled Trial among Nurses. <i>Journal of Occupational Health</i> , 2013, 55, 173-183.	2.1	53

#	ARTICLE	IF	CITATIONS
55	The association of TV viewing time and moderate to vigorous physical activity with overweight/obesity among Japanese municipal office workers. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2012, 61, 421-426.	0.0	0
56	Sociodemographic Determinants of Pedometer-Determined Physical Activity Among Japanese Adults. <i>American Journal of Preventive Medicine</i> , 2011, 40, 566-571.	3.0	21
57	Association of Social Skills with Psychological Distress among Female Nurses in Japan. <i>Industrial Health</i> , 2011, 49, 677-685.	1.0	3
58	Organizational Justice, Willingness to Work, and Psychological Distress. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 174-181.	1.7	19
59	Perceived Neighborhood Environment and Walking for Specific Purposes Among Elderly Japanese. <i>Journal of Epidemiology</i> , 2011, 21, 481-490.	2.4	123
60	Association between Perceived Neighborhood Environment and Walking among Adults in 4 Cities in Japan. <i>Journal of Epidemiology</i> , 2010, 20, 277-286.	2.4	123
61	Characteristics of Accelerometry Respondents to a Mail-Based Surveillance Study. <i>Journal of Epidemiology</i> , 2010, 20, 446-452.	2.4	20
62	RELIABILITY OF THE ABBREVIATED NEIGHBORHOOD ENVIRONMENT WALKABILITY SCALE JAPANESE VERSION. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2009, 58, 453-462.	0.0	18
63	Association of physical activity and neighborhood environment among Japanese adults. <i>Preventive Medicine</i> , 2009, 48, 321-325.	3.4	125
64	Sociodemographic Variation in the Perception of Barriers to Exercise Among Japanese Adults. <i>Journal of Epidemiology</i> , 2009, 19, 161-168.	2.4	33
65	DEVELOPMENT OF A SHORT VERSION OF THE PERCEIVED BENEFITS AND BARRIERS TO EXERCISE SCALE. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2009, 58, 507-516.	0.0	12
66	Relationship of Nurse Burnout with Personality Characteristics and Coping Behaviors. <i>Industrial Health</i> , 2008, 46, 326-335.	1.0	77
67	Significance of Post-Exercise Increment of Urinary Bicarbonate and pH in Subjects Loaded with Submaximal Cycling Exercise. <i>Tohoku Journal of Experimental Medicine</i> , 2004, 202, 203-211.	1.2	5
68	Marked Increase in Urinary Bicarbonate and pH Caused by Heavy Muscular Exercise with Dynamic Knee Extension.. <i>Tohoku Journal of Experimental Medicine</i> , 2002, 198, 31-39.	1.2	4
69	Circadian Changes in Urinary Bicarbonate, Nitric Oxide Metabolites and pH in Female Player during Handball Camp Involved in an Exercise, Rest and Sleep Cycle.. <i>Tohoku Journal of Experimental Medicine</i> , 2002, 196, 281-291.	1.2	9
70	The Effort-Reward Imbalance Model: Experience in Japanese Working Population. <i>Journal of Occupational Health</i> , 2002, 44, 398-407.	2.1	41
71	Relation between self-reported weight cycling history, dieting and bio-behavioral health in Japanese adult males. <i>Environmental Health and Preventive Medicine</i> , 2002, 6, 248-255.	3.4	4
72	EATING DISORDER SYMPTOMS, WEIGHT LOSS BEHAVIORS AND WEIGHT-CYCLING IN FEMALE COLLEGE STUDENTS : CORRELATES OF EXERCISE PRACTICE. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 1999, 48, 607-618.	0.0	3

#	ARTICLE	IF	CITATIONS
73	IMPLICATIONS OF THE AMINO ACID METABOLISM REGARDING CHANGES IN THE MOOD PROFILE FOLLOWING ULTRA-ENDURANCE EXERCISE. Japanese Journal of Physical Fitness and Sports Medicine, 1999, 48, 201-210.	0.0	1