List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6034566/publications.pdf Version: 2024-02-01



IENNIEED S MINDELL

#	Article	IF	CITATIONS
1	The transport sector as a source of air pollution. Atmospheric Environment, 2001, 35, 1537-1565.	4.1	542
2	Fruit and vegetable consumption and all-cause, cancer and CVD mortality: analysis of Health Survey for England data. Journal of Epidemiology and Community Health, 2014, 68, 856-862.	3.7	346
3	Evaluating and establishing national norms for mental wellbeing using the short Warwick–Edinburgh Mental Well-being Scale (SWEMWBS): findings from the Health Survey for England. Quality of Life Research, 2017, 26, 1129-1144.	3.1	308
4	Cohort Profile: The Health Survey for England. International Journal of Epidemiology, 2012, 41, 1585-1593.	1.9	264
5	Selecting instruments for Mendelian randomization in the wake of genome-wide association studies. International Journal of Epidemiology, 2016, 45, 1600-1616.	1.9	232
6	Hypertension management in England: a serial cross-sectional study from 1994 to 2011. Lancet, The, 2014, 383, 1912-1919.	13.7	226
7	Continued Improvement in Hypertension Management in England. Hypertension, 2009, 53, 480-486.	2.7	190
8	Sample selection, recruitment and participation rates in health examination surveys in Europe – experience from seven national surveys. BMC Medical Research Methodology, 2015, 15, 78.	3.1	140
9	A review of health impact assessment frameworks. Public Health, 2008, 122, 1177-1187.	2.9	138
10	The epidemiology of fractures in England. Journal of Epidemiology and Community Health, 2008, 62, 174-180.	3.7	136
11	Trends in obesity among adults in England from 1993 to 2004 by age and social class and projections of prevalence to 2012. Journal of Epidemiology and Community Health, 2008, 63, 140-146.	3.7	131
12	A glossary for health impact assessment. Journal of Epidemiology and Community Health, 2003, 57, 647-651.	3.7	128
13	Assessing smoking status in children, adolescents and adults: cotinine cutâ€points revisited. Addiction, 2008, 103, 1553-1561.	3.3	126
14	Most older pedestrians are unable to cross the road in time: a cross-sectional study. Age and Ageing, 2012, 41, 690-694.	1.6	125
15	Active Travel to Work and Cardiovascular Risk Factors in the United Kingdom. American Journal of Preventive Medicine, 2013, 45, 282-288.	3.0	125
16	Time trends in childhood and adolescent obesity in England from 1995 to 2007 and projections of prevalence to 2015. Journal of Epidemiology and Community Health, 2010, 64, 167-174.	3.7	110
17	Growing the Field of Health Impact Assessment in the United States: An Agenda for Research and Practice. American Journal of Public Health, 2006, 96, 262-270.	2.7	98
18	A framework for the evidence base to support Health Impact Assessment. Journal of Epidemiology and Community Health, 2002, 56, 132-138.	3.7	93

#	Article	IF	CITATIONS
19	Three-year follow-up of the Oxford Cholesterol Study: assessment of the efficacy and safety of simvastatin in preparation for a large mortality study. European Heart Journal, 1994, 15, 255-269.	2.2	85
20	Complex Causal Process Diagrams for Analyzing the Health Impacts of Policy Interventions. American Journal of Public Health, 2006, 96, 473-479.	2.7	82
21	Impact of smoke-free legislation on children's exposure to secondhand smoke: cotinine data from the Health Survey for England. Tobacco Control, 2012, 21, 18-23.	3.2	77
22	Exposure-Based, â€~Like-for-Like' Assessment of Road Safety by Travel Mode Using Routine Health Data. PLoS ONE, 2012, 7, e50606.	2.5	76
23	Age- and Sex-Specific Criterion Validity of the Health Survey for England Physical Activity and Sedentary Behavior Assessment Questionnaire as Compared With Accelerometry. American Journal of Epidemiology, 2014, 179, 1493-1502.	3.4	75
24	Undiagnosed diabetes—data from the English longitudinal study of ageing. Diabetic Medicine, 2009, 26, 679-685.	2.3	74
25	Ethnic inequalities in health between Arabs and Jews in Israel: the relative contribution of individual-level factors and the living environment. International Journal of Public Health, 2018, 63, 313-323.	2.3	68
26	Urgent action needed to improve vitamin D status among older people in England!. Age and Ageing, 2010, 39, 62-68.	1.6	65
27	Community Severance and Health: What Do We Actually Know?. Journal of Urban Health, 2012, 89, 232-246.	3.6	65
28	The contribution of active travel (walking and cycling) in children to overall physical activity levels: a national cross sectional study. Preventive Medicine, 2012, 54, 134-139.	3.4	65
29	Social inequalities in prevalence of diagnosed and undiagnosed diabetes and impaired glucose regulation in participants in the Health Surveys for England series. BMJ Open, 2016, 6, e010155.	1.9	65
30	Smoke-free homes in England: prevalence, trends and validation by cotinine in children. Tobacco Control, 2009, 18, 491-495.	3.2	64
31	Enhancing the evidence base for health impact assessment. Journal of Epidemiology and Community Health, 2004, 58, 546-551.	3.7	61
32	Health implications of transport: Evidence of effects of transport on social interactions. Journal of Transport and Health, 2015, 2, 441-446.	2.2	58
33	Change in prevalence of chronic kidney disease in England over time: comparison of nationally representative cross-sectional surveys from 2003 to 2010. BMJ Open, 2014, 4, e005480-e005480.	1.9	55
34	Under-estimation of obesity, hypertension and high cholesterol by self-reported data: comparison of self-reported information and objective measures from health examination surveys. European Journal of Public Health, 2014, 24, 941-948.	0.3	54
35	Fourteen pathways between urban transportation and health: A conceptual model and literature review. Journal of Transport and Health, 2021, 21, 101070.	2.2	54
36	All in this together: the corporate capture of public health. BMJ, The, 2012, 345, e8082-e8082.	6.0	53

#	Article	IF	CITATIONS
37	Community Severance: Where Is It Found and at What Cost?. Transport Reviews, 2016, 36, 293-317.	8.8	51
38	What do we need for robust, quantitative health impact assessment?. Journal of Public Health, 2001, 23, 173-178.	1.8	49
39	Health impact assessment as an agent of policy change: improving the health impacts of the mayor of London's draft transport strategy. Journal of Epidemiology and Community Health, 2004, 58, 169-174.	3.7	49
40	Did Smokefree Legislation in England Reduce Exposure to Secondhand Smoke among Nonsmoking Adults? Cotinine Analysis from the Health Survey for England. Environmental Health Perspectives, 2012, 120, 425-430.	6.0	48
41	Differential impact of the economic recession on alcohol use among white British adults, 2004–2010. European Journal of Public Health, 2014, 24, 410-415.	0.3	48
42	Comparison of the Physical Activity and Sedentary Behaviour Assessment Questionnaire and the Short-Form International Physical Activity Questionnaire: An Analysis of Health Survey for England Data. PLoS ONE, 2016, 11, e0151647.	2.5	48
43	Hospital mortality league tables. BMJ: British Medical Journal, 2003, 326, 777-778.	2.3	47
44	Chronic kidney disease, albuminuria and socioeconomic status in the Health Surveys for England 2009 and 2010. Journal of Public Health, 2014, 36, 577-586.	1.8	47
45	Development of a novel walkability index for London, United Kingdom: cross-sectional application to the Whitehall II Study. BMC Public Health, 2016, 16, 416.	2.9	47
46	Urban transport and community severance: Linking research and policy to link people and places. Journal of Transport and Health, 2016, 3, 268-277.	2.2	46
47	Physical Activity and Risk of All-Cause and Cardiovascular Disease Mortality in Diabetic Adults From Great Britain: Pooled Analysis of 10 Population-Based Cohorts. Diabetes Care, 2014, 37, 1016-1023.	8.6	45
48	Using triangulation to assess a suite of tools to measure community severance. Journal of Transport Geography, 2017, 60, 119-129.	5.0	44
49	Socioeconomic differences in hearing among middle-aged and older adults: cross-sectional analyses using the Health Survey for England. BMJ Open, 2018, 8, e019615.	1.9	44
50	Social consequences and mental health outcomes of living in high-rise residential buildings and the influence of planning, urban design and architectural decisions: A systematic review. Cities, 2019, 93, 263-272.	5.6	44
51	Epidemiology of lifetime fracture prevalence in England: a population study of adults aged 55 years and over. Age and Ageing, 2014, 43, 234-240.	1.6	42
52	Prevalence of cardiovascular risk factors among ethnic groups: Results from the Health Surveys for England. Atherosclerosis, 2007, 195, e48-e57.	0.8	41
53	A comparison of measured height and demi-span equivalent height in the assessment of body mass index among people aged 65 years and over in England. Age and Ageing, 2008, 37, 311-317.	1.6	41
54	Health impact assessment in relation to other forms of impact assessment. Journal of Public Health, 2003, 25, 107-112.	1.8	40

#	Article	IF	CITATIONS
55	Epidemiological evidence of a relationship between typeâ€l diabetes mellitus and cancer: A review of the existing literature. International Journal of Cancer, 2013, 132, 501-508.	5.1	38
56	Socio-economic differences in the health-related quality of life impact of cardiovascular conditions. European Journal of Public Health, 2012, 22, 301-305.	0.3	37
57	Cardiorespiratory risk factors as predictors of 40-year mortality in women and men. Heart, 2009, 95, 1250-1257.	2.9	36
58	An overview of the European Health Examination Survey Pilot Joint Action. Archives of Public Health, 2012, 70, 20.	2.4	36
59	HEALTH IMPACT ASSESSMENT. Occupational and Environmental Medicine, 2005, 62, 907-912.	2.8	34
60	Nicotine Intake in Cigarette Smokers in England: Distribution and Demographic Correlates. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3331-3336.	2.5	34
61	Free Bus Travel and Physical Activity, Gait Speed, and Adiposity in the English Longitudinal Study of Ageing. American Journal of Public Health, 2016, 106, 136-142.	2.7	34
62	Predicted health impacts of urban air quality management. Journal of Epidemiology and Community Health, 2004, 58, 103-113.	3.7	33
63	Chlamydia trachomatis Pgp3 Antibody Population Seroprevalence before and during an Era of Widespread Opportunistic Chlamydia Screening in England (1994-2012). PLoS ONE, 2017, 12, e0152810.	2.5	33
64	Who Provides Accelerometry Data? Correlates of Adherence to Wearing an Accelerometry Motion Sensor: The 2008 Health Survey for England. Journal of Physical Activity and Health, 2013, 10, 70-78.	2.0	32
65	Measuring physical activity in children and adolescents for dietary surveys: practicalities, problems and pitfalls. Proceedings of the Nutrition Society, 2014, 73, 218-225.	1.0	32
66	Diabetes mellitus and mortality from all-causes, cancer, cardiovascular and respiratory disease: Evidence from the Health Survey for England and Scottish Health Survey cohorts. Journal of Diabetes and Its Complications, 2014, 28, 791-797.	2.3	32
67	European health examination surveys – a tool for collecting objective information about the health of the population. Archives of Public Health, 2018, 76, 38.	2.4	32
68	Linking environmental effects to health impacts: a computer modelling approach for air pollution. Journal of Epidemiology and Community Health, 2005, 59, 1092-1098.	3.7	30
69	International differences in self-reported health measures in 33 major metropolitan areas in Europe. European Journal of Public Health, 2012, 22, 40-47.	0.3	30
70	Comparative fatality risk for different travel modes by age, sex, and deprivation. Journal of Transport and Health, 2018, 8, 307-320.	2.2	30
71	Associations of Blood Pressure With Geographical Latitude, Solar Radiation, and Ambient Temperature: Results From the Chilean Health Survey, 2009–2010: TableÂ1 American Journal of Epidemiology, 2016, 183, 1071-1073.	3.4	29
72	Prevalence of chronic kidney disease in England: Findings from the 2009 Health Survey for England. Journal of Epidemiology and Community Health, 2011, 65, A12-A12.	3.7	27

#	Article	IF	CITATIONS
73	European Health Examination Surveytowards a sustainable monitoring system. European Journal of Public Health, 2014, 24, 338-344.	0.3	27
74	Burden of hypertension in The Gambia: evidence from a national World Health Organization (WHO) STEP survey. International Journal of Epidemiology, 2018, 47, 860-871.	1.9	27
75	Current issues in the impacts of transport on health. British Medical Bulletin, 2018, 125, 67-77.	6.9	27
76	Exploration of Chronic Kidney Disease Prevalence Estimates Using New Measures of Kidney Function in the Health Survey for England. PLoS ONE, 2015, 10, e0118676.	2.5	27
77	Tobacco. Cigarette consumption in The Netherlands 1970-1995: does tax policy encourage the use of hand-rolling tobacco?. European Journal of Public Health, 2000, 10, 214-219.	0.3	25
78	Using longitudinal data from the Health Survey for England to resolve discrepancies in thresholds for haemoglobin in older adults. British Journal of Haematology, 2013, 160, 368-376.	2.5	25
79	Explanatory factors for health inequalities across different ethnic and gender groups: data from a national survey in England. Journal of Epidemiology and Community Health, 2014, 68, 1133-1144.	3.7	25
80	Use of data from the <scp>H</scp> ealth <scp>S</scp> urvey for <scp>E</scp> ngland in obesity policy making and monitoring. Obesity Reviews, 2013, 14, 463-476.	6.5	23
81	Fatality rates associated with driving and cycling for all road users in Great Britain 2005–2013. Journal of Transport and Health, 2018, 8, 321-333.	2.2	23
82	Prevalence of chronic kidney disease in adults in England: comparison of nationally representative cross-sectional surveys from 2003 to 2016. BMJ Open, 2020, 10, e038423.	1.9	23
83	The effect of mode and context on survey results: Analysis of data from the Health Survey for England 2006 and the Boost Survey for London. BMC Medical Research Methodology, 2010, 10, 84.	3.1	21
84	Estimating population prevalence of potential airflow obstruction using different spirometric criteria: a pooled cross-sectional analysis of persons aged 40-95 years in England and Wales. BMJ Open, 2014, 4, e005685-e005685.	1.9	21
85	What happens to medical students who complete an honours year in public health and epidemiology?. Medical Education, 2001, 35, 134-136.	2.1	21
86	Linking transport, health and sustainability: Better data sets for better policy-making. Journal of Transport and Health, 2015, 2, 111-119.	2.2	20
87	Association between urinary biomarkers of total sugars intake and measures of obesity in a cross-sectional study. PLoS ONE, 2017, 12, e0179508.	2.5	20
88	Income-based inequalities in hypertension and in undiagnosed hypertension: analysis of Health Survey for England data. Journal of Hypertension, 2020, 38, 912-924.	0.5	20
89	Integration of health and environment through health impact assessment: Cases from three continents. Environmental Research, 2012, 114, 60-67.	7.5	19
90	Taking the bus? Barriers and facilitators for adolescent use of public buses to school. Travel Behaviour & Society, 2021, 22, 48-58.	5.0	19

#	Article	IF	CITATIONS
91	Lessons from tobacco control for advocates of healthy transport. Journal of Public Health, 2001, 23, 91-97.	1.8	18
92	A tentative step towards healthy public policy. Journal of Epidemiology and Community Health, 2004, 58, 966-968.	3.7	18
93	Comparison of Health Examination Survey Methods in Brazil, Chile, Colombia, Mexico, England, Scotland, and the United States. American Journal of Epidemiology, 2017, 186, 648-658.	3.4	18
94	The retail food environment and its association with body mass index in Mexico. International Journal of Obesity, 2021, 45, 1215-1228.	3.4	18
95	Improving the use of evidence in health impact assessment. Bulletin of the World Health Organization, 2010, 88, 543-550.	3.3	18
96	Using routine data to measure ethnic differentials in access to coronary revascularization. Journal of Public Health, 2008, 30, 45-53.	1.8	17
97	Public health in England: an option for the way forward?. Lancet, The, 2011, 378, 536-539.	13.7	17
98	Prevalence and related risk factors of chronic kidney disease among adults in Luxembourg: evidence from the observation of cardiovascular risk factors (ORISCAV-LUX) study. BMC Nephrology, 2017, 18, 358.	1.8	17
99	Institutionalizing health impact assessment in London as a public health tool for increasing synergy between policies in other areas. Public Health, 2010, 124, 107-114.	2.9	16
100	Under-reporting of tobacco use among Bangladeshi women in England. Journal of Public Health, 2009, 31, 326-334.	1.8	15
101	Impaired Glucose Metabolism among Those with and without Diagnosed Diabetes and Mortality: A Cohort Study Using Health Survey for England Data. PLoS ONE, 2015, 10, e0119882.	2.5	15
102	The effect of survey method on survey participation: Analysis of data from the Health Survey for England 2006 and the Boost Survey for London. BMC Medical Research Methodology, 2010, 10, 83.	3.1	14
103	Changes in waist circumference among adolescents in England from 1977–1987 to 2005–2007. Public Health, 2012, 126, 695-701.	2.9	14
104	ls it important to measure or reduce C-reactive protein in people at risk of cardiovascular disease?. European Heart Journal, 2012, 33, 2258-2264.	2.2	14
105	Nutritional and metabolic benefits associated with active and public transport: Results from the Chilean National Health Survey, ENS 2016–2017. Journal of Transport and Health, 2020, 17, 100819.	2.2	14
106	Synergies between low-carbon and healthy transport policies. Proceedings of the Institution of Civil Engineers: Transport, 2011, 164, 127-139.	0.6	13
107	A review of the use of health examination data from the Health Survey for England in government policy development and implementation. Archives of Public Health, 2014, 72, 24.	2.4	12
108	The silent epidemic of obesity in The Gambia: evidence from a nationwide, population-based, cross-sectional health examination survey. BMJ Open, 2020, 10, e033882.	1.9	12

#	Article	IF	CITATIONS
109	Exploring the views of planners and public health practitioners on integrating health evidence into spatial planning in England: a mixed-methods study. Journal of Public Health, 2021, 43, 664-672.	1.8	12
110	Inequalities in participation and time spent in moderate-to-vigorous physical activity: a pooled analysis of the cross-sectional health surveys for England 2008, 2012, and 2016. BMC Public Health, 2020, 20, 361.	2.9	12
111	Development of New Demi-Span Equations from a Nationally Representative Sample of Adults to Estimate Maximal Adult Height. Journal of Nutrition, 2010, 140, 1475-1480.	2.9	11
112	Representativeness of participants in a cross-sectional health survey by time of day and day of week of data collection. European Journal of Public Health, 2012, 22, 364-369.	0.3	11
113	Improving lipid profiles and increasing use of lipid-lowering therapy in England: results from a national cross-sectional survey - 2006. Clinical Endocrinology, 2011, 75, 621-627.	2.4	10
114	Biomarkers of diabetes risk in the National Diet and Nutrition Survey rolling programme (2008–2011). Journal of Epidemiology and Community Health, 2014, 68, 51-56.	3.7	10
115	Hypertension care cascade in Chile: a serial cross-sectional study of national health surveys 2003-2010-2017. BMC Public Health, 2020, 20, 1397.	2.9	10
116	Asking about Sex in General Health Surveys: Comparing the Methods and Findings of the 2010 Health Survey for England with Those of the Third National Survey of Sexual Attitudes and Lifestyles. PLoS ONE, 2015, 10, e0135203.	2.5	10
117	Prevalence of and factors associated with herpes zoster in England: a cross-sectional analysis of the Health Survey for England. BMC Infectious Diseases, 2022, 22, .	2.9	10
118	Prevalence and Predictors of Smoking among Gambian Men: A Cross-Sectional National WHO STEP Survey. International Journal of Environmental Research and Public Health, 2019, 16, 4719.	2.6	9
119	Development of key policy recommendations for active transport in New Zealand: A multi-sector and multidisciplinary endeavour. Journal of Transport and Health, 2020, 18, 100859.	2.2	9
120	The impact of private-sector provision on equitable utilisation of coronary revascularisation in London. Heart, 2008, 94, 1008-1011.	2.9	8
121	Symptom reporting, healthcare-seeking behaviour and antibiotic use for common infections: protocol for Bug Watch, a prospective community cohort study. BMJ Open, 2019, 9, e028676.	1.9	8
122	Incidence, healthcare-seeking behaviours, antibiotic use and natural history of common infection syndromes in England: results from the Bug Watch community cohort study. BMC Infectious Diseases, 2021, 21, 105.	2.9	8
123	Transport and clinical practice. Journal of Transport and Health, 2014, 1, 73-80.	2.2	7
124	Blood pressure profiles, and awareness and treatment of hypertension in Europe – results from the EHES Pilot Project. Public Health, 2016, 135, 135-139.	2.9	7
125	Income-based inequalities in self-reported moderate-to-vigorous physical activity among adolescents in England and the USA: a cross-sectional study. BMJ Open, 2021, 11, e040540.	1.9	7
126	Community severance and health – A novel approach to measuring community severance and examining its impact on the health of adults in Great Britain. Journal of Transport and Health, 2022, 25, 101368.	2.2	7

#	Article	IF	CITATIONS
127	Mini-symposium — Public Health Observatories. Public Health, 2005, 119, 246-252.	2.9	6
128	Vision for a Global Registry of Anticipated Public Health Studies. American Journal of Public Health, 2007, 97, S82-S87.	2.7	6
129	Act now against new NHS competition regulations. BMJ, The, 2013, 346, f1819-f1819.	6.0	6
130	Sociodemographic and Built Environment Associates of Travel to School by Car among New Zealand Adolescents: Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 9138.	2.6	6
131	Trends in cardiovascular disease risk factors by BMI category among adults in England, 2003â€⊋018. Obesity, 2021, 29, 1347-1362.	3.0	6
132	Are head injuries to cyclists an important cause of death in road travel fatalities?. Journal of Transport and Health, 2018, 10, 178-185.	2.2	5
133	Transport and community severance. , 2020, , 175-196.		5
134	An assessment of the feasibility of health authorities generating unpaid mass media publicity in the long term. Health Education Journal, 1997, 56, 125-133.	1.2	4
135	Mathematical modelling of health impacts. Journal of Epidemiology and Community Health, 2005, 59, 617-618.	3.7	4
136	Persistent regional variation in treatment of hypertension. Public Health, 2012, 126, 317-323.	2.9	4
137	Measuring high-sensitivity cardiac troponin T blood concentration in population surveys. PLoS ONE, 2017, 12, e0171242.	2.5	4
138	Impact of different diagnostic thresholds and the anaemia–ferritin–transferrin receptor model on the prevalence of anaemia and impaired iron status in older people. Age and Ageing, 2009, 38, 609-613.	1.6	3
139	Hypertension and its identification among current, past and never smokers in an English population sample. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 63-70.	2.8	3
140	Association of the food environment with obesity: a systematic review of geographical and statistical methods. Lancet, The, 2016, 388, S89.	13.7	3
141	Disparities, variations, inequalities or inequities: whatever you call them, we need data to monitor them. Israel Journal of Health Policy Research, 2019, 8, 37.	2.6	3
142	Road traffic injuries in Namibia: health services, public health and the motor vehicle accident fund. International Journal of Injury Control and Safety Promotion, 2021, 28, 167-178.	2.0	3
143	Projection of the health and economic impacts of Chronic kidney disease in the Chilean population. PLoS ONE, 2021, 16, e0256680.	2.5	3
144	Paramedics were not used effectively. BMJ: British Medical Journal, 1995, 311, 508-508.	2.3	3

#	Article	IF	CITATIONS
145	Access to rehabilitation services for road traffic injury patients in Namibia. Disability and Rehabilitation, 2022, 44, 7985-7992.	1.8	3
146	P35 Objective and subjective method of physical activity measurement in a cross-section of English adults: health survey for England 2008. Journal of Epidemiology and Community Health, 2010, 64, A47-A47.	3.7	2
147	Doubts about the BMA's policy on bicycle helmets. BMJ, The, 2013, 347, f4340-f4340.	6.0	2
148	Setting up the Journal of Transport and Health, a New Cross-Disciplinary Journal. Publications, 2015, 3, 120-130.	3.8	2
149	Standardization of physical measurements in European health examination surveys—experiences from the site visits. European Journal of Public Health, 2017, 27, ckw271.	0.3	2
150	Ethnic group differences in impacts of free bus passes in England: A national study. Journal of Transport and Health, 2018, 11, 1-14.	2.2	2
151	Chronic kidney disease in adults aged 18 years and older in Chile: findings from the cross-sectional Chilean National Health Surveys 2009–2010 and 2016–2017. BMJ Open, 2020, 10, e037720.	1.9	2
152	High level of co-occurrence of risk factors for non-communicable diseases among Gambian adults: A national population-based health examination survey. Preventive Medicine, 2020, 141, 106300.	3.4	2
153	Congestion charging. BMJ: British Medical Journal, 2003, 326, 884-884.	2.3	2
154	Population-level susceptibility, severity and spread of pandemic influenza: design of, and initial results from, a pre-pandemic and hibernating pandemic phase study using cross-sectional data from the Health Survey for England (HSE). Public Health Research, 2015, 3, 1-24.	1.3	2
155	MALARIA IN BRENT: SUCCESSFUL TREATMENT IN THE COMMUNITY. Lancet, The, 1984, 323, 1006-1008.	13.7	1
156	Letter to the editor. Public Health, 1992, 106, 73.	2.9	1
157	Fuel pump promos. Tobacco Control, 1997, 6, 359-360.	3.2	1
158	The health of students. Journal of Public Health, 2001, 23, 165-165.	1.8	1
159	Transport and health. Perspectives in Public Health, 2010, 130, 57-57.	1.6	1
160	Who wears an accelerometer? Correlates of adherence to wearing an accelerometry motion sensor: The 2008 Health Survey for England. Journal of Epidemiology and Community Health, 2011, 65, A27-A27.	3.7	1
161	OP33â€Exposure-Based Assessment of Modal Travel Risk in England Using Routine Health Data. Journal of Epidemiology and Community Health, 2012, 66, A13.2-A13.	3.7	1
162	P28â€Association between indoor temperature and general health in english adults: a cross-sectional study. , 2017, , .		1

#	Article	IF	CITATIONS
163	Cars, conflict and community severance. , 2021, , 121-128.		1
164	Associations between indoor temperature, self-rated health and socioeconomic position in a cross-sectional study of adults in England. BMJ Open, 2021, 11, e038500.	1.9	1
165	Perceptions of healthcare workers on road traffic injuries in Namibia: an untapped source of expertise. Disability and Rehabilitation, 2021, , 1-7.	1.8	1
166	Transport Modes and Health. , 2021, , 106-117.		1
167	Letter to the Editor. Age and Ageing, 1991, 20, 226-226.	1.6	0
168	Tobacco advertising. Journal of the Royal Society of Health, 1995, 115, 84-89.	0.2	0
169	Title is missing!. Public Health, 1996, 110, 387-388.	2.9	0
170	Deprivation and emergency admissions for cancers. BMJ: British Medical Journal, 1999, 318, 326-326.	2.3	0
171	048 Changes in waist circumference and BMI in adolescents in England from 1977/1987 to 2005-2007. Journal of Epidemiology and Community Health, 2010, 64, A19-A19.	3.7	Ο
172	P57 Persistent regional variation in treatment of hypertension. Journal of Epidemiology and Community Health, 2010, 64, A55-A56.	3.7	0
173	Active travel in children and its relationship to overall activity levels. Journal of Epidemiology and Community Health, 2011, 65, A8-A8.	3.7	Ο
174	OP57â€All-Cause and Cause-Specific Mortality among Individuals with and Without Diabetes in England and Scotland. Journal of Epidemiology and Community Health, 2012, 66, A22.2-A22.	3.7	0
175	Defending the UK's National Health Service. Lancet, The, 2012, 380, 26-27.	13.7	Ο
176	Journal of Transport and Health. Injury Prevention, 2014, 20, 292-292.	2.4	0
177	Assessment of changes in the burden of Chlamydia trachomatis infection in the context of widespread opportunistic chlamydia screening: Pgp3 seroprevalence measured in a series of nationally representative cross-sectional household surveys. Lancet, The, 2015, 386, S10.	13.7	Ο
178	P08.12â€Insights intochlamydia trachomatiscumulative incidence in the context of widespread opportunistic chlamydia screening in england: seroprevalence study using sera from a nationally-representative household survey. Sexually Transmitted Infections, 2015, 91, A136.1-A136.	1.9	0
179	P10.19â€Can hsv-2 seropositivity be used as a biological marker of sexual behaviour? findings from a seroprevalence survey in england. Sexually Transmitted Infections, 2015, 91, A172.1-A172.	1.9	0
180	OP69â€Comparative fatality risk for different travel modes of transport by age, sex, and deprivation. Journal of Epidemiology and Community Health, 2015, 69, A39.2-A39.	3.7	0

#	Article	IF	CITATIONS
181	Emergency hormonal contraception and body weight: analysis of data from the Health Survey for England, 2010. Lancet, The, 2015, 386, S79.	13.7	0
182	Increased body mass index and reduced efficacy of oral emergency contraception: how many women might be affected?. Journal of Family Planning and Reproductive Health Care, 2016, 42, 234-235.	0.8	0
183	P64â€Comparison of socioeconomic differences in health using objective and self-reported measures of the same condition: evidence from the health survey for england. , 2017, , .		0
184	P65â€Socioeconomic differences in hearing among middle-aged and older adults in the health survey for england. , 2017, , .		0
185	OP66â€Motivation to quit smoking and changes in cigarette consumption, among smokers who use e-cigarettes, findings from the health survey for england. , 2017, , .		0
186	OP97â€The burden of hypertension and its associated factors in the gambia: data from a national health examination survey using the world health organisation (who) stepwise approach. , 2017, , .		0
187	P65â€Association of food outlet density and obesity: a cross-sectional study of urban areas in mexico. , 2018, , .		Ο
188	OP32â€Trends in use of prescribed medicines by body mass index and age: evidence from the last two decades using health surveys for england data. , 2018, , .		0
189	OP81â€Applying hurdle models to estimate socioeconomic inequalities in moderate-to-vigorous physical activity: analysis using the health surveys for england 2008 and 2012. , 2018, , .		Ο
190	P47â€High prevalence of obesity in the gambia: evidence from a nationwide population-based cross sectional health examination survey. , 2018, , .		0
191	Community Severance. , 2021, , 246-253.		Ο
192	OP24â€Health impacts, survival, quality-adjusted life years, and costs of chronic kidney disease in Chilean adults. , 2021, , .		0
193	P78â€Use of mathematical modelling for policy making: example of chronic kidney disease in chile. , 2021, , .		0
194	The 6th International Conference on Transport and Health: ICTH 2021 – A virtual success!. Journal of Transport and Health, 2021, 22, 101242.	2.2	0
195	The availability of psychological support following road travel injuries in Namibia: A qualitative study. PLoS ONE, 2021, 16, e0258197.	2.5	0
196	Smoking Prevalence in Pregnant Women in Southern Derbyshire, UK in 1992. , 1995, , 703-704.		0
197	Timing of Pregnancy-Related Changes in Smoking Habit in Derby, UK. , 1995, , 797-798.		0
198	P66â€Estimating inequalities in moderate-vigorous physical activity among adolescents in England and the US using hurdle models. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
199	OP78â€Projection of the economic and health impacts of chronic kidney disease in the Chilean population. , 2020, , .		0
200	OP76â€Chronic kidney disease in chile: findings from the chilean national health surveys 2009–10 and 2016–17. , 2020, , .		0
201	P33â€Socioeconomic inequalities in the prevalence and management of hypertension: A multilevel analysis of 13,605 men and women in Chile. , 2020, , .		Ο
202	Qualitative health impact assessment. , 2020, , 311-337.		0
203	Using the Middle-Out Perspective to augment advocacy for smokefree legislation. European Journal of Public Health, 2021, 31, .	0.3	0