

Yan Zou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/603736/publications.pdf>

Version: 2024-02-01

38
papers

983
citations

471509

17
h-index

454955

30
g-index

38
all docs

38
docs citations

38
times ranked

810
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between lncRNA H19 polymorphisms and hepatoblastoma risk in an ethnic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 742-750.	3.6	12
2	YTHDF2 Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study. <i>Frontiers in Medicine</i> , 2021, 8, 797195.	2.6	7
3	lncRNA-uc003opf.1 rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020, 19, 2367-2372.	2.6	4
4	Outcomes of children with hepatoblastoma who underwent liver resection at a tertiary hospital in China: a retrospective analysis. <i>BMC Pediatrics</i> , 2020, 20, 200.	1.7	9
5	Association of CMYC polymorphisms with hepatoblastoma risk. <i>Translational Cancer Research</i> , 2020, 9, 849-855.	1.0	5
6	Liver biopsy for hepatoblastoma: a single institution's experience. <i>Pediatric Surgery International</i> , 2020, 36, 909-915.	1.4	1
7	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3190.	2.8	6
8	Analysis of Clinical Characteristics, Pathological Changes and Changes of Interleukin-6 (IL-6) and C-Reactive Protein (CRP) in Children with Castleman's Disease. <i>Medical Science Monitor</i> , 2020, 26, e924783.	1.1	2
9	Impact of 3D printing technology on the comprehension of surgical liver anatomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 411-417.	2.4	47
10	Association of the TP53 rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 3444-3449.	2.5	15
11	LINC00673 rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , 2019, 10, 506.	2.3	29
12	NRAS and KRAS polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , 2019, 8, 11.	5.0	16
13	Associations between H19 polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , 2019, 39, .	2.4	16
14	Surgical risk factors of retroperitoneal teratoma resection in children. <i>Journal of Pediatric Surgery</i> , 2019, 54, 1495-1499.	1.6	12
15	LINC00673 rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018, 38, .	2.4	27
16	Impact of 3D Printing Technology on Comprehension of Surgical Anatomy of Retroperitoneal Tumor. <i>World Journal of Surgery</i> , 2018, 42, 2339-2343.	1.6	23
17	Neonatal Gastric Perforation: Case Series and Literature Review. <i>World Journal of Surgery</i> , 2018, 42, 2668-2673.	1.6	34
18	The impact of using three-dimensional printed liver models for patient education. <i>Journal of International Medical Research</i> , 2018, 46, 1570-1578.	1.0	59

#	ARTICLE	IF	CITATIONS
19	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018, 30, 113-119.	6.1	85
20	The rs2147578 A > G polymorphism in the lnc-LAMC2-1:1 gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , 2018, 18, 948.	2.6	10
21	Association between NEFL Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018, 9, 535-539.	2.5	6
22	Ruptured hepatoblastoma successfully treated with cisplatin monochemotherapy: A case report. <i>Molecular and Clinical Oncology</i> , 2018, 9, 223-225.	1.0	7
23	<i>lmo1</i> super-enhancer polymorphism rs2168101 G&T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018, 9, 1592-1597.	2.5	17
24	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 11, 1-8.	5.1	98
25	Associations between lncRNA MEG3 polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018, 10, 481-491.	3.1	40
26	Surgical management and outcomes of ganglioneuroma and ganglioneuroblastoma-intermixed. <i>Pediatric Surgery International</i> , 2017, 33, 955-959.	1.4	15
27	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017, 10, 936-941.	3.7	49
28	The Many Presentations of Pneumomediastinum. <i>Global Pediatric Health</i> , 2017, 4, 2333794X1774494.	0.7	0
29	Cure of Hepatoblastoma Through Transcatheter Arterial Chemoembolization. <i>Global Pediatric Health</i> , 2017, 4, 2333794X1774275.	0.7	3
30	&HSD17B12 gene rs11037575 C&T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1969-1975.	2.0	6
31	Common variations within <i>HACE1</i> gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 703-709.	2.0	9
32	The <i>TP53</i> gene rs1042522 C&G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017, 9, 852-859.	3.1	58
33	The Association between GWAS-identified <i>BARD1</i> Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016, 13, 133-138.	2.5	26
34	Association of potentially functional variants in the <i>XPG</i> gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1481-1490.	3.6	105
35	Potentially functional polymorphisms in the <i>LIN28B</i> gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1534-1541.	3.6	40
36	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016, 37, 1635-1639.	1.8	37

#	ARTICLE	IF	CITATIONS
37	<i>LMO1</i> gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016, 7, 22770-22778.	1.8	31
38	Preoperative Transcatheter Arterial Chemoembolization of Hepatoblastoma in Infants. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1029-1035.	0.5	17