

Maurizio Molinari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6049993/publications.pdf>

Version: 2024-02-01

99
papers

15,136
citations

41258

49
h-index

38300

95
g-index

154
all docs

154
docs citations

154
times ranked

22528
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
2	Setting the Standards: Quality Control in the Secretary Pathway. <i>Science</i> , 1999, 286, 1882-1888.	6.0	1,142
3	In and Out of the ER: Protein Folding, Quality Control, Degradation, and Related Human Diseases. <i>Physiological Reviews</i> , 2007, 87, 1377-1408.	13.1	563
4	Role of EDEM in the Release of Misfolded Glycoproteins from the Calnexin Cycle. <i>Science</i> , 2003, 299, 1397-1400.	6.0	431
5	N-glycan structures: recognition and processing in the ER. <i>Trends in Biochemical Sciences</i> , 2010, 35, 74-82.	3.7	404
6	Calpain: A Protease in Search of a Function?. <i>Biochemical and Biophysical Research Communications</i> , 1998, 247, 193-203.	1.0	352
7	Translocon component Sec62 acts in endoplasmic reticulum turnover during stress recovery. <i>Nature Cell Biology</i> , 2016, 18, 1173-1184.	4.6	350
8	Coronaviruses Hijack the LC3-I-Positive EDEMosomes, ER-Derived Vesicles Exporting Short-Lived ERAD Regulators, for Replication. <i>Cell Host and Microbe</i> , 2010, 7, 500-508.	5.1	332
9	Chaperone Selection During Glycoprotein Translocation into the Endoplasmic Reticulum. <i>Science</i> , 2000, 288, 331-333.	6.0	315
10	Glycoproteins form mixed disulphides with oxidoreductases during folding in living cells. <i>Nature</i> , 1999, 402, 90-93.	13.7	294
11	Selective Inhibition of Ii-dependent Antigen Presentation by <i>Helicobacter pylori</i> Toxin VacA. <i>Journal of Experimental Medicine</i> , 1998, 187, 135-140.	4.2	270
12	N-glycan processing in ER quality control. <i>Journal of Cell Science</i> , 2006, 119, 4373-4380.	1.2	266
13	N-glycan structure dictates extension of protein folding or onset of disposal. <i>Nature Chemical Biology</i> , 2007, 3, 313-320.	3.9	258
14	The glycan code of the endoplasmic reticulum: asparagine-linked carbohydrates as protein maturation and quality-control tags. <i>Trends in Cell Biology</i> , 2005, 15, 364-370.	3.6	227
15	Sequential assistance of molecular chaperones and transient formation of covalent complexes during protein degradation from the ER. <i>Journal of Cell Biology</i> , 2002, 158, 247-257.	2.3	204
16	Contrasting Functions of Calreticulin and Calnexin in Glycoprotein Folding and ER Quality Control. <i>Molecular Cell</i> , 2004, 13, 125-135.	4.5	196
17	N-linked sugar-regulated protein folding and quality control in the ER. <i>Seminars in Cell and Developmental Biology</i> , 2015, 41, 79-89.	2.3	194
18	A selective ER autophagy exerts procollagen quality control via a Calnexin-FAM134B complex. <i>EMBO Journal</i> , 2019, 38, .	3.5	178

#	ARTICLE	IF	CITATIONS
19	Vacuoles Induced by <i>Helicobacter pylori</i> Toxin Contain Both Late Endosomal and Lysosomal Markers. <i>Journal of Biological Chemistry</i> , 1997, 272, 25339-25344.	1.6	174
20	Proteolysis by Calpains: a Possible Contribution to Degradation of p53. <i>Molecular and Cellular Biology</i> , 1997, 17, 2806-2815.	1.1	163
21	Stringent requirement for HRD1, SEL1L, and OS-9/XTP3-B for disposal of ERAD-LS substrates. <i>Journal of Cell Biology</i> , 2010, 188, 223-235.	2.3	163
22	The <i>Helicobacter pylori</i> neutrophil-activating protein is an iron-binding protein with dodecameric structure. <i>Molecular Microbiology</i> , 1999, 34, 238-246.	1.2	159
23	EDEM1 regulates ER-associated degradation by accelerating de-mannosylation of folding-defective polypeptides and by inhibiting their covalent aggregation. <i>Biochemical and Biophysical Research Communications</i> , 2006, 349, 1278-1284.	1.0	154
24	Calpain: A Cytosolic Proteinase Active at the Membranes. <i>Journal of Membrane Biology</i> , 1997, 156, 1-8.	1.0	146
25	<scp>ER</scp> -associated degradation of proteasome-resistant <scp>ATZ</scp> polymers occurs via receptor-mediated vesicular transport. <i>EMBO Journal</i> , 2018, 37, .	3.5	144
26	A Novel Stress-induced EDEM Variant Regulating Endoplasmic Reticulum-associated Glycoprotein Degradation. <i>Journal of Biological Chemistry</i> , 2005, 280, 2424-2428.	1.6	143
27	Early Postnatal Death and Motor Disorders in Mice Congenitally Deficient in Calnexin Expression. <i>Molecular and Cellular Biology</i> , 2002, 22, 7398-7404.	1.1	125
28	Glycoprotein folding and the role of EDEM1, EDEM2 and EDEM3 in degradation of folding-defective glycoproteins. <i>FEBS Letters</i> , 2007, 581, 3658-3664.	1.3	119
29	ERAD and ERAD tuning: disposal of cargo and of ERAD regulators from the mammalian ER. <i>Current Opinion in Cell Biology</i> , 2011, 23, 176-183.	2.6	115
30	N-linked glycan recognition and processing: the molecular basis of endoplasmic reticulum quality control. <i>Current Opinion in Structural Biology</i> , 2006, 16, 592-599.	2.6	111
31	Segregation and rapid turnover of EDEM1 by an autophagy-like mechanism modulates standard ERAD and folding activities. <i>Biochemical and Biophysical Research Communications</i> , 2008, 371, 405-410.	1.0	111
32	Proteasomal and lysosomal clearance of faulty secretory proteins: ER-associated degradation (ERAD) and ER-to-lysosome-associated degradation (ERLAD) pathways. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2019, 54, 153-163.	2.3	110
33	Persistent Glycoprotein Misfolding Activates the Glucosidase II/UGT1-Driven Calnexin Cycle to Delay Aggregation and Loss of Folding Competence. <i>Molecular Cell</i> , 2005, 20, 503-512.	4.5	109
34	A Dual Task for the Xbp1-responsive OS-9 Variants in the Mammalian Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2008, 283, 16446-16454.	1.6	107
35	Consequences of ERp57 Deletion on Oxidative Folding of Obligate and Facultative Clients of the Calnexin Cycle. <i>Journal of Biological Chemistry</i> , 2006, 281, 6219-6226.	1.6	102
36	ERAD substrates: Which way out?. <i>Seminars in Cell and Developmental Biology</i> , 2010, 21, 526-532.	2.3	102

#	ARTICLE	IF	CITATIONS
37	Degradation of Trafficking-defective Long QT Syndrome Type II Mutant Channels by the Ubiquitin-Proteasome Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 19419-19425.	1.6	99
38	β -site specific intrabodies to decrease and prevent generation of Alzheimer's A β peptide. <i>Journal of Cell Biology</i> , 2005, 168, 863-868.	2.3	98
39	ESCRT-III-driven piecemeal micro-ER-phagy remodels the ER during recovery from ER stress. <i>Nature Communications</i> , 2019, 10, 5058.	5.8	94
40	Ca(2+)-activated neutral protease is active in the erythrocyte membrane in its nonautolyzed 80-kDa form.. <i>Journal of Biological Chemistry</i> , 1994, 269, 27992-27995.	1.6	85
41	The Acid Activation of Helicobacter pylori Toxin VacA: Structural and Membrane Binding Studies. <i>Biochemical and Biophysical Research Communications</i> , 1998, 248, 334-340.	1.0	84
42	Flagging and docking: dual roles for N-glycans in protein quality control and cellular proteostasis. <i>Trends in Biochemical Sciences</i> , 2012, 37, 404-410.	3.7	81
43	Substrate-Specific Requirements for UGT1-Dependent Release from Calnexin. <i>Molecular Cell</i> , 2007, 27, 238-249.	4.5	77
44	ER-phagy responses in yeast, plants, and mammalian cells and their crosstalk with UPR and ERAD. <i>Developmental Cell</i> , 2021, 56, 949-966.	3.1	72
45	Malectin Participates in a Backup Glycoprotein Quality Control Pathway in the Mammalian ER. <i>PLoS ONE</i> , 2011, 6, e16304.	1.1	70
46	Ca(2+)-activated neutral protease is active in the erythrocyte membrane in its nonautolyzed 80-kDa form. <i>Journal of Biological Chemistry</i> , 1994, 269, 27992-5.	1.6	69
47	PEST Sequences Do Not Influence Substrate Susceptibility to Calpain Proteolysis. <i>Journal of Biological Chemistry</i> , 1995, 270, 2032-2035.	1.6	57
48	Endoplasmic reticulum turnover: ER-phagy and other flavors in selective and non-selective ER clearance. <i>F1000Research</i> , 2018, 7, 454.	0.8	57
49	The Use of Calnexin and Calreticulin by Cellular and Viral Glycoproteins. <i>Journal of Biological Chemistry</i> , 2005, 280, 28265-28271.	1.6	56
50	Chemical stresses fail to mimic the unfolded protein response resulting from luminal load with unfolded polypeptides. <i>Journal of Biological Chemistry</i> , 2018, 293, 5600-5612.	1.6	53
51	ER-phagy: mechanisms, regulation, and diseases connected to the lysosomal clearance of the endoplasmic reticulum. <i>Physiological Reviews</i> , 2022, 102, 1393-1448.	13.1	53
52	Specificity and Regulation of the Endoplasmic Reticulum-Associated Degradation Machinery. <i>Traffic</i> , 2013, 14, 767-777.	1.3	50
53	The Protein-disulfide Isomerase ERp57 Regulates the Steady-state Levels of the Prion Protein. <i>Journal of Biological Chemistry</i> , 2015, 290, 23631-23645.	1.6	48
54	Cyclosporine A-Sensitive, Cyclophilin B-Dependent Endoplasmic Reticulum-Associated Degradation. <i>PLoS ONE</i> , 2010, 5, e13008.	1.1	45

#	ARTICLE	IF	CITATIONS
55	The Secretary Capacity of a Cell Depends on the Efficiency of Endoplasmic Reticulum-Associated Degradation. , 2005, 300, 1-15.		41
56	EDEM Contributes to Maintenance of Protein Folding Efficiency and Secretary Capacity. Journal of Biological Chemistry, 2004, 279, 44600-44605.	1.6	40
57	UDP-glucose:glycoprotein glucosyltransferase (UGGT1) promotes substrate solubility in the endoplasmic reticulum. Molecular Biology of the Cell, 2013, 24, 2597-2608.	0.9	40
58	How Viruses Hijack the ERAD Tuning Machinery. Journal of Virology, 2014, 88, 10272-10275.	1.5	40
59	Identification of signal peptide features for substrate specificity in human Sec62/Sec63â€dependent ER protein import. FEBS Journal, 2020, 287, 4612-4640.	2.2	40
60	Eat it right: ER-phagy and recovER-phagy. Biochemical Society Transactions, 2018, 46, 699-706.	1.6	39
61	Purification of Î¼4-Calpain by a Novel Affinity Chromatography Approach. NEW INSIGHTS INTO THE MECHANISM OF THE INTERACTION OF THE PROTEASE WITH TARGETS. Journal of Biological Chemistry, 1995, 270, 14576-14581.	1.6	34
62	The disulphide bonds in the catalytic domain of BACE are critical but not essential for amyloid precursor protein processing activity. Journal of Neurochemistry, 2002, 80, 1079-1088.	2.1	31
63	Five Questions (with their Answers) on <scp>ER</scp>â€Associated Degradation. Traffic, 2016, 17, 341-350.	1.3	31
64	Nâ€glycan processing selects ERADâ€resistant misfolded proteins for ERâ€toâ€lysosomeâ€associated degradation. EMBO Journal, 2021, 40, e107240.	3.5	30
65	Three branches to rule them all? UPR signalling in response to chemically versus misfolded proteinsâ€induced ER stress. Biology of the Cell, 2018, 110, 197-204.	0.7	29
66	Mechanistic insights in recov-ER-phagy: micro-ER-phagy to recover from stress. Autophagy, 2020, 16, 385-386.	4.3	28
67	Consequences of Individual N-glycan Deletions and of Proteasomal Inhibition on Secretion of Active BACE. Molecular Biology of the Cell, 2008, 19, 4086-4098.	0.9	25
68	Autophagy-independent LC3 function in vesicular traffic. Autophagy, 2010, 6, 994-996.	4.3	25
69	Purification of Active Calpain by Affinity Chromatography on an Immobilized Peptide Inhibitor. FEBS Journal, 1996, 241, 948-954.	0.2	24
70	Division of labor among oxidoreductases: TMX1 preferentially acts on transmembrane polypeptides. Molecular Biology of the Cell, 2015, 26, 3390-3400.	0.9	24
71	Role of SEC62 in ER maintenance: A link with ER stress tolerance in SEC62-overexpressing tumors?. Molecular and Cellular Oncology, 2017, 4, e1264351.	0.3	24
72	Unconventional Use of LC3 by Coronaviruses through the Alleged Subversion of the ERAD Tuning Pathway. Viruses, 2011, 3, 1610-1623.	1.5	21

#	ARTICLE	IF	CITATIONS
73	Deep learning approach for quantification of organelles and misfolded polypeptide delivery within degradative compartments. <i>Molecular Biology of the Cell</i> , 2020, 31, 1512-1524.	0.9	20
74	The Endoplasmic Reticulum: Crossroads for Newly Synthesized Polypeptide Chains. <i>Progress in Molecular Biology and Translational Science</i> , 2008, 83, 135-179.	0.9	18
75	Schwann cells ER-associated degradation contributes to myelin maintenance in adult nerves and limits demyelination in CMT1B mice. <i>PLoS Genetics</i> , 2019, 15, e1008069.	1.5	18
76	Unconventional roles of nonlipidated LC3 in ERAD tuning and coronavirus infection. <i>Autophagy</i> , 2012, 8, 1534-1536.	4.3	17
77	[4] Analyzing cotranslational protein folding and disulfide formation by diagonal sodium dodecyl sulfate-polyacrylamide gel electrophoresis. <i>Methods in Enzymology</i> , 2002, 348, 35-42.	0.4	15
78	Action site and cellular effects of cytotoxin VacA produced by <i>Helicobacter pylori</i> . <i>Folia Microbiologica</i> , 1998, 43, 279-284.	1.1	14
79	A novel UGGT1 and p97-dependent checkpoint for native ectodomains with ionizable intramembrane residue. <i>Molecular Biology of the Cell</i> , 2015, 26, 1532-1542.	0.9	14
80	ER-phagy: Eating the Factory. <i>Molecular Cell</i> , 2020, 78, 811-813.	4.5	13
81	Proteostasis: Bad news and good news from the endoplasmic reticulum. <i>Swiss Medical Weekly</i> , 2014, 144, w14001.	0.8	13
82	Thioredoxin-Related Transmembrane Proteins: TMX1 and Little Brothers TMX2, TMX3, TMX4 and TMX5. <i>Cells</i> , 2020, 9, 2000.	1.8	10
83	Death of a chaperone. <i>Nature</i> , 2006, 443, 511-512.	13.7	9
84	Glycoprotein maturation and quality control. <i>Seminars in Cell and Developmental Biology</i> , 2015, 41, 70.	2.3	9
85	The reductase TMX1 contributes to ERAD by preferentially acting on membrane-associated folding-defective polypeptides. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 938-943.	1.0	9
86	Chronic Delivery of Antibody Fragments Using Immunoisolated Cell Implants as a Passive Vaccination Tool. <i>PLoS ONE</i> , 2011, 6, e18268.	1.1	7
87	Quantitative and time-resolved monitoring of organelle and protein delivery to the lysosome with a tandem fluorescent Halo-GFP reporter. <i>Molecular Biology of the Cell</i> , 2022, 33, mbcE21100526.	0.9	7
88	RESETting proteostasis. <i>Nature Chemical Biology</i> , 2014, 10, 881-882.	3.9	5
89	Folding of viral glycoproteins in the endoplasmic reticulum. <i>Virus Research</i> , 2001, 82, 83-86.	1.1	4
90	Analyzing folding and degradation of metabolically labelled polypeptides by conventional and diagonal sodium dodecyl sulfate-polyacrylamide gel electrophoresis. <i>Biological Procedures Online</i> , 2005, 7, 136-143.	1.4	4

#	ARTICLE	IF	CITATIONS
91	Transgenic expression of $\hat{1}$ antibody in brain neurons impairs age-dependent amyloid deposition in APP23 mice. <i>Neurobiology of Aging</i> , 2013, 34, 2866-2878.	1.5	4
92	Endoplasmic Reticulum (ER) and ER-Phagy. <i>Progress in Molecular and Subcellular Biology</i> , 2021, 59, 99-114.	0.9	4
93	Quality control mechanisms of protein biogenesis: proteostasis dies hard. <i>AIMS Biophysics</i> , 2016, 3, 456-478.	0.3	4
94	Non-Lipidated LC3 is Essential for Mouse Hepatitis Virus Infection. , 2014, , 129-136.		1
95	Tandem fluorescent Halo-GFP reporter for quantitative and time-resolved monitoring of organelle and protein delivery to lysosomes. , 2022, 1, 187-191.		1
96	Endoplasmic Reticulum-Associated Protein Degradation. , 2004, , 20-23.		0
97	Endoplasmic Reticulum-Associated Protein Degradation. , 2013, , 200-203.		0
98	Protein Turnover Endoplasmic Reticulum-Associated Protein Degradation. , 2021, , 225-228.		0
99	Proteasomal and Lysosomal Degradation of Misfolded Proteins From the Endoplasmic Reticulum. , 2022, , .		0