

Kevin P Conway

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6050838/publications.pdf>

Version: 2024-02-01

66
papers

8,768
citations

70961

41
h-index

114278

63
g-index

69
all docs

69
docs citations

69
times ranked

10285
citing authors

#	ARTICLE	IF	CITATIONS
1	Cognition assessment using the NIH Toolbox. <i>Neurology</i> , 2013, 80, S54-64.	1.5	907
2	Lifetime Comorbidity of DSM-IV Mood and Anxiety Disorders and Specific Drug Use Disorders. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 247-258.	1.1	771
3	Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. <i>New England Journal of Medicine</i> , 2017, 376, 342-353.	13.9	545
4	Mental disorders as risk factors for substance use, abuse and dependence: results from the 10-year follow-up of the National Comorbidity Survey. <i>Addiction</i> , 2010, 105, 1117-1128.	1.7	485
5	Prevalence, Correlates, and Comorbidity of DSM-IV Antisocial Personality Syndromes and Alcohol and Specific Drug Use Disorders in the United States. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 677-685.	1.1	421
6	Common liability to addiction and "gateway hypothesis": Theoretical, empirical and evolutionary perspective. <i>Drug and Alcohol Dependence</i> , 2012, 123, S3-S17.	1.6	322
7	Use and Abuse of Alcohol and Illicit Drugs in US Adolescents. <i>Archives of General Psychiatry</i> , 2012, 69, 390.	13.8	310
8	Reliability and Validity of Composite Scores from the NIH Toolbox Cognition Battery in Adults. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 588-598.	1.2	303
9	Flavored Tobacco Product Use in Youth and Adults: Findings From the First Wave of the PATH Study (2013-2014). <i>American Journal of Preventive Medicine</i> , 2017, 53, 139-151.	1.6	266
10	Flavored Tobacco Product Use Among US Youth Aged 12-17 Years, 2013-2014. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 1871.	3.8	258
11	Adolescent brain cognitive development (ABCD) study: Overview of substance use assessment methods. <i>Developmental Cognitive Neuroscience</i> , 2018, 32, 80-96.	1.9	250
12	The Cognition Battery of the NIH Toolbox for Assessment of Neurological and Behavioral Function: Validation in an Adult Sample. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 567-578.	1.2	241
13	Associations between anxiety disorders and physical illness. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 313-320.	1.8	240
14	NIH Toolbox Cognition Battery (CB): Validation of Executive Function Measures in Adults. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 620-629.	1.2	206
15	Unemployment and substance outcomes in the United States 2002-2010. <i>Drug and Alcohol Dependence</i> , 2014, 142, 350-353.	1.6	202
16	Association of Lifetime Mental Disorders and Subsequent Alcohol and Illicit Drug Use: Results From the National Comorbidity Survey Adolescent Supplement. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 280-288.	0.3	181
17	Prevalence and Patterns of Polysubstance Use in a Nationally Representative Sample of 10th Graders in the United States. <i>Journal of Adolescent Health</i> , 2013, 52, 716-723.	1.2	161
18	Preference for flavoured cigar brands among youth, young adults and adults in the USA. <i>Tobacco Control</i> , 2015, 24, 389-394.	1.8	153

#	ARTICLE	IF	CITATIONS
19	Personality, substance of choice, and polysubstance involvement among substance dependent patients. <i>Drug and Alcohol Dependence</i> , 2003, 71, 65-75.	1.6	149
20	Co-occurrence of tobacco product use, substance use, and mental health problems among adults: Findings from Wave 1 (2013â€“2014) of the Population Assessment of Tobacco and Health (PATH) Study. <i>Drug and Alcohol Dependence</i> , 2017, 177, 104-111.	1.6	141
21	Socioâ€“demographic risk factors for alcohol and drug dependence: the 10â€“year followâ€“up of the national comorbidity survey. <i>Addiction</i> , 2009, 104, 1346-1355.	1.7	138
22	Developmental toxicity of nicotine: A transdisciplinary synthesis and implications for emerging tobacco products. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 72, 176-189.	2.9	135
23	The role of cannabis use within a dimensional approach to cannabis use disorders. <i>Drug and Alcohol Dependence</i> , 2009, 100, 221-227.	1.6	129
24	Developments in the Epidemiology of Drug Use and Drug Use Disorders. <i>American Journal of Psychiatry</i> , 2005, 162, 1494-1502.	4.0	126
25	NIH Toolbox Cognition Battery (NIHTB-CB): List Sorting Test to Measure Working Memory. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 599-610.	1.2	121
26	Indicators of dependence for different types of tobacco product users: Descriptive findings from Wave 1 (2013â€“2014) of the Population Assessment of Tobacco and Health (PATH) study. <i>Drug and Alcohol Dependence</i> , 2017, 178, 257-266.	1.6	118
27	A longitudinal examination of the relation between co-offending with violent accomplices and violent crime. <i>Aggressive Behavior</i> , 2002, 28, 97-108.	1.5	104
28	Association of Flavored Tobacco Use With Tobacco Initiation and Subsequent Use Among US Youth and Adults, 2013-2015. <i>JAMA Network Open</i> , 2019, 2, e1913804.	2.8	103
29	US Adult Cigar Smoking Patterns, Purchasing Behaviors, and Reasons for Use According to Cigar Type: Findings From the Population Assessment of Tobacco and Health (PATH) Study, 2013â€“2014. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1457-1466.	1.4	88
30	Personality, drug of choice, and comorbid psychopathology among substance abusers. <i>Drug and Alcohol Dependence</i> , 2002, 65, 225-234.	1.6	86
31	Co-occurrence of tobacco product use, substance use, and mental health problems among youth: Findings from wave 1 (2013â€“2014) of the population assessment of tobacco and health (PATH) study. <i>Addictive Behaviors</i> , 2018, 76, 208-217.	1.7	85
32	Patterns and correlates of polytobacco use in the United States over a decade: NSDUH 2002â€“2011. <i>Addictive Behaviors</i> , 2014, 39, 768-781.	1.7	84
33	NIH Toolbox Cognitive Battery (NIHTB-CB): The NIHTB Pattern Comparison Processing Speed Test. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 630-641.	1.2	70
34	The Importance of Timing of Transitions for Risk of Regular Smoking and Nicotine Dependence. <i>Annals of Behavioral Medicine</i> , 2008, 36, 87-92.	1.7	54
35	Are Personality Traits Familial Risk Factors for Substance Use Disorders? Results of a Controlled Family Study. <i>American Journal of Psychiatry</i> , 2002, 159, 1760-1766.	4.0	51
36	E-cigarette use and smoking reduction or cessation in the 2010/2011 TUS-CPS longitudinal cohort. <i>BMC Public Health</i> , 2016, 16, 1105.	1.2	51

#	ARTICLE	IF	CITATIONS
37	Urinary concentrations of PAH and VOC metabolites in marijuana users. <i>Environment International</i> , 2016, 88, 1-8.	4.8	51
38	Cigarette smoking cessation attempts among current US smokers who also use smokeless tobacco. <i>Addictive Behaviors</i> , 2015, 51, 113-119.	1.7	48
39	Trends in Use of Little Cigars or Cigarillos and Cigarettes among U.S. Smokers, 2002-2011. <i>Nicotine and Tobacco Research</i> , 2015, 17, 515-523.	1.4	46
40	Alcohol expectancies, alcohol consumption, and problem drinking. <i>Addictive Behaviors</i> , 2003, 28, 823-836.	1.7	45
41	Longitudinal associations between youth tobacco and substance use in waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. <i>Drug and Alcohol Dependence</i> , 2018, 191, 25-36.	1.6	45
42	Measuring addiction propensity and severity: The need for a new instrument. <i>Drug and Alcohol Dependence</i> , 2010, 111, 4-12.	1.6	41
43	Tobacco retail outlet advertising practices and proximity to schools, parks and public housing affect Synar underage sales violations in Washington, DC. <i>Tobacco Control</i> , 2015, 24, e52-e58.	1.8	38
44	Data compatibility in the addiction sciences: An examination of measure commonality. <i>Drug and Alcohol Dependence</i> , 2014, 141, 153-158.	1.6	34
45	Transitions in Illicit Drug Use Status Over 3 Years: A Prospective Analysis of a General Population Sample. <i>American Journal of Psychiatry</i> , 2013, 170, 660-670.	4.0	33
46	Tobacco-Specific Nitrosamines (NNAL, NNN, NAT, and NAB) Exposures in the US Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013-2014). <i>Nicotine and Tobacco Research</i> , 2021, 23, 573-583.	1.4	30
47	Higher Rates of Depression in Women: Role of Gender Bias within the Family. <i>Journal of Women's Health</i> , 2004, 13, 69-76.	1.5	29
48	Improving targets for the prevention of drug use disorders: Sociodemographic predictors of transitions across drug use stages in the national comorbidity survey replication. <i>Preventive Medicine</i> , 2008, 47, 629-634.	1.6	27
49	Genome-Wide Meta-Analysis of Longitudinal Alcohol Consumption Across Youth and Early Adulthood. <i>Twin Research and Human Genetics</i> , 2015, 18, 335-347.	0.3	26
50	Predictive validity of the adult tobacco dependence index: Findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study. <i>Drug and Alcohol Dependence</i> , 2020, 214, 108134.	1.6	25
51	Increases in Naloxone Administrations by Emergency Medical Services Providers During the COVID-19 Pandemic: Retrospective Time Series Study. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e29298.	1.2	25
52	Psychiatric Comorbidity and Acculturation Stress Among Puerto Rican Substance Abusers. <i>American Journal of Preventive Medicine</i> , 2007, 32, S219-S225.	1.6	24
53	Measurement of multiple nicotine dependence domains among cigarette, non-cigarette and poly-tobacco users: Insights from item response theory. <i>Drug and Alcohol Dependence</i> , 2015, 152, 185-193.	1.6	20
54	Using Twitter to Surveil the Opioid Epidemic in North Carolina: An Exploratory Study. <i>JMIR Public Health and Surveillance</i> , 2020, 6, e17574.	1.2	20

#	ARTICLE	IF	CITATIONS
55	Dynamic Patterns of Adolescent Substance Use: Results From a Nationally Representative Sample of High School Students. <i>Journal of Studies on Alcohol and Drugs</i> , 2015, 76, 962-970.	0.6	19
56	Flavour types used by youth and adult tobacco users in wave 2 of the Population Assessment of Tobacco and Health (PATH) Study 2014–2015. <i>Tobacco Control</i> , 2019, 29, tobaccocontrol-2018-054852.	1.8	18
57	Risk and resistance perspectives in translation-oriented etiology research. <i>Translational Behavioral Medicine</i> , 2016, 6, 44-54.	1.2	14
58	Genes, Environments, and Developmental Research: Methods for a Multi-Site Study of Early Substance Abuse. <i>Twin Research and Human Genetics</i> , 2013, 16, 505-515.	0.3	12
59	Longitudinal associations between susceptibility to tobacco use and the onset of other substances among U.S. youth. <i>Preventive Medicine</i> , 2020, 135, 106074.	1.6	10
60	Urinary Nicotine Metabolites and Self-Reported Tobacco Use Among Adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013–2014. <i>Nicotine and Tobacco Research</i> , 2022, 24, 768-777.	1.4	10
61	Drug Abuse Heterogeneity and the Search for Subtypes. , 2005, , 15-27.		8
62	Serum Concentrations of Cotinine and <i>trans</i> -3-Hydroxycotinine in US Adults: Results From Wave 1 (2013–2014) of the Population Assessment of Tobacco and Health Study. <i>Nicotine and Tobacco Research</i> , 2022, 24, 736-744.	1.4	6
63	Understanding Substance Use and Addiction Through the Lyrics of Black Sabbath: A Content Analysis. <i>Substance Use and Misuse</i> , 2016, 51, 1655-1663.	0.7	3
64	Standing on the Threshold of Change. <i>Risk Analysis</i> , 2012, 32, S1-5.	1.5	2
65	Epidemiology of smokeless tobacco use in the United States and other countries. , 2020, , 39-71.		2
66	Familial Risk Factors for Substance Use Disorders. , 2005, , 167-192.		1