

# Rasmus Bro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6052351/publications.pdf>

Version: 2024-02-01

234  
papers

28,718  
citations

13854

67  
h-index

5532

163  
g-index

243  
all docs

243  
docs citations

243  
times ranked

17565  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Calibration model fusion. <i>Journal of Chemometrics</i> , 2023, 37, e3350.   | 0.7  | 0         |
| 2  | PARASIAS: A new method for analyzing higher-order tensors with shifting profiles. <i>Analytica Chimica Acta</i> , 2023, 1238, 339848.   | 2.6  | 5         |
| 3  | Hierarchical classification models and Handheld NIR spectrometer to human blood stains identification on different floor tiles. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 267, 120533.   | 2.0  | 4         |
| 4  | Accelerating Jackknife Resampling for the Canonical Polyadic Decomposition. <i>Frontiers in Applied Mathematics and Statistics</i> , 2022, 8, .   | 0.7  | 0         |
| 5  | Automatic and non-targeted analysis of the volatile profile of natural and alkalized cocoa powders using SBSE-GC-MS and chemometrics. <i>Food Chemistry</i> , 2022, 389, 133074.  | 4.2  | 3         |
| 6  | Trusting our machines: validating machine learning models for single-molecule transport experiments. <i>Chemical Society Reviews</i> , 2022, 51, 6875-6892.   | 18.7 | 10        |
| 7  | All sparse PCA models are wrong, but some are useful. Part II: Limitations and problems of deflation. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2021, 208, 104212.   | 1.8  | 7         |
| 8  | A Metabolomic Approach to Beer Characterization. <i>Molecules</i> , 2021, 26, 1472.   | 1.7  | 17        |
| 9  | Accelerating PARAFAC2 algorithms for non-negative complex tensor decomposition. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2021, 214, 104312.   | 1.8  | 11        |
| 10 | Spider web biomonitoring: A cost-effective source apportionment approach for urban particulate matter. <i>Environmental Pollution</i> , 2021, 286, 117328.  | 3.7  | 1         |
| 11 | From untargeted chemical profiling to peak tables – A fully automated AI driven approach to untargeted GC-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 145, 116451.   | 5.8  | 19        |
| 12 | PARAFAC2 and local minima. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2021, 219, 104446.  | 1.8  | 7         |
| 13 | Who is winning? A comparison of humans versus computers for calibration model building. <i>Journal of Chemometrics</i> , 2021, 35, e3378.   | 0.7  | 1         |
| 14 | Can We Trust Score Plots?. <i>Metabolites</i> , 2020, 10, 278.  | 1.3  | 20        |
| 15 | Multilinear Models, Iterative Methods. , 2020, , 267-304.   |      | 1         |
| 16 | Cross-product penalized component analysis (X-CAN). <i>Chemometrics and Intelligent Laboratory Systems</i> , 2020, 203, 104038.   | 1.8  | 1         |
| 17 | Laser-induced breakdown spectroscopy (LIBS) spectra interpretation and characterization using parallel factor analysis (PARAFAC): a new procedure for data and spectral interference processing fostering the waste electrical and electronic equipment (WEEE) recycling process. <i>Journal of Analytical Atomic Spectrometry</i> . 2020. 35. 1115-1124. | 1.6  | 16        |
| 18 | Multivariate interpretation of the urinary steroid profile and training-induced modifications. The case study of a Marathon runner. <i>Drug Testing and Analysis</i> , 2019, 11, 1556-1565.   | 1.6  | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Untargeted Metabolomic Profile for the Detection of Prostate Carcinoma—Preliminary Results from PARAFAC2 and PLS-DA Models. <i>Molecules</i> , 2019, 24, 3063.   | 1.7 | 15        |
| 20 | Emerging patterns in the global distribution of dissolved organic matter fluorescence. <i>Analytical Methods</i> , 2019, 11, 888-893.  | 1.3 | 52        |
| 21 | Using deep learning to evaluate peaks in chromatographic data. <i>Talanta</i> , 2019, 204, 255-260.  | 2.9 | 65        |
| 22 | Fused adjacency matrices to enhance information extraction: The beer benchmark. <i>Analytica Chimica Acta</i> , 2019, 1061, 70-83.   | 2.6 | 10        |
| 23 | Geometric search: A new approach for fitting PARAFAC2 models on GC-MS data. <i>Talanta</i> , 2018, 185, 378-386.   | 2.9 | 16        |
| 24 | Modeling Food Fluorescence with PARAFAC. <i>Reviews in Fluorescence</i> , 2018, , 161-197.   | 0.5 | 10        |
| 25 | Nonnegative PARAFAC2: A Flexible Coupling Approach. <i>Lecture Notes in Computer Science</i> , 2018, , 89-98.  | 1.0 | 13        |
| 26 | Chemometric Analysis of NMR Spectra. , 2018, , 1649-1668.  |     | 3         |
| 27 | Gas chromatography – mass spectrometry data processing made easy. <i>Journal of Chromatography A</i> , 2017, 1503, 57-64.  | 1.8 | 218       |
| 28 | Forecasting Chronic Diseases Using Data Fusion. <i>Journal of Proteome Research</i> , 2017, 16, 2435-2444.   | 1.8 | 12        |
| 29 | Common and distinct components in data fusion. <i>Journal of Chemometrics</i> , 2017, 31, e2900.   | 0.7 | 71        |
| 30 | Extension of SO-PLS to multi-way arrays: SO-N-PLS. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017, 164, 113-126.  | 1.8 | 36        |
| 31 | Benchmarking support vector regression against partial least squares regression and artificial neural network: Effect of sample size on model performance. <i>Journal of Near Infrared Spectroscopy</i> , 2017, 25, 381-390. | 0.8 | 36        |
| 32 | Recent chemometrics advances for foodomics. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 96, 42-51.  | 5.8 | 80        |
| 33 | An expert system for automated flavour matching – Prioritizer. <i>Flavour and Fragrance Journal</i> , 2017, 32, 286-293.   | 1.2 | 1         |
| 34 | Calibration, standardization, and quantitative analysis of multidimensional fluorescence (MDF) measurements on complex mixtures (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2017, 89, 1849-1870.           | 0.9 | 18        |
| 35 | Using PAT to accelerate the transition to continuous API manufacturing. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 821-832.  | 1.9 | 34        |
| 36 | Chemometric Analysis of NMR Spectra. , 2017, , 1-20.   |     | 6         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | The effects of water and dairy drinks on dietary patterns in overweight adolescents. <i>International Journal of Food Sciences and Nutrition</i> , 2016, 67, 314-324.   | 1.3  | 12        |
| 38 | Variable selection in multi-block regression. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2016, 156, 89-101.   | 1.8  | 52        |
| 39 | Application of Support Vector Regression for Simultaneous Modelling of near Infrared Spectra from Multiple Process Steps. <i>Journal of Near Infrared Spectroscopy</i> , 2015, 23, 75-84.   | 0.8  | 28        |
| 40 | Indicators of dietary patterns in Danish infants at 9 months of age. <i>Food and Nutrition Research</i> , 2015, 59, 27665.  | 1.2  | 10        |
| 41 | Multiscale entropy analysis of resting-state magnetoencephalogram with tensor factorisations in Alzheimer's disease. <i>Brain Research Bulletin</i> , 2015, 119, 136-144.   | 1.4  | 34        |
| 42 | Maternal obesity and offspring dietary patterns at 9 months of age. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 668-675.  | 1.3  | 28        |
| 43 | PARAFAC models of fluorescence data with scattering: A comparative study. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015, 142, 124-130.  | 1.8  | 45        |
| 44 | Direct, simultaneous quantification of fructooligosaccharides by FT-MIR ATR spectroscopy and chemometrics for rapid identification of superior, engineered I <sup>2</sup> -fructofuranosidases. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 1661-1671. | 1.9  | 8         |
| 45 | Experienced and inexperienced observers achieved relatively high within-observer agreement on video mobility scoring of dairy cows. <i>Journal of Dairy Science</i> , 2015, 98, 4560-4571.  | 1.4  | 15        |
| 46 | Forecasting individual breast cancer risk using plasma metabolomics and biocontours. <i>Metabolomics</i> , 2015, 11, 1376-1380.   | 1.4  | 54        |
| 47 | Data Fusion in Metabolomics Using Coupled Matrix and Tensor Factorizations. <i>Proceedings of the IEEE</i> , 2015, 103, 1602-1620.  | 16.4 | 92        |
| 48 | Joint Tensor Factorization and Outlying Slab Suppression With Applications. <i>IEEE Transactions on Signal Processing</i> , 2015, 63, 6315-6328.  | 3.2  | 47        |
| 49 | Fluorescence spectroscopy coupled with PARAFAC and PLS DA for characterization and classification of honey. <i>Food Chemistry</i> , 2015, 175, 284-291.   | 4.2  | 234       |
| 50 | Development of Dietary Patterns Spanning Infancy and Toddlerhood: Relation to Body Size, Composition and Metabolic Risk Markers at Three Years. <i>AIMS Public Health</i> , 2015, 2, 332-357.   | 1.1  | 3         |
| 51 | Determination of the Botanical Origin of Honey by Front-Face Synchronous Fluorescence Spectroscopy. <i>Applied Spectroscopy</i> , 2014, 68, 557-563.  | 1.2  | 49        |
| 52 | Lameness detection challenges in automated milking systems addressed with partial least squares discriminant analysis. <i>Journal of Dairy Science</i> , 2014, 97, 7476-7486.   | 1.4  | 31        |
| 53 | No genetic footprints of the fat mass and obesity associated (FTO) gene in human plasma 1H CPMG NMR metabolic profiles. <i>Metabolomics</i> , 2014, 10, 132-140.  | 1.4  | 4         |
| 54 | OpenFluorâ€” an online spectral library of auto-fluorescence by organic compounds in the environment. <i>Analytical Methods</i> , 2014, 6, 658-661.   | 1.3  | 676       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Structure-revealing data fusion. BMC Bioinformatics, 2014, 15, 239.   | 1.2 | 91        |
| 56 | Automated resolution of overlapping peaks in chromatographic data. Journal of Chemometrics, 2014, 28, 71-82.  | 0.7 | 25        |
| 57 | Chemometric Analysis of Organic Matter Fluorescence. , 2014, , 339-375.   |     | 49        |
| 58 | Understanding data fusion within the framework of coupled matrix and tensor factorizations. Chemometrics and Intelligent Laboratory Systems, 2013, 129, 53-63.                                  | 1.8 | 80        |
| 59 | SCREAM: A novel method for multi-way regression problems with shifts and shape changes in one mode. Chemometrics and Intelligent Laboratory Systems, 2013, 129, 64-75.                          | 1.8 | 11        |
| 60 | Fluorescence spectroscopy and multi-way techniques. PARAFAC. Analytical Methods, 2013, 5, 6557.   | 1.3 | 1,349     |
| 61 | Diagnosing Latent Copper Deficiency in Intact Barley Leaves ( <i>Hordeum vulgare</i> , L.) Using Near Infrared Spectroscopy. Journal of Agricultural and Food Chemistry, 2013, 61, 10901-10910. | 2.4 | 47        |
| 62 | Solving the sign indeterminacy for multiway models. Journal of Chemometrics, 2013, 27, 70-75.   | 0.7 | 8         |
| 63 | Data fusion in metabolomic cancer diagnostics. Metabolomics, 2013, 9, 3-8.  | 1.4 | 49        |
| 64 | From $k$ -Means to Higher-Way Co-Clustering: Multilinear Decomposition With Sparse Latent Factors. IEEE Transactions on Signal Processing, 2013, 61, 493-506.                                   | 3.2 | 206       |
| 65 | Classification Methods of Multiway Arrays as a Basic Tool for Food PDO Authentication. Comprehensive Analytical Chemistry, 2013, , 339-382.   | 0.7 | 20        |
| 66 | An automated method for baseline correction, peak finding and peak grouping in chromatographic data. Analyst, The, 2013, 138, 3502.   | 1.7 | 20        |
| 67 | Core consistency diagnostic in PARAFAC2. Journal of Chemometrics, 2013, 27, 99-105.   | 0.7 | 38        |
| 68 | Structure-revealing data fusion model with applications in metabolomics. , 2013, 2013, 6023-6.  |     | 17        |
| 69 | Practical comparison of multivariate chemometric techniques for pattern recognition used in environmental monitoring. Analytical Methods, 2012, 4, 676.   | 1.3 | 20        |
| 70 | A tutorial on the Lasso approach to sparse modeling. Chemometrics and Intelligent Laboratory Systems, 2012, 119, 21-31.   | 1.8 | 86        |
| 71 | Coupled Matrix Factorization with Sparse Factors to Identify Potential Biomarkers in Metabolomics. , 2012, , .  |     | 17        |
| 72 | Tucker core consistency for validation of restricted Tucker3 models. Analytica Chimica Acta, 2012, 723, 18-26.  | 2.6 | 21        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Coupled Matrix Factorization with Sparse Factors to Identify Potential Biomarkers in Metabolomics. <i>International Journal of Knowledge Discovery in Bioinformatics</i> , 2012, 3, 22-43.                                    | 0.8 | 12        |
| 74 | Coclustering—a useful tool for chemometrics. <i>Journal of Chemometrics</i> , 2012, 26, 256-263.  | 0.7 | 33        |
| 75 | Chemometric approach to chromatic spatial variance. Case study: patchiness of the Skyros wall lizard. <i>Journal of Chemometrics</i> , 2012, 26, 246-255.   | 0.7 | 7         |
| 76 | Fluorescence spectroscopy as a potential metabonomic tool for early detection of colorectal cancer. <i>Metabolomics</i> , 2012, 8, 111-121.   | 1.4 | 40        |
| 77 | Data handling for interactive metabolomics: tools for studying the dynamics of metabolome-macromolecule interactions. <i>Metabolomics</i> , 2012, 8, 52-63.   | 1.4 | 10        |
| 78 | Image analysis for maintenance of coating quality in nickel electroplating baths — Real time control. <i>Analytica Chimica Acta</i> , 2011, 706, 1-7.   | 2.6 | 19        |
| 79 | Olive oil quantification of edible vegetable oil blends using triacylglycerols chromatographic fingerprints and chemometric tools. <i>Talanta</i> , 2011, 85, 177-182.  | 2.9 | 63        |
| 80 | Discriminating olive and non-olive oils using HPLC-CAD and chemometrics. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2083-2092.  | 1.9 | 33        |
| 81 | EEMizer: Automated modeling of fluorescence EEM data. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011, 106, 86-92.  | 1.8 | 57        |
| 82 | A classification tool for N-way array based on SIMCA methodology. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011, 106, 73-85.  | 1.8 | 49        |
| 83 | Comprehensive control charting applied to chromatography. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011, 107, 215-225.  | 1.8 | 14        |
| 84 | Flatbed scanners as a source of imaging. Brightness assessment and additives determination in a nickel electroplating bath. <i>Analytica Chimica Acta</i> , 2011, 694, 38-45.   | 2.6 | 15        |
| 85 | Chemometric quality control of chromatographic purity. <i>Journal of Chromatography A</i> , 2010, 1217, 6503-6510.  | 1.8 | 22        |
| 86 | Development of models for predicting toxicity from sediment chemistry by partial least squares-discriminant analysis and counter-propagation artificial neural networks. <i>Environmental Pollution</i> , 2010, 158, 607-614. | 3.7 | 32        |
| 87 | A chemometric approach to the environmental problem of predicting toxicity in contaminated sediments. <i>Journal of Chemometrics</i> , 2010, 24, 379-386.   | 0.7 | 21        |
| 88 | Wheat flour formulation by mixture design and multivariate study of its technological properties. <i>Journal of Chemometrics</i> , 2010, 24, 523-533.   | 0.7 | 4         |
| 89 | Some common misunderstandings in chemometrics. <i>Journal of Chemometrics</i> , 2010, 24, 558-564.  | 0.7 | 196       |
| 90 | Using GEMANOVA to explore the pattern generating properties of the Delta-Notch model. <i>Journal of Chemometrics</i> , 2010, 24, 626-634.   | 0.7 | 4         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Variable selection in regression—a tutorial. <i>Journal of Chemometrics</i> , 2010, 24, 728-737.  | 0.7  | 540       |
| 92  | Mathematical chromatography solves the cocktail party effect in mixtures using 2D spectra and PARAFAC. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 281-284.  | 5.8  | 32        |
| 93  | Multivariate evaluation of pharmacological responses in early clinical trials—a study of rIL-21 in the treatment of patients with metastatic melanoma. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 379-390.                                   | 1.1  | 16        |
| 94  | ChroMATHography: Solving Chromatographic Issues with Mathematical Models and Intuitive Graphics. <i>Chemical Reviews</i> , 2010, 110, 4582-4605.  | 23.0 | 173       |
| 95  | Non-negative mixtures. , 2010, , 515-547.   |      | 5         |
| 96  | Quantitative determination of additives in a commercial electroplating nickel bath by spectrophotometry and multivariate analysis. <i>Analytical Methods</i> , 2010, 2, 86-92.  | 1.3  | 9         |
| 97  | Data Pre-processing. , 2009, , 29-50.   |      | 34        |
| 98  | Application of Rotated PCA Models to Facilitate Interpretation of Metabolite Profiles: Commercial Preparations of St. John's Wort. <i>Planta Medica</i> , 2009, 75, 271-279.  | 0.7  | 14        |
| 99  | PLS works. <i>Journal of Chemometrics</i> , 2009, 23, 69-71.  | 0.7  | 36        |
| 100 | Modeling multi-way data with linearly dependent loadings. <i>Journal of Chemometrics</i> , 2009, 23, 324-340.   | 0.7  | 92        |
| 101 | In memory of Richard Harshman. <i>Journal of Chemometrics</i> , 2009, 23, 315-315.  | 0.7  | 1         |
| 102 | Increasing Process Understanding by Analyzing Complex Interactions in Experimental Data. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 1852-1861.   | 1.6  | 14        |
| 103 | A comparison of a common approach to partial least squares-discriminant analysis and classical least squares in hyperspectral imaging. <i>International Journal of Pharmaceutics</i> , 2009, 373, 179-182.  | 2.6  | 37        |
| 104 | Prediction of skin quality properties by different Multivariate Image Analysis methodologies. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2009, 96, 6-13.  | 1.8  | 19        |
| 105 | Handling within run retention time shifts in two-dimensional chromatography data using shift correction and modeling. <i>Journal of Chromatography A</i> , 2009, 1216, 4020-4029.   | 1.8  | 66        |
| 106 | Feasibility of Serodiagnosis of Ovarian Cancer by Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 1907-1913.   | 3.2  | 14        |
| 107 | Modeling of Temperature-Induced Near-Infrared and Low-Field Time-Domain Nuclear Magnetic Resonance Spectral Variation: Chemometric Prediction of Limonene and Water Content in Spray-Dried Delivery Systems. <i>Applied Spectroscopy</i> , 2009, 63, 141-152. | 1.2  | 5         |
| 108 | Multilinear Models: Iterative Methods. , 2009, , 411-451.   |      | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Multiblock variance partitioning: A new approach for comparing variation in multiple data blocks. <i>Analytica Chimica Acta</i> , 2008, 615, 18-29.   | 2.6 | 56        |
| 110 | Solving fundamental problems in chromatographic analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 281-285.   | 1.9 | 58        |
| 111 | Cross-validation of component models: A critical look at current methods. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1241-1251.   | 1.9 | 269       |
| 112 | PowerSlicing to determine fluorescence lifetimes of water-soluble organic matter derived from soils, plant biomass, and animal manures. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 2189-2194.   | 1.9 | 6         |
| 113 | Multi-way models for sensory profiling data. <i>Journal of Chemometrics</i> , 2008, 22, 36-45.  | 0.7 | 38        |
| 114 | PARAFASCA: ASCA combined with PARAFAC for the analysis of metabolic fingerprinting data. <i>Journal of Chemometrics</i> , 2008, 22, 114-121.  | 0.7 | 52        |
| 115 | New exploratory clustering tool. <i>Journal of Chemometrics</i> , 2008, 22, 91-100.   | 0.7 | 12        |
| 116 | Resolving the sign ambiguity in the singular value decomposition. <i>Journal of Chemometrics</i> , 2008, 22, 135-140.   | 0.7 | 114       |
| 117 | Classification of GC-MS measurements of wines by combining data dimension reduction and variable selection techniques. <i>Journal of Chemometrics</i> , 2008, 22, 457-463.  | 0.7 | 58        |
| 118 | Quantitative analysis of NMR spectra with chemometrics. <i>Journal of Magnetic Resonance</i> , 2008, 190, 26-32.  | 1.2 | 87        |
| 119 | Near-infrared chemical imaging (NIR-CI) on pharmaceutical solid dosage forms – Comparing common calibration approaches. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 48, 554-561.   | 1.4 | 134       |
| 120 | Solving GC-MS problems with PARAFAC2. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 714-725.   | 5.8 | 134       |
| 121 | Combining PARAFAC Analysis of HPLC-PDA Profiles and Structural Characterization Using HPLC-PDA-SPE-NMR-MS Experiments: % Commercial Preparations of St. John's Wort. <i>Analytical Chemistry</i> , 2008, 80, 1978-1987.                                     | 3.2 | 62        |
| 122 | Parallel Factor Analysis of Excitation-Emission Matrix Fluorescence Spectra of Water Soluble Soil Organic Matter as Basis for the Determination of Conditional Metal Binding Parameters. <i>Environmental Science &amp; Technology</i> , 2008, 42, 186-192. | 4.6 | 191       |
| 123 | Direct functional assessment of the composite phenotype through multivariate projection strategies. <i>Genomics</i> , 2008, 92, 373-383.  | 1.3 | 9         |
| 124 | Loopy MSC: A Simple Way to Improve Multiplicative Scatter Correction. <i>Applied Spectroscopy</i> , 2008, 62, 1153-1159.  | 1.2 | 41        |
| 125 | Prediction of sensory quality in raw carrots ( <i>Daucus carota</i> L.) using multi-block LS-ParPLS. <i>Food Quality and Preference</i> , 2008, 19, 609-617.  | 2.3 | 22        |
| 126 | Regional differences in world human body dimensions: the multi-way analysis approach. <i>Theoretical Issues in Ergonomics Science</i> , 2008, 9, 325-345.   | 1.0 | 9         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Characterizing dissolved organic matter fluorescence with parallel factor analysis: a tutorial. <i>Limnology and Oceanography: Methods</i> , 2008, 6, 572-579.   | 1.0  | 1,969     |
| 128 | Characterizing dissolved organic matter fluorescence with parallel factor analysis: a tutorial. <i>Limnology and Oceanography: Methods</i> , 2008, 6, 572-579.   | 1.0  | 189       |
| 129 | Regional differences in world human body dimensions: the multi-way analysis approach. <i>Theoretical Issues in Ergonomics Science</i> , 2008, 9, 477-477.  | 1.0  | 0         |
| 130 | Spectral reflectance at sub-leaf scale including the spatial distribution discriminating NPK stress characteristics in barley using multiway partial least squares regression. <i>International Journal of Remote Sensing</i> , 2007, 28, 943-962. | 1.3  | 46        |
| 131 | Multiway analysis of epilepsy tensors. <i>Bioinformatics</i> , 2007, 23, i10-i18.  | 1.8  | 210       |
| 132 | Dioxin screening in fish product by pattern recognition of biomarkers. <i>Chemosphere</i> , 2007, 67, S28-S35.   | 4.2  | 9         |
| 133 | Seizure Recognition on Epilepsy Feature Tensor. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 4273-6.   | 0.5  | 15        |
| 134 | Multi-way prediction in the presence of uncalibrated interferents. <i>Journal of Chemometrics</i> , 2007, 21, 76-86.   | 0.7  | 53        |
| 135 | Fluorescence spectroscopy and chemometrics for classification of breast cancer samples—a feasibility study using extended canonical variates analysis. <i>Journal of Chemometrics</i> , 2007, 21, 451-458.   | 0.7  | 35        |
| 136 | Special issue in honour of D. Luc Massart (1941–2005). <i>Journal of Chemometrics</i> , 2007, 21, 251-251.   | 0.7  | 1         |
| 137 | A novel strategy for solving matrix effect in three-way data using parallel profiles with linear dependencies. <i>Analytica Chimica Acta</i> , 2007, 584, 397-402.   | 2.6  | 50        |
| 138 | Finding relevant spectral regions between spectroscopic techniques by use of cross model validation and partial least squares regression. <i>Analytica Chimica Acta</i> , 2007, 595, 323-327.  | 2.6  | 29        |
| 139 | DoubleSlicing: A non-iterative single profile multi-exponential curve resolution procedure. <i>Journal of Magnetic Resonance</i> , 2007, 189, 286-292.   | 1.2  | 15        |
| 140 | Vibrational overtone combination spectroscopy (VOCSY)—a new way of using IR and NIR data. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 179-188.  | 1.9  | 19        |
| 141 | Multivariate Autofluorescence of Intact Food Systems. <i>Chemical Reviews</i> , 2006, 106, 1979-1994.  | 23.0 | 262       |
| 142 | Review on Multiway Analysis in Chemistry—2000–2005. <i>Critical Reviews in Analytical Chemistry</i> , 2006, 36, 279-293.   | 1.8  | 197       |
| 143 | Exploratory study of winter wheat reflectance during vegetative growth using three-mode component analysis. <i>International Journal of Remote Sensing</i> , 2006, 27, 919-937.  | 1.3  | 13        |
| 144 | Active Photosensitizers in Butter Detected by Fluorescence Spectroscopy and Multivariate Curve Resolution. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 10197-10204.  | 2.4  | 43        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Analysis of sensory data of Aceto Balsamico Tradizionale di Modena (ABTM) of different ageing by application of PARAFAC models. <i>Food Quality and Preference</i> , 2006, 17, 419-428. | 2.3 | 45        |
| 146 | Challenges for data analysis in flavour science. <i>Developments in Food Science</i> , 2006, 43, 619-621.   | 0.0 | 0         |
| 147 | Dissolved Organic Matter Characterization Using Multiway Spectral Decomposition of Fluorescence Landscapes. <i>Soil Science Society of America Journal</i> , 2006, 70, 2028-2037.       | 1.2 | 233       |
| 148 | A comparison of algorithms for fitting the PARAFAC model. <i>Computational Statistics and Data Analysis</i> , 2006, 50, 1700-1734.  | 0.7 | 316       |
| 149 | Comparison of PARAFAC2 and MCR-ALS for resolution of an analytical liquid dilution system. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 83, 13-25.                    | 1.8 | 38        |
| 150 | Application of N-PLS to gas chromatographic and sensory data of traditional balsamic vinegars of modena. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 83, 54-65.      | 1.8 | 68        |
| 151 | Temperature-induced variation for NIR tensor-based calibration. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 83, 75-82.   | 1.8 | 33        |
| 152 | Multi-way analysis for investigation of industrial pectin using an analytical liquid dilution system. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 84, 9-20.          | 1.8 | 6         |
| 153 | Real-time monitoring and chemical profiling of a cultivation process. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 84, 106-113.                                       | 1.8 | 37        |
| 154 | Generalized correlation loadings. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 84, 119-125.   | 1.8 | 15        |
| 155 | A modification of canonical variates analysis to handle highly collinear multivariate data. <i>Journal of Chemometrics</i> , 2006, 20, 425-435.   | 0.7 | 85        |
| 156 | Automated alignment of chromatographic data. <i>Journal of Chemometrics</i> , 2006, 20, 484-497.  | 0.7 | 246       |
| 157 | Handling of Rayleigh and Raman scatter for PARAFAC modeling of fluorescence data using interpolation. <i>Journal of Chemometrics</i> , 2006, 20, 99-105.                                | 0.7 | 434       |
| 158 | Application of Multi-Way Analysis to 2D NMR Data. <i>Annual Reports on NMR Spectroscopy</i> , 2006, 59, 207-233.  | 0.7 | 15        |
| 159 | A new approach for modelling sensor based data. <i>Sensors and Actuators B: Chemical</i> , 2005, 106, 719-729.  | 4.0 | 39        |
| 160 | Analysis of lipoproteins using 2D diffusion-edited NMR spectroscopy and multi-way chemometrics. <i>Analytica Chimica Acta</i> , 2005, 531, 209-216.                                     | 2.6 | 64        |
| 161 | A metabolomic investigation of splanchnic metabolism using <sup>1</sup> H NMR spectroscopy of bovine blood plasma. <i>Analytica Chimica Acta</i> , 2005, 536, 1-6.                      | 2.6 | 19        |
| 162 | First order Rayleigh scatter as a separate component in the decomposition of fluorescence landscapes. <i>Analytica Chimica Acta</i> , 2005, 537, 349-358.                               | 2.6 | 73        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | CuBatch, a MATLAB® interface for n-mode data analysis. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2005, 77, 122-130.   | 1.8 | 7         |
| 164 | Standard error of prediction for multilinear PLS. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2005, 75, 69-76.  | 1.8 | 29        |
| 165 | PARAFAC and missing values. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2005, 75, 163-180.  | 1.8 | 202       |
| 166 | Multiway chemometric analysis of the metabolic response to toxins monitored by NMR. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2005, 76, 79-89.                                  | 1.8 | 32        |
| 167 | Robust methods for multivariate data analysis. <i>Journal of Chemometrics</i> , 2005, 19, 549-563.   | 0.7 | 128       |
| 168 | Classification of Membrane Permeability of Drug Candidates: A Methodological Investigation. <i>QSAR and Combinatorial Science</i> , 2005, 24, 449-457.   | 1.5 | 16        |
| 169 | Univariate and multivariate modelling of flavour release in chewing gum using time-intensity: a comparison of data analytical methods. <i>Food Quality and Preference</i> , 2005, 16, 327-343. | 2.3 | 37        |
| 170 | Quantification and handling of sampling errors in instrumental measurements: a case study. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2004, 72, 43-50.                           | 1.8 | 10        |
| 171 | Rapid dioxin assessment in fish products by fatty acid pattern recognition. <i>Analyst</i> , 2004, 129, 553.   | 1.7 | 6         |
| 172 | Determination of the protein content in brine from salted herring using near-infrared spectroscopy. <i>LWT - Food Science and Technology</i> , 2004, 37, 803-809.                              | 2.5 | 20        |
| 173 | Centering and scaling in component analysis. <i>Journal of Chemometrics</i> , 2003, 17, 16-33.   | 0.7 | 327       |
| 174 | Pre-whitening of data by covariance-weighted pre-processing. <i>Journal of Chemometrics</i> , 2003, 17, 153-165.   | 0.7 | 88        |
| 175 | Practical aspects of PARAFAC modeling of fluorescence excitation-emission data. <i>Journal of Chemometrics</i> , 2003, 17, 200-215.  | 0.7 | 517       |
| 176 | A new efficient method for determining the number of components in PARAFAC models. <i>Journal of Chemometrics</i> , 2003, 17, 274-286.   | 0.7 | 1,053     |
| 177 | Quantifying and handling errors in instrumental measurements using the measurement error theory. <i>Journal of Chemometrics</i> , 2003, 17, 621-629.   | 0.7 | 4         |
| 178 | Theory of net analyte signal vectors in inverse regression. <i>Journal of Chemometrics</i> , 2003, 17, 646-652.  | 0.7 | 53        |
| 179 | Quantifying catecholamines using multi-way kinetic modelling. <i>Analytica Chimica Acta</i> , 2003, 475, 137-150.  | 2.6 | 61        |
| 180 | Multivariate calibration. <i>Analytica Chimica Acta</i> , 2003, 500, 185-194.  | 2.6 | 181       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Recent developments in CANDECOMP/PARAFAC algorithms: a critical review. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2003, 65, 119-137.   | 1.8 | 208       |
| 182 | Jack-knife technique for outlier detection and estimation of standard errors in PARAFAC models. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2003, 65, 35-49.                         | 1.8 | 98        |
| 183 | Tracing dissolved organic matter in aquatic environments using a new approach to fluorescence spectroscopy. <i>Marine Chemistry</i> , 2003, 82, 239-254.  | 0.9 | 1,598     |
| 184 | PowerSlicing. <i>Journal of Magnetic Resonance</i> , 2003, 163, 192-197.  | 1.2 | 38        |
| 185 | The Use of Visible and Near-Infrared Reflectance Measurements to assess Sensory Changes in Carrot Texture and Sweetness during Heat Treatment. <i>Biosystems Engineering</i> , 2003, 85, 213-225. | 1.9 | 39        |
| 186 | Application of Fuzzy Logic and Near Infrared Spectroscopy for Malt Quality Evaluation. <i>Journal of the Institute of Brewing</i> , 2002, 108, 444-451.   | 0.8 | 6         |
| 187 | Multivariate data analysis as a tool in advanced quality monitoring in the food production chain. <i>Trends in Food Science and Technology</i> , 2002, 13, 235-244.                               | 7.8 | 67        |
| 188 | Effects of windbreak strips of willow coppice – modelling and field experiment on barley in Denmark. <i>Agriculture, Ecosystems and Environment</i> , 2002, 93, 25-32.                            | 2.5 | 23        |
| 189 | A phenomenological study of ripening of salted herring. Assessing homogeneity of data from different countries and laboratories. <i>Journal of Chemometrics</i> , 2002, 16, 81-88.                | 0.7 | 10        |
| 190 | Exploring complex interactions in designed data using GEMANOVA. Color changes in fresh beef during storage. <i>Journal of Chemometrics</i> , 2002, 16, 294-304.                                   | 0.7 | 27        |
| 191 | Maximum likelihood fitting using ordinary least squares algorithms. <i>Journal of Chemometrics</i> , 2002, 16, 387-400.   | 0.7 | 85        |
| 192 | Towards Rapid and Unique Curve Resolution of Low-Field NMR Relaxation Data: Trilinear SLICING versus Two-Dimensional Curve Fitting. <i>Journal of Magnetic Resonance</i> , 2002, 157, 141-155.    | 1.2 | 81        |
| 193 | Standard error of prediction for multiway PLS. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2002, 61, 133-149.  | 1.8 | 104       |
| 194 | USE OF PHYSICO-CHEMICAL METHODS FOR ASSESSMENT OF SENSORY CHANGES IN CARROT TEXTURE AND SWEETNESS DURING COOKING. <i>Journal of Texture Studies</i> , 2002, 33, 367-388.                          | 1.1 | 31        |
| 195 | On the difference between low-rank and subspace approximation: improved model for multi-linear PLS regression. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2001, 58, 3-13.           | 1.8 | 56        |
| 196 | A comparison of multiway regression and scaling methods. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2001, 59, 121-136.  | 1.8 | 79        |
| 197 | Attempt to separate the fluorescence spectra of adrenaline and noradrenaline using chemometrics. <i>Luminescence</i> , 2001, 16, 91-101.  | 1.5 | 7         |
| 198 | Exploring the phenotypic expression of a regulatory proteome-altering gene by spectroscopy and chemometrics. <i>Analytica Chimica Acta</i> , 2001, 446, 169-184.                                  | 2.6 | 90        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | On the uniqueness of multilinear decomposition of N-way arrays. Journal of Chemometrics, 2000, 14, 229-239.  | 0.7 | 489       |
| 200 | Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data. Analytica Chimica Acta, 2000, 420, 181-195.   | 2.6 | 83        |
| 201 | The N-way Toolbox for MATLAB. Chemometrics and Intelligent Laboratory Systems, 2000, 52, 1-4.  | 1.8 | 1,010     |
| 202 | Blind PARAFAC receivers for DS-CDMA systems. IEEE Transactions on Signal Processing, 2000, 48, 810-823.  | 3.2 | 449       |
| 203 | Parallel factor analysis in sensor array processing. IEEE Transactions on Signal Processing, 2000, 48, 2377-2388.  | 3.2 | 481       |
| 204 | On the uniqueness of multilinear decomposition of N-way arrays. Journal of Chemometrics, 2000, 14, 229-239.  | 0.7 | 14        |
| 205 | Exploratory study of sugar production using fluorescence spectroscopy and multi-way analysis. Chemometrics and Intelligent Laboratory Systems, 1999, 46, 133-147.  | 1.8 | 196       |
| 206 | Calibration methods for complex second-order data. Analytica Chimica Acta, 1999, 398, 237-251.   | 2.6 | 69        |
| 207 | PARAFAC2—Part I. A direct fitting algorithm for the PARAFAC2 model. Journal of Chemometrics, 1999, 13, 275-294.  | 0.7 | 350       |
| 208 | PARAFAC2—Part II. Modeling chromatographic data with retention time shifts. Journal of Chemometrics, 1999, 13, 295-309.  | 0.7 | 277       |
| 209 | Mathematical programming algorithms for regression-based nonlinear filtering in $R/\sup N/$ . IEEE Transactions on Signal Processing, 1999, 47, 771-782.   | 3.2 | 15        |
| 210 | PARAFAC2—Part I. A direct fitting algorithm for the PARAFAC2 model. Journal of Chemometrics, 1999, 13, 275-294.  | 0.7 | 3         |
| 211 | Least squares algorithms under unimodality and non-negativity constraints. Journal of Chemometrics, 1998, 12, 223-247.   | 0.7 | 145       |
| 212 | Improving the speed of multi-way algorithms. Chemometrics and Intelligent Laboratory Systems, 1998, 42, 93-103.  | 1.8 | 114       |
| 213 | Improving the speed of multiway algorithms. Chemometrics and Intelligent Laboratory Systems, 1998, 42, 105-113.  | 1.8 | 82        |
| 214 | Chemometrics in food science—a demonstration of the feasibility of a highly exploratory, inductive evaluation strategy of fundamental scientific significance. Chemometrics and Intelligent Laboratory Systems, 1998, 44, 31-60. | 1.8 | 148       |
| 215 | Least squares algorithms under unimodality and non-negativity constraints. , 1998, 12, 223.  |     | 2         |
| 216 | Least squares algorithms under unimodality and non-negativity constraints. Journal of Chemometrics, 1998, 12, 223-247.   | 0.7 | 25        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Review of Chemometrics Applied to Spectroscopy: 1985-95, Part 3 "Multi-way Analysis. Applied Spectroscopy Reviews, 1997, 32, 237-261.  | 3.4 | 52        |
| 218 | Prediction of Polyphenol Oxidase Activity in Model Solutions Containing Various Combinations of Chlorogenic Acid, (âˆ“)Epicatechin, O <sub>2</sub> , CO <sub>2</sub> , Temperature, and pH by Multiway Data Analysis. Journal of Agricultural and Food Chemistry, 1997, 45, 2399-2406. | 2.4 | 19        |
| 219 | Direct Measurement of Lipid Peroxidation in Oil-in-Water Emulsions Using Multiwavelength Derivative UV-Spectroscopy. Journal of Agricultural and Food Chemistry, 1997, 45, 1741-1745.  | 2.4 | 18        |
| 220 | PARAFAC. Tutorial and applications. Chemometrics and Intelligent Laboratory Systems, 1997, 38, 149-171.  | 1.8 | 2,318     |
| 221 | A fast non-negativity-constrained least squares algorithm. Journal of Chemometrics, 1997, 11, 393-401.   | 0.7 | 699       |
| 222 | A fast non-negativity-constrained least squares algorithm. , 1997, 11, 393.  |     | 4         |
| 223 | A fast non-negativity-constrained least squares algorithm. Journal of Chemometrics, 1997, 11, 393-401.   | 0.7 | 96        |
| 224 | Exploring Fluorescence Spectra of Apple Juice and Their Connection to Quality Parameters by Chemometrics. Journal of Agricultural and Food Chemistry, 1996, 44, 3202-3205.   | 2.4 | 36        |
| 225 | Review of Chemometrics Applied to Spectroscopy: 1985-95, Part 2. Applied Spectroscopy Reviews, 1996, 31, 347-368.  | 3.4 | 56        |
| 226 | Multiway calibration. Multilinear PLS. Journal of Chemometrics, 1996, 10, 47-61.   | 0.7 | 666       |
| 227 | Enzymatic browning of vegetables. Calibration and analysis of variance by multiway methods. Chemometrics and Intelligent Laboratory Systems, 1996, 34, 85-102.   | 1.8 | 49        |
| 228 | Review of Chemometrics Applied to Spectroscopy: 1985-95, Part I. Applied Spectroscopy Reviews, 1996, 31, 73-124.   | 3.4 | 97        |
| 229 | Multiway calibration. Multilinear PLS. Journal of Chemometrics, 1996, 10, 47-61.   | 0.7 | 390       |
| 230 | Algorithm for finding an interpretable simple neural network solution using PLS. Journal of Chemometrics, 1995, 9, 423-430.  | 0.7 | 5         |
| 231 | On communication diversity for blind identifiability and the uniqueness of low-rank decomposition of N-way arrays. , 0, , .  |     | 4         |
| 232 | Multivariate analysis of time domain NMR signals in relation to food quality. Special Publication - Royal Society of Chemistry, 0, , 239-254.  | 0.0 | 2         |
| 233 | A New Principle for Unique Spectral Decomposition of 2D NMR Data. Special Publication - Royal Society of Chemistry, 0, , 195-203.  | 0.0 | 5         |
| 234 | AlgorithmÂˆXXX: Concurrent Alternating Least Squares for multiple simultaneous Canonical Polyadic Decompositions. ACM Transactions on Mathematical Software, 0, , .  | 1.6 | 2         |