

Ariane Orosz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6055141/publications.pdf>

Version: 2024-02-01

14
papers

241
citations

1040056

9
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

502
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychiatric advance directives in Switzerland: Knowledge and attitudes in patients compared to professionals and usage in clinical practice. <i>International Journal of Law and Psychiatry</i> , 2020, 68, 101514.	0.9	8
2	Exploring the effectiveness of a specialized therapy programme for burnout using subjective report and biomarkers of stress. <i>Clinical Psychology and Psychotherapy</i> , 2020, 28, 852-861.	2.7	3
3	Burnout und Neurasthenie - die Zeitdiagnosen der Jahrhunderte. <i>Swiss Archives of Neurology, Psychiatry and Psychotherapy</i> , 2018, 169, 54-57.	0.1	1
4	A biological perspective on differences and similarities between burnout and depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 73, 112-122.	6.1	35
5	<scp>CBT</scp> reduces <scp>CBF</scp>: cognitive behavioral therapy reduces cerebral blood flow in fear-relevant brain regions in spider phobia. <i>Brain and Behavior</i> , 2016, 6, e00510.	2.2	12
6	Quantification of Network Perfusion in ASL Cerebral Blood Flow Data with Seed Based and ICA Approaches. <i>Brain Topography</i> , 2013, 26, 569-580.	1.8	25
7	In Need of Psychiatric Help - Leave a Message after the Beep. <i>Psychopathology</i> , 2013, 46, 201-205.	1.5	6
8	Reduced Cerebral Blood Flow Within the Default-Mode Network and Within Total Gray Matter in Major Depression. <i>Brain Connectivity</i> , 2012, 2, 303-310.	1.7	44
9	Theta burst TMS increases cerebral blood flow in the primary motor cortex during motor performance as assessed by arterial spin labeling (ASL). <i>NeuroImage</i> , 2012, 61, 599-605.	4.2	28
10	Learned Irrelevance and Associative Learning Is Attenuated in Individuals at Risk for Psychosis but not in Asymptomatic First-Degree Relatives of Schizophrenia Patients: Translational State Markers of Psychosis?. <i>Schizophrenia Bulletin</i> , 2011, 37, 973-981.	4.3	10
11	Sustained Attention and Planning Deficits but Intact Attentional Set-Shifting in Neuroleptic-Naïve First-Episode Schizophrenia Patients. <i>Neuropsychobiology</i> , 2010, 61, 79-86.	1.9	31
12	Interference during the implicit learning of two different motor sequences. <i>Experimental Brain Research</i> , 2009, 196, 253-261.	1.5	13
13	Deficient associative learning in drug-naive first-episode schizophrenia: Results obtained using a new visual within-subjects learned irrelevance paradigm. <i>Behavioural Brain Research</i> , 2008, 193, 101-107.	2.2	15
14	Repeated measurements of learned irrelevance by a novel within-subject paradigm in humans. <i>Behavioural Brain Research</i> , 2007, 180, 1-3.	2.2	10