

Rita Chiari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6056108/publications.pdf>

Version: 2024-02-01

126
papers

7,285
citations

94433

37
h-index

71685

76
g-index

129
all docs

129
docs citations

129
times ranked

8542
citing authors

#	ARTICLE	IF	CITATIONS
1	First-line ceritinib versus platinum-based chemotherapy in advanced ALK-rearranged non-small-cell lung cancer (ASCEND-4): a randomised, open-label, phase 3 study. <i>Lancet</i> , The, 2017, 389, 917-929.	13.7	919
2	Lorlatinib in patients with ALK-positive non-small-cell lung cancer: results from a global phase 2 study. <i>Lancet Oncology</i> , The, 2018, 19, 1654-1667.	10.7	587
3	Five-Year Outcomes From the Randomized, Phase III Trials CheckMate 017 and 057: Nivolumab Versus Docetaxel in Previously Treated Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, 723-733.	1.6	329
4	ALK Resistance Mutations and Efficacy of Lorlatinib in Advanced Anaplastic Lymphoma Kinase-Positive Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2019, 37, 1370-1379.	1.6	282
5	A multicenter study of body mass index in cancer patients treated with anti-PD-1/PD-L1 immune checkpoint inhibitors: when overweight becomes favorable. , 2019, 7, 57.		275
6	Impact of immune-related adverse events on survival in patients with advanced non-small cell lung cancer treated with nivolumab: long-term outcomes from a multi-institutional analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 479-485.	2.5	253
7	Lorlatinib in advanced ROS1-positive non-small-cell lung cancer: a multicentre, open-label, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 1691-1701.	10.7	233
8	Impact of TP53 Mutations on Outcome in EGFR-Mutated Patients Treated with First-Line Tyrosine Kinase Inhibitors. <i>Clinical Cancer Research</i> , 2017, 23, 2195-2202.	7.0	208
9	Early Prediction of Response to Tyrosine Kinase Inhibitors by Quantification of EGFR Mutations in Plasma of NSCLC Patients. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1437-1443.	1.1	163
10	Phosphoinositide-3-Kinase Catalytic Alpha and KRAS Mutations are Important Predictors of Resistance to Therapy with Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Patients with Advanced Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2011, 6, 707-715.	1.1	160
11	Crizotinib in MET-Deregulated or ROS1-Rearranged Pretreated Non-Small Cell Lung Cancer (METROS): A Phase II, Prospective, Multicenter, Two-Arms Trial. <i>Clinical Cancer Research</i> , 2019, 25, 7312-7319.	7.0	139
12	Resumption of Immune Checkpoint Inhibitor Therapy After Immune-Mediated Colitis. <i>Journal of Clinical Oncology</i> , 2019, 37, 2738-2745.	1.6	138
13	Clinical Outcomes of Patients with Advanced Cancer and Pre-Existing Autoimmune Diseases Treated with Anti-Programmed Death-1 Immunotherapy: A Real-World Transverse Study. <i>Oncologist</i> , 2019, 24, e327-e337.	3.7	131
14	Long noncoding RNAs: new insights into non-small cell lung cancer biology, diagnosis and therapy. <i>Medical Oncology</i> , 2016, 33, 18.	2.5	129
15	Italian, Multicenter, Phase III, Randomized Study of Cisplatin Plus Etoposide With or Without Bevacizumab as First-Line Treatment in Extensive-Disease Small-Cell Lung Cancer: The GOIRC-AIFA FARM6PMFJM Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 1281-1287.	1.6	126
16	Integrated analysis of concomitant medications and oncological outcomes from PD-1/PD-L1 checkpoint inhibitors in clinical practice. , 2020, 8, e001361.		126
17	Correlations Between the Immune-related Adverse Events Spectrum and Efficacy of Anti-PD1 Immunotherapy in NSCLC Patients. <i>Clinical Lung Cancer</i> , 2019, 20, 237-247.e1.	2.6	118
18	Bone metastases and immunotherapy in patients with advanced non-small-cell lung cancer. , 2019, 7, 316.		102

#	ARTICLE	IF	CITATIONS
19	CSF Concentration of Crizotinib in Two ALK-Positive Non-Small-Cell Lung Cancer Patients with CNS Metastases Deriving Clinical Benefit from Treatment. <i>Journal of Thoracic Oncology</i> , 2015, 10, e26-e27.	1.1	93
20	A Brief Report of Transformation From NSCLC to SCLC: Molecular and Therapeutic Characteristics. <i>Journal of Thoracic Oncology</i> , 2019, 14, 130-134.	1.1	92
21	Targeting indoleamine-2,3-dioxygenase in cancer: Scientific rationale and clinical evidence. , 2019, 196, 105-116.		88
22	Another side of the association between body mass index (BMI) and clinical outcomes of cancer patients receiving programmed cell death protein-1 (PD-1)/ Programmed cell death-ligand 1 (PD-L1) checkpoint inhibitors: A multicentre analysis of immune-related adverse events. <i>European Journal of Cancer</i> , 2020, 128, 17-26.	2.8	85
23	Effect of concomitant medications with immune-modulatory properties on the outcomes of patients with advanced cancer treated with immune checkpoint inhibitors: development and validation of a novel prognostic index. <i>European Journal of Cancer</i> , 2021, 142, 18-28.	2.8	81
24	Differential influence of antibiotic therapy and other medications on oncological outcomes of patients with non-small cell lung cancer treated with first-line pembrolizumab versus cytotoxic chemotherapy. , 2021, 9, e002421.		80
25	Italian Nivolumab Expanded Access Program in Nonsquamous Non-Small Cell Lung Cancer Patients: Results in Never-Smokers and EGFR-Mutant Patients. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1146-1155.	1.1	77
26	Impact of specific mutant KRAS on clinical outcome of EGFR-TKI-treated advanced non-small cell lung cancer patients with an EGFR wild type genotype. <i>Lung Cancer</i> , 2012, 78, 81-86.	2.0	68
27	Efficacy of nivolumab in pre-treated non-small-cell lung cancer patients harbouring KRAS mutations. <i>British Journal of Cancer</i> , 2019, 120, 57-62.	6.4	68
28	c-Met targeting in advanced gastric cancer: An open challenge. <i>Cancer Letters</i> , 2015, 365, 30-36.	7.2	67
29	Outcomes associated with immune-related adverse events in metastatic non-small cell lung cancer treated with nivolumab: a pooled exploratory analysis from a global cohort. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1177-1187.	4.2	66
30	Clinicopathologic correlates of first-line pembrolizumab effectiveness in patients with advanced NSCLC and a PD-L1 expression of $\geq 50\%$. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 2209-2221.	4.2	60
31	ROS1-rearranged Non-Small-Cell Lung Cancer is Associated With a High Rate of Venous Thromboembolism: Analysis From a Phase II, Prospective, Multicenter, Two-arms Trial (METROS). <i>Clinical Lung Cancer</i> , 2020, 21, 15-20.	2.6	58
32	Baseline BMI and BMI variation during first line pembrolizumab in NSCLC patients with a PD-L1 expression $\geq 50\%$: a multicenter study with external validation. , 2020, 8, e001403.		57
33	Texture Analysis on [18F]FDG PET/CT in Non-Small-Cell Lung Cancer: Correlations Between PET Features, CT Features, and Histological Types. <i>Molecular Imaging and Biology</i> , 2019, 21, 1200-1209.	2.6	53
34	Association of Cytidine Deaminase and Xeroderma Pigmentosum Group D Polymorphisms with Response, Toxicity, and Survival in Cisplatin/Gemcitabine-Treated Advanced Non-small Cell Lung Cancer Patients. <i>Journal of Thoracic Oncology</i> , 2011, 6, 2018-2026.	1.1	50
35	Future options for ALK-positive non-small cell lung cancer. <i>Lung Cancer</i> , 2015, 87, 211-219.	2.0	50
36	Immune-related Adverse Events of Pembrolizumab in a Large Real-world Cohort of Patients With NSCLC With a PD-L1 Expression $\geq 50\%$ and Their Relationship With Clinical Outcomes. <i>Clinical Lung Cancer</i> , 2020, 21, 498-508.e2.	2.6	50

#	ARTICLE	IF	CITATIONS
37	Targeting NTRK fusion in non-small cell lung cancer: rationale and clinical evidence. <i>Medical Oncology</i> , 2017, 34, 105.	2.5	47
38	Concomitant TP53 Mutation Confers Worse Prognosis in EGFR-Mutated Non-Small Cell Lung Cancer Patients Treated with TKIs. <i>Journal of Clinical Medicine</i> , 2020, 9, 1047.	2.4	47
39	Late immune-related adverse events in long-term responders to PD-1/PD-L1 checkpoint inhibitors: A multicentre study. <i>European Journal of Cancer</i> , 2020, 134, 19-28.	2.8	45
40	Clinical impact of sequential treatment with ALK-TKIs in patients with advanced ALK-positive non-small cell lung cancer: Results of a multicenter analysis. <i>Lung Cancer</i> , 2015, 90, 255-260.	2.0	43
41	Prognostic Role of Circulating miRNAs in Early-Stage Non-Small Cell Lung Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 131.	2.4	42
42	Clinical Outcome With Platinum-Based Chemotherapy in Patients With Advanced Nonsquamous EGFR Wild-Type Non-Small-Cell Lung Cancer Segregated According to KRAS Mutation Status. <i>Clinical Lung Cancer</i> , 2014, 15, 86-92.	2.6	40
43	Activity of EGFR TKIs in Caucasian Patients With NSCLC Harboring Potentially Sensitive Uncommon EGFR Mutations. <i>Clinical Lung Cancer</i> , 2019, 20, e186-e194.	2.6	40
44	The tumor-agnostic treatment for patients with solid tumors: a position paper on behalf of the AIOM-SIAPEC/IAP-SIBioC-SIF Italian Scientific Societies. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 165, 103436.	4.4	40
45	Antitumor Immunity at Work in a Melanoma Patient. <i>Advances in Cancer Research</i> , 1999, 76, 213-242.	5.0	39
46	Incidence of Ct scan-detected pulmonary embolism in patients with oncogene-addicted, advanced lung adenocarcinoma. <i>Thrombosis Research</i> , 2015, 136, 924-927.	1.7	39
47	Long-Term Response to Gefitinib and Crizotinib in Lung Adenocarcinoma Harboring Both Epidermal Growth Factor Receptor Mutation and <i>EML4-ALK</i> Fusion Gene. <i>Journal of Clinical Oncology</i> , 2014, 32, e30-e32.	1.6	38
48	Gene identification for risk of relapse in stage I lung adenocarcinoma patients: a combined methodology of gene expression profiling and computational gene network analysis. <i>Oncotarget</i> , 2016, 7, 30561-30574.	1.8	37
49	Safety and Efficacy of Nivolumab in Patients With Advanced Non-small-cell Lung Cancer Treated Beyond Progression. <i>Clinical Lung Cancer</i> , 2019, 20, 178-185.e2.	2.6	35
50	Optimal management of ALK -positive NSCLC progressing on crizotinib. <i>Lung Cancer</i> , 2017, 106, 58-66.	2.0	33
51	Italian Cohort of the Nivolumab EAP in Squamous NSCLC: Efficacy and Safety in Patients With CNS Metastases. <i>Anticancer Research</i> , 2019, 39, 4265-4271.	1.1	33
52	Activity of the EGFR-HER2 Dual Inhibitor Afatinib in EGFR-Mutant Lung Cancer Patients With Acquired Resistance to Reversible EGFR Tyrosine Kinase Inhibitors. <i>Clinical Lung Cancer</i> , 2014, 15, 411-417.e4.	2.6	32
53	Efficacy and safety of rechallenge treatment with gefitinib in patients with advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2016, 99, 31-37.	2.0	31
54	Osimertinib in patients with advanced epidermal growth factor receptor T790M mutation-positive non-small cell lung cancer: rationale, evidence and place in therapy. <i>Therapeutic Advances in Medical Oncology</i> , 2017, 9, 387-404.	3.2	30

#	ARTICLE	IF	CITATIONS
55	Smoking status during first-line immunotherapy and chemotherapy in NSCLC patients: A case-control matched analysis from a large multicenter study. <i>Thoracic Cancer</i> , 2021, 12, 880-889.	1.9	30
56	Precision medicine against ALK-positive non-small cell lung cancer: beyond crizotinib. <i>Medical Oncology</i> , 2018, 35, 72.	2.5	29
57	Patient-reported outcomes from the randomized phase III ALEX study of alectinib versus crizotinib in patients with ALK-positive non-small-cell lung cancer. <i>Lung Cancer</i> , 2019, 138, 79-87.	2.0	29
58	Indoleamine 2,3-Dioxygenase 2 Immunohistochemical Expression in Resected Human Non-small Cell Lung Cancer: A Potential New Prognostic Tool. <i>Frontiers in Immunology</i> , 2020, 11, 839.	4.8	28
59	Osimertinib (AZD9291) and CNS Response in Two Radiotherapy-Naïve Patients with EGFR-Mutant and T790M-Positive Advanced Non-Small Cell Lung Cancer. <i>Clinical Drug Investigation</i> , 2016, 36, 683-686.	2.2	27
60	Assessment of TILs, IDO-1, and PD-L1 in resected non-small cell lung cancer: an immunohistochemical study with clinicopathological and prognostic implications. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 159-168.	2.8	27
61	The challenge of the Molecular Tumor Board empowerment in clinical oncology practice: A Position Paper on behalf of the AIOM- SIAPEC/IAP-SIBioC-SIC-SIF-SIGU-SIRM Italian Scientific Societies. <i>Critical Reviews in Oncology/Hematology</i> , 2022, 169, 103567.	4.4	26
62	Alectinib's activity against CNS metastases from ALK-positive non-small cell lung cancer: a single institution case series. <i>Journal of Neuro-Oncology</i> , 2016, 129, 355-361.	2.9	25
63	First-Line Osimertinib in Patients with EGFR-Mutant Advanced Non-Small Cell Lung Cancer: Outcome and Safety in the Real World: FLOWER Study. <i>Oncologist</i> , 2022, 27, 87-e115.	3.7	25
64	Large Cell Neuroendocrine Carcinoma Transformation and EGFR-T790M Mutation as Coexisting Mechanisms of Acquired Resistance to EGFR-TKIs in Lung Cancer. <i>Mayo Clinic Proceedings</i> , 2017, 92, 1304-1311.	3.0	24
65	Osimertinib. <i>Recent Results in Cancer Research</i> , 2018, 211, 257-276.	1.8	24
66	Kynurenine/Tryptophan Ratio as a Potential Blood-Based Biomarker in Non-Small Cell Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4403.	4.1	24
67	Predictive ability of a drug-based score in patients with advanced non-small-cell lung cancer receiving first-line immunotherapy. <i>European Journal of Cancer</i> , 2021, 150, 224-231.	2.8	24
68	The Gustave Roussy Immune (GRIm)-Score Variation Is an Early-on-Treatment Biomarker of Outcome in Advanced Non-Small Cell Lung Cancer (NSCLC) Patients Treated with First-Line Pembrolizumab. <i>Journal of Clinical Medicine</i> , 2021, 10, 1005.	2.4	23
69	Pharmacotherapeutic options for treating brain metastases in non-small cell lung cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2015, 16, 2601-2613.	1.8	22
70	Afatinib in the first-line treatment of patients with non-small cell lung cancer: clinical evidence and experience. <i>Therapeutic Advances in Respiratory Disease</i> , 2018, 12, 175346661880865.	2.6	22
71	Selumetinib: a promising pharmacologic approach for KRAS-mutant advanced non-small-cell lung cancer. <i>Future Oncology</i> , 2013, 9, 167-177.	2.4	19
72	Survival outcomes and incidence of brain recurrence in high-grade neuroendocrine carcinomas of the lung: Implications for clinical practice. <i>Lung Cancer</i> , 2016, 95, 82-87.	2.0	19

#	ARTICLE	IF	CITATIONS
73	Post-progression outcomes of NSCLC patients with PD-L1 expression \geq 50% receiving first-line single-agent pembrolizumab in a large multicentre real-world study. <i>European Journal of Cancer</i> , 2021, 148, 24-35.	2.8	19
74	ASCEND-7: Efficacy and Safety of Ceritinib Treatment in Patients with ALK-Positive Non-Small Cell Lung Cancer Metastatic to the Brain and/or Leptomeninges. <i>Clinical Cancer Research</i> , 2022, 28, 2506-2516.	7.0	19
75	Incidence and outcomes of severe acute respiratory syndrome coronavirus 2 infection in patients with metastatic castration-resistant prostate cancer. <i>European Journal of Cancer</i> , 2020, 140, 140-146.	2.8	18
76	Sequential chemo-hypofractionated RT versus concurrent standard CRT for locally advanced NSCLC: GRADE recommendation by the Italian Association of Radiotherapy and Clinical Oncology (AIRO). <i>Radiologia Medica</i> , 2021, 126, 1117-1128.	7.7	18
77	Validity of ICD-9-CM codes for breast, lung and colorectal cancers in three Italian administrative healthcare databases: a diagnostic accuracy study protocol: Table 1. <i>BMJ Open</i> , 2016, 6, e010547.	1.9	17
78	Emerging enzymatic targets controlling angiogenesis in cancer: preclinical evidence and potential clinical applications. <i>Medical Oncology</i> , 2018, 35, 4.	2.5	17
79	Antibody-drug conjugates for lung cancer in the era of personalized oncology. <i>Seminars in Cancer Biology</i> , 2021, 69, 268-278.	9.6	17
80	Syndrome of inappropriate anti-diuretic hormone secretion in cancer patients: results of the first multicenter Italian study. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591987772.	3.2	16
81	Dexamethasone-Sparing Regimens with Oral Netupitant and Palonosetron for the Prevention of Emesis Caused by High-Dose Cisplatin: A Randomized Noninferiority Study. <i>Oncologist</i> , 2021, 26, e1854-e1861.	3.7	16
82	Dramatic Response to Lorlatinib in a Heavily Pretreated Lung Adenocarcinoma Patient Harboring G1202R Mutation and a Synchronous Novel R1192P ALK Point Mutation. <i>Journal of Thoracic Oncology</i> , 2018, 13, e145-e147.	1.1	15
83	Epidemiology and clinical course of severe acute respiratory syndrome coronavirus 2 infection in cancer patients in the Veneto Oncology Network: The Rete Oncologica Veneta covid19 study. <i>European Journal of Cancer</i> , 2021, 147, 120-127.	2.8	15
84	Ductal Breast Carcinoma Metastatic to the Stomach Resembling Primary Linitis Plastica in a Male Patient. <i>Journal of Breast Cancer</i> , 2016, 19, 324.	1.9	14
85	Successful Response to Osimertinib Rechallenge after Intervening Chemotherapy in an EGFR T790M-Positive Lung Cancer Patient. <i>Clinical Drug Investigation</i> , 2018, 38, 983-987.	2.2	14
86	High PD-L1/IDO-2 and PD-L2/IDO-1 Co-Expression Levels Are Associated with Worse Overall Survival in Resected Non-Small Cell Lung Cancer Patients. <i>Genes</i> , 2021, 12, 273.	2.4	14
87	PD-1/PD-L1 checkpoint inhibitors during late stages of life: an ad-hoc analysis from a large multicenter cohort. <i>Journal of Translational Medicine</i> , 2021, 19, 270.	4.4	14
88	Dramatic Response to Crizotinib in ROS1 Fluorescent In Situ Hybridization- and Immunohistochemistry-Positive Lung Adenocarcinoma: A Case Series. <i>Clinical Lung Cancer</i> , 2014, 15, 470-474.	2.6	13
89	miRNAs and resistance to EGFR TKIs in EGFR-mutant non-small cell lung cancer: beyond traditional mechanisms of resistance. <i>Ecancermedicalscience</i> , 2015, 9, 569.	1.1	12
90	Fatal acute disseminated intravascular coagulation as presentation of advanced ALK-positive non-small cell lung cancer: Does oncogene addiction matter?. <i>Thrombosis Research</i> , 2018, 163, 51-53.	1.7	12

#	ARTICLE	IF	CITATIONS
91	Final results of the SENECA (SEcond line NintEdanib in non-small cell lung CAncer) trial. Lung Cancer, 2019, 134, 210-217.	2.0	12
92	Sensitivity and specificity of breast cancer ICD-9-CM codes in three Italian administrative healthcare databases: a diagnostic accuracy study. BMJ Open, 2018, 8, e020627.	1.9	11
93	Efficacy and Safety of Rociletinib Versus Chemotherapy in Patients With EGFR-Mutated NSCLC: The Results of TIGER-3, a Phase 3 Randomized Study. JTO Clinical and Research Reports, 2021, 2, 100114.	1.1	11
94	Clinical outcomes of NSCLC patients experiencing early immune-related adverse events to PD-1/PD-L1 checkpoint inhibitors leading to treatment discontinuation. Cancer Immunology, Immunotherapy, 2022, 71, 865-874.	4.2	11
95	Is multidisciplinary management possible in the treatment of lung cancer? A report from three Italian meetings. Radiologia Medica, 2020, 125, 214-219.	7.7	10
96	Early stage resectable non-small cell lung cancer: is neoadjuvant immunotherapy the right way forward?. Journal of Thoracic Disease, 2018, 10, S3890-S3894.	1.4	9
97	Accuracy of lung cancer ICD-9-CM codes in Umbria, Napoli 3 Sud and Friuli Venezia Giulia administrative healthcare databases: a diagnostic accuracy study. BMJ Open, 2018, 8, e020628.	1.9	9
98	Systemic effect of radiotherapy before or after nivolumab in lung cancer: an observational, retrospective, multicenter study. Tumori, 2022, 108, 250-257.	1.1	9
99	The safety of nivolumab for the treatment of advanced non-small cell lung cancer. Expert Opinion on Drug Safety, 2017, 16, 101-109.	2.4	8
100	Acquired Resistance to Afatinib Due to T790M-Positive Squamous Progression in EGFR-Mutant Adenosquamous Lung Carcinoma. Journal of Thoracic Oncology, 2018, 13, e9-e12.	1.1	8
101	Be-TeaM: An Italian real-world observational study on second-line therapy for EGFR-mutated NSCLC patients. Lung Cancer, 2020, 140, 71-79.	2.0	8
102	KRAS mutation and DNA repair and synthesis genes in non-small cell lung cancer. Molecular and Clinical Oncology, 2018, 9, 689-696.	1.0	7
103	Liquid Biopsy Testing Can Improve Selection of Advanced Non-Small-Cell Lung Cancer Patients to Rechallenge With Gefitinib. Cancers, 2019, 11, 1431.	3.7	7
104	Exploring metastatic breast cancer treatment changes during COVID-19 pandemic. Journal of Chemotherapy, 2021, 33, 263-268.	1.5	7
105	Host immune-inflammatory markers to unravel the heterogeneous outcome and assessment of patients with PD-L1 $\geq 50\%$ metastatic non-small cell lung cancer and poor performance status receiving first-line immunotherapy. Thoracic Cancer, 2022, 13, 483-488.	1.9	7
106	Co-expression of receptors of the HER family correlates with clinical outcome in non-small cell lung cancer (NSCLC). Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2013, 463, 663-671.	2.8	6
107	Malignant Giant Solitary Fibrous Tumor of the Pleura Metastatic to the Thyroid Gland. Tumori, 2016, 102, S16-S21.	1.1	6
108	Reverse phase protein array (RPPA) combined with computational analysis to unravel relevant prognostic factors in non-small cell lung cancer (NSCLC): a pilot study. Oncotarget, 2017, 8, 83343-83353.	1.8	6

#	ARTICLE	IF	CITATIONS
109	Long-term survival with erlotinib in advanced lung adenocarcinoma harboring synchronous EGFR G719S and KRAS G12C mutations. <i>Lung Cancer</i> , 2018, 120, 70-74.	2.0	5
110	Effect of Contract Research Organization Bureaucracy in Clinical Trial Management: A Model From Lung Cancer. <i>Clinical Lung Cancer</i> , 2018, 19, 191-198.	2.6	5
111	Identification of EML4-ALK Rearrangement and MET Exon 14 R988C Mutation in a Patient with High-Grade Neuroendocrine Lung Carcinoma Who Experienced a Lazarus Response to Crizotinib. <i>Journal of Thoracic Oncology</i> , 2018, 13, e220-e222.	1.1	5
112	Higher TLR7 Gene Expression Predicts Poor Clinical Outcome in Advanced NSCLC Patients Treated with Immunotherapy. <i>Genes</i> , 2021, 12, 992.	2.4	5
113	High familial burden of cancer correlates with improved outcome from immunotherapy in patients with NSCLC independent of somatic DNA damage response gene status. <i>Journal of Hematology and Oncology</i> , 2022, 15, 9.	17.0	5
114	Bronchiolitis Obliterans Organizing Pneumonia after Radiation Therapy for Lung Cancer: A Case Report. <i>Tumori</i> , 2015, 101, e88-e91.	1.1	4
115	Long-Lasting Response to Nivolumab and Immune-Related Adverse Events in a Nonsquamous Metastatic Non-Small Cell Lung Cancer Patient. <i>Journal of Thoracic Oncology</i> , 2017, 12, e51-e55.	1.1	3
116	Ceritinib compassionate use for patients with crizotinib-refractory, anaplastic lymphoma kinase-positive advanced non-small-cell lung cancer. <i>Future Oncology</i> , 2018, 14, 353-361.	2.4	3
117	Women With Synchronous or Metachronous Lung and Ovarian Cancer: A Multi-Institutional Report. <i>In Vivo</i> , 2019, 33, 2021-2026.	1.3	3
118	Clinical profile and mortality of Sars-Cov-2 infection in cancer patients across two pandemic time periods (Feb 2020-Sep 2020; Sep 2020-May 2021) in the Veneto Oncology Network: The ROVID study. <i>European Journal of Cancer</i> , 2022, 167, 81-91.	2.8	3
119	How might treatment of ALK-positive non-small cell lung cancer change in the near future?. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 997-999.	2.4	2
120	First line osimertinib for the treatment of patients with advanced EGFR-mutant NSCLC. <i>Translational Lung Cancer Research</i> , 2018, 7, S127-S130.	2.8	2
121	Treatment Patterns and Clinical Outcomes Among Patients With ROS1-rearranged Non-small-cell Lung Cancer Progressing on Crizotinib. <i>Clinical Lung Cancer</i> , 2020, 21, e478-e487.	2.6	2
122	Therapeutic approach to brain metastasis in high-grade neuroendocrine carcinomas of the lung: where do we stand?. <i>Journal of Radiation Oncology</i> , 2017, 6, 11-19.	0.7	1
123	Outcomes associated with immune-related adverse events in metastatic non-small cell lung cancer treated with nivolumab: a pooled exploratory analysis from a global cohort. , 2020, 69, 1177.		1
124	Preface on "Emerging treatment options for brain metastases from non-small cell lung cancer". <i>Translational Lung Cancer Research</i> , 2016, 5, 561-562.	2.8	1
125	Anaplastic lymphoma kinase immunohistochemistry scores do not predict sensitivity to crizotinib in fluorescence in situ hybridization-positive non-small cell lung cancer patients. <i>International Journal of Biological Markers</i> , 2018, 33, 549-550.	1.8	0
126	Colonic metastases from non-small cell lung cancer. <i>Revista Espanola De Enfermedades Digestivas</i> , 2012, 104, 447-448.	0.3	0