## Dae Won Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6058249/publications.pdf

Version: 2024-02-01

182225 182931 112 3,528 30 54 citations h-index g-index papers 119 119 119 6140 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Feasibility of ultraviolet light-emitting diode irradiation robot for terminal decontamination of coronavirus disease 2019 (COVID-19) patient rooms. Infection Control and Hospital Epidemiology, 2022, 43, 232-237.	1.0	15
2	Diagnostic and prognostic value of presepsin and procalcitonin in non-infectious organ failure, sepsis, and septic shock: a prospective observational study according to the Sepsis-3 definitions. BMC Infectious Diseases, 2022, 22, 8.	1.3	35
3	Developing a multiplex loop-mediated isothermal amplification assay (LAMP) to determine severe fever with thrombocytopenia syndrome (SFTS) and scrub typhus. PLoS ONE, 2022, 17, e0262302.	1.1	6
4	Immunogenicity after outbreak response immunization activities among young healthcare workers with secondary vaccine failure during the measles epidemic in Korea, 2019. BMC Infectious Diseases, 2022, 22, .	1.3	2
5	Fluoroquinolone Can Be an Effective Treatment Option for Acute Pyelonephritis When the Minimum Inhibitory Concentration of Levofloxacin for the Causative Escherichia coli Is â‰16 mg/L. Antibiotics, 2021, 10, 37.	1.5	1
6	Characterization of HIV-1 recombinant and subtype B near full-length genome among men who have sex with men in South Korea. Scientific Reports, 2021, 11, 4122.	1.6	2
7	Prognostic value of lactate levels and lactate clearance in sepsis and septic shock with initial hyperlactatemia. Medicine (United States), 2021, 100, e24835.	0.4	22
8	What is the optimal antibiotic treatment strategy for carbapenem-resistant Acinetobacter baumannii (CRAB)? A multicentre study in Korea. Journal of Global Antimicrobial Resistance, 2021, 24, 429-439.	0.9	13
9	COVID-19 infection with asymptomatic or mild disease severity in young patients: Clinical course and association between prevalence of pneumonia and viral load. PLoS ONE, 2021, 16, e0250358.	1.1	14
10	Clinical course and risk factors of fatal adverse outcomes in COVID-19 patients in Korea: a nationwide retrospective cohort study. Scientific Reports, 2021, 11, 10066.	1.6	13
11	SARS-CoV-2-specific T cell memory is sustained in COVID-19 convalescent patients for 10 months with successful development of stem cell-like memory T cells. Nature Communications, 2021, 12, 4043.	5.8	175
12	Does enhanced environmental cleaning reduce carbapenem-resistant Acinetobacter baumannii colonization in the intensive care unit?. International Journal of Infectious Diseases, 2021, 109, 72-76.	1.5	3
13	Extraintestinal Manifestation of Yersinia pseudotuberculosis Bacteremia as Acute Hepatitis: Case Report and Review of the Literature. Pathogens, 2021, 10, 1255.	1.2	4
14	Factors associated with the difference between the incidence and case-fatality ratio of coronavirus disease 2019 by country. Scientific Reports, 2021, 11, 18938.	1.6	21
15	Vasoactive-Inotropic Score as an Early Predictor of Mortality in Adult Patients with Sepsis. Journal of Clinical Medicine, 2021, 10, 495.	1.0	12
16	Early Safety Monitoring of COVID-19 Vaccines in Healthcare Workers. Journal of Korean Medical Science, 2021, 36, e110.	1.1	26
17	Report of the Korean Society of Infectious Diseases Roundtable Discussion on Responses to the Measles Outbreaks in Korea in 2019. Infection and Chemotherapy, 2021, 53, 405.	1.0	7
18	Immunogenicity and safety of a modified three-dose priming and booster schedule for the Hantaan virus vaccine (Hantavax): A multi-center phase III clinical trial in healthy adults. Vaccine, 2020, 38, 8016-8023.	1.7	7

#	Article	IF	CITATIONS
19	Biomarker combination and SOFA score for the prediction of mortality in sepsis and septic shock. Medicine (United States), 2020, 99, e20495.	0.4	25
20	Fosfomycin Resistance in Escherichia coli Isolates from South Korea and in vitro Activity of Fosfomycin Alone and in Combination with Other Antibiotics. Antibiotics, 2020, 9, 112.	1.5	19
21	Trend of Olfactory and Gustatory Dysfunction in COVID-19 Patients in a Quarantine Facility. Journal of Korean Medical Science, 2020, 35, e375.	1.1	15
22	Significance of Decreasing Rate of HIV and HBV Co-infection in a Nationwide Korean HIV/AIDS Cohort. Journal of Korean Medical Science, 2020, 35, e7.	1.1	4
23	Antimicrobial Therapy and Antimicrobial Stewardship in Sepsis. Infection and Chemotherapy, 2020, 52, 19.	1.0	22
24	Korean Registry for Improving Sepsis Survival (KISS): Protocol for a Multicenter Cohort of Adult Patients with Sepsis or Septic Shock. Infection and Chemotherapy, 2020, 52, 31.	1.0	4
25	Molecular Epidemiology of Ciprofloxacin-Resistant <i>Escherichia coli</i> Isolated from Community-Acquired Urinary Tract Infections in Korea. Infection and Chemotherapy, 2020, 52, 194.	1.0	11
26	Survival Trend of HIV/AIDS Patients Starting Antiretroviral Therapy in South Korea between 2001 and 2015. Yonsei Medical Journal, 2020, 61, 705.	0.9	3
27	Characteristics of residual lymph nodes after six months of antituberculous therapy in HIV-negative individuals with cervical tuberculous lymphadenitis. BMC Infectious Diseases, 2019, 19, 867.	1.3	9
28	The Effect of the Intelligent Sepsis Management System on Outcomes among Patients with Sepsis and Septic Shock Diagnosed According to the Sepsis-3 Definition in the Emergency Department. Journal of Clinical Medicine, 2019, 8, 1800.	1.0	12
29	Diagnostic and prognostic value of interleukin-6, pentraxin 3, and procalcitonin levels among sepsis and septic shock patients: a prospective controlled study according to the Sepsis-3 definitions. BMC Infectious Diseases, 2019, 19, 968.	1.3	164
30	Aerosol transmission of severe fever with thrombocytopenia syndrome virus during resuscitation. Infection Control and Hospital Epidemiology, 2019, 40, 238-241.	1.0	25
31	Clinical and economic analysis of the 2009 H1N1 influenza pandemic among pregnant Korean women. Korean Journal of Internal Medicine, 2019, 34, 1136-1144.	0.7	2
32	Epidemiological characteristics of HIV infected Korean: Korea HIV/AIDS Cohort Study. Epidemiology and Health, 2019, 41, e2019037.	0.8	21
33	Optimal antimicrobial therapy and antimicrobial stewardship in sepsis and septic shock. Journal of the Korean Medical Association, 2019, 62, 638.	0.1	1
34	Seroprevalence of Pertussis in Healthcare Workers without Adult Pertussis Vaccine Use at a University Hospital in Korea. Journal of Korean Medical Science, 2018, 33, e321.	1.1	8
35	Metformin reverses established lung fibrosis in a bleomycin model. Nature Medicine, 2018, 24, 1121-1127.	15.2	411
36	Clinical Practice Guidelines for the Antibiotic Treatment of Community-Acquired Urinary Tract Infections. Infection and Chemotherapy, 2018, 50, 67.	1.0	126

#	Article	IF	CITATIONS
37	Usefulness of Blood Cultures and Radiologic Imaging Studies in the Management of Patients with Community-Acquired Acute Pyelonephritis. Infection and Chemotherapy, 2017, 49, 22.	1.0	31
38	Mitochondrial Dysfunction and Immune Cell Metabolism in Sepsis. Infection and Chemotherapy, 2017, 49, 10.	1.0	40
39	Trend of CD4+ Cell Counts at Diagnosis and Initiation of Highly Active Antiretroviral Therapy (HAART): Korea HIV/AIDS Cohort Study, 1992-2015. Infection and Chemotherapy, 2017, 49, 101.	1.0	15
40	Human Immunodeficiency Virus (HIV) and Hepatitis Virus Coinfection among HIV-Infected Korean Patients: The Korea HIV/AIDS Cohort Study. Infection and Chemotherapy, 2017, 49, 268.	1.0	14
41	The Prevalence and Risk Factors of Renal Insufficiency among Korean HIV-Infected Patients: The Korea HIV/AIDS Cohort Study. Infection and Chemotherapy, 2017, 49, 194.	1.0	14
42	Controversies Regarding the New Definition of Sepsis. Korean Journal of Medicine, 2017, 92, 342-348.	0.1	2
43	Lactate as a Biomarker for Sepsis Prognosis?. Infection and Chemotherapy, 2016, 48, 252.	1.0	13
44	Opportunistic diseases among HIV-infected patients: a multicenter-nationwide Korean HIV/AIDS cohort study, 2006 to 2013. Korean Journal of Internal Medicine, 2016, 31, 953-960.	0.7	35
45	Effects of inappropriate empirical antibiotic therapy on mortality in patients with healthcare-associated methicillin-resistant Staphylococcus aureus bacteremia: a propensity-matched analysis. BMC Infectious Diseases, 2016, 16, 331.	1.3	33
46	Chronic Cavitary Pulmonary Histoplasmosis in a Non-HIV and Immunocompromised Patient without Overseas Travel History. Yonsei Medical Journal, 2015, 56, 871.	0.9	8
47	Suboptimal Effectiveness of the 2011–2012 Seasonal Influenza Vaccine in Adult Korean Populations. PLoS ONE, 2015, 10, e0098716.	1.1	11
48	AMP-Activated Protein Kinase and Glycogen Synthase Kinase $3\hat{l}^2$ Modulate the Severity of Sepsis-induced Lung injury. Molecular Medicine, 2015, 21, 937-950.	1.9	50
49	Participation of proteasome-ubiquitin protein degradation in autophagy and the activation of AMP-activated protein kinase. Cellular Signalling, 2015, 27, 1186-1197.	1.7	33
50	Susceptibility of Escherichia coli from Community-Acquired Urinary Tract Infection to Fosfomycin, Nitrofurantoin, and Temocillin in Korea. Journal of Korean Medical Science, 2014, 29, 1178.	1.1	27
51	Simultaneous Chylothorax and Chylous Ascites Due to Tuberculosis. Infection and Chemotherapy, 2014, 46, 50.	1.0	16
52	GSK3β-dependent inhibition of AMPK potentiates activation of neutrophils and macrophages and enhances severity of acute lung injury. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2014, 307, L735-L745.	1.3	67
53	Phase IV: Randomized controlled trial to evaluate lot consistency of trivalent split influenza vaccines in healthy adults. Human Vaccines and Immunotherapeutics, 2014, 10, 2958-2964.	1.4	1
54	Multicenter Prospective Observational Study of the Comparative Efficacy and Safety of Vancomycin versus Teicoplanin in Patients with Health Care-Associated Methicillin-Resistant Staphylococcus aureus Bacteremia. Antimicrobial Agents and Chemotherapy, 2014, 58, 317-324.	1.4	41

#	Article	IF	CITATIONS
55	Human Resistin Promotes Neutrophil Proinflammatory Activation and Neutrophil Extracellular Trap Formation and Increases Severity of Acute Lung Injury. Journal of Immunology, 2014, 192, 4795-4803.	0.4	87
56	Comparison of the clinical characteristics ofÂdiabetic and non-diabetic women with community-acquired acute pyelonephritis: AÂmulticenter study. Journal of Infection, 2014, 69, 244-251.	1.7	24
57	HMGB1 promotes neutrophil extracellular trap formation through interactions with Toll-like receptor 4. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2013, 304, L342-L349.	1.3	269
58	Vitronectin Inhibits Efferocytosis through Interactions with Apoptotic Cells as well as with Macrophages. Journal of Immunology, 2013, 190, 2273-2281.	0.4	27
59	Mitochondria and AMP-activated Protein Kinase-dependent Mechanism of Efferocytosis. Journal of Biological Chemistry, 2013, 288, 26013-26026.	1.6	55
60	Case-Control Study of the Effectiveness of the 2010-2011 Seasonal Influenza Vaccine for Prevention of Laboratory-Confirmed Influenza Virus Infection in the Korean Adult Population. Vaccine Journal, 2013, 20, 877-881.	3.2	11
61	The authors reply. Critical Care Medicine, 2013, 41, e51-e52.	0.4	0
62	The authors reply. Critical Care Medicine, 2013, 41, e142.	0.4	0
63	The authors reply. Critical Care Medicine, 2013, 41, e50.	0.4	2
64	Activation of AMPK Enhances Neutrophil Chemotaxis and Bacterial Killing. Molecular Medicine, 2013, 19, 387-398.	1.9	87
65	HMGB1 Accelerates Alveolar Epithelial Repair via an IL- $1\hat{l}^2$ - and $\hat{l}\pm\nu\hat{l}^2$ 6 Integrin-dependent Activation of TGF- $\hat{l}^2$ 1. PLoS ONE, 2013, 8, e63907.	1.1	43
66	Lysophosphatidylcholineâ€induced mitochondrial ROS formation and activation of AMPK promote macrophage chemotaxis and efferocytosis. FASEB Journal, 2013, 27, 254.10.	0.2	1
67	Fluoroquinolone Resistance in Uncomplicated Acute Pyelonephritis: Epidemiology and Clinical Impact. Microbial Drug Resistance, 2012, 18, 169-175.	0.9	33
68	Corticosteroid Treatment of Pure Red Cell Aplasia in a Patient with Hepatitis A. Acta Haematologica, 2012, 128, 60-63.	0.7	5
69	Liver abscess caused by Brevundimonas vesicularis in an immunocompetent patient. Journal of Medical Microbiology, 2012, 61, 1476-1479.	0.7	12
70	Red blood cell transfusions are associated with lower mortality in patients with severe sepsis and septic shock. Critical Care Medicine, 2012, 40, 3140-3145.	0.4	83
71	Clinical prediction rule for identifying patients with vancomycin-resistant enterococci (VRE) at the time of admission to the intensive care unit in a low VRE prevalence setting. Journal of Antimicrobial Chemotherapy, 2012, 67, 2963-2969.	1.3	17
72	Comparison of Ertapenem and Ceftriaxone Therapy for Acute Pyelonephritis and Other Complicated Urinary Tract Infections in Korean Adults: A Randomized, Double-Blind, Multicenter Trial. Journal of Korean Medical Science, 2012, 27, 476.	1.1	19

#	Article	IF	CITATIONS
73	Epidemiological and Clinical Characteristics of Community-Acquired Severe Sepsis and Septic Shock: A Prospective Observational Study in 12 University Hospitals in Korea. Journal of Korean Medical Science, 2012, 27, 1308.	1.1	39
74	Bromocriptine for Control of Hyperthermia in a Patient with Mixed Autonomic Hyperactivity after Neurosurgery: A Case Report. Journal of Korean Medical Science, 2012, 27, 965.	1.1	11
75	Prognostic Factors of Community-acquired Bacteremic Patients with Severe sepsis: A Prospective, Observational Study. Infection and Chemotherapy, 2012, 44, 168.	1.0	1
76	A Case of Severe Cholangitis Caused by $\langle i \rangle$ Raoultella planticola $\langle i \rangle$ in a Patient with Pancreatic Cancer. Infection and Chemotherapy, 2012, 44, 210.	1.0	7
77	Is it Acceptable to Select Antibiotics for the Treatment of Community-acquired Acute Cystitis Based on the Antibiotics Susceptibility Results for Uropathogens from Community-acquired Acute Pyelonephritis in Korea?. Infection and Chemotherapy, 2012, 44, 269.	1.0	5
78	In vitro time-kill studies of antimicrobial agents against blood isolates of imipenem-resistant Acinetobacter baumannii, including colistin- or tigecycline-resistant isolates. Journal of Medical Microbiology, 2012, 61, 353-360.	0.7	57
79	Immunogenicity and safety of influenza A (H1N1) 2009 monovalent inactivated split vaccine in Korea. Vaccine, 2011, 29, 523-527.	1.7	14
80	Effectiveness of the pandemic influenza A/H1N1 2009 monovalent vaccine in Korea. Vaccine, 2011, 29, 1395-1398.	1.7	32
81	Molecular analysis of a prolonged spread of Klebsiella pneumoniae co-producing DHA-1 and SHV-12 $\hat{l}^2$ -lactamases. Journal of Microbiology, 2011, 49, 363-368.	1.3	4
82	Comparative analysis of disease severity between genotypes IA and IIIA of hepatitis A virus. Journal of Medical Virology, 2011, 83, 1308-1314.	2.5	16
83	Risk factors for prolonged carriage of vancomycin-resistant Enterococcus faecium among patients in intensive care units: a case-control study. Journal of Antimicrobial Chemotherapy, 2011, 66, 1831-1838.	1.3	31
84	Immunogenicity and Safety of the Influenza A/H1N1 2009 Inactivated Split-Virus Vaccine in Young and Older Adults: MF59-Adjuvanted Vaccine versus Nonadjuvanted Vaccine. Vaccine Journal, 2011, 18, 1358-1364.	3.2	38
85	Nosocomial Outbreak of Carbapenem-Resistant <i>Acinetobacter baumannii</i> in Intensive Care Units and Successful Outbreak Control Program. Journal of Korean Medical Science, 2010, 25, 999.	1.1	48
86	Clinical Characterization of Hepatitis A Infection Complicated with Acute Kidney Injury and Sequence Analysis of the VP1 Region. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2010, 13, 7.	0.5	4
87	Liver Abscess and Empyema due to <i>Lactococcus lactis cremoris</i> . Journal of Korean Medical Science, 2010, 25, 1669.	1.1	17
88	Predictors of persistent methicillin-resistant Staphylococcus aureus bacteraemia in patients treated with vancomycin. Journal of Antimicrobial Chemotherapy, 2010, 65, 1015-1018.	1.3	82
89	Long-term immunogenicity of influenza vaccine among the elderly: Risk factors for poor immune response and persistence. Vaccine, 2010, 28, 3929-3935.	1.7	125
90	Epidemiology and Control of an Outbreak of Vancomycin-Resistant Enterococci in the Intensive Care Units. Yonsei Medical Journal, 2009, 50, 637.	0.9	31

#	Article	IF	CITATIONS
91	Hospital-Based Surveillance of Infection-Related Mortality in South Korea. Public Health Reports, 2009, 124, 883-888.	1.3	O
92	Legionella lipoprotein activates toll-like receptor 2 and induces cytokine production and expression of costimulatory molecules in peritoneal macrophages. Experimental and Molecular Medicine, 2009, 41, 687.	3.2	29
93	Absolute CD4 <sup>+</sup> cell count using a plastic microchip and a microscopic cell counter. Cytometry Part B - Clinical Cytometry, 2009, 76B, 345-353.	0.7	9
94	Epidemiological and genetic analysis of a sustained community-wide outbreak of hepatitis A in the Republic of Korea, 2008: A hospital-based case–control study. Journal of Clinical Virology, 2009, 46, 184-188.	1.6	30
95	Paradoxical response during antituberculous therapy in a patient discontinuing infliximab: a case report. Journal of Medical Case Reports, 2009, 3, 6673.	0.4	14
96	Clinical outcome and predictive factors of recurrence among patients with Kikuchi's disease. International Journal of Infectious Diseases, 2009, 13, 322-326.	1.5	73
97	Discovery of Diagnostic Biomarkers for Legionnaires' Disease: Virulence Gene Expression Profiling of Legionella pneumophila serogroup $1$ in A/J Mouse Model. Infection and Chemotherapy, 2009, 42, 23.	1.0	0
98	Control of extended-spectrum Â-lactamase-producing Klebsiella pneumoniae using a computer-assisted management program to restrict third-generation cephalosporin use. Journal of Antimicrobial Chemotherapy, 2008, 62, 416-421.	1.3	37
99	Epidemiological and Genetic Characterization of Methicillin-Resistant Staphylococcus aureus Isolates from the Ear Discharge of Outpatients with Chronic Otitis Media. Journal of Korean Medical Science, 2008, 23, 762.	1.1	8
100	Evaluation of a malaria antibody enzyme immunoassay for use in blood screening. Memorias Do Instituto Oswaldo Cruz, 2008, 103, 75-78.	0.8	18
101	Outcome and Management of Spinal Tuberculosis According to the Severity of Disease. Spine, 2007, 32, E130-E135.	1.0	54
102	Clinical Evaluation of the SD Bioline Influenza Virus Antigen Test for Rapid Detection of Influenza Viruses A and B in Children and Adults during the Influenza Season. Vaccine Journal, 2007, 14, 1050-1052.	3.2	21
103	Mumps outbreak in a highly vaccinated school population: Assessment of secondary vaccine failure using IgG avidity measurements. Vaccine, 2007, 25, 4665-4670.	1.7	51
104	Risk factors for isolation of low-level mupirocin-resistant versus -susceptible methicillin-resistant Staphylococcus aureus from patients in intensive care units. Journal of Infection, 2007, 54, 337-342.	1.7	10
105	Molecular Analysis of Isoleucyl-tRNA Synthetase Mutations in Clinical Isolates of Methicillin-Resistant Staphylococcus aureus with Low-Level Mupirocin Resistance. Journal of Korean Medical Science, 2006, 21, 827.	1.1	21
106	Combination therapy of disseminated coccidioidomycosis with caspofungin and fluconazole. BMC Infectious Diseases, 2006, 6, 26.	1.3	24
107	Novel PCR-Restriction Fragment Length Polymorphism Analysis for Rapid Typing of Staphylococcal Cassette Chromosome mec Elements. Journal of Clinical Microbiology, 2006, 44, 236-238.	1.8	20
108	Disseminated Coccidioidomycosis Presenting with Miliary Nodules. Tuberculosis and Respiratory Diseases, 2006, 60, 97.	0.7	4

#	Article	IF	CITATIONS
109	Detailed Nodal Features of Cervical Tuberculous Lymphadenitis on Serial Neck Computed Tomography Before and After Chemotherapy. Journal of Computer Assisted Tomography, 2005, 29, 889-894.	0.5	10
110	Characterization of a Lipoprotein Common to Legionella Species as a Urinary Broad-Spectrum Antigen for Diagnosis of Legionnaires' Disease. Journal of Clinical Microbiology, 2003, 41, 2974-2979.	1.8	35
111	Antigenic Diversity of a 19-Kilodalton Peptidoglycan-Associated Lipoprotein among Legionella Species Determined by Reactivity Patterns to Monoclonal Antibodies. , 0, , 76-78.		1
112	Evaluation of a New Rapid Immunochromatographic Test using Peptidoglycan-Associated Lipoprotein for Detection of <i>Legionella</i> Antigen in Urine Samples from Adults with Pneumonia., 0,, 79-81.		0