

Lin Jia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6058273/publications.pdf>

Version: 2024-02-01

18
papers

1,085
citations

759233

12
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

2006
citing authors

#	ARTICLE	IF	CITATIONS
1	Niemann-Pick C1-Like 1 (NPC1L1) Protein in Intestinal and Hepatic Cholesterol Transport. Annual Review of Physiology, 2011, 73, 239-259.	13.1	262
2	Hepatocyte Toll-like receptor 4 regulates obesity-induced inflammation and insulin resistance. Nature Communications, 2014, 5, 3878.	12.8	236
3	Xbp1s in Pomc Neurons Connects ER Stress with Energy Balance and Glucose Homeostasis. Cell Metabolism, 2014, 20, 471-482.	16.2	213
4	Niemann-Pick C1-Like 1 deletion in mice prevents high-fat diet-induced fatty liver by reducing lipogenesis. Journal of Lipid Research, 2010, 51, 3135-3144.	4.2	58
5	Genetic inactivation of NPC1L1 protects against sitosterolemia in mice lacking ABCG5/ABCG8. Journal of Lipid Research, 2009, 50, 293-300.	4.2	56
6	Perivascular mesenchymal cells control adipose-tissue macrophage accrual in obesity. Nature Metabolism, 2020, 2, 1332-1349.	11.9	53
7	Niemann-Pick C1-Like 1 Is Required for an LXR Agonist to Raise Plasma HDL Cholesterol in Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 448-454.	2.4	46
8	Hepatocyte toll-like receptor 4 deficiency protects against alcohol-induced fatty liver disease. Molecular Metabolism, 2018, 14, 121-129.	6.5	35
9	Short-Term Versus Long-Term Effects of Adipocyte Toll-Like Receptor 4 Activation on Insulin Resistance in Male Mice. Endocrinology, 2017, 158, 1260-1270.	2.8	31
10	Genetic demonstration of intestinal NPC1L1 as a major determinant of hepatic cholesterol and blood atherogenic lipoprotein levels. Atherosclerosis, 2014, 237, 609-617.	0.8	21
11	Dietary cholesterol reverses resistance to diet-induced weight gain in mice lacking Niemann-Pick C1-Like 1. Journal of Lipid Research, 2010, 51, 3024-3033.	4.2	19
12	Lipopolysaccharide induces filtrate leakage from renal tubular lumina into the interstitial space via a proximal tubular Toll-like receptor 4-dependent pathway and limits sensitivity to fluid therapy in mice. Kidney International, 2020, 97, 904-912.	5.2	17
13	The atypical antipsychotic risperidone targets hypothalamic melanocortin 4 receptors to cause weight gain. Journal of Experimental Medicine, 2021, 218, .	8.5	13
14	Hepatic non-parenchymal S100A9-TLR4-mTORC1 axis normalizes diabetic ketogenesis. Nature Communications, 2022, 13, .	12.8	6
15	5-HT _{2C} -coupled Htr2c in the paraventricular nucleus of the hypothalamus antagonizes the anorectic effect of serotonin agents. Cell Reports, 2021, 37, 109997.	6.4	5
16	NPC1L1 Deficiency Suppresses Ileal Fibroblast Growth Factor 15 Expression and Increases Bile Acid Pool Size in High-Fat-Diet-Fed Mice. Cells, 2021, 10, 3468.	4.1	5
17	Delineating a serotonin 1B receptor circuit for appetite suppression in mice. Journal of Experimental Medicine, 2022, 219, .	8.5	5
18	Summary of the 2018 Alcohol and Immunology Research Interest Group (AIRIG) meeting. Alcohol, 2019, 77, 11-18.	1.7	4