## David French

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6063057/publications.pdf Version: 2024-02-01

	36271	24961
14,349	51	109
citations	h-index	g-index
222	222	15032
docs citations	times ranked	citing authors
	citations 222	14,349 51   citations h-index   222 222

DAVID EDENCH

#	Article	IF	CITATIONS
1	Method for Observing pHysical Activity and Wellbeing (MOHAWk): validation of an observation tool to assess physical activity and other wellbeing behaviours in urban spaces. Cities and Health, 2022, 6, 818-832.	1.6	10
2	Enhancing the translation of health behaviour change research into practice: a selective conceptual review of the synergy between implementation science and health psychology. Health Psychology Review, 2022, 16, 22-49.	4.4	17
3	Effects of Using a Text Message Intervention on Psychological Constructs and the Association Between Changes to Psychological Constructs and Medication Adherence in People With Type 2 Diabetes: Results From a Randomized Controlled Feasibility Study. JMIR Formative Research, 2022, 6, e30058.	0.7	5
4	Supporting People With Type 2 Diabetes in the Effective Use of Their Medicine Through Mobile Health Technology Integrated With Clinical Care to Reduce Cardiovascular Risk: Protocol for an Effectiveness and Cost-effectiveness Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e32918.	0.5	1
5	How is the Behavior Change Technique Content of the NHS Diabetes Prevention Program Understood by Participants? A Qualitative Study of Fidelity, With a Focus on Receipt. Annals of Behavioral Medicine, 2022, 56, 749-759.	1.7	13
6	Can Real-world Data and Rapid Learning Drive Improvements in Lung Cancer Survival? The RAPID-RT Study. Clinical Oncology, 2022, 34, 407-410.	0.6	11
7	Women's health behaviour change after receiving breast cancer risk estimates with tailored screening and prevention recommendations. BMC Cancer, 2022, 22, 69.	1.1	13
8	Developing theory-based text messages to support retention in clinical trials: A mixed methods approach. Research Methods in Medicine & Health Sciences, 2022, 3, 22-31.	0.7	0
9	Circulating tumour DNA monitoring and early treatment for relapse: views from patients with early-stage melanoma. British Journal of Cancer, 2022, 126, 1450-1456.	2.9	0
10	The Clinical Effectiveness of a Physiotherapy Delivered Physical and Psychological Group Intervention for Older Adults With Neurogenic Claudication: The BOOST Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1654-1664.	1.7	9
11	Fidelity to Program Specification of the National Health Service Digital Diabetes Prevention Program Behavior Change Technique Content and Underpinning Theory: Document Analysis. Journal of Medical Internet Research, 2022, 24, e34253.	2.1	10
12	The feasibility of implementing risk stratification into a national breast cancer screening programme: a focus group study investigating the perspectives of healthcare personnel responsible for delivery. BMC Women's Health, 2022, 22, 142.	0.8	8
13	The Impact of Morbidity and Disability on Attendance at Organized Breast Cancer–Screening Programs: A Systematic Review and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1275-1283.	1.1	2
14	Study protocol comparing the ethical, psychological and socio-economic impact of personalised breast cancer screening to that of standard screening in the "My Personal Breast Screening―(MyPeBS) randomised clinical trial. BMC Cancer, 2022, 22, 507.	1.1	32
15	Does receiving high or low breast cancer risk estimates produce a reduction in subsequent breast cancer screening attendance? Cohort study. Breast, 2022, 64, 47-49.	0.9	5
16	Assessing and ensuring fidelity of the nationally implemented English NHS diabetes prevention programme: lessons learned for the implementation of large-scale behaviour change programmes. Health Psychology and Behavioral Medicine, 2022, 10, 498-513.	0.8	12
17	Older adults' construal of sedentary behaviour: Implications for reducing sedentary behaviour in older adult populations. Journal of Health Psychology, 2021, 26, 2186-2199.	1.3	10
18	How Does the Understanding, Experience, and Enactment of Selfâ€Regulation Behaviour Change Techniques Vary with Age? A Thematic Analysis. Applied Psychology: Health and Well-Being, 2021, 13, 239-260.	1.6	7

#	Article	IF	CITATIONS
19	The development of a digital intervention to increase influenza vaccination amongst pregnant women. Digital Health, 2021, 7, 205520762110121.	0.9	4
20	Impact of a low-cost urban green space intervention on wellbeing behaviours in older adults: A natural experimental study. Wellbeing, Space and Society, 2021, 2, 100029.	0.9	11
21	An evaluation of goal setting in the NHS England diabetes prevention programme. Psychology and Health, 2021, , 1-20.	1.2	11
22	Is the NHS Diabetes Prevention Programme Intervention Delivered as Planned? An Observational Study of Fidelity of Intervention Delivery. Annals of Behavioral Medicine, 2021, 55, 1104-1115.	1.7	22
23	How Do Decision Makers and Service Providers Experience Participatory Approaches to Developing and Implementing Physical Activity Interventions with Older Adults? A Thematic Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 2172.	1.2	1
24	The Fidelity of Training in Behaviour Change Techniques to Intervention Design in a National Diabetes Prevention Programme. International Journal of Behavioral Medicine, 2021, 28, 671-682.	0.8	16
25	Extending screening intervals for women at low risk of breast cancer: do they find it acceptable?. BMC Cancer, 2021, 21, 637.	1.1	15
26	The theoretical basis of a nationally implemented type 2 diabetes prevention programme: how is the programme expected to produce changes in behaviour?. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 64.	2.0	18
27	Understanding acceptability in the context of text messages to encourage medication adherence in people with type 2 diabetes. BMC Health Services Research, 2021, 21, 608.	0.9	11
28	Breast Cancer Risk Assessment and Primary Prevention Advice in Primary Care: A Systematic Review of Provider Attitudes and Routine Behaviours. Cancers, 2021, 13, 4150.	1.7	21
29	Framework for the development and evaluation of complex interventions: gap analysis, workshop and consultation-informed update. Health Technology Assessment, 2021, 25, 1-132.	1.3	184
30	A new framework for developing and evaluating complex interventions: update of Medical Research Council guidance. BMJ, The, 2021, 374, n2061.	3.0	1,567
31	Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. Health Technology Assessment, 2021, 25, 1-72.	1.3	10
32	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. Journal of Clinical Epidemiology, 2021, 139, 130-139.	2.4	13
33	A natural experimental study of improvements along an urban canal: impact on canal usage, physical activity and other wellbeing behaviours. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 19.	2.0	9
34	Introducing a low-risk breast screening pathway into the NHS Breast Screening Programme: Views from healthcare professionals who are delivering risk-stratified screening. Women's Health, 2021, 17, 174550652110097.	0.7	13
35	The Acceptability of Physical Activity to Older Adults Living in Lower Socioeconomic Status Areas: A Multi-Perspective Study. International Journal of Environmental Research and Public Health, 2021, 18, 11784.	1.2	6
36	Testing a breast cancer prevention and a multiple disease prevention weight loss programme amongst women within the UK NHS breast screening programme—a randomised feasibility study. Pilot and Feasibility Studies, 2021, 7, 220.	0.5	6

#	Article	IF	CITATIONS
37	Do marketing and alcohol treatment/public health experts think televised alcohol advertisements abide by regulatory guidelines?. Journal of Health Psychology, 2020, 25, 1657-1668.	1.3	2
38	Engagement barriers and service inequities in the NHS Breast Screening Programme: Views from British-Pakistani women. Journal of Medical Screening, 2020, 27, 130-137.	1.1	21
39	Does the design of the NHS Diabetes Prevention Programme intervention have fidelity to the programme specification? A document analysis. Diabetic Medicine, 2020, 37, 1357-1366.	1.2	26
40	Translating a walking intervention for health professional delivery within primary care: A mixedâ€methods treatment fidelity assessment. British Journal of Health Psychology, 2020, 25, 17-38.	1.9	18
41	How acceptable is a weight maintenance programme for healthy weight young women who are at increased risk of breast cancer?. Psychology and Health, 2020, 35, 854-871.	1.2	6
42	Optimising the value of the critical appraisal skills programme (CASP) tool for quality appraisal in qualitative evidence synthesis. Research Methods in Medicine & Health Sciences, 2020, 1, 31-42.	0.7	265
43	Risk stratified breast cancer screening: UK healthcare policy decision-making stakeholders' views on a low-risk breast screening pathway. BMC Cancer, 2020, 20, 680.	1.1	27
44	Self-Efficacy Interventions. , 2020, , 461-478.		17
45	The NHS Diabetes Prevention Programme: an observational study of service delivery and patient experience. BMC Health Services Research, 2020, 20, 1098.	0.9	30
46	Long-Term Evaluation of Women Referred to a Breast Cancer Family History Clinic (Manchester UK) Tj ETQq0 0	0 rgBT /Ον 1.7	erlock 10 Tf 5 12
47	Personalized early detection and prevention of breast cancer: ENVISION consensus statement. Nature Reviews Clinical Oncology, 2020, 17, 687-705.	12.5	178
48	How can use of the Theoretical Domains Framework be optimized in qualitative research? A rapid systematic review. British Journal of Health Psychology, 2020, 25, 677-694.	1.9	108
49	What are the benefits and harms of risk stratified screening as part of the NHS breast screening Programme? Study protocol for a multi-site non-randomised comparison of BC-predict versus usual screening (NCT04359420). BMC Cancer, 2020, 20, 570.	1.1	37
50	Why young women gain weight: A narrative review of influencing factors and possible solutions. Obesity Reviews, 2020, 21, e13002.	3.1	29
51	Asking questions changes health-related behavior: an updated systematic review and meta-analysis. Journal of Clinical Epidemiology, 2020, 123, 59-68.	2.4	18
52	Mechanisms of physical activity behavior change in an incentive-based intervention: Mediation analysis Health Psychology, 2020, 39, 281-297.	1.3	5

53	The introduction of risk stratified screening into the NHS breast screening Programme: views from British-Pakistani women. BMC Cancer, 2020, 20, 452.	1.1	23
54	Use of Brief Messages Based on Behavior Change Techniques to Encourage Medication Adherence in People With Type 2 Diabetes: Developmental Studies. Journal of Medical Internet Research, 2020, 22, e15989.	2.1	17

#	Article	IF	CITATIONS
55	How do women experience a false-positive test result from breast screening? A systematic review and thematic synthesis of qualitative studies. British Journal of Cancer, 2019, 121, 351-358.	2.9	34
56	>What do people with type 2 diabetes want from a brief messaging system to support medication adherence?. Patient Preference and Adherence, 2019, Volume 13, 1629-1640.	0.8	14
57	Implementing behaviour change theory and techniques to increase physical activity and prevent functional decline among adults aged 61–70: The PreventIT project. Progress in Cardiovascular Diseases, 2019, 62, 147-156.	1.6	42
58	How Acceptable is Reducing Sedentary Behavior to Older Adults? Perceptions and Experiences Across Diverse Socioeconomic Areas. Journal of Aging and Physical Activity, 2019, 27, 642-652.	0.5	12
59	"l Would Never Come Here Because l've Got My Own Gardenâ€: Older Adults' Perceptions of Small Urban Green Spaces. International Journal of Environmental Research and Public Health, 2019, 16, 1994.	1.2	27
60	Protocol for the PreventIT feasibility randomised controlled trial of a lifestyle-integrated exercise intervention in young older adults. BMJ Open, 2019, 9, e023526.	0.8	34
61	Development and delivery of the BOOST (Better Outcomes for Older adults with Spinal Trouble) intervention for older adults with neurogenic claudication. Physiotherapy, 2019, 105, 262-274.	0.2	8
62	Supporting people with type 2 diabetes in effective use of their medicine through mobile health technology integrated with clinical care (SuMMiT-D Feasibility): a randomised feasibility trial protocol. BMJ Open, 2019, 9, e033504.	0.8	10
63	Breast cancer risk status influences uptake, retention and efficacy of a weight loss programme amongst breast cancer screening attendees: two randomised controlled feasibility trials. BMC Cancer, 2019, 19, 1089.	1.1	21
64	Behavior Change Techniques Associated With Changes in Postintervention and Maintained Changes in Self-Efficacy For Physical Activity: A Systematic Review With Meta-analysis. Annals of Behavioral Medicine, 2019, 53, 801-815.	1.7	88
65	Factors influencing multiple sclerosis disease-modifying treatment prescribing decisions in the United Kingdom: A qualitative interview study. Multiple Sclerosis and Related Disorders, 2019, 27, 378-382.	0.9	14
66	Identifying Brief Message Content for Interventions Delivered via Mobile Devices to Improve Medication Adherence in People With Type 2 Diabetes Mellitus: A Rapid Systematic Review. Journal of Medical Internet Research, 2019, 21, e10421.	2.1	33
67	Predicting Outcomes from Engagement With Specific Components of an Internet-Based Physical Activity Intervention With Financial Incentives: Process Analysis of a Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e11394.	2.1	15
68	A loyalty scheme to encourage physical activity in office workers: a cluster RCT. Public Health Research, 2019, 7, 1-114.	0.5	6
69	Mediators of Behavior Change Maintenance in Physical Activity Interventions for Young and Middle-Aged Adults: A Systematic Review. Annals of Behavioral Medicine, 2018, 52, 513-529.	1.7	32
70	Self-Efficacy and Its Sources as Determinants of Physical Activity among Older People. , 2018, , 231-250.		8
71	The acceptability and feasibility of layâ€health led interventions for the prevention and early detection of cancer. Psycho-Oncology, 2018, 27, 1291-1297.	1.0	4
72	Psychosocial issues of a population approach to high genetic risk identification: Behavioural, emotional and informed choice issues. Breast, 2018, 37, 148-153.	0.9	17

#	Article	IF	CITATIONS
73	How acceptable do older adults find the concept of being physically active? A systematic review and meta-synthesis. International Review of Sport and Exercise Psychology, 2018, 11, 1-24.	3.1	32
74	Are communityâ€based health worker interventions an effective approach for early diagnosis of cancer? A systematic review and metaâ€analysis. Psycho-Oncology, 2018, 27, 1089-1099.	1.0	24
75	Conflating Time and Energy: Views From Older Adults in Lower Socioeconomic Status Areas on Physical Activity. Journal of Aging and Physical Activity, 2018, 26, 506-513.	0.5	8
76	Effectiveness and cost-effectiveness of a loyalty scheme for physical activity behaviour change maintenance: a cluster randomised controlled trial. Lancet, The, 2018, 392, S4.	6.3	0
77	Effectiveness and cost-effectiveness of a loyalty scheme for physical activity behaviour change maintenance: results from a cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 127.	2.0	15
78	Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. Trials, 2018, 19, 653.	0.7	18
79	Evaluating the impact of improvements in urban green space on older adults' physical activity and wellbeing: protocol for a natural experimental study. BMC Public Health, 2018, 18, 923.	1.2	16
80	Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. BMJ Open, 2018, 8, e022205.	0.8	16
81	Do interventions containing risk messages increase risk appraisal and the subsequent vaccination intentions and uptake? – A systematic review and metaâ€analysis. British Journal of Health Psychology, 2018, 23, 1084-1106.	1.9	17
82	Making Physical Activity Interventions Acceptable to Older People. , 2018, , 291-311.		3
83	Psychological impact of providing women with personalised 10-year breast cancer risk estimates. British Journal of Cancer, 2018, 118, 1648-1657.	2.9	41
84	Promoting Early Detection and Screening for Disease. , 2018, , 533-563.		1
85	The impact of a panel of 18 SNPs on breast cancer risk in women attending a UK familial screening clinic: a case–control study. Journal of Medical Genetics, 2017, 54, 111-113.	1.5	56
86	Can Communicating Personalised Disease Risk Promote Healthy Behaviour Change? A Systematic Review of Systematic Reviews. Annals of Behavioral Medicine, 2017, 51, 718-729.	1.7	114
87	Do negative screening test results cause false reassurance? A systematic review. British Journal of Health Psychology, 2017, 22, 958-977.	1.9	22
88	Effectiveness of physical activity interventions in achieving behaviour change maintenance in young and middle aged adults: A systematic review and meta-analysis. Social Science and Medicine, 2017, 192, 125-133.	1.8	144
89	Midwives' experiences of referring obese women to either a community or home-based antenatal weight management service: Implications for service providers and midwifery practice. Midwifery, 2017, 49, 102-109.	1.0	15
90	The impact of communicating genetic risks of disease on risk-reducing health behaviour: systematic review with meta-analysis. BMJ, The, 2016, 352, i1102.	3.0	362

#	Article	IF	CITATIONS
91	Commentary: The Impact of Asking Intention or Self-Prediction Questions on Subsequent Behavior: A Meta-Analysis. Frontiers in Psychology, 2016, 7, 879.	1.1	7
92	What do people think about running barefoot/with minimalist footwear? A thematic analysis. British Journal of Health Psychology, 2016, 21, 451-468.	1.9	7
93	Is pregnancy a teachable moment for diet and physical activity behaviour change? An interpretative phenomenological analysis of the experiences of women during their first pregnancy. British Journal of Health Psychology, 2016, 21, 842-858.	1.9	60
94	Predicting perceived safety to drive the morning after drinking: The importance of hangover symptoms. Drug and Alcohol Review, 2016, 35, 442-446.	1.1	7
95	Effects of interventions promoting monitoring of medication use and brief messaging on medication adherence for people with Type 2 diabetes: a systematic review of randomized trials. Diabetic Medicine, 2016, 33, 565-579.	1.2	82
96	Perceptions and experiences of taking oral medications for the treatment of Type 2 diabetes mellitus: a systematic review and metaâ€synthesis of qualitative studies. Diabetic Medicine, 2016, 33, 1330-1338.	1.2	52
97	Breast cancer risk feedback to women in the UK NHS breast screening population. British Journal of Cancer, 2016, 114, 1045-1052.	2.9	73
98	The acceptability of physical activity interventions to older adults: A systematic review and meta-synthesis. Social Science and Medicine, 2016, 158, 14-23.	1.8	203
99	Effectiveness and cost-effectiveness of a physical activity loyalty scheme for behaviour change maintenance: a cluster randomised controlled trial. BMC Public Health, 2016, 16, 618.	1.2	13
100	The effect of changing the built environment on physical activity: a quantitative review of the risk of bias in natural experiments. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 107.	2.0	79
101	How well does the theory of planned behaviour predict alcohol consumption? A systematic review and meta-analysis. Health Psychology Review, 2016, 10, 148-167.	4.4	335
102	Implementation intention and planning interventions in Health Psychology: Recommendations from the Synergy Expert Group for research and practice. Psychology and Health, 2016, 31, 814-839.	1.2	159
103	Physical activity in older age: perspectives for healthy ageing and frailty. Biogerontology, 2016, 17, 567-580.	2.0	767
104	Acceptability of a Weight Management Intervention for Pregnant and Postpartum Women with BMI ≥30Âkg/m2: A Qualitative Evaluation of an Individualized, Home-Based Service. Maternal and Child Health Journal, 2016, 20, 88-96.	0.7	18
105	The Impact of Automated Brief Messages Promoting Lifestyle Changes Delivered Via Mobile Devices to People with Type 2 Diabetes: A Systematic Literature Review and Meta-Analysis of Controlled Trials. Journal of Medical Internet Research, 2016, 18, e86.	2.1	138
106	The question–behavior effect: Genuine effect or spurious phenomenon? A systematic review of randomized controlled trials with meta-analyses Health Psychology, 2015, 34, 61-78.	1.3	66
107	Do single and multiple behavior change interventions contain different behavior change techniques? A comparison of interventions targeting physical activity in obese populations Health Psychology, 2015, 34, 960-965.	1.3	19
108	Making health care safer: What is the contribution of health psychology?. British Journal of Health Psychology, 2015, 20, 681-687.	1.9	3

# ARTICLE IF CITATIONS The Role of Walkers' Needs and Expectations in Supporting Maintenance of Attendance at Walking Groups: A Longitudinal Multi-Perspective Study of Walkers and Walk Group Leaders. PLoS ONE, 2015, 1.1 10, e0118754. Self-Efficacy and Health., 2015, , 509-514. 110 3 The effects of a brief intervention to promote walking on Theory of Planned Behavior constructs: A cluster randomized controlled trial in general practice. Patient Éducation and Counseling, 2015, 98, 1.0 651-659. How do environmental factors influence walking in groups? A walk-along study. Journal of Health 112 1.3 16 Psychology, 2015, 20, 1328-1339. Do UK Television Alcohol Advertisements Abide by the Code of Broadcast Advertising Rules Regarding 14 the Portrayal of Alcohol?. Alcohol and Alcoholism, 2014, 49, 472-478. A study of automated self-assessment in a primary care student health centre setting. Journal of 114 1.4 28 Telemédicine and Telecare, 2014, 20, 123-127. Theory of planned behaviour variables and objective walking behaviour do not show seasonal variation in a randomised controlled trial. BMC Public Health, 2014, 14, 120. 1.2 Which Behaviour Change Techniques Are Most Effective at Increasing Older Adults' Self-Efficacy and 116 1.7 404 Physical Activity Behaviour? A Systematic Review. Annals of Behavioral Medicine, 2014, 48, 225-234. Predicting maintenance of attendance at walking groups: Testing constructs from three leading maintenance theories.. Health Psychology, 2014, 33, 752-756. 1.3 Delay in Seeking Medical Help following Transient Ischemic Attack (TIA) or "Mini-Stroke†A Qualitative 118 1.1 12 Study. PLoS ONE, 2014, 9, e104434. What are the most effective techniques in changing obese individuals' physical activity self-efficacy and behaviour: a systematic review and meta-analysis. International Journal of Behavioral Nutrition 442 and Physical Activity, 2013, 10, 29. Do interventions to promote walking in groups increase physical activity? A meta-analysis. 120 2.0 127 International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 18. Increasing young adults' condom use intentions and behaviour through changing chlamydia risk and coping appraisals: study protocol for a cluster randomised controlled trial of efficacy. BMC Public Health, 2013, 13, 528. 1.2 Which outcome expectancies are important in determining young adults' intentions to use condoms 122 1.2 32 with casual sexual partners?: a cross-sectional study. BMC Public Health, 2013, 13, 133. Predicting self-care behaviours of patients with type 2 diabetes: The importance of beliefs about behaviour, not just beliefs about illness. Journal of Psychosomatic Research, 2013, 74, 327-333. 1.2 BJHP - Building on our strengths. British Journal of Health Psychology, 2013, 18, 1-1. 124 1.9 4 The role of selfa $\in$  efficacy in changing healtha $\in$  related behaviour: <scp>C</scp>ause, effect or spurious association?. British Journal of Health Psychology, 2013, 18, 237-243. 1.9 69 Why don't many obese pregnant and post-natal women engage with a weight management service?. 126 0.9 27 Journal of Reproductive and Infant Psychology, 2013, 31, 245-256.

#	Article	IF	CITATIONS
127	Beliefs underlying chlamydia risk appraisals: the relationship with young adults' intentions to use condoms. Journal of Risk Research, 2013, 16, 843-860.	1.4	5
128	The Systematic Development of a Brief Intervention to Increase Walking in the General Public Using an "Extended―Theory of Planned Behavior. Journal of Physical Activity and Health, 2013, 10, 940-948.	1.0	17
129	Expectations for consultations and antibiotics for respiratory tract infection in primary care: the RTI clinical iceberg. British Journal of General Practice, 2013, 63, e429-e436.	0.7	132
130	An intervention to increase walking requires both motivational and volitional components: A replication and extension. Psychology, Health and Medicine, 2012, 17, 127-135.	1.3	27
131	Promoting healthy eating in pregnancy: What kind of support services do women say they want?. Primary Health Care Research and Development, 2012, 13, 237-243.	0.5	27
132	Have the public's expectations for antibiotics for acute uncomplicated respiratory tract infections changed since the H1N1 influenza pandemic? A qualitative interview and quantitative questionnaire study. BMJ Open, 2012, 2, e000674.	0.8	14
133	Using the theory of planned behaviour to understand binge drinking: The importance of beliefs for developing interventions. British Journal of Health Psychology, 2012, 17, 1-17.	1.9	120
134	How do young adults perceive the risk of chlamydia infection? A qualitative study. British Journal of Health Psychology, 2012, 17, 144-154.	1.9	21
135	Comparative optimism for severity of negative health outcomes. Psychology, Health and Medicine, 2012, 17, 417-426.	1.3	5
136	The role of context and timeframe in moderating relationships within the theory of planned behaviour. Psychology and Health, 2011, 26, 1225-1240.	1.2	22
137	The views of pre- and post-natal women and health professionals regarding gestational weight gain: An exploratory study. Sexual and Reproductive Healthcare, 2011, 2, 43-48.	0.5	107
138	A refined taxonomy of behaviour change techniques to help people change their physical activity and healthy eating behaviours: The CALO-RE taxonomy. Psychology and Health, 2011, 26, 1479-1498.	1.2	1,386
139	The Brief IPQ does not have â€~robust psychometrics': Why there is a need for further developmental work on the Brief IPQ, and why our study provides a useful start. British Journal of Health Psychology, 2011, 16, 250-256.	1.9	2
140	Experience of hypoglycaemia is associated with changes in beliefs about diabetes in patients with Type 2 diabetes. Diabetic Medicine, 2011, 28, 1395-1400.	1.2	2
141	Enhancing delivery of health behaviour change interventions in primary care: A meta-synthesis of views and experiences of primary care nurses. Patient Education and Counseling, 2011, 85, 315-322.	1.0	40
142	Predictors of anxiety and depression among people attending diabetes screening: A prospective cohort study embedded in the ADDITION (Cambridge) randomized control trial. British Journal of Health Psychology, 2011, 16, 213-226.	1.9	23
143	What do people think about when they answer the Brief Illness Perception Questionnaire? A â€~think-aloud' study. British Journal of Health Psychology, 2011, 16, 231-245.	1.9	64
144	A cluster randomised controlled trial of the efficacy of a brief walking intervention delivered in primary care: Study protocol. BMC Family Practice, 2011, 12, 56.	2.9	13

#	Article	IF	CITATIONS
145	What are the most effective intervention techniques for changing physical activity self-efficacy and physical activity behaviourand are they the same?. Health Education Research, 2011, 26, 308-322.	1.0	554
146	What is the best way to change selfâ€efficacy to promote lifestyle and recreational physical activity? A systematic review with metaâ€analysis. British Journal of Health Psychology, 2010, 15, 265-288.	1.9	493
147	Reactivity of measurement in health psychology: How much of a problem is it? What can be done about it?. British Journal of Health Psychology, 2010, 15, 453-468.	1.9	162
148	Wide variation in understanding about what constitutes â€~binge-drinking'. Drugs: Education, Prevention and Policy, 2010, 17, 762-775.	0.8	16
149	Dancing to a different tune: The predictive utility of the theory of planned behaviour when the behaviour is constrained. Psychology of Sport and Exercise, 2010, 11, 250-257.	1.1	7
150	Effects of communicating DNA-based disease risk estimates on risk-reducing behaviours. The Cochrane Library, 2010, , CD007275.	1.5	192
151	An intervention to promote walking amongst the general population based on an â€~extended' theory of planned behaviour: A waiting list randomised controlled trial. Psychology and Health, 2010, 25, 71-88.	1.2	137
152	Are people with negative diabetes screening tests falsely reassured? Parallel group cohort study embedded in the ADDITION (Cambridge) randomised controlled trial. BMJ: British Medical Journal, 2009, 339, b4535-b4535.	2.4	35
153	Assessing Unrealistic Optimism. Journal of Health Psychology, 2009, 14, 372-377.	1.3	13
154	Accessibility of salient beliefs about the outcomes of physical activity. British Journal of Health Psychology, 2009, 14, 159-174.	1.9	7
155	Completing a postal health questionnaire did not affect anxiety or related measures: randomized controlled trial. Journal of Clinical Epidemiology, 2009, 62, 74-80.	2.4	5
156	What sense do people make of a theory of planned behaviour questionnaire?. Journal of Health Psychology, 2009, 14, 861-871.	1.3	70
157	Do perceptions of vulnerability and worry mediate the effects of a smoking cessation intervention for women attending for a routine cervical smear test? An experimental study Health Psychology, 2009, 28, 258-263.	1.3	17
158	Blood glucose self-monitoring in type 2 diabetes: a randomised controlled trial. Health Technology Assessment, 2009, 13, iii-iv, ix-xi, 1-50.	1.3	108
159	The development of the Self-Medicating Scale (SMS): a scale to measure people's beliefs about self-medication. International Journal of Clinical Pharmacy, 2008, 30, 794-800.	1.4	17
160	Selfâ€monitoring of blood glucose changed nonâ€insulinâ€treated TypeÂ2 diabetes patients' beliefs about diabetes and selfâ€monitoring in a randomized trial. Diabetic Medicine, 2008, 25, 1218-1228.	1.2	42
161	Current issues and new directions in Psychology and Health : "Assessing illness perceptions: Beyond the IPQ― Psychology and Health, 2008, 23, 5-9.	1.2	46
162	Different measures of risk perceptions and distress yield different patterns of results: The importance of specificity in measurement and theory. Psychology, Health and Medicine, 2008, 13, 591-596.	1.3	6

#	Article	IF	CITATIONS
163	How well do the theory of reasoned action and theory of planned behaviour predict intentions and attendance at screening programmes? A meta-analysis. Psychology and Health, 2008, 23, 745-765.	1.2	235
164	What do people think about when answering questionnaires to assess unrealistic optimism about skin cancer? A think aloud study. Psychology, Health and Medicine, 2008, 13, 63-74.	1.3	33
165	Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 486.	2.4	119
166	Sociodemographic Differences in Myocardial Infarction Risk Perceptions among People with Coronary Heart Disease. Journal of Health Psychology, 2007, 12, 316-329.	1.3	12
167	Impact of self monitoring of blood glucose in the management of patients with non-insulin treated diabetes: open parallel group randomised trial. BMJ: British Medical Journal, 2007, 335, 132.	2.4	354
168	What Do People Think about When They Answer Theory of Planned Behaviour Questionnaires?. Journal of Health Psychology, 2007, 12, 672-687.	1.3	89
169	An exploration of walking behaviour—An interpretative phenomenological approach. Social Science and Medicine, 2007, 65, 2172-2183.	1.8	60
170	Are beliefs elicited biased by question order? A theory of planned behaviour belief elicitation study about walking in the UK general population. British Journal of Health Psychology, 2007, 12, 93-110.	1.9	30
171	Using the affective priming paradigm to explore the attitudes underlying walking behaviour. British Journal of Health Psychology, 2007, 12, 571-585.	1.9	33
172	The theory of planned behaviour predicts selfâ€reports of walking, but does not predict step count. British Journal of Health Psychology, 2007, 12, 601-620.	1.9	51
173	Reasons for the use of mild analgesics among English students. International Journal of Clinical Pharmacy, 2007, 30, 79-85.	1.4	34
174	Illness perceptions predict attendance at cardiac rehabilitation following acute myocardial infarction: A systematic review with meta-analysis. Journal of Psychosomatic Research, 2006, 61, 757-767.	1.2	214
175	Can genetic risk information enhance motivation for smoking cessation? An analogue study Health Psychology, 2006, 25, 740-752.	1.3	45
176	The psychological costs of inadequate cervical smear test results: three-month follow-up. Psycho-Oncology, 2006, 15, 498-508.	1.0	28
177	Personal and Social Comparison Information about Health Risk. Journal of Health Psychology, 2006, 11, 497-510.	1.3	15
178	Assessing Perceptions of Risks due to Multiple Hazards. Journal of Risk Research, 2006, 9, 657-682.	1.4	16
179	How valid are measures of beliefs about the causes of illness? The example of myocardial infarction. Psychology and Health, 2005, 20, 615-635.	1.2	8
180	Causal beliefs and behaviour change post-myocardial infarction: How are they related?. British Journal of Health Psychology, 2005, 10, 167-182.	1.9	19

#	Article	IF	CITATIONS
181	The Importance of Affective Beliefs and Attitudes in the Theory of Planned Behavior: Predicting Intention to Increase Physical Activity1. Journal of Applied Social Psychology, 2005, 35, 1824-1848.	1.3	169
182	The purpose of attributing cause: beliefs about the causes of myocardial infarction. Social Science and Medicine, 2005, 60, 1411-1421.	1.8	60
183	The DiGEM trial protocol – a randomised controlled trial to determine the effect on glycaemic control of different strategies of blood glucose self-monitoring in people with type 2 diabetes [ISRCTN47464659]. BMC Family Practice, 2005, 6, 25.	2.9	34
184	Do illness perceptions predict attendance at cardiac rehabilitation and quality of life following myocardial infarction?. Journal of Psychosomatic Research, 2005, 59, 315-322.	1.2	68
185	Explaining differences in causal attributions of patient and non-patient samples. Psychology, Health and Medicine, 2004, 9, 259-272.	1.3	11
186	Using the theory of planned behaviour to predict screening uptake in two contexts. Psychology and Health, 2004, 19, 705-718.	1.2	23
187	Psychological costs of inadequate cervical smear test results. British Journal of Cancer, 2004, 91, 1887-1892.	2.9	55
188	The impact of personal and social comparison information about health risk. British Journal of Health Psychology, 2004, 9, 187-200.	1.9	35
189	Different measures of risk perceptions yield different patterns of interaction for combinations of hazards: smoking, family history and cardiac events. Journal of Behavioral Decision Making, 2004, 17, 381-393.	1.0	9
190	The expectancy-value muddle in the theory of planned behaviour - and some proposed solutions. British Journal of Health Psychology, 2003, 8, 37-55.	1.9	69
191	Eliciting salient beliefs in research on the theory of planned behaviour: The effect of question wording. Current Psychology, 2003, 22, 234-251.	0.4	116
192	Causal Attributions Following Serious Unexpected Negative Events: A Systematic Review. Journal of Social and Clinical Psychology, 2003, 22, 515-536.	0.2	53
193	Eliciting Causal Beliefs about Heart Attacks: A Comparison of Implicit and Explicit Methods. Journal of Health Psychology, 2002, 7, 433-444.	1.3	8
194	Predictive genetic testing: Mediators and moderators of anxiety. International Journal of Behavioral Medicine, 2002, 9, 309-321.	0.8	24
195	Measuring Perceptions of Synergistic Circulatory Disease Risk Due to Smoking and the Oral Contraceptive Pill. Risk Analysis, 2002, 22, 1139-1151.	1.5	8
196	The structure of beliefs about the causes of heart attacks: A network analysis. British Journal of Health Psychology, 2002, 7, 463-479.	1.9	34
197	Communicating risk. , 2001, , 431-435.		5
198	GP stress and patient dissatisfaction with nights on call: an exploratory study - GP stress and patient satisfaction. Scandinavian Journal of Primary Health Care, 2001, 19, 170-173.	0.6	17

#	Article	IF	CITATIONS
199	Causal attributions for heart disease: A systematic review. Psychology and Health, 2001, 16, 77-98.	1.2	87
200	Perceptions of Multiple Risk Factors for Heart Attacks. Psychological Reports, 2000, 87, 681-687.	0.9	24
201	Statistical guidelines for studies of the theory of reasoned action and the theory of planned behaviour. Psychology and Health, 2000, 15, 151-161.	1.2	94
202	PERCEPTIONS OF MULTIPLE RISK FACTORS FOR HEART ATTACKS. Psychological Reports, 2000, 87, 681.	0.9	11
203	Information recall in genetic counselling: a pilot study of its assessment. Patient Education and Counseling, 1997, 32, 93-100.	1.0	41
204	Comparison of out of hours care provided by patients' own general practitioners and commercial deputising services: a randomised controlled trial. I: The process of care. BMJ: British Medical Journal, 1997, 314, 187-187.	2.4	31
205	Comparison of out of hours care provided by patients' own general practitioners and commercial deputising services: a randomised controlled trial. II: the outcome of care. BMJ: British Medical Journal, 1997, 314, 190-190.	2.4	52
206	Reliability and validity of a new measure of patient satisfaction with out of hours primary medical care in the united kingdom: development of a patient questionnaire. BMJ: British Medical Journal, 1997, 314, 193-193.	2.4	171
207	Planning Research: Design, Sample, Measures. , 0, , 83-103.		2