## Margaretha Rudas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/606332/publications.pdf

Version: 2024-02-01

41 papers 1,469 citations

471509 17 h-index 361022 35 g-index

42 all docs 42 docs citations

times ranked

42

2125 citing authors

#	Article	IF	CITATIONS
1	A New Molecular Predictor of Distant Recurrence in ER-Positive, HER2-Negative Breast Cancer Adds Independent Information to Conventional Clinical Risk Factors. Clinical Cancer Research, 2011, 17, 6012-6020.	7.0	597
2	Activity of T-DM1 in Her2-positive breast cancer brain metastases. Clinical and Experimental Metastasis, 2015, 32, 729-737.	3.3	103
3	Decentral gene expression analysis for ER+/Her2â^' breast cancer: results of a proficiency testing program for the EndoPredict assay. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2012, 460, 251-259.	2.8	88
4	Cyclin D1 Expression in Breast Cancer Patients Receiving Adjuvant Tamoxifen-Based Therapy. Clinical Cancer Research, 2008, 14, 1767-1774.	7.0	81
5	Mineral oil in human tissues, Part I: Concentrations and molecular mass distributions. Food and Chemical Toxicology, 2014, 72, 312-321.	3.6	77
6	A simple classification system (the Tree flowchart) for breast MRI can reduce the number of unnecessary biopsies in MRI-only lesions. European Radiology, 2017, 27, 3799-3809.	4.5	59
7	Prediction of Distant Recurrence Using EndoPredict Among Women with ER+, HER2â <sup>-</sup> ' Node-Positive and Node-Negative Breast Cancer Treated with Endocrine Therapy Only. Clinical Cancer Research, 2019, 25, 3865-3872.	7.0	54
8	Mineral oil in human tissues, Part II: Characterization of the accumulated hydrocarbons by comprehensive two-dimensional gas chromatography. Science of the Total Environment, 2015, 506-507, 644-655.	8.0	50
9	Diffusionâ€weighted MRI of breast lesions: a prospective clinical investigation of the quantitative imaging biomarker characteristics of reproducibility, repeatability, and diagnostic accuracy. NMR in Biomedicine, 2016, 29, 1445-1453.	2.8	46
10	Multiparametric MR Imaging with High-Resolution Dynamic Contrast-enhanced and Diffusion-weighted Imaging at 7 T Improves the Assessment of Breast Tumors: A Feasibility Study. Radiology, 2015, 276, 360-370.	7.3	44
11	Pathological Complete Response to Neoadjuvant Trastuzumab Is Dependent on HER2/CEP17 Ratio in HER2-Amplified Early Breast Cancer. Clinical Cancer Research, 2017, 23, 3676-3683.	7.0	29
12	The EndoPredict score predicts response to neoadjuvant chemotherapy and neoendocrine therapy in hormone receptor-positive, human epidermal growth factor receptor 2-negative breast cancer patients from the ABCSG-34 trial. European Journal of Cancer, 2020, 134, 99-106.	2.8	29
13	Alleviation of Brain Edema and Restoration of Functional Independence by Bevacizumab in Brain-Metastatic Breast Cancer: A Case Report. Breast Care, 2014, 9, 134-134.	1.4	25
14	Efficacy and safety of the therapeutic cancer vaccine tecemotide (L-BLP25) in early breast cancer: Results from a prospective, randomised, neoadjuvant phase II study (ABCSG 34). European Journal of Cancer, 2020, 132, 43-52.	2.8	24
15	Diagnostic accuracy of 18F-FDG PET/CT compared with that of contrast-enhanced MRI of the breast at 3 T. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1656-1665.	6.4	22
16	Prognostic Value of EndoPredict in Women with Hormone Receptor–Positive, HER2-Negative Invasive Lobular Breast Cancer. Clinical Cancer Research, 2020, 26, 4682-4687.	7.0	22
17	Antiestrogenic effects of the fetal estrogen estetrol in women with estrogen-receptor positive early breast cancer. Carcinogenesis, 2014, 35, 2447-2451.	2.8	21
18	Persistence of ctDNA in Patients with Breast Cancer During Neoadjuvant Treatment Is a Significant Predictor of Poor Tumor Response. Clinical Cancer Research, 2022, 28, 697-707.	7.0	17

#	Article	IF	CITATIONS
19	The breast lesion excision system (BLES) under stereotactic guidance cannot be used as a therapeutic tool in the excision of small areas of microcalcifications in the breast. European Journal of Radiology, 2017, 93, 252-257.	2.6	11
20	Taxanes Plus Trastuzumab Compared To Oral Vinorelbine Plus Trastuzumab in HER2-Overexpressing Metastatic Breast Cancer. Breast Care, 2014, 9, 6-6.	1.4	8
21	Differential Claudin 3 and EGFR Expression Predicts BRCA1 Mutation in Triple-Negative Breast Cancer. Cancer Investigation, 2018, 36, 378-388.	1.3	8
22	PIK3CA Mutational Status Is Associated with High Glycolytic Activity in ER+/HER2â <sup>-</sup> Early Invasive Breast Cancer: a Molecular Imaging Study Using [18F]FDG PET/CT. Molecular Imaging and Biology, 2019, 21, 991-1002.	2.6	8
23	A risk stratification algorithm for lesions of uncertain malignant potential diagnosed by vacuum-assisted breast biopsy (VABB) of mammographic microcalcifications. European Journal of Radiology, 2021, 135, 109479.	2.6	7
24	Low HER2-expression to predict impaired activity of endocrine therapy in patients with estrogen-receptor (ER) positive metastatic breast cancer (MBC) Journal of Clinical Oncology, 2013, 31, 573-573.	1.6	7
25	Independent validation of stromal uPA in archived tumor samples from the prospectively randomized ABCSG8 trial to provide level 1b evidence for a prognostic value of uPA immunohistochemistry in endocrine-treated postmenopausal breast cancer patients Journal of Clinical Oncology, 2017, 35, 536-536.	1.6	7
26	Predicting local recurrence using PAM50 in postmenopausal endocrine responsive breast cancer patients Journal of Clinical Oncology, 2014, 32, 1008-1008.	1.6	5
27	Postoperative CMF Does Not Ameliorate Poor Outcomes in Women With Residual Invasive Breast Cancer After Neoadjuvant Epirubicin/Docetaxel Chemotherapy. Clinical Breast Cancer, 2015, 15, 505-511.	2.4	4
28	Association of Cytokeratin 5 and Claudin 3 expression with BRCA1 and BRCA2 germline mutations in women with early breast cancer. BMC Cancer, 2019, 19, 695.	2.6	4
29	Predictive Value of Molecular Subtypes in Premenopausal Women with Hormone Receptor–positive Early Breast Cancer: Results from the ABCSG Trial 5. Clinical Cancer Research, 2020, 26, 5682-5688.	7.0	4
30	Conventional versus reverse sequence of neoadjuvant epirubicin/cyclophosphamide and docetaxel: sequencing results from ABCSG-34. British Journal of Cancer, 2021, 124, 1795-1802.	6.4	3
31	The OncoMasTR Test Predicts Distant Recurrence in Estrogen Receptor–Positive, HER2-Negative Early-Stage Breast Cancer: A Validation Study in ABCSG Trial 8. Clinical Cancer Research, 2021, 27, 5931-5938.	7.0	1
32	Hybrid PET-MRI of the breast: A promising tool for the characterization of breast tumors Journal of Clinical Oncology, 2012, 30, 10570-10570.	1.6	1
33	Impact of the EndoPredict-clin score on risk stratification in ER-positive, HER2-negative breast cancer after considering clinical guidelines Journal of Clinical Oncology, 2012, 30, 542-542.	1.6	1
34	Association of <i>TP53</i> codon 72 polymorphism with <i>TP53</i> mutation in triple-negative breast cancer (TNBC) patients Journal of Clinical Oncology, 2014, 32, 1130-1130.	1.6	1
35	Ki67 to predict RCBO/I after neoadjuvant chemotherapy and endocrine therapy in HER2- breast cancer patients from ABCSG 34 Journal of Clinical Oncology, 2018, 36, 589-589.	1.6	1
36	Association of TP53 mutations with TP53 codon 72 polymorphism and outcome in triple-negative breast cancer. Memo - Magazine of European Medical Oncology, 2016, 9, 70-75.	0.5	0

#	Article	IF	CITATIONS
37	Diffusion-weighted imaging using ADC mapping as an imaging biomarker for breast cancer invasiveness Journal of Clinical Oncology, 2013, 31, 11093-11093.	1.6	O
38	BRCA-1 promotor methylation as predictor of benefit from adjuvant CMF in triple-negative breast cancer not responsive to taxane-based neoadjuvant chemotherapy Journal of Clinical Oncology, 2013, 31, 148-148.	1.6	0
39	Prognostic impact of breast cancer (BC) subtype in elderly patients Journal of Clinical Oncology, 2015, 33, e20536-e20536.	1.6	0
40	Circulating tumor cells as an early detection tool for BRCA positive women?. Journal of Clinical Oncology, 2016, 34, e13025-e13025.	1.6	0
41	PIK3CA mutational status and correlation with tumor glycolysis imaged with [18F]FDG PET/CT in early primary ER+ / HER2- breast cancer patients: A feasibility study Journal of Clinical Oncology, 2016, 34, e12050-e12050.	1.6	0