Angela Fang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6064614/publications.pdf

Version: 2024-02-01

516710 434195 3,777 34 16 31 citations g-index h-index papers 39 39 39 5038 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Maladaptive self-focused attention and default mode network connectivity: a transdiagnostic investigation across social anxiety and body dysmorphic disorders. Social Cognitive and Affective Neuroscience, 2022, 17, 645-654.	3.0	5
2	COVID-19 and obsessive-compulsive symptoms in a large multi-site college sample. Journal of Obsessive-Compulsive and Related Disorders, 2022, , 100727.	1.5	1
3	State and Trait Risk and Resilience Factors Associated with COVID-19 Impact and Obsessive–Compulsive Symptom Trajectories. International Journal of Cognitive Therapy, 2021, , 1-23.	2.2	4
4	Serum oxytocin levels are elevated in body dysmorphic disorder and related to severity of psychopathology. Psychoneuroendocrinology, 2020, 113, 104541.	2.7	3
5	Conformity to masculine norms and symptom severity among men diagnosed with muscle dysmorphia vs. body dysmorphic disorder. PLoS ONE, 2020, 15, e0237651.	2.5	21
6	Mechanisms of Change in Cognitive Behavioral Therapy for Body Dysmorphic Disorder. Cognitive Therapy and Research, 2020, 44, 596-610.	1.9	10
7	T14. Predicting Cognitive Behavioral Therapy Treatment Outcome Using Neural Markers of Maladaptive Self-Focused Attention. Biological Psychiatry, 2019, 85, S134-S135.	1.3	O
8	Personality as a Predictor of Treatment Response to Escitalopram in Adults With Body Dysmorphic Disorder. Journal of Psychiatric Practice, 2019, 25, 347-357.	0.7	7
9	Intranasal oxytocin modulates higher order social cognition in body dysmorphic disorder. Depression and Anxiety, 2019, 36, 153-161.	4.1	7
10	Removal notice to Effect of Intranasal Oxytocin Administration on Psychiatric Symptoms: A Meta-Analysis of Placebo-Controlled Studies Psychiatr Res. 228 (2015) 708-714. Psychiatry Research, 2018, 263, 299.	3.3	2
11	S17. Resting State Functional Connectivity in the Default Mode Network (DMN) in Patients With Maladaptive Self-Focused Attention. Biological Psychiatry, 2018, 83, S353.	1.3	O
12	Treating Obsessive-Compulsive Disorder in the Postpartum Period: Diagnostic and Cultural Considerations. Harvard Review of Psychiatry, 2018, 26, 82-89.	2.1	5
13	Working hard for oneself or others: Effects of oxytocin on reward motivation in social anxiety disorder. Biological Psychology, 2017, 127, 157-162.	2.2	23
14	Association Between Scrupulosity and Personality Characteristics in Individuals With Obsessive-Compulsive Symptoms. International Journal of Cognitive Therapy, 2016, 9, 245-259.	2.2	4
15	Antidepressant use with d-Cycloserine may block fear extinction. Evidence-Based Mental Health, 2016, 19, e5-e5.	4.5	1
16	Treatment of an Adult with Body Dysmorphic Disorder. , 2016, , 259-271.		2
17	Cognitive Behavioral Therapy for Body Dysmorphic Disorder. , 2016, , 141-153.		O
18	Cognitive-based therapy for OCD: Role of behavior experiments and exposure processes. Journal of Obsessive-Compulsive and Related Disorders, 2015, 6, 158-166.	1.5	9

#	Article	IF	CITATIONS
19	Clinical Features, Cognitive Biases, and Treatment of Body Dysmorphic Disorder. Annual Review of Clinical Psychology, 2015, 11, 187-212.	12.3	78
20	Attachment Style Moderates the Effects of Oxytocin on Social Behaviors and Cognitions During Social Rejection. Clinical Psychological Science, 2014, 2, 740-747.	4.0	49
21	Relationship between social anxiety and perceived trustworthiness. Anxiety, Stress and Coping, 2014, 27, 190-201.	2.9	6
22	Body Dysmorphic Disorder. Psychiatric Clinics of North America, 2014, 37, 287-300.	1.3	26
23	Cognitive enhancers for the treatment of anxiety disorders. Restorative Neurology and Neuroscience, 2014, 32, 183-195.	0.7	19
24	Social Mishap Exposures for Social Anxiety Disorder: An Important Treatment Ingredient. Cognitive and Behavioral Practice, 2013, 20, 213-220.	1.5	23
25	Psychological treatment of social anxiety disorder improves body dysmorphic concerns. Journal of Anxiety Disorders, 2013, 27, 684-691.	3.2	21
26	<scp>d</scp> -Cycloserine as an Augmentation Strategy With Cognitive-Behavioral Therapy for Social Anxiety Disorder. American Journal of Psychiatry, 2013, 170, 751-758.	7.2	112
27	The Efficacy of Cognitive Behavioral Therapy: A Review of Meta-analyses. Cognitive Therapy and Research, 2012, 36, 427-440.	1.9	2,116
28	Treatment of Body Dysmorphic Disorder. , 2012, , .		2
29	EMOTION DYSREGULATION MODEL OF MOOD AND ANXIETY DISORDERS. Depression and Anxiety, 2012, 29, 409-416.	4.1	440
30	Rejection sensitivity mediates the relationship between social anxiety and body dysmorphic concerns. Journal of Anxiety Disorders, 2011, 25, 946-949.	3.2	31
31	Comparative prevalence, correlates of impairment, and service utilization for eating disorders across US ethnic groups: Implications for reducing ethnic disparities in health care access for eating disorders. International Journal of Eating Disorders, 2011, 44, 412-420.	4.0	416
32	Culturally Adapted Cognitive Behavioral Therapy for Body Dysmorphic Disorder: Case Examples. International Journal of Cognitive Therapy, 2011, 4, 381-396.	2.2	13
33	The Empirical Status of the "New Wave―of Cognitive Behavioral Therapy. Psychiatric Clinics of North America, 2010, 33, 701-710.	1.3	172
34	Relationship between social anxiety disorder and body dysmorphic disorder. Clinical Psychology Review, 2010, 30, 1040-1048.	11.4	101