

Kenji Gonda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6066651/publications.pdf>

Version: 2024-02-01

34
papers

313
citations

1163117

8
h-index

888059

17
g-index

45
all docs

45
docs citations

45
times ranked

523
citing authors

#	ARTICLE	IF	CITATIONS
1	Potential curing and beneficial effects of Ooitabi (<i>Ficus pumila</i> L.) on hypertension and dyslipidaemia in Okinawa. <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 395-401.	2.5	9
2	<i>Ficus pumila</i> L. improves the prognosis of patients infected with HTLV-1, an RNA virus. <i>Nutrition Journal</i> , 2021, 20, 16.	3.4	5
3	Ingestion of Okinawa Island Vegetables Increases IgA Levels and Prevents the Spread of Influenza RNA Viruses. <i>Nutrients</i> , 2021, 13, 1773.	4.1	4
4	Soluble interleukin-2 receptor as a predictive and prognostic marker for patients with familial breast cancer. <i>Science Progress</i> , 2021, 104, 003685042110395.	1.9	3
5	A case of lipoma, calcification, and brain malformations in the midline of the skull. <i>Radiology Case Reports</i> , 2021, 16, 2509-2513.	0.6	0
6	Prognostic impact of interleukin-6 and C-reactive protein on patients with breast cancer. <i>Oncology Letters</i> , 2019, 17, 5139-5146.	1.8	16
7	MLH1 germline mutation associated with Lynch syndrome in a family followed for more than 45 years. <i>BMC Medical Genetics</i> , 2019, 20, 67.	2.1	9
8	Cluster of differentiation 8 and programmed cell death ligand 1 expression in triple-negative breast cancer combined with autosomal dominant polycystic kidney disease and tuberous sclerosis complex: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 381.	0.8	1
9	Association between cognitive impairment patient with solid cancer and insulin resistance. <i>BMC Research Notes</i> , 2019, 12, 705.	1.4	0
10	Eccrine porocarcinoma arising from the knee. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 350-352.	0.5	3
11	Serum transthyretin level is associated with prognosis of patients with gastric cancer. <i>Journal of Surgical Research</i> , 2018, 227, 145-150.	1.6	19
12	Clinical Significance of Soluble Intercellular Adhesion Molecule-1 and Interleukin-6 in Patients with Extrahepatic Cholangiocarcinoma. <i>Journal of Investigative Surgery</i> , 2018, 31, 475-482.	1.3	5
13	PS02.071: EVALUATION OF CIRCULATING TUMOR CELLS IN ESOPHAGEAL CANCER PATIENTS. <i>Ecological Management and Restoration</i> , 2018, 31, 140-140.	0.4	0
14	PS02.247: TWO CASES OF NEUROENDOCRINE CARCINOMA OF ESOPHAGOGASTRIC JUNCTION. <i>Ecological Management and Restoration</i> , 2018, 31, 193-193.	0.4	0
15	PS02.094: EVALUATION OF ADDITIONAL TREATMENT AFTER NON-CURATIVE ENDOSCOPIC SUBMUCOSAL RESECTION FOR ESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018, 31, 147-148.	0.4	0
16	Poland syndrome accompanied by internal iliac artery supply disruption sequence: a case report. <i>Journal of Medical Case Reports</i> , 2018, 12, 312.	0.8	4
17	Prognostic impact of soluble intercellular adhesion molecule-1 in hepatocellular carcinoma. <i>Oncology Letters</i> , 2018, 16, 6013-6018.	1.8	4
18	Prognostic impact of preoperative lymphocyte-to-monocyte ratio in patients with colorectal cancer with special reference to myeloid-derived suppressor cells. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 64-72.	0.4	20

#	ARTICLE	IF	CITATIONS
19	Prognostic impact of elevated preoperative C-reactive protein on patients with differentiated thyroid carcinoma. <i>Journal of Surgical Research</i> , 2018, 231, 338-345.	1.6	3
20	SIRS, CARS and MARS in relationship to cancer cachexia and its clinical implications. <i>Annals of Cancer Research and Therapy</i> , 2018, 26, 54-59.	0.3	4
21	Correlation of VEGF with immune suppression involving MDSC, malnutrition, and prognosis in patients with gastric and colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 582-582.	1.6	1
22	Correlation of IL-17 with immune suppression involving MDSC, malnutrition, and prognosis in patients with gastric and colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 83-83.	1.6	2
23	Myeloid-derived suppressor cells are increased and correlated with type 2 immune responses, malnutrition, inflammation, and poor prognosis in patients with breast cancer. <i>Oncology Letters</i> , 2017, 14, 1766-1774.	1.8	109
24	Significance of Circulating Galectin-3 in Patients with Pancreatobiliary Cancer. <i>Anticancer Research</i> , 2017, 37, 4979-4986.	1.1	10
25	IL-17 and VEGF are significantly associated with disease progression involving systemic inflammation in patients with gastric and colorectal cancers. <i>Annals of Cancer Research and Therapy</i> , 2017, 25, 67-76.	0.3	5
26	Immunosuppression involving increased myeloid-derived suppressor cell levels, systemic inflammation and hypoalbuminemia are present in patients with anaplastic thyroid cancer. <i>Molecular and Clinical Oncology</i> , 2013, 1, 959-964.	1.0	44
27	Elevated serum levels of vascular endothelial growth factor is effective as a marker for malnutrition and inflammation in patients with ovarian cancer. <i>Biomedical Reports</i> , 2013, 1, 197-201.	2.0	12
28	Circulating myeloid-derived suppressor cells (MDSC) and correlation to poor prognosis, Th2-polarization, inflammation, and nutritional damages in patients with gastric cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 3063-3063.	1.6	3
29	Correlation of production of IL-17 with immune suppression relating myeloid-derived suppressor cells (MDSC) and nutritional damages in patients with digestive system cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 437-437.	1.6	0
30	Serum Soluble Interleukin-2 Receptor is Increased in Malnourished and Immunosuppressed Patients With Gastric and Colorectal Cancer: Possible Influence of Myeloid-Derived Suppressor Cells. <i>World Journal of Oncology</i> , 2012, 3, 158-164.	1.5	7
31	Relationship of myeloid-derived suppressor cells (MDSC) and immune suppression, nutritional impairment, and inflammatory markers in patients with gastrointestinal cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, 675-675.	1.6	2
32	Effect of PSK on FOLFOX4-induced peripheral neuropathy and bone marrow suppression in patients with metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2011, 29, 596-596.	1.6	1
33	Etodolac inhibits interleukin-6 production and improves survival combined with chemotherapy in a colon 26 cachexia model. <i>Annals of Cancer Research and Therapy</i> , 2010, 18, 1-5.	0.3	0
34	Expression of Xeroderma Pigmentosum Group G (XPG) in Sporadic Breast Carcinoma. <i>Annals of Cancer Research and Therapy</i> , 2010, 18, 37-42.	0.3	3