

John I Nurnberger Jr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6068101/publications.pdf>

Version: 2024-02-01

332
papers

38,044
citations

6486

82
h-index

4305

179
g-index

349
all docs

349
docs citations

349
times ranked

33235
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | High Polygenic Risk Scores Are Associated With Early Age of Onset of Alcohol Use Disorder in Adolescents and Young Adults at Risk. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 379-388. | 1.0 | 7 |
| 2 | Symptoms of mania and anxiety do not contribute to suicidal ideation or behavior in the presence of bipolar depression. <i>Psychiatry Research</i> , 2022, 307, 114296. | 1.7 | 3 |
| 3 | Correction of depression-associated circadian rhythm abnormalities is associated with lithium response in bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 521-529. | 1.1 | 8 |
| 4 | Genomics and psychiatry: a historical overview. , 2022, , 1-16. | | 0 |
| 5 | Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 499-508. | 1.1 | 15 |
| 6 | Genetic and environment effects on structural neuroimaging endophenotype for bipolar disorder: a novel molecular approach. <i>Translational Psychiatry</i> , 2022, 12, 137. | 2.4 | 4 |
| 7 | Rare variants implicate NMDA receptor signaling and cerebellar gene networks in risk for bipolar disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3842-3856. | 4.1 | 5 |
| 8 | Gene-based polygenic risk scores analysis of alcohol use disorder in African Americans. <i>Translational Psychiatry</i> , 2022, 12, . | 2.4 | 10 |
| 9 | Using a developmental perspective to examine the moderating effects of marriage on heavy episodic drinking in a young adult sample enriched for risk. <i>Development and Psychopathology</i> , 2021, 33, 1097-1106. | 1.4 | 5 |
| 10 | Genome-wide admixture mapping of DSM alcohol dependence, criterion count, and the self-rating of the effects of ethanol in African American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, 151-161. | 1.1 | 11 |
| 11 | Moderators of the association between depressive, manic, and mixed mood symptoms and suicidal ideation and behavior: An analysis of the National Network of Depression Centers Mood Outcomes Program. <i>Journal of Affective Disorders</i> , 2021, 281, 623-630. | 2.0 | 11 |
| 12 | Predicting alcohol use disorder remission: a longitudinal multimodal multi-featured machine learning approach. <i>Translational Psychiatry</i> , 2021, 11, 166. | 2.4 | 22 |
| 13 | Circadian rhythms in bipolar disorder patient-derived neurons predict lithium response: preliminary studies. <i>Molecular Psychiatry</i> , 2021, 26, 3383-3394. | 4.1 | 29 |
| 14 | Clinical predictors of non-response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. <i>Bipolar Disorders</i> , 2021, 23, 821-831. | 1.1 | 20 |
| 15 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 9.4 | 629 |
| 16 | Mapping Pathways by Which Genetic Risk Influences Adolescent Externalizing Behavior: The Interplay Between Externalizing Polygenic Risk Scores, Parental Knowledge, and Peer Substance Use. <i>Behavior Genetics</i> , 2021, 51, 543-558. | 1.4 | 13 |
| 17 | Multi-omics integration analysis identifies novel genes for alcoholism with potential overlap with neurodegenerative diseases. <i>Nature Communications</i> , 2021, 12, 5071. | 5.8 | 34 |
| 18 | Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669. | 1.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Multivariate analysis of 1.5 million people identifies genetic associations with traits related to self-regulation and addiction. <i>Nature Neuroscience</i> , 2021, 24, 1367-1376. | 7.1 | 137 |
| 20 | New analyses provide supportive evidence for specific genes related to bipolar disorder. <i>Bipolar Disorders</i> , 2021, 23, 295-296. | 1.1 | 2 |
| 21 | Effects of somatic treatments on suicidal ideation and completed suicides. <i>Brain and Behavior</i> , 2021, 11, e2381. | 1.0 | 11 |
| 22 | Effects of polygenic risk for suicide attempt and risky behavior on brain structure in young people with familial risk of bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, 485-507. | 1.1 | 4 |
| 23 | Cover Image, Volume 186B, Number 8, December 2021. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, . | 1.1 | 0 |
| 24 | Genome-wide association studies of the self-rating of effects of ethanol (SRE). <i>Addiction Biology</i> , 2020, 25, e12800. | 1.4 | 20 |
| 25 | Atypical Cortical Activation During Risky Decision Making in Disruptive Behavior Disordered Youths With Histories of Suicidal Ideation. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 510-519. | 1.1 | 8 |
| 26 | A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045. | 3.7 | 200 |
| 27 | Alcohol-Related, Drug-Related, and Non-Substance-Related Aggression: 3 Facets of a Single Construct or 3 Distinct Constructs?. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1852-1861. | 1.4 | 2 |
| 28 | The association between lithium use and neurocognitive performance in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1743-1749. | 2.8 | 28 |
| 29 | Selective kappa-opioid antagonism ameliorates anhedonic behavior: evidence from the Fast-fail Trial in Mood and Anxiety Spectrum Disorders (FAST-MAS). <i>Neuropsychopharmacology</i> , 2020, 45, 1656-1663. | 2.8 | 50 |
| 30 | Using polygenic scores for identifying individuals at increased risk of substance use disorders in clinical and population samples. <i>Translational Psychiatry</i> , 2020, 10, 196. | 2.4 | 45 |
| 31 | A randomized proof-of-mechanism trial applying the "fast-fail" approach to evaluating μ -opioid antagonism as a treatment for anhedonia. <i>Nature Medicine</i> , 2020, 26, 760-768. | 15.2 | 129 |
| 32 | A Family-Based Genome Wide Association Study of Externalizing Behaviors. <i>Behavior Genetics</i> , 2020, 50, 175-183. | 1.4 | 7 |
| 33 | Association of Polygenic Liability for Alcohol Dependence and EEG Connectivity in Adolescence and Young Adulthood. <i>Brain Sciences</i> , 2019, 9, 280. | 1.1 | 13 |
| 34 | Genome-wide association studies of alcohol dependence, DSM-IV criterion count and individual criteria. <i>Genes, Brain and Behavior</i> , 2019, 18, e12579. | 1.1 | 56 |
| 35 | Genome-wide association study identifies loci associated with liability to alcohol and drug dependence that is associated with variability in reward-related ventral striatum activity in African- and European-Americans. <i>Genes, Brain and Behavior</i> , 2019, 18, e12580. | 1.1 | 15 |
| 36 | Patterns and predictors of family environment among adolescents at high and low risk for familial bipolar disorder. <i>Journal of Psychiatric Research</i> , 2019, 114, 153-160. | 1.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | The Genetic Relationship Between Alcohol Consumption and Aspects of Problem Drinking in an Ascertained Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1113-1125. | 1.4 | 15 |
| 38 | Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803. | 9.4 | 1,191 |
| 39 | Entrainment of Circadian Rhythms to Temperature Reveals Amplitude Deficits in Fibroblasts from Patients with Bipolar Disorder and Possible Links to Calcium Channels. <i>Molecular Neuropsychiatry</i> , 2019, 5, 115-124. | 3.0 | 9 |
| 40 | Analysis of whole genome-transcriptomic organization in brain to identify genes associated with alcoholism. <i>Translational Psychiatry</i> , 2019, 9, 89. | 2.4 | 66 |
| 41 | Salivary melatonin onset in youth at familial risk for bipolar disorder. <i>Psychiatry Research</i> , 2019, 274, 49-57. | 1.7 | 8 |
| 42 | Lithium alters expression of RNAs in a type-specific manner in differentiated human neuroblastoma neuronal cultures, including specific genes involved in Alzheimer's disease. <i>Scientific Reports</i> , 2019, 9, 18261. | 1.6 | 12 |
| 43 | 21st-Century Genetics in Psychiatric Residency Training. <i>JAMA Psychiatry</i> , 2019, 76, 231. | 6.0 | 19 |
| 44 | Exploring the relationship between polygenic risk for cannabis use, peer cannabis use and the longitudinal course of cannabis involvement. <i>Addiction</i> , 2019, 114, 687-697. | 1.7 | 24 |
| 45 | The first implementation of the NIMH FAST-FAIL approach to psychiatric drug development. <i>Nature Reviews Drug Discovery</i> , 2019, 18, 82-84. | 21.5 | 52 |
| 46 | Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170. | 0.3 | 7 |
| 47 | Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 620-628. | 2.8 | 80 |
| 48 | Polygenic risk scores in psychiatry: Will they be useful for clinicians?. <i>F1000Research</i> , 2019, 8, 1293. | 0.8 | 69 |
| 49 | Development of Alcohol Use Disorder as a Function of Age, Severity, and Comorbidity with Externalizing and Internalizing Disorders in a Young Adult Cohort. <i>Journal of Psychiatry and Brain Science</i> , 2019, 4, . | 0.3 | 2 |
| 50 | Lithium-associated transcriptional regulation of CRMP1 in patient-derived olfactory neurons and symptom changes in bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 81. | 2.4 | 11 |
| 51 | A Biomarker Characterizing Neurodevelopment with applications in Autism. <i>Scientific Reports</i> , 2018, 8, 614. | 1.6 | 41 |
| 52 | <i>CYP2A6</i> metabolism in the development of smoking behaviors in young adults. <i>Addiction Biology</i> , 2018, 23, 437-447. | 1.4 | 10 |
| 53 | Associations of parental alcohol use disorders and parental separation with offspring initiation of alcohol, cigarette and cannabis use and sexual debut in high-risk families. <i>Addiction</i> , 2018, 113, 336-345. | 1.7 | 31 |
| 54 | Early-onset tobacco use and suicide-related behavior – A prospective study from adolescence to young adulthood. <i>Addictive Behaviors</i> , 2018, 79, 32-38. | 1.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Detecting significant genotype-phenotype association rules in bipolar disorder: market research meets complex genetics. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 24. | 0.8 | 8 |
| 56 | Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669. | 7.1 | 490 |
| 57 | Influence of Parental Alcohol Dependence Symptoms and Parenting on Adolescent Risky Drinking and Conduct Problems: A Family Systems Perspective. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1783-1794. | 1.4 | 18 |
| 58 | What Should a Psychiatrist Know About Genetics?. <i>Journal of Clinical Psychiatry</i> , 2018, 80, . | 1.1 | 40 |
| 59 | A genome wide association study of fast beta EEG in families of European ancestry. <i>International Journal of Psychophysiology</i> , 2017, 115, 74-85. | 0.5 | 9 |
| 60 | Comparison of Parent, Peer, Psychiatric, and Cannabis Use Influences Across Stages of Offspring Alcohol Involvement: Evidence from the <scp>COGA</scp> Prospective Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 359-368. | 1.4 | 71 |
| 61 | Reciprocal relationships between substance use and disorders and suicidal ideation and suicide attempts in the Collaborative Study of the Genetics of Alcoholism. <i>Journal of Affective Disorders</i> , 2017, 213, 96-104. | 2.0 | 27 |
| 62 | Autism genetics: opportunities and challenges for clinical translation. <i>Nature Reviews Genetics</i> , 2017, 18, 362-376. | 7.7 | 340 |
| 63 | Traumatic Stress Interacts With Bipolar Disorder Genetic Risk to Increase Risk for Suicide Attempts. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 1073-1080. | 0.3 | 31 |
| 64 | A GABRA2 polymorphism improves a model for prediction of drinking initiation. <i>Alcohol</i> , 2017, 63, 1-8. | 0.8 | 5 |
| 65 | Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. <i>JAMA Psychiatry</i> , 2017, 74, 1153. | 6.0 | 73 |
| 66 | A Genetic Locus Associated With Depression: The Iceberg Begins to Melt. <i>Biological Psychiatry</i> , 2017, 82, 304-305. | 0.7 | 0 |
| 67 | Substance use disorders in adolescent and young adult relatives of probands with bipolar disorder: What drives the increased risk?. <i>Comprehensive Psychiatry</i> , 2017, 78, 130-139. | 1.5 | 6 |
| 68 | Toward Precision Psychiatry: Statistical Platform for the Personalized Characterization of Natural Behaviors. <i>Frontiers in Neurology</i> , 2016, 7, 8. | 1.1 | 69 |
| 69 | Interactions Between Alcohol Metabolism Genes and Religious Involvement in Association With Maximum Drinks and Alcohol Dependence Symptoms. <i>Journal of Studies on Alcohol and Drugs</i> , 2016, 77, 393-404. | 0.6 | 9 |
| 70 | The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , 2016, 16, 129. | 1.1 | 61 |
| 71 | Effects of Lithium Monotherapy for Bipolar Disorder on Gene Expression in Peripheral Lymphocytes. <i>Molecular Neuropsychiatry</i> , 2016, 2, 115-123. | 3.0 | 27 |
| 72 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394. | 1.4 | 182 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Transgenerational latent early-life associated regulation unites environment and genetics across generations. <i>Epigenomics</i> , 2016, 8, 373-387. | 1.0 | 20 |
| 74 | Risk factors for suicide in bipolar I disorder in two prospectively studied cohorts. <i>Journal of Affective Disorders</i> , 2016, 190, 1-5. | 2.0 | 17 |
| 75 | Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016, 46, 151-169. | 1.4 | 98 |
| 76 | Genetics of Psychiatric Disorders. , 2016, , 553-600. | | 1 |
| 77 | Assessment of first and second degree relatives of individuals with bipolar disorder shows increased genetic risk scores in both affected relatives and young At-Risk Individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 617-629. | 1.1 | 49 |
| 78 | Further Analyses of Genetic Association Between <i>GRM8</i> and Alcohol Dependence Symptoms Among Young Adults. <i>Journal of Studies on Alcohol and Drugs</i> , 2015, 76, 414-418. | 0.6 | 11 |
| 79 | Positive Selection on Loci Associated with Drug and Alcohol Dependence. <i>PLoS ONE</i> , 2015, 10, e0134393. | 1.1 | 5 |
| 80 | Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 172, 453-461. | 2.0 | 15 |
| 81 | Rare variants in neuronal excitability genes influence risk for bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3576-3581. | 3.3 | 152 |
| 82 | Characteristics of Bipolar I patients grouped by externalizing disorders. <i>Journal of Affective Disorders</i> , 2015, 178, 206-214. | 2.0 | 10 |
| 83 | Genetic and childhood trauma interaction effect on age of onset in bipolar disorder: An exploratory analysis. <i>Journal of Affective Disorders</i> , 2015, 179, 1-5. | 2.0 | 40 |
| 84 | Differential responses to lithium in hyperexcitable neurons from patients with bipolar disorder. <i>Nature</i> , 2015, 527, 95-99. | 13.7 | 461 |
| 85 | Association of substance dependence phenotypes in the COGA sample. <i>Addiction Biology</i> , 2015, 20, 617-627. | 1.4 | 46 |
| 86 | Variants in Ion Channel Genes Link Phenotypic Features of Bipolar Illness to Specific Neurobiological Process Domains. <i>Molecular Neuropsychiatry</i> , 2015, 1, 23-35. | 3.0 | 8 |
| 87 | Predictors of Subgroups Based on Maximum Drinks per Occasion Over Six Years for 833 Adolescents and Young Adults in COGA. <i>Journal of Studies on Alcohol and Drugs</i> , 2014, 75, 24-34. | 0.6 | 21 |
| 88 | Rare missense variants in <i>CHRNA3</i> and <i>CHRNA3</i> are associated with risk of alcohol and cocaine dependence. <i>Human Molecular Genetics</i> , 2014, 23, 810-819. | 1.4 | 39 |
| 89 | Genetics of Alcoholism. <i>Current Psychiatry Reports</i> , 2014, 16, 518. | 2.1 | 11 |
| 90 | Social Contexts of Remission from DSM-5 Alcohol Use Disorder in a High-Risk Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2015-2023. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The Autism Simplex Collection: an international, expertly phenotyped autism sample for genetic and phenotypic analyses. <i>Molecular Autism</i> , 2014, 5, 34. | 2.6 | 31 |
| 92 | Family-Based Association Analysis of Alcohol Dependence Criteria and Severity. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 354-366. | 1.4 | 27 |
| 93 | An <i>ADH1B</i> Variant and Peer Drinking in Progression to Adolescent Drinking Milestones: Evidence of a Gene-Environment Interaction. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2541-2549. | 1.4 | 32 |
| 94 | Genetic influences on alcohol use across stages of development: <i>GABRA2</i> and longitudinal trajectories of drunkenness from adolescence to young adulthood. <i>Addiction Biology</i> , 2014, 19, 1055-1064. | 1.4 | 41 |
| 95 | Identification of Pathways for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 657. | 6.0 | 204 |
| 96 | DSM-5 cannabis use disorder: A phenotypic and genomic perspective. <i>Drug and Alcohol Dependence</i> , 2014, 134, 362-369. | 1.6 | 38 |
| 97 | Convergence of Genes and Cellular Pathways Dysregulated in Autism Spectrum Disorders. <i>American Journal of Human Genetics</i> , 2014, 94, 677-694. | 2.6 | 819 |
| 98 | Using genetic information from candidate gene and genome-wide association studies in risk prediction for alcohol dependence. <i>Addiction Biology</i> , 2014, 19, 708-721. | 1.4 | 47 |
| 99 | Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2014, 19, 1017-1024. | 4.1 | 333 |
| 100 | Genome-wide survival analysis of age at onset of alcohol dependence in extended high-risk COGA families. <i>Drug and Alcohol Dependence</i> , 2014, 142, 56-62. | 1.6 | 29 |
| 101 | Recurrent duplications of the annexin A1 gene (<i>ANXA1</i>) in autism spectrum disorders. <i>Molecular Autism</i> , 2014, 5, 28. | 2.6 | 13 |
| 102 | On the association of common and rare genetic variation influencing body mass index: a combined SNP and CNV analysis. <i>BMC Genomics</i> , 2014, 15, 368. | 1.2 | 18 |
| 103 | A meta-analysis of two genome-wide association studies to identify novel loci for maximum number of alcoholic drinks. <i>Human Genetics</i> , 2013, 132, 1141-1151. | 1.8 | 91 |
| 104 | Gender-Specific Gene-Environment Interaction in Alcohol Dependence: The Impact of Daily Life Events and <i>GABRA2</i> . <i>Behavior Genetics</i> , 2013, 43, 402-414. | 1.4 | 37 |
| 105 | Genetic and Neurophysiological Correlates of the Age of Onset of Alcohol Use Disorders in Adolescents and Young Adults. <i>Behavior Genetics</i> , 2013, 43, 386-401. | 1.4 | 19 |
| 106 | Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994. | 9.4 | 2,067 |
| 107 | Protocol for a collaborative meta-analysis of 5-HTTLPR, stress, and depression. <i>BMC Psychiatry</i> , 2013, 13, 304. | 1.1 | 35 |
| 108 | Genetic influences on craving for alcohol. <i>Addictive Behaviors</i> , 2013, 38, 1501-1508. | 1.7 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. <i>Molecular Psychiatry</i> , 2013, 18, 340-346. | 4.1 | 153 |
| 110 | How Phenotype and Developmental Stage Affect the Genes We Find: GABRA2 and Impulsivity. <i>Twin Research and Human Genetics</i> , 2013, 16, 661-669. | 0.3 | 51 |
| 111 | Measurement invariance of <sc>DSM</sc>â€<sc>IV</sc> alcohol, marijuana and cocaine dependence between communityâ€sampled and clinically overselected studies. <i>Addiction</i> , 2013, 108, 1767-1776. | 1.7 | 17 |
| 112 | Strategies to develop putative biomarkers to characterize the female phenotype with autism spectrum disorders. <i>Journal of Neurophysiology</i> , 2013, 110, 1646-1662. | 0.9 | 21 |
| 113 | Autism: the micro-movement perspective. <i>Frontiers in Integrative Neuroscience</i> , 2013, 7, 32. | 1.0 | 177 |
| 114 | Genome-wide association study of comorbid depressive syndrome and alcohol dependence. <i>Psychiatric Genetics</i> , 2012, 22, 31-41. | 0.6 | 114 |
| 115 | BDNF expression in lymphoblastoid cell lines carrying BDNF SNPs associated with bipolar disorder. <i>Psychiatric Genetics</i> , 2012, 22, 253-255. | 0.6 | 6 |
| 116 | Individual common variants exert weak effects on the risk for autism spectrum disorders. <i>Human Molecular Genetics</i> , 2012, 21, 4781-4792. | 1.4 | 334 |
| 117 | Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes stargazin, ift27 and parvalbumin. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 941-950. | 1.1 | 10 |
| 118 | GENETICS OF BIPOLAR DISORDER: WHERE WE ARE AND WHERE WE ARE GOING. <i>Depression and Anxiety</i> , 2012, 29, 991-993. | 2.0 | 24 |
| 119 | A novel approach of homozygous haplotype sharing identifies candidate genes in autism spectrum disorder. <i>Human Genetics</i> , 2012, 131, 565-579. | 1.8 | 180 |
| 120 | Measuring alcohol consumption for genomic meta-analyses of alcohol intake: opportunities and challenges. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 539-547. | 2.2 | 35 |
| 121 | Convergent functional genomics of schizophrenia: from comprehensive understanding to genetic risk prediction. <i>Molecular Psychiatry</i> , 2012, 17, 887-905. | 4.1 | 355 |
| 122 | Multi-species data integration and gene ranking enrich significant results in an alcoholism genome-wide association study. <i>BMC Genomics</i> , 2012, 13, S16. | 1.2 | 28 |
| 123 | ADH1B is associated with alcohol dependence and alcohol consumption in populations of European and African ancestry. <i>Molecular Psychiatry</i> , 2012, 17, 445-450. | 4.1 | 197 |
| 124 | The Aggregate Effect of Dopamine Genes on Dependence Symptoms Among Cocaine Users: Cross-Validation of a Candidate System Scoring Approach. <i>Behavior Genetics</i> , 2012, 42, 626-635. | 1.4 | 17 |
| 125 | <sc>CHRN&sc>3 is more strongly associated with <sc>F</sc>agerstr&sc>T</sc>est for <sc>C</sc>igarette <sc>D</sc>ependenceâ€based nicotine dependence than cigarettes per day: phenotype definition changes genomeâ€wide association studies results. <i>Addiction</i> , 2012, 107, 2019-2028. | 1.7 | 67 |
| 126 | Early antidepressant effect of memantine during augmentation of lamotrigine inadequate response in bipolar depression: a doubleâ€blind, randomized, placeboâ€controlled trial. <i>Bipolar Disorders</i> , 2012, 14, 64-70. | 1.1 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Sex differences in how a low sensitivity to alcohol relates to later heavy drinking. <i>Drug and Alcohol Review</i> , 2012, 31, 871-880. | 1.1 | 24 |
| 128 | Variants Located Upstream of CHRNA4 on Chromosome 15q25.1 Are Associated with Age at Onset of Daily Smoking and Habitual Smoking. <i>PLoS ONE</i> , 2012, 7, e33513. | 1.1 | 24 |
| 129 | Copy Number Variation Accuracy in Genome-Wide Association Studies. <i>Human Heredity</i> , 2011, 71, 141-147. | 0.4 | 15 |
| 130 | The AVPR1A Gene and Substance Use Disorders: Association, Replication, and Functional Evidence. <i>Biological Psychiatry</i> , 2011, 70, 519-527. | 0.7 | 45 |
| 131 | Cannabis involvement in individuals with bipolar disorder. <i>Psychiatry Research</i> , 2011, 185, 459-461. | 1.7 | 72 |
| 132 | Genetic association of bipolar disorder with the $\alpha 3$ nicotinic receptor subunit gene. <i>Psychiatric Genetics</i> , 2011, 21, 77-84. | 0.6 | 10 |
| 133 | A genome-wide association study of DSM-IV cannabis dependence. <i>Addiction Biology</i> , 2011, 16, 514-518. | 1.4 | 94 |
| 134 | Reply to "Replication of association of 3p21.1 with susceptibility to bipolar disorder but not major depression". <i>Nature Genetics</i> , 2011, 43, 5-5. | 9.4 | 13 |
| 135 | Identification of blood biomarkers for psychosis using convergent functional genomics. <i>Molecular Psychiatry</i> , 2011, 16, 37-58. | 4.1 | 143 |
| 136 | Genome-wide association study of theta band event-related oscillations identifies serotonin receptor gene <i>HTR7</i> influencing risk of alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 44-58. | 1.1 | 67 |
| 137 | A High-Risk Study of Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 1012. | 13.8 | 163 |
| 138 | Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983. | 9.4 | 1,283 |
| 139 | Genome-Wide Association of Bipolar Disorder Suggests an Enrichment of Replicable Associations in Regions near Genes. <i>PLoS Genetics</i> , 2011, 7, e1002134. | 1.5 | 59 |
| 140 | A Principal Components Analysis of the Abbreviated Desires for Alcohol Questionnaire (DAQ)*. <i>Journal of Studies on Alcohol and Drugs</i> , 2010, 71, 150-155. | 0.6 | 22 |
| 141 | Predictors of Sexual Debut at Age 16 or Younger. <i>Archives of Sexual Behavior</i> , 2010, 39, 664-673. | 1.2 | 51 |
| 142 | Evidence for genes on chromosome 2 contributing to alcohol dependence with conduct disorder and suicide attempts. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1179-1188. | 1.1 | 30 |
| 143 | An investigation of candidate regions for association with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1292-1297. | 1.1 | 6 |
| 144 | Genome-Wide Association Study of Alcohol Dependence Implicates a Region on Chromosome 11. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 840-852. | 1.4 | 274 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Single Nucleotide Polymorphisms in Corticotropin Releasing Hormone Receptor 1 Gene (<i>CRHR1</i>) Are Associated With Quantitative Trait of Event-Related Potential and Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 988-996. | 1.4 | 68 |
| 146 | Obesity, Smoking, and Frontal Brain Dysfunction. <i>American Journal on Addictions</i> , 2010, 19, 391-400. | 1.3 | 13 |
| 147 | Functional impact of global rare copy number variation in autism spectrum disorders. <i>Nature</i> , 2010, 466, 368-372. | 13.7 | 1,803 |
| 148 | A genome-wide scan for common alleles affecting risk for autism. <i>Human Molecular Genetics</i> , 2010, 19, 4072-4082. | 1.4 | 538 |
| 149 | Predicting Sensation Seeking From Dopamine Genes. <i>Psychological Science</i> , 2010, 21, 1282-1290. | 1.8 | 103 |
| 150 | A genome-wide association study of alcohol dependence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 5082-5087. | 3.3 | 418 |
| 151 | A systematic gene-based screen of chr4q22-q32 identifies association of a novel susceptibility gene, <i>DKK2</i> , with the quantitative trait of alcohol dependence symptom counts. <i>Human Molecular Genetics</i> , 2010, 19, 2497-2506. | 1.4 | 15 |
| 152 | <i>GABRR1</i> and <i>GABRR2</i> , encoding the GABA _A receptor subunits $\alpha 1$ and $\alpha 2$, are associated with alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 418-427. | 1.1 | 42 |
| 153 | New Hope for Pharmacogenetic Testing. <i>American Journal of Psychiatry</i> , 2009, 166, 635-638. | 4.0 | 2 |
| 154 | Genome-Wide Analyses of Exonic Copy Number Variants in a Family-Based Study Point to Novel Autism Susceptibility Genes. <i>PLoS Genetics</i> , 2009, 5, e1000536. | 1.5 | 374 |
| 155 | Association of single nucleotide polymorphisms in a glutamate receptor gene (<i>GRM8</i>) with theta power of event-related oscillations and alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 359-368. | 1.1 | 64 |
| 156 | Evidence for association between polymorphisms in the cannabinoid receptor 1 (<i>CNR1</i>) gene and cannabis dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 736-740. | 1.1 | 70 |
| 157 | Identifying blood biomarkers for mood disorders using convergent functional genomics. <i>Molecular Psychiatry</i> , 2009, 14, 156-174. | 4.1 | 189 |
| 158 | Singleton deletions throughout the genome increase risk of bipolar disorder. <i>Molecular Psychiatry</i> , 2009, 14, 376-380. | 4.1 | 137 |
| 159 | Genetic variation in the <i>CHRNA5</i> gene affects mRNA levels and is associated with risk for alcohol dependence. <i>Molecular Psychiatry</i> , 2009, 14, 501-510. | 4.1 | 196 |
| 160 | Genome-wide association study of bipolar disorder in European American and African American individuals. <i>Molecular Psychiatry</i> , 2009, 14, 755-763. | 4.1 | 326 |
| 161 | Autism genome-wide copy number variation reveals ubiquitin and neuronal genes. <i>Nature</i> , 2009, 459, 569-573. | 13.7 | 1,270 |
| 162 | Common genetic variants on 5p14.1 associate with autism spectrum disorders. <i>Nature</i> , 2009, 459, 528-533. | 13.7 | 912 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Eyeblink conditioning anomalies in bipolar disorder suggest cerebellar dysfunction. <i>Bipolar Disorders</i> , 2009, 11, 19-32. | 1.1 | 45 |
| 164 | Development and validation of the high-quality "rapid method for swab"™ to genotype the HTTLPR serotonin transporter (SLC6A4) promoter polymorphism. <i>Psychiatric Genetics</i> , 2009, 19, 72-82. | 0.6 | 7 |
| 165 | A Comparison of Diagnoses Obtained From In-Person and Telephone Interviews, Using the Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA). <i>Journal of Studies on Alcohol and Drugs</i> , 2009, 70, 623-627. | 0.6 | 14 |
| 166 | Dissecting the phenotype in genome-wide association studies of psychiatric illness. <i>British Journal of Psychiatry</i> , 2009, 195, 97-99. | 1.7 | 64 |
| 167 | A simulated genetic structure for bipolar illness. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 952-956. | 1.1 | 14 |
| 168 | A novel non-parametric regression reveals linkage on chromosome 4 for the number of externalizing symptoms in sib-pairs. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1301-1305. | 1.1 | 5 |
| 169 | Under the Influence of Genetics: How Transdisciplinarity Leads Us to Rethink Social Pathways to Illness. <i>American Journal of Sociology</i> , 2008, 114, S171-S201. | 0.3 | 109 |
| 170 | The Tachykinin Receptor 3 Is Associated With Alcohol and Cocaine Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1023-1030. | 1.4 | 48 |
| 171 | Neuropeptide Y Receptor Genes Are Associated With Alcohol Dependence, Alcohol Withdrawal Phenotypes, and Cocaine Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 2031-2040. | 1.4 | 76 |
| 172 | HUMAN GENETIC STUDY: Association analysis of genes encoding the nociceptin receptor (<i>OPRL1</i>) and its endogenous ligand (<i>PNOC</i>) with alcohol or illicit drug dependence. <i>Addiction Biology</i> , 2008, 13, 80-87. | 1.4 | 42 |
| 173 | Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. <i>Bipolar Disorders</i> , 2008, 10, 38-44. | 1.1 | 55 |
| 174 | Early-emerging cognitive vulnerability to depression and the serotonin transporter promoter region polymorphism. <i>Journal of Affective Disorders</i> , 2008, 107, 227-230. | 2.0 | 62 |
| 175 | A Systematic Single Nucleotide Polymorphism Screen to Fine-Map Alcohol Dependence Genes on Chromosome 7 Identifies Association With a Novel Susceptibility Gene ACN9. <i>Biological Psychiatry</i> , 2008, 63, 1047-1053. | 0.7 | 41 |
| 176 | A Risk Allele for Nicotine Dependence in <i>CHRNA5</i> Is a Protective Allele for Cocaine Dependence. <i>Biological Psychiatry</i> , 2008, 64, 922-929. | 0.7 | 138 |
| 177 | Linkage scan for quantitative traits identifies new regions of interest for substance dependence in the Collaborative Study on the Genetics of Alcoholism (COGA) sample. <i>Drug and Alcohol Dependence</i> , 2008, 93, 12-20. | 1.6 | 71 |
| 178 | The prognostic implications of DSM-IV abuse criteria in drinking adolescents. <i>Drug and Alcohol Dependence</i> , 2008, 97, 94-104. | 1.6 | 40 |
| 179 | Variants in Nicotinic Receptors and Risk for Nicotine Dependence. <i>American Journal of Psychiatry</i> , 2008, 165, 1163-1171. | 4.0 | 584 |
| 180 | A regulatory variation in <i>OPRK1</i> , the gene encoding the $\hat{\text{A}}$ -opioid receptor, is associated with alcohol dependence. <i>Human Molecular Genetics</i> , 2008, 17, 1783-1789. | 1.4 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | A multimethod investigation of the Behavioral Activation System in bipolar disorder.. Journal of Abnormal Psychology, 2008, 117, 164-170. | 2.0 | 57 |
| 182 | Multiple-Domain Predictors of Problematic Alcohol Use in Young Adulthood. Journal of Studies on Alcohol and Drugs, 2008, 69, 649-659. | 0.6 | 33 |
| 183 | Evidence of association between brain-derived neurotrophic factor gene and bipolar disorder. Psychiatric Genetics, 2008, 18, 267-274. | 0.6 | 51 |
| 184 | Genome-wide parametric linkage analyses of 644 bipolar pedigrees suggest susceptibility loci at chromosomes 16 and 20. Psychiatric Genetics, 2008, 18, 191-198. | 0.6 | 14 |
| 185 | Genetics of Psychiatric Disorders. , 2008, , 487-518. | | 5 |
| 186 | Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. American Journal of Psychiatry, 2007, 164, 236-247. | 4.0 | 93 |
| 187 | A Comparison of Factors Associated With Substance-Induced Versus Independent Depressions. Journal of Studies on Alcohol and Drugs, 2007, 68, 805-812. | 0.6 | 52 |
| 188 | Association analyses of the serotonin transporter gene with lifetime depression and alcohol dependence in the Collaborative Study on the Genetics of Alcoholism (COGA) sample. Psychiatric Genetics, 2007, 17, 35-38. | 0.6 | 68 |
| 189 | Temperamental fearfulness in childhood and the serotonin transporter promoter region polymorphism: a multimethod association study. Psychiatric Genetics, 2007, 17, 135-142. | 0.6 | 91 |
| 190 | Genetics of Comorbid Mood Disorder and Alcohol Dependence. Journal of Dual Diagnosis, 2007, 3, 31-46. | 0.7 | 9 |
| 191 | The opioid system in alcohol and drug dependence: Family-based association study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 877-884. | 1.1 | 76 |
| 192 | Seeking the Connections: Alcoholism and Our Genes. Scientific American, 2007, 296, 46-53. | 1.0 | 44 |
| 193 | Alcohol dependence with comorbid drug dependence: genetic and phenotypic associations suggest a more severe form of the disorder with stronger genetic contribution to risk. Addiction, 2007, 102, 1131-1139. | 1.7 | 100 |
| 194 | Association of Alcohol Craving With α -Synuclein (SNCA). Alcoholism: Clinical and Experimental Research, 2007, 31, 070212174136009-??? | 1.4 | 76 |
| 195 | Family-Based Association Analyses of Alcohol Dependence Phenotypes Across <i>DRD2</i> and Neighboring Gene <i>ANKK1</i> . Alcoholism: Clinical and Experimental Research, 2007, 31, 1645-1653. | 1.4 | 113 |
| 196 | Lack of Association of Alcohol Dependence and Habitual Smoking With Catechol-O-methyltransferase. Alcoholism: Clinical and Experimental Research, 2007, 31, 1773-1779. | 1.4 | 43 |
| 197 | The Relationship Between Alcohol Problems and Dependence, Conduct Problems and Diagnosis, and Number of Sex Partners in a Sample of Young Adults. Alcoholism: Clinical and Experimental Research, 2007, 31, 2046-2052. | 1.4 | 23 |
| 198 | Reproductive cycle-associated mood symptoms in women with major depression and bipolar disorder. Journal of Affective Disorders, 2007, 99, 221-229. | 2.0 | 118 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Association of CHRM2 with IQ: Converging Evidence for a Gene Influencing Intelligence. Behavior Genetics, 2007, 37, 265-272. | 1.4 | 56 |
| 200 | Association of alcohol dehydrogenase genes with alcohol dependence: a comprehensive analysis. Human Molecular Genetics, 2006, 15, 1539-1549. | 1.4 | 239 |
| 201 | Functional Variant in a Bitter-Taste Receptor (hTAS2R16) Influences Risk of Alcohol Dependence. American Journal of Human Genetics, 2006, 78, 103-111. | 2.6 | 155 |
| 202 | Comparison of psychiatric diagnoses from interview reports with those from best-estimate procedures.. Journal of Studies on Alcohol and Drugs, 2006, 67, 157-168. | 2.4 | 16 |
| 203 | Marital status, alcohol dependence, and GABRA2: evidence for gene-environment correlation and interaction.. Journal of Studies on Alcohol and Drugs, 2006, 67, 185-194. | 2.4 | 103 |
| 204 | Teenagers Are Right?Parents Do Not Know Much: An Analysis of Adolescent?Parent Agreement on Reports of Adolescent Substance Use, Abuse, and Dependence. Alcoholism: Clinical and Experimental Research, 2006, 30, 1699-1710. | 1.4 | 66 |
| 205 | Patterns of Regional Brain Activity in Alcohol-Dependent Subjects. Alcoholism: Clinical and Experimental Research, 2006, 30, 1986-1991. | 1.4 | 21 |
| 206 | Association of the μ -opioid system with alcohol dependence. Molecular Psychiatry, 2006, 11, 1016-1024. | 4.1 | 166 |
| 207 | Linkage Analyses of IQ in the Collaborative Study on the Genetics of Alcoholism (COGA) Sample. Behavior Genetics, 2006, 36, 77-86. | 1.4 | 31 |
| 208 | The Role of GABRA2 in Risk for Conduct Disorder and Alcohol and Drug Dependence across Developmental Stages. Behavior Genetics, 2006, 36, 577-590. | 1.4 | 222 |
| 209 | Association of GABRA2 with Drug Dependence in the Collaborative Study of the Genetics of Alcoholism Sample. Behavior Genetics, 2006, 36, 640-650. | 1.4 | 190 |
| 210 | A Cholinergic Receptor Gene (CHRM2) Affects Event-related Oscillations. Behavior Genetics, 2006, 36, 627-639. | 1.4 | 64 |
| 211 | Meeting Report for Molecular Psychiatry, 2005. Psychiatric Genetics, 2005, 15, 241-242. | 0.6 | 0 |
| 212 | Molecular genetics of bipolar disorder. Genes, Brain and Behavior, 2005, 5, 85-95. | 1.1 | 87 |
| 213 | Long-term Stability of Alcohol and Other Substance Dependence Diagnoses and Habitual Smoking. Archives of General Psychiatry, 2005, 62, 753. | 13.8 | 40 |
| 214 | Prospective Evaluation of the Four DSM-IV Criteria for Alcohol Abuse in a Large Population. American Journal of Psychiatry, 2005, 162, 350-360. | 4.0 | 42 |
| 215 | Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. American Journal of Human Genetics, 2005, 77, 582-595. | 2.6 | 218 |
| 216 | Evidence of common and specific genetic effects: association of the muscarinic acetylcholine receptor M2 (CHRM2) gene with alcohol dependence and major depressive syndrome. Human Molecular Genetics, 2004, 13, 1903-1911. | 1.4 | 281 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | A Family Study of Alcohol Dependence. <i>Archives of General Psychiatry</i> , 2004, 61, 1246. | 13.8 | 233 |
| 218 | Psychosocial variables in children and teens of extended families identified through bipolar affective disorder probands. <i>Bipolar Disorders</i> , 2004, 6, 106-114. | 1.1 | 26 |
| 219 | Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. <i>Nature Genetics</i> , 2004, 36, 783-784. | 9.4 | 57 |
| 220 | The Search for Genetic Risk Factors Associated With Suicidal Behavior. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 70S-76S. | 1.4 | 52 |
| 221 | The Relationship Between Parental Alcoholism and Adolescent Psychopathology: A Systematic Examination of Parental Comorbid Psychopathology. <i>Journal of Abnormal Child Psychology</i> , 2004, 32, 519-533. | 3.5 | 58 |
| 222 | A genomic scan for habitual smoking in families of alcoholics: Common and specific genetic factors in substance dependence. <i>American Journal of Medical Genetics Part A</i> , 2004, 124A, 19-27. | 2.4 | 105 |
| 223 | Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. <i>Biological Psychiatry</i> , 2004, 56, 18-23. | 0.7 | 60 |
| 224 | Linkage and linkage disequilibrium of evoked EEG oscillations with CHRM2 receptor gene polymorphisms: implications for human brain dynamics and cognition. <i>International Journal of Psychophysiology</i> , 2004, 53, 75-90. | 0.5 | 132 |
| 225 | Variations in GABRA2, Encoding the $\alpha 2$ Subunit of the GABAA Receptor, Are Associated with Alcohol Dependence and with Brain Oscillations. <i>American Journal of Human Genetics</i> , 2004, 74, 705-714. | 2.6 | 626 |
| 226 | Association of GABAA receptors and alcohol dependence and the effects of genetic imprinting. <i>American Journal of Medical Genetics Part A</i> , 2003, 117B, 39-45. | 2.4 | 93 |
| 227 | Genome scan of a second wave of NIMH genetics initiative bipolar pedigrees: chromosomes 2, 11, 13, 14, and X. <i>American Journal of Medical Genetics Part A</i> , 2003, 119B, 69-76. | 2.4 | 39 |
| 228 | Genome scan of the fifty-six bipolar pedigrees from the NIMH genetics initiative replication sample: Chromosomes 4, 7, 9, 18, 19, 20, and 21. <i>American Journal of Medical Genetics Part A</i> , 2003, 121B, 21-27. | 2.4 | 35 |
| 229 | Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. <i>Biological Psychiatry</i> , 2003, 54, 1265-1273. | 0.7 | 80 |
| 230 | Genome Scan Meta-Analysis of Schizophrenia and Bipolar Disorder, Part III: Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2003, 73, 49-62. | 2.6 | 400 |
| 231 | Genomewide Linkage Analyses of Bipolar Disorder: A New Sample of 250 Pedigrees from the National Institute of Mental Health Genetics Initiative. <i>American Journal of Human Genetics</i> , 2003, 73, 107-114. | 2.6 | 202 |
| 232 | Rapid Switching of Mood in Families With Multiple Cases of Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2003, 60, 921. | 13.8 | 86 |
| 233 | Association of Rapid Mood Switching With Panic Disorder and Familial Panic Risk in Familial Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2003, 160, 1696-1698. | 4.0 | 60 |
| 234 | Comorbid Bipolar Disorder and Panic Disorder in Families With a High Prevalence of Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2002, 159, 30-35. | 4.0 | 142 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Apparent replication of suggestive linkage on chromosome 16 in the NIMH genetics initiative bipolar pedigrees. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 407-412. | 2.4 | 37 |
| 236 | Suggestive Linkage on Chromosome 1 for a Quantitative Alcohol-Related Phenotype. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1453-1460. | 1.4 | 78 |
| 237 | Linkage for Platelet Monoamine Oxidase (MAO) Activity: Results from a Replication Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 603-609. | 1.4 | 7 |
| 238 | Implications of multifactorial inheritance for identification of genetic mechanisms in major psychiatric disorders. <i>Psychiatric Genetics</i> , 2002, 12, 121-126. | 0.6 | 9 |
| 239 | Defining alcohol-related phenotypes in humans. The Collaborative Study on the Genetics of Alcoholism. <i>Alcohol Research</i> , 2002, 26, 208-13. | 1.0 | 34 |
| 240 | Is there a genetic relationship between alcoholism and depression?. <i>Alcohol Research</i> , 2002, 26, 233-40. | 1.0 | 17 |
| 241 | A bootstrapped commingling analysis of platelet monoamine oxidase activity levels corrected for cigarette smoking. <i>Psychiatric Genetics</i> , 2001, 11, 177-185. | 0.6 | 2 |
| 242 | Evidence for a Locus on Chromosome 1 That Influences Vulnerability to Alcoholism and Affective Disorder. <i>American Journal of Psychiatry</i> , 2001, 158, 718-724. | 4.0 | 178 |
| 243 | Perceived Genetic Risks for Bipolar Disorder in a Patient Population: An Exploratory Study. <i>Journal of Genetic Counseling</i> , 2001, 10, 41-51. | 0.9 | 27 |
| 244 | Traumatic Brain Injury and Schizophrenia in Members of Schizophrenia and Bipolar Disorder Pedigrees. <i>American Journal of Psychiatry</i> , 2001, 158, 440-446. | 4.0 | 125 |
| 245 | Genetics and Alcoholism. , 2001, , 103-124. | | 13 |
| 246 | Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees. , 2000, 96, 18-23. | | 65 |
| 247 | Alcoholism Susceptibility Loci: Confirmation Studies in a Replicate Sample and Further Mapping. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 933-945. | 1.4 | 224 |
| 248 | Genetics of bipolar affective disorder. <i>Current Psychiatry Reports</i> , 2000, 2, 147-157. | 2.1 | 44 |
| 249 | Alcoholism Susceptibility Loci: Confirmation Studies in a Replicate Sample and Further Mapping. , 2000, 24, 933. | | 18 |
| 250 | Detection of Specific Protein Bands with Melatonin-Like Immunoreactivity in Different Cell Lines and Human Brain Regions. <i>IUBMB Life</i> , 1999, 48, 127-132. | 1.5 | 4 |
| 251 | A high-density genome scan detects evidence for a bipolar-disorder susceptibility locus on 13q32 and other potential loci on 1q32 and 18p11.2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 5604-5609. | 3.3 | 370 |
| 252 | Genome screen for platelet monoamine oxidase (MAO) activity. , 1999, 88, 517-521. | | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 253 | A Family-Based Analysis of the Association of the Dopamine D2 Receptor (DRD2) with Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 505-512. | 1.4 | 104 |
| 254 | Platelet Monoamine Oxidase Activity in Subgroups of Alcoholics and Controls: Results from the Collaborative Study on the Genetics of Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 598-604. | 1.4 | 68 |
| 255 | Linkage of an Alcoholism-Related Severity Phenotype to Chromosome 16. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 2035-2042. | 1.4 | 63 |
| 256 | Genome-wide search for genes affecting the risk for alcohol dependence. , 1998, 81, 207-215. | | 625 |
| 257 | Effects of indirect light and propranolol on melatonin levels in normal human subjects. <i>Psychiatry Research</i> , 1998, 81, 9-17. | 1.7 | 20 |
| 258 | Familial Transmission of Substance Dependence: Alcohol, Marijuana, Cocaine, and Habitual Smoking. <i>Archives of General Psychiatry</i> , 1998, 55, 982. | 13.8 | 429 |
| 259 | Genome-wide search for genes affecting the risk for alcohol dependence. , 1998, 81, 207. | | 45 |
| 260 | Genetics of Alcoholism. , 1998, 282, 1265i-1265. | | 9 |
| 261 | The life-time rates of three major mood disorders and four major anxiety disorders in alcoholics and controls. <i>Addiction</i> , 1997, 92, 1289-1304. | 1.7 | 154 |
| 262 | High-Resolution Detection of PCR Products from a Microsatellite Marker Using a Nonradioisotopic Technique. <i>Biochemical and Molecular Medicine</i> , 1997, 60, 70-75. | 1.5 | 18 |
| 263 | Genomic DNA from Mice: A Comparison of Recovery Methods and Tissue Sources. <i>Biochemical and Molecular Medicine</i> , 1997, 62, 197-202. | 1.5 | 46 |
| 264 | Genomic survey of bipolar illness in the NIMH genetics initiative pedigrees: A preliminary report. , 1997, 74, 227-237. | | 115 |
| 265 | Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 3, 5, 15, 16, 17, and 22. , 1997, 74, 238-246. | | 149 |
| 266 | Initial genome scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 1, 6, 8, 10, and 12. , 1997, 74, 247-253. | | 145 |
| 267 | Initial Genome Scan of the NIMH Genetics Initiative Bipolar Pedigrees: Chromosomes 4, 7, 9, 18, 19, 20, and 21q. , 1997, 74, 254-262. | | 133 |
| 268 | Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: Chromosomes 2, 11, 13, 14, and X. , 1997, 74, 263-269. | | 97 |
| 269 | Hypothetical quantitative trait loci (QTL) for circadian period of locomotor activity in CXB recombinant inbred strains of mice. <i>Behavior Genetics</i> , 1996, 26, 505-511. | 1.4 | 36 |
| 270 | Issues in Genetic Testing for Susceptibility to Alcoholism: Lessons from Alzheimer's Disease and Huntington's Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 1996, 20, 1430-1437. | 1.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Can We Subtype Alcoholism? A Latent Class Analysis of Data from Relatives of Alcoholics in a Multicenter Family Study of Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 1996, 20, 1462-1471. | 1.4 | 180 |
| 272 | Comparison of Direct Interview and Family History Diagnoses of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 1018-1023. | 1.4 | 472 |
| 273 | Adrenocorticotropin receptor/melanocortin receptor-2 maps within a reported susceptibility region for bipolar illness on chromosome 18. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 317-321. | 2.4 | 10 |
| 274 | Quantitative trait loci (QTL) for circadian rhythms of locomotor activity in mice. <i>Behavior Genetics</i> , 1995, 25, 545-556. | 1.4 | 58 |
| 275 | Identification of a Locus on Mouse Chromosome 17 Associated with High-Affinity Choline Uptake Using BXD Recombinant Inbred Mice and Quantitative Trait Loci Analysis. <i>Genomics</i> , 1995, 27, 161-164. | 1.3 | 13 |
| 276 | An evaluation of Type A and B alcoholics. <i>Addiction</i> , 1995, 90, 1189-1203. | 1.7 | 84 |
| 277 | Genetic linkage mapping for a susceptibility locus to bipolar illness: Chromosomes 2,3,4,7,9,10p,11p,22, and Xpter. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 206-218. | 2.4 | 44 |
| 278 | Is cholinergic sensitivity a genetic marker for the affective disorders?. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 335-344. | 2.4 | 133 |
| 279 | Diagnostic Interview for Genetic Studies. <i>Archives of General Psychiatry</i> , 1994, 51, 849. | 13.8 | 1,881 |
| 280 | Chromosome 18 DNA markers and manic-depressive illness: evidence for a susceptibility gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 5918-5921. | 3.3 | 364 |
| 281 | Erythrocyte membrane structure in bipolar affective disorder: A non-replication. <i>Journal of Affective Disorders</i> , 1993, 28, 91-94. | 2.0 | 1 |
| 282 | Genomic Screening for Genes Predisposing to Bipolar Disease. <i>Psychiatric Genetics</i> , 1992, 2, 191-208. | 0.6 | 16 |
| 283 | Pupillometry in identical twins. <i>Psychiatry Research</i> , 1992, 43, 299-302. | 1.7 | 2 |
| 284 | A non-organic and non-enzymatic extraction method gives higher yields of genomic DNA from whole-blood samples than do nine other methods tested. <i>Journal of Proteomics</i> , 1992, 25, 193-205. | 2.4 | 162 |
| 285 | A rapid non-enzymatic method for the preparation of HMW DNA from blood for RFLP studies. <i>Nucleic Acids Research</i> , 1991, 19, 5444-5444. | 6.5 | 1,933 |
| 286 | Concordance between anxiety and autonomic nervous system activity in subjects at genetic risk for affective disorder. <i>Psychiatry Research</i> , 1991, 36, 99-110. | 1.7 | 23 |
| 287 | A Bipolar Pedigree Series for Genomic Mapping of Disease Genes. <i>Psychiatric Genetics</i> , 1991, 2, 125-160. | 0.6 | 28 |
| 288 | Platelet MAO in subtypes of alcoholism. <i>Biological Psychiatry</i> , 1990, 27, 911-922. | 0.7 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Blunted ACTH and cortisol response to afternoon tryptophan infusion in euthymic bipolar patients. <i>Psychiatry Research</i> , 1990, 31, 57-67. | 1.7 | 24 |
| 290 | Intravenous physostigmine increases cerebrospinal fluid neuropeptide-Y. <i>Biological Psychiatry</i> , 1989, 26, 623-630. | 0.7 | 2 |
| 291 | Measuring cholinergic sensitivity: I. Arecoline effects in bipolar patients. <i>Biological Psychiatry</i> , 1989, 25, 610-617. | 0.7 | 43 |
| 292 | Measuring cholinergic sensitivity: II. Arecoline effects on metabolic activity in pontine regions of rat brain. <i>Biological Psychiatry</i> , 1989, 25, 618-625. | 0.7 | 5 |
| 293 | Genetic Studies of Affective Illness. , 1989, , 109-142. | | 6 |
| 294 | Analysis of seasonal fluctuations of CSF monoamine metabolites and neuropeptides in normal controls: Findings with 5HIAA and HVA. <i>Psychiatry Research</i> , 1988, 23, 257-265. | 1.7 | 137 |
| 295 | Characteristics of cerebrospinal fluid neuropeptides relevant to clinical research. <i>Psychiatry Research</i> , 1988, 25, 349-359. | 1.7 | 22 |
| 296 | A family study of rapid-cycling bipolar illness. <i>Journal of Affective Disorders</i> , 1988, 15, 87-91. | 2.0 | 56 |
| 297 | Aberrancies in Associative Processes in a Patient with Bipolar Affective Disorder and Panic Attacks. <i>Perceptual and Motor Skills</i> , 1988, 66, 174-174. | 0.6 | 0 |
| 298 | CSF Neuropeptides in Euthymic Bipolar Patients and Controls. <i>British Journal of Psychiatry</i> , 1987, 150, 208-212. | 1.7 | 28 |
| 299 | Growth hormone releasing factor in human cerebrospinal fluid. <i>Psychiatry Research</i> , 1987, 22, 141-147. | 1.7 | 12 |
| 300 | Eye-tracking, attention and amphetamine challenge. <i>Journal of Psychiatric Research</i> , 1987, 21, 129-135. | 1.5 | 13 |
| 301 | Pharmacogenetics of psychoactive drugs. <i>Journal of Psychiatric Research</i> , 1987, 21, 499-505. | 1.5 | 4 |
| 302 | Mediational factors underlying cognitive changes and laterality in affective illness. <i>Biological Psychiatry</i> , 1987, 22, 979-986. | 0.7 | 68 |
| 303 | The role of molecular genetics in psychiatry. <i>Biological Psychiatry</i> , 1987, 22, 1388-1405. | 0.7 | 28 |
| 304 | Skin fibroblast beta-adrenergic receptor function in manie-depressive illness. <i>Biological Psychiatry</i> , 1987, 22, 1439-1443. | 0.7 | 19 |
| 305 | Failure to alleviate symptoms of schizophrenia with the novel use of an antiviral agent, acyclovir (Zovirax). <i>Biological Psychiatry</i> , 1987, 22, 216-220. | 0.7 | 13 |
| 306 | Alpha2-adrenergic receptor function in patients with unipolar and bipolar affective disorders. <i>Journal of Affective Disorders</i> , 1986, 10, 163-169. | 2.0 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | Pirbuterol trial as antidepressant. <i>Biological Psychiatry</i> , 1986, 21, 565-566. | 0.7 | 8 |
| 308 | CSF GABA in euthymic manic-depressive patients and controls. <i>Biological Psychiatry</i> , 1986, 21, 844-846. | 0.7 | 53 |
| 309 | Cerebrospinal Fluid Studies of Bipolar Patients with and without a History of Suicide Attempts. <i>Annals of the New York Academy of Sciences</i> , 1986, 487, 197-201. | 1.8 | 25 |
| 310 | Neuropeptide Y immunoreactivity in human cerebrospinal fluid. <i>Peptides</i> , 1986, 7, 455-458. | 1.2 | 39 |
| 311 | Intravenous GABA administration is anxiogenic in man. <i>Psychiatry Research</i> , 1986, 19, 113-117. | 1.7 | 15 |
| 312 | Premenstrual changes: A comparison of five populations. <i>Psychiatry Research</i> , 1986, 17, 77-85. | 1.7 | 51 |
| 313 | Adrenoceptor Function in Human Adult Skin Fibroblasts: A Study of Manic-Depressive Illness. <i>Novartis Foundation Symposium</i> , 1986, 123, 30-41. | 1.2 | 3 |
| 314 | Neuropeptides in human cerebrospinal fluid. <i>Life Sciences</i> , 1985, 37, 1265-1270. | 2.0 | 31 |
| 315 | Cerebrospinal fluid and plasma monoamines and their metabolites in euthymic bipolar patients. <i>Biological Psychiatry</i> , 1985, 20, 257-269. | 0.7 | 61 |
| 316 | CSF substance P immunoreactivity in affective disorders. <i>Biological Psychiatry</i> , 1985, 20, 965-970. | 0.7 | 66 |
| 317 | Vasoactive intestinal peptide and bipolar affective illness. <i>Journal of Affective Disorders</i> , 1985, 8, 55-59. | 2.0 | 5 |
| 318 | Mood-independent aberrancies in associative processes in bipolar affective disorder: An apparent stabilizing effect of lithium. <i>Psychiatry Research</i> , 1985, 14, 315-322. | 1.7 | 16 |
| 319 | Pro-opiomelanocortin-related peptides in cerebrospinal fluid: A study of manic-depressive disorder. <i>Psychiatry Research</i> , 1985, 16, 287-302. | 1.7 | 20 |
| 320 | Muscarinic Cholinergic Receptors on Skin Fibroblasts in Familial Affective Disorder. <i>New England Journal of Medicine</i> , 1984, 311, 225-230. | 13.9 | 76 |
| 321 | Separate mechanisms for behavioral, cardiovascular, and hormonal responses to dextroamphetamine in man. <i>Psychopharmacology</i> , 1984, 84, 200-204. | 1.5 | 45 |
| 322 | Genetic factors in affective illness. <i>Journal of Psychiatric Research</i> , 1984, 18, 329-350. | 1.5 | 12 |
| 323 | Behavioral, physiological, and neuroendocrine responses to arecoline in normal twins and well state-bipolar patients. <i>Psychiatry Research</i> , 1983, 9, 191-200. | 1.7 | 67 |
| 324 | Lithium ratio in psychiatric patients: A caveat. <i>Psychiatry Research</i> , 1983, 9, 201-206. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Plasma and CSF Gaba in Affective Illness. British Journal of Psychiatry, 1982, 141, 483-487. | 1.7 | 58 |
| 326 | Platelet vasopressin receptors in bipolar affective illness. Psychiatry Research, 1982, 7, 83-86. | 1.7 | 3 |
| 327 | Platelet 3H-imipramine binding in euthymic bipolar patients. Psychiatry Research, 1982, 7, 215-219. | 1.7 | 70 |
| 328 | Platelet GABA-transaminase in affective illness. Psychiatry Research, 1982, 7, 255-260. | 1.7 | 19 |
| 329 | Preferential accumulation of lithium in the dense bodies of human platelets. Biochemical Pharmacology, 1982, 31, 3215-3218. | 2.0 | 2 |
| 330 | Behavioral, biochemical and neuroendocrine responses to amphetamine in normal twins and "well-state" bipolar patients. Psychoneuroendocrinology, 1982, 7, 163-176. | 1.3 | 81 |
| 331 | Dextroamphetamine infusions in normals result in correlated increases of plasma β^2 -endorphin and cortisol immunoreactivity. Life Sciences, 1981, 29, 1243-1247. | 2.0 | 29 |
| 332 | Monoamine oxidase type a in fibroblasts from patients with bipolar depressive illness. Psychiatry Research, 1980, 2, 307-314. | 1.7 | 42 |