

Louis Potier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/607135/publications.pdf>

Version: 2024-02-01

59
papers

2,463
citations

257357

24
h-index

206029

48
g-index

61
all docs

61
docs citations

61
times ranked

4322
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between the <i>ACE</i> Insertion/Deletion Polymorphism and Risk of Lower-Limb Amputation in Patients With Long-Standing Type 1 Diabetes. <i>Diabetes Care</i> , 2022, 45, 407-415.	4.3	3
2	Differential prognostic burden of cardiovascular disease and lower-limb amputation on the risk of all-cause death in people with long-standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2022, 21, 71.	2.7	2
3	Plasma Adrenomedullin, Allelic Variations in the <i>ADM</i> Gene, and Risk for Lower-Limb Amputation in People With Type 2 Diabetes. <i>Diabetes Care</i> , 2022, 45, 1631-1639.	4.3	1
4	Switching between GLP-1 receptor agonists in clinical practice: Expert consensus and practical guidance. <i>International Journal of Clinical Practice</i> , 2021, 75, e13731.	0.8	22
5	Routine use of statins and increased COVID-19 related mortality in inpatients with type 2 diabetes: Results from the CORONADO study. <i>Diabetes and Metabolism</i> , 2021, 47, 101202.	1.4	66
6	Relationship between obesity and severe COVID-19 outcomes in patients with type 2 diabetes: Results from the CORONADO study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 391-403.	2.2	69
7	Plasma concentrations of lipoproteins and risk of lower-limb peripheral artery disease in people with type 2 diabetes: the SURDIAGENE study. <i>Diabetologia</i> , 2021, 64, 668-680.	2.9	12
8	Predictors of hospital discharge and mortality in patients with diabetes and COVID-19: updated results from the nationwide CORONADO study. <i>Diabetologia</i> , 2021, 64, 778-794.	2.9	120
9	SGLT2 inhibitors and lower limb complications: the diuretic-induced hypovolemia hypothesis. <i>Cardiovascular Diabetology</i> , 2021, 20, 107.	2.7	13
10	Diabetes Increases Severe COVID-19 Outcomes Primarily in Younger Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3364-e3368.	1.8	16
11	Association of diabetes and outcomes in patients with COVID-19: Propensity score-matched analyses from a French retrospective cohort. <i>Diabetes and Metabolism</i> , 2021, 47, 101222.	1.4	15
12	Response to Letter to the Editor from Woolcott and Castilla-Bancayán: Diabetes Increases Severe COVID-19 Outcomes Primarily in Younger Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e5277-e5278.	1.8	0
13	The COVID-19 lockdown as an opportunity to change lifestyle and body weight in people with overweight/obesity and diabetes: Results from the national French COVIDIAB cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2605-2611.	1.1	15
14	Reliability and Safety of Bedside Blind Bone Biopsy Performed by a Diabetologist for the Diagnosis and Treatment of Diabetic Foot Osteomyelitis. <i>Diabetes Care</i> , 2021, 44, 2480-2486.	4.3	5
15	Stay-at-Home Orders During the COVID-19 Pandemic, an Opportunity to Improve Glucose Control Through Behavioral Changes in Type 1 Diabetes. <i>Diabetes Care</i> , 2021, 44, 839-843.	4.3	36
16	Head-to-head comparison of the diagnostic performances of Rubidium-PET and SPECT with CZT camera for the detection of myocardial ischemia in a population of women and overweight individuals. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 755-768.	1.4	14
17	Type 1 Diabetes in People Hospitalized for COVID-19: New Insights From the CORONADO Study. <i>Diabetes Care</i> , 2020, 43, e174-e177.	4.3	35
18	Relationship Between Diabetic Retinopathy Stages and Risk of Major Lower-Extremity Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 2751-2759.	4.3	10

#	ARTICLE	IF	CITATIONS
19	Blood glucose levels and COVID-19. Reply to Sardu C, D'Onofrio N, Balestrieri ML et al [letter] and Lepper PM, Bals R, JANI P et al [letter]. <i>Diabetologia</i> , 2020, 63, 2491-2494.	2.9	4
20	Comparison of a new versus standard removable offloading device in patients with neuropathic diabetic foot ulcers: a French national, multicentre, open-label randomized, controlled trial. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000954.	1.2	3
21	Phenotypic characteristics and prognosis of inpatients with COVID-19 and diabetes: the CORONADO study. <i>Diabetologia</i> , 2020, 63, 1500-1515.	2.9	638
22	Chronic Kidney Disease, Diabetes, and Risk of Mortality After Acute Myocardial Infarction: Insight From the FAST-MI Program. <i>Diabetes Care</i> , 2020, 43, e43-e44.	4.3	10
23	Leukocyte Telomere Length, DNA Oxidation, and Risk of Lower-Extremity Amputation in Patients With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2020, 43, 828-834.	4.3	11
24	Relationship between renal capacity to reabsorb glucose and renal status in patients with diabetes. <i>Diabetes and Metabolism</i> , 2020, 46, 488-495.	1.4	1
25	Plasma Apelin and Risk of Type 2 Diabetes in a Cohort From the Community. <i>Diabetes Care</i> , 2020, 43, e15-e16.	4.3	12
26	Glycosuria amount in response to hyperglycaemia and risk for diabetic kidney disease and related events in Type 1 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1731-1738.	0.4	9
27	Plasma Copeptin and Risk of Lower-Extremity Amputation in Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2019, 42, 2290-2297.	4.3	15
28	Lower limb events in individuals with type 2 diabetes: evidence for an increased risk associated with diuretic use. <i>Diabetologia</i> , 2019, 62, 939-947.	2.9	36
29	Non-severe hypoglycaemia is associated with weight gain in patients with type 1 diabetes: Results from the Diabetes Control and Complication Trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1289-1292.	2.2	15
30	Lower extremity arterial disease in patients with diabetes: a contemporary narrative review. <i>Cardiovascular Diabetology</i> , 2018, 17, 138.	2.7	104
31	Plasma copeptin, kidney disease, and risk for cardiovascular morbidity and mortality in two cohorts of type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018, 17, 110.	2.7	35
32	Prognostic Values of Inflammatory and Redox Status Biomarkers on the Risk of Major Lower-Extremity Artery Disease in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 2162-2169.	4.3	14
33	Relationship between cardiac microvascular dysfunction measured with ⁸² Rubidium-PET and albuminuria in patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2018, 17, 11.	2.7	28
34	Plasma proproteinase-convertase-subtilisin/kexin type 9 (PCSK9) and cardiovascular events in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 943-953.	2.2	17
35	Exacerbation of Thromboinflammation by Hyperglycemia Precipitates Cerebral Infarct Growth and Hemorrhagic Transformation. <i>Stroke</i> , 2017, 48, 1932-1940.	1.0	96
36	Angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in high vascular risk. <i>Heart</i> , 2017, 103, 1339-1346.	1.2	38

#	ARTICLE	IF	CITATIONS
37	Metformin and contrast-induced acute kidney injury in diabetic patients treated with primary percutaneous coronary intervention for ST segment elevation myocardial infarction: Amulticenter study. <i>International Journal of Cardiology</i> , 2016, 220, 137-142.	0.8	24
38	Dynamic Changes in Renal Function Are Associated With Major Cardiovascular Events in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016, 39, 1259-1266.	4.3	38
39	Plasma Copeptin, <i>AVP</i> Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the Community. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2432-2439.	1.8	58
40	Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 2288-2295.	4.3	51
41	The evaluation of off-loading using a new removable ORTHOSis in DIABetic foot (ORTHODIAB) randomized controlled trial: study design and rationale. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 34.	0.7	8
42	Lower-extremity amputation as a marker for renal and cardiovascular events and mortality in patients with long standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 5.	2.7	20
43	Interaction between diabetes and a high ankle-brachial index on mortality risk. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 615-621.	0.8	18
44	Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective D.E.S.I.R. Study. <i>American Journal of Nephrology</i> , 2015, 42, 107-114.	1.4	43
45	Plasma Adrenomedullin and Allelic Variation in the <i>ADM</i> Gene and Kidney Disease in People With Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3262-3272.	0.3	12
46	Coronary Artery Disease Screening Using Coronary Computed Tomography Angiography. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1267.	3.8	1
47	Kinin Receptor Agonism Restores Hindlimb Postischemic Neovascularization Capacity in Diabetic Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 352, 218-226.	1.3	19
48	Tissue kallikrein deficiency, insulin resistance, and diabetes in mouse and man. <i>Journal of Endocrinology</i> , 2014, 221, 297-308.	1.2	6
49	Plasma Copeptin and Renal Outcomes in Patients With Type 2 Diabetes and Albuminuria. <i>Diabetes Care</i> , 2013, 36, 3639-3645.	4.3	73
50	Prognostic Value of the Insertion/Deletion Polymorphism of the <i>ACE</i> Gene in Type 2 Diabetic Subjects. <i>Diabetes Care</i> , 2008, 31, 1847-1852.	4.3	66
51	Increased plasma adiponectin concentrations are associated with microangiopathy in type 1 diabetic subjects. <i>Diabetologia</i> , 2005, 48, 1088-1092.	2.9	99
52	Modulation of the Renal Response to ACE Inhibition by ACE Insertion/Deletion Polymorphism During Hyperglycemia in Normotensive, Normoalbuminuric Type 1 Diabetic Patients. <i>Diabetes</i> , 2005, 54, 2961-2967.	0.3	21
53	Determination of HbA1c concentrations in patients with acute myocardial infarction: comparison of the DCA 2000 device with the HPLC method. <i>Diabetes and Metabolism</i> , 2005, 31, 290-294.	1.4	6
54	Different Patterns of Insulin Resistance in Relatives of Type 1 Diabetic Patients With Retinopathy or Nephropathy: The Genesis France-Belgium Study. <i>Diabetes Care</i> , 2004, 27, 2661-2668.	4.3	55

#	ARTICLE	IF	CITATIONS
55	Prognostic value of admission plasma glucose and HbA1c in acute myocardial infarction. <i>Diabetic Medicine</i> , 2004, 21, 305-310.	1.2	139
56	Serum triglycerides are a predictive factor for the development and the progression of renal and retinal complications in patients with type 1 diabetes. <i>Diabetes and Metabolism</i> , 2004, 30, 43-51.	1.4	89
57	Angiotensin-I-converting enzyme insertion/deletion polymorphism and high urinary albumin concentration in French Type 2 diabetes patients. <i>Diabetic Medicine</i> , 2003, 20, 677-682.	1.2	27
58	Erythropoietin-dependent anaemia: a possible complication of diabetic neuropathy. <i>Diabetes and Metabolism</i> , 2001, 27, 383-5.	1.4	7
59	Lack of relationship in long-term type 1 diabetic patients between diabetic nephropathy and polymorphisms in apolipoprotein μ , lipoprotein lipase and cholesteryl ester transfer protein. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1971-1976.	0.4	36