Herbert H Hill Jr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6076644/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comment on "Gas-Phase Chiral Separations by Ion Mobility Spectrometry― Analytical Chemistry, 2022, 94, 3020-3021.	6.5	4
2	Simulating, Predicting, and Minimizing False Peaks for Hadamard Transform Ion Mobility Spectrometry. Journal of the American Society for Mass Spectrometry, 2020, 31, 1957-1964.	2.8	4
3	High Accuracy Ion Mobility Spectrometry for Instrument Calibration. Analytical Chemistry, 2018, 90, 4578-4584.	6.5	21
4	E/N effects on K0 values revealed by high precision measurements under low field conditions. Review of Scientific Instruments, 2016, 87, 075104.	1.3	24
5	Multidimensional Separation of Natural Products Using Liquid Chromatography Coupled to Hadamard Transform Ion Mobility Mass Spectrometry. Journal of the American Society for Mass Spectrometry, 2016, 27, 810-821.	2.8	17
6	Ion mobility mass spectrometry analysis of isomeric disaccharide precursor, product and cluster ions. Rapid Communications in Mass Spectrometry, 2013, 27, 2699-2709.	1.5	34
7	Buffer gas modifiers effect resolution in ion mobility spectrometry through selective ionâ€molecule clustering reactions. Rapid Communications in Mass Spectrometry, 2012, 26, 2211-2223.	1.5	39
8	An Assessment of Computational Methods for Obtaining Structural Information of Moderately Flexible Biomolecules from Ion Mobility Spectrometry. Journal of the American Society for Mass Spectrometry, 2012, 23, 792-805.	2.8	29
9	Introduction to IJIMS Special Issue. International Journal for Ion Mobility Spectrometry, 2011, 14, 49-49.	1.4	Ο
10	Metabolic profiling of human blood by high-resolution ion mobility mass spectrometry (IM-MS). International Journal of Mass Spectrometry, 2010, 298, 78-90.	1.5	146
11	Ion mobility–mass spectrometry. Journal of Mass Spectrometry, 2008, 43, 1-22.	1.6	1,014
12	Design and performance of an atmospheric pressure ion mobility Fourier transform ion cyclotron resonance mass spectrometer. Rapid Communications in Mass Spectrometry, 2007, 21, 1115-1122.	1.5	51
13	Influence of cation adduction on the separation characteristics of flavonoid diglycoside isomers using dual gate-ion mobility-quadrupole ion trap mass spectrometry. Journal of Mass Spectrometry, 2006, 41, 339-351.	1.6	49
14	Atmospheric pressure matrix-assisted laser desorption/ionization with analysis by ion mobility time-of-flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 882-888.	1.5	45
15	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of lipids: ionization and prompt fragmentation patterns. Rapid Communications in Mass Spectrometry, 2003, 17, 87-96.	1.5	122
16	Two-dimensional separations with electrospray ionization ambient pressure high-resolution ion mobility spectrometry/quadrupole mass spectrometry. Rapid Communications in Mass Spectrometry, 2002, 16, 670-675.	1.5	11
17	Analysis of plant phosphatidylcholines by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2001, 15, 935-940.	1.5	41
18	Electrospray ionization with ambient pressure ion mobility separation and mass analysis by orthogonal time-of-flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2001, 15, 2221-2226.	1.5	66

Herbert H Hill Jr

#	Article	IF	CITATIONS
19	Liquid-sheath-flow electrospray ionization feasibility study of direct water analysis with the use of high-resolution ion-mobility spectrometry. Field Analytical Chemistry and Technology, 2001, 5, 91-96.	0.8	8
20	Evaluation of ultrahigh resolution ion mobility spectrometry as an analytical separation device in chromatographic terms. Journal of Separation Science, 2000, 12, 172-178.	1.0	119
21	Analysis of explosives using electrospray ionization/ion mobility spectrometry (ESI/IMS). Talanta, 2000, 50, 1291-1298.	5.5	165
22	Evaluation of ultrahigh resolution ion mobility spectrometry as an analytical separation device in chromatographic terms * Presented at the Twenty-first International Symposium on Capillary Chromatography and Electrophoresis, Park City, Utah, USA, June 20–24, 1999 Journal of Separation Science, 2000, 12, 172.	1.0	1
23	Improved supercritical fluid chromatography-ion mobility spectrometry interface. Journal of Separation Science, 1999, 11, 251-257.	1.0	4
24	Electrospray ionization-lon mobility spectrometry as a field monitoring method for the detection of atrazine in natural water. Field Analytical Chemistry and Technology, 1998, 2, 155-161.	0.8	17
25	Evaluation of gas chromatography coupled with ion mobility spectrometry for monitoring vinyl chloride and other chlorinated and aromatic compounds in air samples. Journal of High Resolution Chromatography, 1996, 19, 301-312.	1.4	30
26	Analytical merit of electrospray ion mobility spectrometry as a chromatographic detector. Journal of Separation Science, 1994, 6, 515-524.	1.0	51
27	Electron capture ion mobility spectrometry for the selective detection of chlorinated and brominated species after capillary gas chromatography. Journal of High Resolution Chromatography, 1990, 13, 628-632.	1.4	9
28	Fundamentals of detection after supercritical fluid chromatography. Journal of Separation Science, 1990, 2, 114-119.	1.0	10
29	Detection limits of an ion mobility detector after capillary gas chromatography. Journal of Separation Science, 1990, 2, 138-145.	1.0	10
30	Ion mobility detection following liquid chromatographic separation. Journal of Separation Science, 1990, 2, 188-192.	1.0	33
31	Ion Mobility Spectrometry in Analytical Chemistry. Critical Reviews in Analytical Chemistry, 1990, 21, 321-355.	3.5	282