Leslie Bernstein

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6076897/publications.pdf

Version: 2024-02-01

28274 25787 13,009 144 55 108 citations h-index g-index papers 145 145 145 16954 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Association analysis identifies 65 new breast cancer risk loci. Nature, 2017, 551, 92-94.	27.8	1,099
2	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. American Journal of Human Genetics, 2019, 104, 21-34.	6.2	711
3	Oral Contraceptives and the Risk of Breast Cancer. New England Journal of Medicine, 2002, 346, 2025-2032.	27.0	491
4	Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. Journal of the National Cancer Institute, $2015,107,100$	6.3	428
5	A Population-Based Study of Genes Previously Implicated in Breast Cancer. New England Journal of Medicine, 2021, 384, 440-451.	27.0	414
6	Genome-wide association studies identify four ER negative–specific breast cancer risk loci. Nature Genetics, 2013, 45, 392-398.	21.4	374
7	Ovarian Cancer Risk Factors by Histologic Subtype: An Analysis From the Ovarian Cancer Cohort Consortium. Journal of Clinical Oncology, 2016, 34, 2888-2898.	1.6	349
8	Prevalence and Predictors of BRCA1 and BRCA2 Mutations in a Population-Based Study of Breast Cancer in White and Black American Women Ages 35 to 64 Years. Cancer Research, 2006, 66, 8297-8308.	0.9	317
9	Methods for Pooling Results of Epidemiologic Studies. American Journal of Epidemiology, 2006, 163, 1053-1064.	3.4	289
10	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. Nature Genetics, 2017, 49, 1767-1778.	21.4	289
11	Projecting Individualized Absolute Invasive Breast Cancer Risk in African American Women. Journal of the National Cancer Institute, 2007, 99, 1782-1792.	6.3	284
12	Dose to the Contralateral Breast From Radiotherapy and Risk of Second Primary Breast Cancer in the WECARE Study. International Journal of Radiation Oncology Biology Physics, 2008, 72, 1021-1030.	0.8	280
13	A common variant at the TERT-CLPTM1L locus is associated with estrogen receptor–negative breast cancer. Nature Genetics, 2011, 43, 1210-1214.	21.4	279
14	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. Journal of the National Cancer Institute Monographs, 2014, 2014, 130-144.	2.1	265
15	A multiethnic population-based study of smoking, alcohol and body size and risk of adenocarcinomas of the stomach and esophagus (United States). Cancer Causes and Control, 2001, 12, 721-732.	1.8	264
16	Genome-wide association analysis identifies three new breast cancer susceptibility loci. Nature Genetics, 2012, 44, 312-318.	21.4	256
17	A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. Nature Genetics, 2013, 45, 690-696.	21.4	232
18	Effects of Aerobic and Resistance Exercise on Metabolic Syndrome, Sarcopenic Obesity, and Circulating Biomarkers in Overweight or Obese Survivors of Breast Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2018, 36, 875-883.	1.6	216

#	Article	IF	Citations
19	High breast cancer incidence rates among California teachers: results from the California Teachers Study (United States). Cancer Causes and Control, 2002, 13, 625-635.	1.8	206
20	Recent diet and breast cancer risk: the California Teachers Study (USA). Cancer Causes and Control, 2002, 13, 407-415.	1.8	185
21	The descriptive epidemiology of malignant cystosarcoma phyllodes tumors of the breast. Cancer, 1993, 71, 3020-3024.	4.1	176
22	A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. Nature Genetics, 2013, 45, 1487-1493.	21.4	174
23	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. Human Molecular Genetics, 2012, 21, 5373-5384.	2.9	168
24	Common variants at the MHC locus and at chromosome 16q24.1 predispose to Barrett's esophagus. Nature Genetics, 2012, 44, 1131-1136.	21.4	162
25	Lifetime Recreational Exercise Activity and Breast Cancer Risk Among Black Women and White Women. Journal of the National Cancer Institute, 2005, 97, 1671-1679.	6.3	161
26	Aerobic and resistance exercise improves physical fitness, bone health, and quality of life in overweight and obese breast cancer survivors: a randomized controlled trial. Breast Cancer Research, 2018, 20, 124.	5.0	153
27	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	6.3	152
28	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Follicular Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. Journal of the National Cancer Institute Monographs, 2014, 2014, 26-40.	2.1	151
29	Risk factors for arm lymphedema following breast cancer diagnosis in Black women and White women. Breast Cancer Research and Treatment, 2009, 113, 383-391.	2.5	148
30	Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. Lancet Oncology, The, 2016, 17, 1363-1373.	10.7	133
31	Obesity and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: A Mendelian Randomization Study. Journal of the National Cancer Institute, 2014, 106, .	6.3	132
32	Socioeconomic status and cancers of the female breast and reproductive organs: a comparison across racial/ethnic populations in Los Angeles County, California (United States). Cancer Causes and Control, 1998, 9, 369-380.	1.8	127
33	Nonsteroidal Anti-Inflammatory Drug Use and Breast Cancer Risk by Stage and Hormone Receptor Status. Journal of the National Cancer Institute, 2005, 97, 805-812.	6.3	123
34	The NICHD Women's Contraceptive and Reproductive Experiences Study. Annals of Epidemiology, 2002, 12, 213-221.	1.9	120
35	Physical Activity and Cancer. Current Oncology Reports, 2012, 14, 550-558.	4.0	119
36	Study design: Evaluating gene–environment interactions in the etiology of breast cancer – the WECARE study. Breast Cancer Research, 2004, 6, R199-214.	5.0	106

#	Article	IF	CITATIONS
37	Descriptive epidemiology of thyroid cancer in Los Angeles County, 1972-1995. Cancer Causes and Control, 2000, 11, 163-170.	1.8	102
38	Dietary patterns and breast cancer risk in the California Teachers Study cohort. American Journal of Clinical Nutrition, 2013, 98, 1524-1532.	4.7	100
39	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. Journal of the National Cancer Institute Monographs, 2014, 2014, 15-25.	2.1	98
40	Discovery and fine-mapping of adiposity loci using high density imputation of genome-wide association studies in individuals of African ancestry: African Ancestry Anthropometry Genetics Consortium. PLoS Genetics, 2017, 13, e1006719.	3.5	98
41	Polymorphisms Near TBX5 and GDF7 Are Associated With Increased Risk for Barrett's Esophagus. Gastroenterology, 2015, 148, 367-378.	1.3	93
42	Ethnicity-related variation in breast cancer risk factors. Cancer, 2003, 97, 222-229.	4.1	92
43	Obesity and Mortality After Breast Cancer by Race/Ethnicity: The California Breast Cancer Survivorship Consortium. American Journal of Epidemiology, 2014, 179, 95-111.	3.4	90
44	Germline Genetic Contributions to Risk for Esophageal Adenocarcinoma, Barrett's Esophagus, and Gastroesophageal Reflux. Journal of the National Cancer Institute, 2013, 105, 1711-1718.	6.3	85
45	Cigarette smoking in pregnancy results in marked decrease in maternal hCG and oestradiol levels. BJOG: an International Journal of Obstetrics and Gynaecology, 1989, 96, 92-96.	2.3	84
46	The international variation in breast cancer rates: An epidemiological assessment. Breast Cancer Research and Treatment, 1991, 18, S11-S17.	2.5	84
47	Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles County. American Journal of Industrial Medicine, 1994, 26, 47-60.	2.1	75
48	Rare germline mutations in PALB2 and breast cancer risk: A population-based study. Human Mutation, 2012, 33, 674-680.	2.5	74
49	Use of oral contraceptives and risk of breast cancer in young women. Breast Cancer Research and Treatment, 1998, 50, 175-184.	2.5	71
50	A genome-wide association study of breast cancer in women of African ancestry. Human Genetics, 2013, 132, 39-48.	3.8	70
51	Fine scale mapping of the breast cancer 16q12 locus. Human Molecular Genetics, 2010, 19, 2507-2515.	2.9	68
52	Body size and the risk of postmenopausal breast cancer subtypes in the California Teachers Study cohort. Cancer Causes and Control, 2012, 23, 473-485.	1.8	67
53	Mortality of aircraft manufacturing workers in Southern California. American Journal of Industrial Medicine, 1988, 13, 683-693.	2.1	63
54	Diabetes and Other Comorbidities in Breast Cancer Survival by Race/Ethnicity: The California Breast Cancer Survivorship Consortium (CBCSC). Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 361-368.	2.5	62

#	Article	IF	Citations
55	Dietary assessment in the California Teachers Study: reproducibility and validity. Cancer Causes and Control, 2008, 19, 595-603.	1.8	55
56	Passive Smoking and Risk of Breast Cancer in the California Teachers Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3389-3398.	2.5	54
57	Intersection of Race/Ethnicity and Socioeconomic Status in Mortality After Breast Cancer. Journal of Community Health, 2015, 40, 1287-1299.	3.8	53
58	Regular and low-dose aspirin, other non-steroidal anti-inflammatory medications and prospective risk of HER2-defined breast cancer: the California Teachers Study. Breast Cancer Research, 2017, 19, 52.	5.0	53
59	Genome-wide association study of germline variants and breast cancer-specific mortality. British Journal of Cancer, 2019, 120, 647-657.	6.4	52
60	Contribution of Germline Predisposition Gene Mutations to Breast Cancer Risk in African American Women. Journal of the National Cancer Institute, 2020, 112, 1213-1221.	6.3	51
61	Genome-wide association studies in women of African ancestry identified 3q26.21 as a novel susceptibility locus for oestrogen receptor negative breast cancer. Human Molecular Genetics, 2016, 25, ddw305.	2.9	50
62	The California Breast Cancer Survivorship Consortium (CBCSC): prognostic factors associated with racial/ethnic differences in breast cancer survival. Cancer Causes and Control, 2013, 24, 1821-1836.	1.8	47
63	Risk of Breast Cancer Among Carriers of Pathogenic Variants in Breast Cancer Predisposition Genes Varies by Polygenic Risk Score. Journal of Clinical Oncology, 2021, 39, 2564-2573.	1.6	47
64	The Risk of Breast, Endometrial and Ovarian Cancer in Users of Hormonal Preparations. Basic and Clinical Pharmacology and Toxicology, 2006, 98, 288-296.	2.5	45
65	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. Journal of the National Cancer Institute, 2021, 113, 329-337.	6.3	45
66	Mortality risk of black women and white women with invasive breast cancer by hormone receptors, HER2, and p53 status. BMC Cancer, 2013, 13, 225.	2.6	44
67	Breast Cancer Family History and Contralateral Breast Cancer Risk in Young Women: An Update From the Women's Environmental Cancer and Radiation Epidemiology Study. Journal of Clinical Oncology, 2018, 36, 1513-1520.	1.6	44
68	Effect of Aerobic and Resistance Exercise Intervention on Cardiovascular Disease Risk in Women With Early-Stage Breast Cancer. JAMA Oncology, 2019, 5, 710.	7.1	43
69	A comprehensive examination of breast cancer risk loci in African American women. Human Molecular Genetics, 2014, 23, 5518-5526.	2.9	42
70	Randomized controlled trial to evaluate the effects of combined progressive exercise on metabolic syndrome in breast cancer survivors: rationale, design, and methods. BMC Cancer, 2014, 14, 238.	2.6	42
71	Possible Underestimation of the Incidence Rate of Prostate Cancer in Japan. Japanese Journal of Cancer Research, 1991, 82, 483-485.	1.7	41
72	Evaluating Polygenic Risk Scores for Breast Cancer in Women of African Ancestry. Journal of the National Cancer Institute, 2021, 113, 1168-1176.	6.3	41

#	Article	IF	Citations
73	Germline variation in inflammation-related pathways and risk of Barrett's oesophagus and oesophageal adenocarcinoma. Gut, 2017, 66, 1739-1747.	12.1	38
74	The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). Cancer Research, 2020, 80, 1210-1218.	0.9	35
75	Systemic therapy for breast cancer and risk of subsequent contralateral breast cancer in the WECARE Study. Breast Cancer Research, 2016, 18, 65.	5.0	33
76	Mesothelioma, asbestos, and reported history of cancer in first-degree relatives., 1996, 77, 549-554.		32
77	Anthropometry and head and neck cancer:a pooled analysis of cohort data. International Journal of Epidemiology, 2015, 44, 673-681.	1.9	32
78	Integrative post-genome-wide association analysis of CDKN2A and TP53 SNPs and risk of esophageal adenocarcinoma. Carcinogenesis, 2014, 35, 2740-2747.	2.8	31
79	Alcohol consumption and cigarette smoking in combination: A predictor of contralateral breast cancer risk in the WECARE study. International Journal of Cancer, 2017, 141, 916-924.	5.1	31
80	Coronary Artery Disease in Young Women After Radiation Therapy for Breast Cancer. JACC: CardioOncology, 2021, 3, 381-392.	4.0	31
81	Reproductive Factors and Non-Hodgkin Lymphoma Risk in the California Teachers Study. PLoS ONE, 2009, 4, e8135.	2.5	30
82	Patterns of enrollment on cooperative group studies. An analysis of trends from the Los Angeles county cancer surveillance program. Cancer, 1993, 71, 3325-3330.	4.1	29
83	Contribution of the Neighborhood Environment and Obesity to Breast Cancer Survival: The California Breast Cancer Survivorship Consortium. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1282-1290.	2.5	29
84	Association of Common Genetic Variants With Contralateral Breast Cancer Risk in the WECARE Study. Journal of the National Cancer Institute, 2017, 109, .	6.3	28
85	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. International Journal of Cancer, 2019, 145, 58-69.	5.1	28
86	Bilateral oophorectomy is not associated with increased mortality: the California Teachers Study. Fertility and Sterility, 2012, 97, 111-117.	1.0	27
87	Menopausal Hormone Therapy and Lung Cancer-Specific Mortality Following Diagnosis: The California Teachers Study. PLoS ONE, 2014, 9, e103735.	2.5	27
88	Hormone receptor status of a first primary breast cancer predicts contralateral breast cancer risk in the WECARE study population. Breast Cancer Research, 2017, 19, 83.	5.0	27
89	Exercise and breast cancer prevention. Current Oncology Reports, 2009, 11, 490-496.	4.0	26
90	Case-control study of lung cancer in los angeles county welders. American Journal of Industrial Medicine, 1989, 16, 103-112.	2.1	24

#	Article	IF	Citations
91	Occupational asbestos exposure and mesothelioma risk in Los Angeles county: Application of an occupational hazard survey job-exposure matrix. American Journal of Industrial Medicine, 1991, 20, 371-379.	2.1	24
92	Cancer incidence among filipinos in los angeles county, 1972–1991. International Journal of Cancer, 1995, 63, 345-348.	5.1	24
93	Characterizing Genetic Susceptibility to Breast Cancer in Women of African Ancestry. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1016-1026.	2.5	24
94	The association of mammographic density with risk of contralateral breast cancer and change in density with treatment in the WECARE study. Breast Cancer Research, 2018, 20, 23.	5.0	24
95	Cross-ancestry GWAS meta-analysis identifies six breast cancer loci in African and European ancestry women. Nature Communications, 2021, 12, 4198.	12.8	24
96	Fatal occupational injuries in California, 1972–1983. American Journal of Industrial Medicine, 1989, 15, 177-185.	2.1	22
97	Body mass index, weight change, and risk of second primary breast cancer in the <scp>WECARE</scp> study: influence of estrogen receptor status of the first breast cancer. Cancer Medicine, 2016, 5, 3282-3291.	2.8	22
98	Germline Pathogenic Variants in Cancer Predisposition Genes Among Women With Invasive Lobular Carcinoma of the Breast. Journal of Clinical Oncology, 2021, 39, 3918-3926.	1.6	22
99	Radiation Treatment, <i>ATM</i> , <i>BRCA1/2</i> , and <i>CHEK2</i> *1100delC Pathogenic Variants and Risk of Contralateral Breast Cancer. Journal of the National Cancer Institute, 2020, 112, 1275-1279.	6.3	21
100	Risk of Late-Onset Breast Cancer in Genetically Predisposed Women. Journal of Clinical Oncology, 2021, 39, 3430-3440.	1.6	21
101	Validating California Teachers Study Self-Reports of Recent Hospitalization: Comparison with California Hospital Discharge Data. American Journal of Epidemiology, 2003, 158, 1012-1020.	3.4	20
102	The Effect of Patient and Contextual Characteristics on Racial/Ethnic Disparity in Breast Cancer Mortality. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1064-1072.	2.5	20
103	Trajectories in Leisure-Time Physical Activity and Risk of Stroke in Women in the California Teachers Study. Stroke, 2017, 48, 2346-2352.	2.0	20
104	A Validated Risk Prediction Model for Breast Cancer in US Black Women. Journal of Clinical Oncology, 2021, 39, 3866-3877.	1.6	20
105	A case-only study to identify genetic modifiers of breast cancer risk for BRCA1/BRCA2 mutation carriers. Nature Communications, 2021, 12, 1078.	12.8	19
106	Reproductive factors, tumor estrogen receptor status and contralateral breast cancer risk: results from the WECARE study. SpringerPlus, 2015, 4, 825.	1.2	18
107	Novel polymorphisms in caspase-8 are associated with breast cancer risk in the California Teachers Study. BMC Cancer, 2016, 16, 14.	2.6	18
108	No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. Clinical Gastroenterology and Hepatology, 2019, 17, 2227-2235.e1.	4.4	16

#	Article	IF	Citations
109	Dairy foods, calcium, and risk of breast cancer overall and for subtypes defined by estrogen receptor status: a pooled analysis of 21 cohort studies. American Journal of Clinical Nutrition, 2021, 114, 450-461.	4.7	16
110	A meta-analysis of genome-wide association studies of multiple myeloma among men and women of African ancestry. Blood Advances, 2020, 4, 181-190.	5.2	16
111	Toxicity and Carcinogenic Potency. Risk Analysis, 1985, 5, 263-264.	2.7	14
112	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. Breast Cancer Research, 2014, 16, R51.	5.0	14
113	Aerobic and resistance exercise improve patient-reported sleep quality and is associated with cardiometabolic biomarkers in Hispanic and non-Hispanic breast cancer survivors who are overweight or obese: results from a secondary analysis. Sleep, 2021, 44, .	1.1	14
114	Recreational physical activity and risk of papillary thyroid cancer among women in the California Teachers Study. Cancer Epidemiology, 2013, 37, 46-53.	1.9	13
115	Trends in patterns of treatment of childhood cancer in los angeles county. Cancer, 1993, 71, 3222-3228.	4.1	11
116	Summary of the workshop. , 1998, 83, 595-599.		11
117	CYP2D6 phenotype, tamoxifen, and risk of contralateral breast cancer in the WECARE Study. Breast Cancer Research, 2018, 20, 149.	5.0	11
118	Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. Carcinogenesis, 2021, 42, 369-377.	2.8	11
119	Indicators of microbial-rich environments and the development of papillary thyroid cancer in the California Teachers Study. Cancer Epidemiology, 2015, 39, 548-553.	1.9	10
120	Secondhand smoke, obesity, and risk of type II diabetes among California teachers. Annals of Epidemiology, 2019, 32, 35-42.	1.9	9
121	Sun sensitivity, indoor tanning and Bâ€cell nonâ€Hodgkin lymphoma risk among Caucasian women in Los Angeles County. British Journal of Haematology, 2017, 177, 153-156.	2.5	8
122	Respiratory effects of cotton dust exposure in the cotton garnetting industry. American Journal of Industrial Medicine, 1987, 11, 505-515.	2.1	7
123	Racial/Ethnic Disparities in Survival after Breast Cancer Diagnosis by Estrogen and Progesterone Receptor Status: A Pooled Analysis. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 351-363.	2.5	7
124	Office Techniques for Detecting Optic Neuropathies Brightness Sense Compared to Traditional Screening Tests. Neuro-Ophthalmology, 1988, 8, 245-250.	1.0	6
125	The Importance of Ranking Possible Carcinogenic Hazards Using HERP1. Risk Analysis, 1990, 10, 625-628.	2.7	6
126	Smoking, Radiation Therapy, and Contralateral Breast Cancer Risk in Young Women. Journal of the National Cancer Institute, 2022, 114, 631-634.	6.3	6

#	Article	IF	CITATIONS
127	Examination of the correlation of serum metoclopramide levels with antiemetic efficacy in patients receiving cisplatin. Cancer Chemotherapy and Pharmacology, 1987, 20, 332-6.	2.3	5
128	Hormone metabolism pathway genes and mammographic density change after quitting estrogen and progestin combined hormone therapy in the California Teachers Study. Breast Cancer Research, 2014, 16, 477.	5.0	5
129	Association of a Pathway-Specific Genetic Risk Score With Risk of Radiation-Associated Contralateral Breast Cancer. JAMA Network Open, 2019, 2, e1912259.	5.9	5
130	Hypertension, antihypertensive medications use and risk of age-related macular degeneration in California Teachers Cohort. Journal of Human Hypertension, 2020, 34, 568-576.	2.2	5
131	Blood transfusion history and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. Cancer Causes and Control, 2019, 30, 889-900.	1.8	4
132	Non-steroidal Anti-inflammatory Drug Use and Risk of Age-Related Macular Degeneration in the California Teachers Study. Drugs and Aging, 2021, 38, 817-828.	2.7	4
133	A case-control study of the joint effect of reproductive factors and radiation treatment for first breast cancer and risk of contralateral breast cancer in the WECARE study. Breast, 2020, 54, 62-69.	2.2	3
134	Follicular lymphoma polygenic risk score is associated with increased disease risk but improved overall survival among women in a population based case-control in Los Angeles County California. Cancer Epidemiology, 2020, 65, 101688.	1.9	3
135	Assessing Cancer Treatment Information Using Medicare and Hospital Discharge Data among Women with Non-Hodgkin Lymphoma in a Los Angeles County Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 936-941.	2.5	3
136	Letter to the editors. Journal of Cancer Research and Clinical Oncology, 1985, 110, 184-184.	2.5	2
137	Statistical errors invalidate conclusions in "caffeine and unsaturated fat diet significantly promotes DMBA-induced breast cancer in rats― Cancer, 1985, 55, 1855-1857.	4.1	2
138	Mammographic texture features associated with contralateral breast cancer in the WECARE Study. Npj Breast Cancer, 2021, 7, 146.	5.2	1
139	Colon and Rectal Cancer among Asian Americans and Pacific Islanders. Asian American and Pacific Islander Journal of Health, 1998, 6, 184-200.	0.1	1
140	eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. Cancer Epidemiology Biomarkers and Prevention, 0, , .	2.5	1
141	An Empirical Comparison of Methods Used to Estimate Carcinogenic Potency in Long-Term Animal Bioassays: Lifetable vs Summary Incidence Data. Toxicological Sciences, 1986, 6, 263-269.	3.1	0
142	Childhood Crowding, Atopy and Risk of Non-Hodgkin Lymphoma Blood, 2006, 108, 4648-4648.	1.4	0
143	Polygenic Risk Score in Follicular Lymphoma Risk and Prognosis in a Population-Based Case-Control Study in Los Angeles County. Blood, 2018, 132, 2296-2296.	1.4	0
144	Comprehensive Investigation of White Blood Cell and Gene Expression Profiles As Risk Factors for Multiple Myeloma in African Americans. Blood, 2019, 134, 4379-4379.	1.4	0