

# Chao Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/608194/publications.pdf>

Version: 2024-02-01

76  
papers

2,821  
citations

172457

29  
h-index

189892

50  
g-index

76  
all docs

76  
docs citations

76  
times ranked

1908  
citing authors

#	ARTICLE	IF	CITATIONS
1	Correctional DP-Based Energy Management Strategy of Plug-In Hybrid Electric Bus for City-Bus Route. IEEE Transactions on Vehicular Technology, 2015, 64, 2792-2803.	6.3	206
2	Model predictive control-based efficient energy recovery control strategy for regenerative braking system of hybrid electric bus. Energy Conversion and Management, 2016, 111, 299-314.	9.2	157
3	Adaptive real-time optimal energy management strategy based on equivalent factors optimization for plug-in hybrid electric vehicle. Applied Energy, 2017, 203, 883-896.	10.1	135
4	Efficient energy management strategy for hybrid electric vehicles/plug-in hybrid electric vehicles: review and recent advances under intelligent transportation system. IET Intelligent Transport Systems, 2020, 14, 702-711.	3.0	135
5	Design of a Janus F-TiO <sub>2</sub> @PPS Porous Membrane with Asymmetric Wettability for Switchable Oil/Water Separation. ACS Applied Materials & Interfaces, 2019, 11, 22408-22418.	8.0	122
6	Performance characterization and enhancement mechanism of recycled asphalt mixtures involving high RAP content and steel slag. Journal of Cleaner Production, 2022, 336, 130484.	9.3	92
7	A Stochastic Predictive Energy Management Strategy for Plug-in Hybrid Electric Vehicles Based on Fast Rolling Optimization. IEEE Transactions on Industrial Electronics, 2020, 67, 9659-9670.	7.9	90
8	Scalable Fabrication of Crystalline COF Membranes from Amorphous Polymeric Membranes. Angewandte Chemie - International Edition, 2021, 60, 18051-18058.	13.8	81
9	Cloud computing-based energy optimization control framework for plug-in hybrid electric bus. Energy, 2017, 125, 11-26.	8.8	78
10	Robust coordinated control for hybrid electric bus with single-shaft parallel hybrid powertrain. IET Control Theory and Applications, 2015, 9, 270-282.	2.1	73
11	A hybrid algorithm combining EKF and RLS in synchronous estimation of road grade and vehicle <sup>3</sup> mass for a hybrid electric bus. Mechanical Systems and Signal Processing, 2016, 68-69, 416-430.	8.0	67
12	Electrostatic Assembly of a Titanium Dioxide@Hydrophilic Poly(phenylene sulfide) Porous Membrane with Enhanced Wetting Selectivity for Separation of Strongly Corrosive Oil-in-Water Emulsions. ACS Applied Materials & Interfaces, 2019, 11, 35479-35487.	8.0	62
13	Enhancement mechanism of skid resistance in preventive maintenance of asphalt pavement by steel slag based on micro-surfacing. Construction and Building Materials, 2020, 239, 117870.	7.2	59
14	Superhydrophobic Covalent Organic Frameworks Prepared via Pore Surface Modifications for Functional Coatings under Harsh Conditions. ACS Applied Materials & Interfaces, 2020, 12, 2926-2934.	8.0	59
15	A robust H <sub>∞</sub> control-based hierarchical mode transition control system for plug-in hybrid electric vehicle. Mechanical Systems and Signal Processing, 2018, 99, 326-344.	8.0	58
16	Efficient Mode Transition Control for Parallel Hybrid Electric Vehicle With Adaptive Dual-Loop Control Framework. IEEE Transactions on Vehicular Technology, 2020, 69, 1519-1532.	6.3	56
17	An Intelligent Lane-Changing Behavior Prediction and Decision-Making Strategy for an Autonomous Vehicle. IEEE Transactions on Industrial Electronics, 2022, 69, 2927-2937.	7.9	52
18	Fabrication of a PPS Microporous Membrane for Efficient Water-in-Oil Emulsion Separation. Langmuir, 2018, 34, 10580-10590.	3.5	51

#	ARTICLE	IF	CITATIONS
19	Investigation of physicochemical and rheological properties of SARA components separated from bitumen. <i>Construction and Building Materials</i> , 2020, 235, 117437.	7.2	50
20	Adhesive-free in situ synthesis of a coral-like titanium dioxide@poly(phenylene sulfide) microporous membrane for visible-light photocatalysis. <i>Chemical Engineering Journal</i> , 2019, 374, 1382-1393.	12.7	48
21	An Optimization-Based Path Planning Approach for Autonomous Vehicles Using the DynEFA-Artificial Potential Field. <i>IEEE Transactions on Intelligent Vehicles</i> , 2022, 7, 263-272.	12.7	47
22	Ultrathin polyamide nanofiltration membranes with tunable chargeability for multivalent cation removal. <i>Journal of Membrane Science</i> , 2022, 642, 119971.	8.2	47
23	Superwetting membranes: from controllable constructions to efficient separations. <i>Journal of Materials Chemistry A</i> , 2021, 9, 1395-1417.	10.3	46
24	Economical launching and accelerating control strategy for a single-shaft parallel hybrid electric bus. <i>Mechanical Systems and Signal Processing</i> , 2016, 76-77, 649-664.	8.0	39
25	Multi-scale performance evaluation and correlation analysis of blended asphalt and recycled asphalt mixtures incorporating high RAP content. <i>Journal of Cleaner Production</i> , 2021, 317, 128278.	9.3	38
26	Performance Evaluation and Improving Mechanisms of Diatomite-Modified Asphalt Mixture. <i>Materials</i> , 2018, 11, 686.	2.9	33
27	A novel combinatorial optimization algorithm for energy management strategy of plug-in hybrid electric vehicle. <i>Journal of the Franklin Institute</i> , 2017, 354, 6588-6609.	3.4	32
28	Ultrathin fluorinated self-cleaning membranes via coordination-driven metal-bridging assembly for water purification. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4505-4514.	10.3	31
29	An efficient vehicle-following predictive energy management strategy for PHEV based on improved sequential quadratic programming algorithm. <i>Energy</i> , 2021, 219, 119595.	8.8	31
30	Life Cycle Assessment of Biochar Modified Bioasphalt Derived from Biomass. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 14568-14575.	6.7	30
31	Motor-Temperature-Aware Predictive Energy Management Strategy for Plug-In Hybrid Electric Vehicles Using Rolling Game Optimization. <i>IEEE Transactions on Transportation Electrification</i> , 2021, 7, 2209-2223.	7.8	30
32	Enhanced induction heating and self-healing performance of recycled asphalt mixtures by incorporating steel slag. <i>Journal of Cleaner Production</i> , 2022, 366, 132999.	9.3	30
33	Mix-charged polyamide membranes via molecular hybridization for selective ionic nanofiltration. <i>Journal of Membrane Science</i> , 2022, 644, 120051.	8.2	29
34	A multi-objective optimization energy management strategy for power split HEV based on velocity prediction. <i>Energy</i> , 2022, 238, 121714.	8.8	27
35	Highly Efficient Purification of Multicomponent Wastewater by Electrospinning Kidney-Bean-Skin-like Porous H-PPAN/rGO-PAO@Ag <sup>+</sup> /Ag Composite Nanofibrous Membranes. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 46920-46929.	8.0	26
36	Characteristics of calcareous sand filler and its influence on physical and rheological properties of asphalt mastic. <i>Construction and Building Materials</i> , 2021, 301, 124112.	7.2	26

#	ARTICLE	IF	CITATIONS
37	Study of Toxicity Assessment of Heavy Metals from Steel Slag and Its Asphalt Mixture. <i>Materials</i> , 2020, 13, 2768.	2.9	25
38	Loosening ultrathin polyamide nanofilms through alkali hydrolysis for high-permselective nanofiltration. <i>Journal of Membrane Science</i> , 2021, 637, 119623.	8.2	25
39	Electrostatic enhanced surface segregation approach to self-cleaning and antifouling membranes for efficient molecular separation. <i>Journal of Membrane Science</i> , 2021, 638, 119689.	8.2	25
40	Ultrathin nanofiltration membrane assembled by polyethyleneimine-grafted graphene quantum dots. <i>Journal of Membrane Science</i> , 2022, 642, 119944.	8.2	25
41	Cyber Physical Energy Optimization Control Design for PHEVs Based on Enhanced Firework Algorithm. <i>IEEE Transactions on Vehicular Technology</i> , 2021, 70, 282-291.	6.3	24
42	Engineering multi-pathway graphene oxide membranes toward ultrafast water purification. <i>Journal of Membrane Science</i> , 2021, 638, 119706.	8.2	24
43	An adaptive firework algorithm optimization-based intelligent energy management strategy for plug-in hybrid electric vehicles. <i>Energy</i> , 2022, 239, 122120.	8.8	24
44	Amphiphilic cellulose for enhancing the antifouling and separation performances of poly (acrylonitrile-co-methyl acrylate) ultrafiltration membrane. <i>Journal of Membrane Science</i> , 2019, 591, 117276.	8.2	23
45	Geometric Characteristics of BOF Slag Coarse Aggregate and its Influence on Asphalt Concrete. <i>Materials</i> , 2019, 12, 741.	2.9	23
46	Enhancement mechanism of induction heating on blending efficiency of RAP - virgin asphalt in steel slag recycled asphalt mixtures. <i>Construction and Building Materials</i> , 2021, 269, 121318.	7.2	22
47	An Adaptive Stochastic Model Predictive Control Strategy for Plug-in Hybrid Electric Bus During Vehicle-Following Scenario. <i>IEEE Access</i> , 2020, 8, 13887-13897.	4.2	21
48	Adaptive Model Predictive Control-Based Path Following Control for Four-Wheel Independent Drive Automated Vehicles. <i>IEEE Transactions on Intelligent Transportation Systems</i> , 2022, 23, 14399-14412.	8.0	21
49	Combusting behavior and pyrolysis products evaluation of SARA components separated from bitumen. <i>Construction and Building Materials</i> , 2020, 244, 118401.	7.2	18
50	A Convolutional Neural Network-Based Driving Cycle Prediction Method for Plug-in Hybrid Electric Vehicles With Bus Route. <i>IEEE Access</i> , 2020, 8, 3255-3264.	4.2	17
51	Indentation size and loading rate sensitivities on mechanical properties and creep behavior of solid bitumen. <i>International Journal of Coal Geology</i> , 2019, 216, 103295.	5.0	16
52	Tuning the pore size of graphene quantum dots composite nanofiltration membranes by P-aminobenzoic acid for enhanced dye/salt separation. <i>Separation and Purification Technology</i> , 2021, 263, 118372.	7.9	16
53	An efficient optimal sizing strategy for a hybrid electric air-ground vehicle using adaptive spiral optimization algorithm. <i>Journal of Power Sources</i> , 2022, 517, 230704.	7.8	16
54	Investigation of the physic-chemical properties and toxic potential of Basic Oxygen Furnace Slag (BOF) in asphalt pavement constructed after 15Åyears. <i>Construction and Building Materials</i> , 2020, 238, 117630.	7.2	15

#	ARTICLE	IF	CITATIONS
55	Event-triggered intelligent energy management strategy for plug-in hybrid electric buses based on vehicle cloud optimisation. <i>IET Intelligent Transport Systems</i> , 2020, 14, 1153-1162.	3.0	14
56	Material characterization and performance evaluation of asphalt mixture Incorporating basic oxygen furnace slag (BOF) sludge. <i>Construction and Building Materials</i> , 2017, 147, 362-370.	7.2	13
57	Environmental Impact on VOCs Emission of a Recycled Asphalt Mixture with a High Percentage of RAP. <i>Materials</i> , 2021, 14, 947.	2.9	13
58	A Double-Deep Q-network Based Energy Management Strategy for Hybrid Electric Vehicles under Variable Driving Cycles. <i>Energy Technology</i> , 2021, 9, 2000770.	3.8	12
59	Characterization of Steel Slag Filler and Its Effect on Aging Resistance of Asphalt Mastic with Various Aging Methods. <i>Materials</i> , 2021, 14, 869.	2.9	12
60	Revelation and characterization of selective absorption behavior of bitumen to basic oxygen furnace slag. <i>Construction and Building Materials</i> , 2020, 253, 119210.	7.2	11
61	Power reserve predictive control strategy for hybrid electric vehicle using recognition-based long short-term memory network. <i>Journal of Power Sources</i> , 2022, 520, 230865.	7.8	11
62	Perfluorooctanoyl chloride engineering toward high-flux antifouling polyamide nanofilms for desalination. <i>Journal of Membrane Science</i> , 2022, 644, 120166.	8.2	10
63	Charged nanochannels endow COF membrane with weakly concentration-dependent methanol permeability. <i>Journal of Membrane Science</i> , 2022, 645, 120186.	8.2	10
64	Compaction Procedures and Associated Environmental Impacts Analysis for Application of Steel Slag in Road Base Layer. <i>Sustainability</i> , 2021, 13, 4396.	3.2	9
65	The Life Cycle Energy Consumption and Emissions of Asphalt Pavement Incorporating Basic Oxygen Furnace Slag by Comparative Study. <i>Sustainability</i> , 2021, 13, 4540.	3.2	8
66	A multi-objective power flow optimization control strategy for a power split plug-in hybrid electric vehicle using game theory. <i>Science China Technological Sciences</i> , 2021, 64, 2718-2728.	4.0	8
67	Study on properties and improving mechanism of OGFC-13 asphalt mixtures modified by novel rubber pellets. <i>Construction and Building Materials</i> , 2022, 325, 126799.	7.2	8
68	An Adaptive Constrained Path Following Control Scheme for Autonomous Electric Vehicles. <i>IEEE Transactions on Vehicular Technology</i> , 2022, 71, 3569-3578.	6.3	7
69	Bonding behavior and its affecting factors between basic oxygen furnace slag and asphalt. <i>Construction and Building Materials</i> , 2020, 253, 119153.	7.2	6
70	Performance Evaluation of Asphalt Modified with Steel Slag Powder and Waste Tire Rubber Compounds. <i>Sustainability</i> , 2022, 14, 8615.	3.2	6
71	An enhanced hypotrochoid spiral optimization algorithm based intertwined optimal sizing and control strategy of a hybrid electric air-ground vehicle. <i>Energy</i> , 2022, 257, 124749.	8.8	4
72	City-Bus-Route Demand-based Efficient Coupling Driving Control for Parallel Plug-in Hybrid Electric Bus. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2018, 31, .	3.7	3

#	ARTICLE	IF	CITATIONS
73	Investigation of Permanent Deformation Behavior of Steel Slag Asphalt Mixture under Indoor Simulation. <i>Advances in Civil Engineering</i> , 2021, 2021, 1-13.	0.7	1
74	Engineering dual-heterogeneous membrane surface with heterostructured modifier to integrate multi-defense antifouling mechanisms. <i>Chemical Engineering Science: X</i> , 2021, 11, 100103.	1.5	1
75	Investigation on rheological properties of bitumen based on rheological parameters of maltenes. <i>Road Materials and Pavement Design</i> , 0, , 1-16.	4.0	1
76	Mechanism and Investment Analysis of Recycling Gasoline Solvent with Mineral Powder for Asphalt Cleaning. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5761.	2.5	0