Simon Coulton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6082470/publications.pdf

Version: 2024-02-01

76 papers

2,650 citations

218677 26 h-index 197818 49 g-index

85 all docs

85 docs citations

85 times ranked 3571 citing authors

#	Article	IF	CITATIONS
1	OUP accepted manuscript. Alcohol and Alcoholism, 2022, , .	1.6	O
2	Effectiveness and costâ€effectiveness of faceâ€toâ€face and electronic brief interventions versus screening alone to reduce alcohol consumption among highâ€risk adolescents presenting to Emergency Departments: threeâ€arm pragmatic randomised trial (SIPS Junior High Risk Trial). Addiction, 2022, , .	3.3	2
3	Alcohol Misuse among English Youth, Are Harms Attributable to Alcohol or to Underlying Disinhibitory Characteristics?. Alcohol and Alcoholism, 2022, 57, 372-377.	1.6	3
4	Costâ€effectiveness analysis of public health interventions with impacts on health and criminal justice: An applied crossâ€sectoral analysis of an alcohol misuse intervention. Health Economics (United) Tj ETQq0 0 0 r	gB T.# Over	loc k 10 Tf 50 6
5	A two-arm parallel-group individually randomised prison pilot study of a male remand alcohol intervention for self-efficacy enhancement: the APPRAISE study protocol. BMJ Open, 2021, 11, e040636.	1.9	O
6	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. International Journal of Drug Policy, 2021, 93, 103113.	3.3	5
7	Double-blind, placebo-controlled trial of mifepristone on cognition and depression in alcohol dependence. Trials, 2020, 21, 796.	1.6	9
8	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. Programme Grants for Applied Research, 2020, 8, 1-144.	1.0	7
9	Burden of Alcohol Disorders on Emergency Department Attendances and Hospital Admissions in England. Alcohol and Alcoholism, 2019, 54, 516-524.	1.6	8
10	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. PLoS ONE, 2019, 14, e0217855.	2.5	4
11	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. Journal of Public Health, 2019, 41, e53-e60.	1.8	14
12	Brief alcohol intervention for risky drinking in young people aged 14–15 years in secondary schools: the SIPS JR-HIGH RCT. Public Health Research, 2019, 7, 1-134.	1.3	5
13	Using Bayes factors to evaluate evidence for no effect: examples from the SIPS project. Addiction, 2018, 113, 240-246.	3.3	39
14	Alcohol Screening and Brief Intervention in Police Custody Suites: Pilot Cluster Randomised Controlled Trial (AcCePT). Alcohol and Alcoholism, 2018, 53, 548-559.	1.6	12
15	Assertive Community Treatment For People With Alcohol Dependence: A Pilot Randomized Controlled Trial. Alcohol and Alcoholism, 2017, 52, 234-241.	1.6	15
16	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. Journal of Adolescent Health, 2017, 60, 438-446.	2.5	37
17	Pragmatic randomised controlled trial to evaluate the effectiveness and cost effectiveness of a multi-component intervention to reduce substance use and risk-taking behaviour in adolescents involved in the criminal justice system: A trial protocol (RISKIT-CJS). BMC Public Health, 2017, 17, 246.	2.9	9
18	Effectiveness and Cost-effectiveness of Opportunistic Screening and Stepped-care Interventions for Older Alcohol Users in Primary Care. Alcohol and Alcoholism, 2017, 52, 655-664.	1.6	15

#	Article	lF	CITATIONS
19	Screening for At-Risk Alcohol Consumption in Primary Care: A Randomized Evaluation of Screening Approaches. Alcohol and Alcoholism, 2017, 52, 312-317.	1.6	12
20	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. Addiction, 2016, 111, 1935-1945.	3.3	73
21	Multicentre individual randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people aged 14–15 in a high school setting (SIPS JR-HIGH): study protocol. BMJ Open, 2016, 6, e012474.	1.9	9
22	Double-blind, 12Âmonth follow-up, placebo-controlled trial of mifepristone on cognition in alcoholics: the MIFCOG trial protocol. BMC Psychiatry, 2016, 16, 40.	2.6	19
23	Effectiveness of a tailored training programme in behaviour change counselling for community pharmacists: A pilot study. Patient Education and Counseling, 2016, 99, 132-138.	2.2	8
24	Development of risk models for the prediction of new or worsening acute kidney injury on or during hospital admission: a cohort and nested study. Health Services and Delivery Research, 2016, 4, 1-160.	1.4	13
25	Development of a multicentre randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people in a high-school setting (SIPS JR-HIGH). Lancet, The, 2015, 386, S37.	13.7	2
26	A quasi-experimental controlled evaluation of the impact of a hospice rapid response community service for end-of-life care on achievement of preferred place of death. Palliative Medicine, 2015, 29, 817-825.	3.1	13
27	Alcohol-related risk and harm amongst young offenders aged 11-17. International Journal of Prisoner Health, 2015, 11, 75-86.	0.9	7
28	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14–17 years presenting to Emergency Departments (SIPS junior). BMC Public Health, 2015, 15, 345.	2.9	18
29	A pilot feasibility trial of alcohol screening and brief intervention in the police custody setting (ACCEPT): study protocol for a cluster randomised controlled trial. Pilot and Feasibility Studies, 2015, 1, 6.	1.2	4
30	Effectiveness and cost-effectiveness of community singing on mental health-related quality of life of older people: Randomised controlled trial. British Journal of Psychiatry, 2015, 207, 250-255.	2.8	155
31	The Effectiveness of Alcohol Screening and Brief Intervention in Emergency Departments: A Multicentre Pragmatic Cluster Randomized Controlled Trial. PLoS ONE, 2014, 9, e99463.	2.5	89
32	Galvanic vestibular stimulation in hemi-spatial neglect. Frontiers in Integrative Neuroscience, $2014, 8, 4.$	2.1	53
33	"Singing for Breathing― Participants' perceptions of a group singing programme for people with COPD. Arts and Health, 2014, 6, 59-74.	1.6	39
34	RisKit: The participatory development and observational evaluation of a multi-component programme for adolescent risk behaviour reduction. Drugs: Education, Prevention and Policy, 2014, 21, 24-34.	1.3	2
35	Interventions for drug-using offenders in the courts, secure establishments and the community The Cochrane Library, 2014, 2014, CD005193.	2.8	6
36	Alcohol Screening and Brief Interventions for Offenders in the Probation Setting (SIPS Trial): a Pragmatic Multicentre Cluster Randomized Controlled Trial. Alcohol and Alcoholism, 2014, 49, 540-548.	1.6	48

3

#	Article	IF	CITATIONS
37	RESULTS OF A CONTROLLED EVALUATION OF A HOSPICE RAPID RESPONSE COMMUNITY SERVICE FOR END OF LIFE CARE. BMJ Supportive and Palliative Care, 2014, 4, A10.2-A10.	1.6	1
38	Can Galvanic Vestibular Stimulation Induce Lasting Relief from Hemi-Spatial Neglect?. Archives of Physical Medicine and Rehabilitation, 2014, 95, e24.	0.9	0
39	A pilot feasibility cluster randomised controlled trial of screening and brief alcohol intervention to prevent hazardous drinking in young people aged 14–15 years in a high school setting (SIPS JR-HIGH). Public Health Research, 2014, 2, 1-208.	1.3	9
40	Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. BMJ, The, 2013, 346, e8501-e8501.	6.0	223
41	How does cognitive behaviour therapy work with opioid-dependent clients? Results of the UKCBTMM study. Drugs: Education, Prevention and Policy, 2012, 19, 253-258.	1.3	7
42	Screening for Alcohol Use in Criminal Justice Settings: An Exploratory Study. Alcohol and Alcoholism, 2012, 47, 423-427.	1.6	44
43	Screening and brief alcohol intervention to prevent hazardous drinking in adolescents aged 14–15 years in a high-school setting (SIPS JR-HIGH): a feasibility pilot trial. Lancet, The, 2012, 380, S60.	13.7	0
44	Screening and brief alcohol intervention in routine primary care in the UK: 12-month outcomes. Addiction Science & Dinical Practice, 2012, 7, .	2.6	0
45	The utility of different screening methods to detect hazardous drinking and alcohol use disorders in the Screening and Intervention Program for Sensible Drinking (SIPS) program. Addiction Science & Science & Clinical Practice, 2012, 7, .	2.6	6
46	Alcohol screening, brief intervention, and stepped care with older alcohol users. Addiction Science & Eamp; Clinical Practice, 2012, 7, .	2.6	0
47	Evaluation of a hospice rapid response community service: a controlled evaluation. BMC Palliative Care, 2012, 11, 11.	1.8	15
48	Brief intervention to prevent hazardous drinking in young people aged 14–15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. Trials, 2012, 13, 166.	1.6	8
49	Assertive Community Treatment for alcohol dependence (ACTAD): study protocol for a randomised controlled trial. Trials, 2012, 13, 19.	1.6	10
50	Efficacy of Memantine for Agitation in Alzheimer's Dementia: A Randomised Double-Blind Placebo Controlled Trial. PLoS ONE, 2012, 7, e35185.	2.5	144
51	Identifying the gap between need and intervention for alcohol use disorders in Europe. Addiction, 2011, 106, 31-36.	3.3	36
52	Anticholinergic Medication Use and Cognitive Impairment in the Older Population: The Medical Research Council Cognitive Function and Ageing Study. Journal of the American Geriatrics Society, 2011, 59, 1477-1483.	2.6	515
53	The impact of anticholinergic burden in Alzheimer's Dementia-the Laser-AD study. Age and Ageing, 2011, 40, 730-735.	1.6	80
54	Alcohol misuse. Clinical Evidence, 2011, 2011, .	0.2	1

#	Article	IF	CITATIONS
55	Participants' preference for type of leaflet used to feed back the results of a randomised trial: a survey. Trials, 2010, 11, 116.	1.6	9
56	Screening Tools Assessing Risk of Suicide and Self-Harm in Adult Offenders: A Systematic Review. International Journal of Offender Therapy and Comparative Criminology, 2010, 54, 803-828.	1.2	31
57	Alcohol use disorders in older people. Reviews in Clinical Gerontology, 2009, 19, 217-225.	0.5	3
58	Effectiveness and cost-effectiveness of a stepped care intervention for alcohol use disorders in primary care: pilot study. British Journal of Psychiatry, 2009, 195, 448-456.	2.8	71
59	What Was Useful about That Session? Clients' and Therapists' Comments after Sessions in the UK Alcohol Treatment Trial (UKATT). Alcohol and Alcoholism, 2009, 44, 306-313.	1.6	15
60	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. BMC Public Health, 2009, 9, 287.	2.9	57
61	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. BMC Public Health, 2009, 9, 418.	2.9	40
62	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. BMC Health Services Research, 2009, 9, 114.	2.2	40
63	The Effectiveness of Interventions for Drug-Using Offenders in the Courts, Secure Establishments and the Community: A Systematic Review. Substance Use and Misuse, 2009, 44, 374-400.	1.4	34
64	Effectiveness of nurse delivered endoscopy: findings from randomised multi-institution nurse endoscopy trial (MINuET). BMJ: British Medical Journal, 2009, 338, b231-b231.	2.3	47
65	Cost effectiveness of nurse delivered endoscopy: findings from randomised multi-institution nurse endoscopy trial (MINuET). BMJ: British Medical Journal, 2009, 338, b270-b270.	2.3	27
66	Alcohol misuse. Clinical Evidence, 2009, 2009, .	0.2	0
67	Low identification of alcohol use disorders in general practice in England. Addiction, 2008, 103, 766-773.	3.3	60
68	The effectiveness and cost-effectiveness of opportunistic screening and stepped care interventions for older hazardous alcohol users in primary care (AESOPS) $\hat{a} \in A$ randomised control trial protocol. BMC Health Services Research, 2008, 8, 129.	2.2	24
69	Failure to validate the Health Survey for England physical activity module in a cardiac population. Health Policy, 2007, 84, 262-268.	3.0	17
70	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. Journal of Clinical Epidemiology, 2007, 60, 1046-1051.	5.0	7
71	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. BMC Medical Research Methodology, 2007, 7, 12.	3.1	24
72	Interventions for drug-using offenders in the courts, secure establishments and the community , 2006, , CD005193.		51

SIMON COULTON

#	Article	IF	CITATION
73	Randomized trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: Cost-effectiveness analysis. International Journal of Technology Assessment in Health Care, 2006, 22, 67-75.	0.5	29
74	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. BMC Health Services Research, 2006, 6, 133.	2.2	22
75	Opportunistic screening for alcohol use disorders in primary care: comparative study. BMJ: British Medical Journal, 2006, 332, 511-517.	2.3	61
76	Randomised trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: outcomes and patients' preference. BMJ: British Medical Journal, 2005, 330, 75.	2.3	120