

Raisa S Pompe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6097756/publications.pdf>

Version: 2024-02-01

60
papers

1,194
citations

361413

20
h-index

434195

31
g-index

60
all docs

60
docs citations

60
times ranked

1880
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Anesthetic Technique (Spinal vs. General Anesthesia) in Holmium Laser Enucleation of the Prostate: Retrospective Analysis of Procedural and Functional Outcomes among 1,159 Patients. <i>Urologia Internationalis</i> , 2023, 107, 336-343. | 1.3 | 2 |
| 2 | Salvage Radiotherapy versus Observation for Biochemical Recurrence following Radical Prostatectomy for Prostate Cancer: A Matched Pair Analysis. <i>Cancers</i> , 2022, 14, 740. | 3.7 | 5 |
| 3 | Impact of positive surgical margin length and Gleason grade at the margin on oncologic outcomes in patients with nonorgan-confined prostate cancer. <i>Prostate</i> , 2022, 82, 949-956. | 2.3 | 3 |
| 4 | Oncologic outcomes of organ-confined Gleason grade group 4-5 prostate cancer after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 161.e9-161.e14. | 1.6 | 3 |
| 5 | Regression Discontinuity Analysis of Salvage Radiotherapy in Prostate Cancer. <i>European Urology Oncology</i> , 2021, 4, 817-820. | 5.4 | 1 |
| 6 | Combined systematic versus stand-alone multiparametric MRI-guided targeted fusion biopsy: nomogram prediction of non-organ-confined prostate cancer. <i>World Journal of Urology</i> , 2021, 39, 81-88. | 2.2 | 11 |
| 7 | Assessing the Outcome of Holmium Laser Enucleation of the Prostate by Age, Prostate Volume, and a History of Blood Thinning Agents: Report from a Single-Center Series of >1800 Consecutive Cases. <i>Journal of Endourology</i> , 2021, 35, 639-646. | 2.1 | 20 |
| 8 | The Role of Magnetic Resonance Imaging and Positron Emission Tomography/Computed Tomography in the Primary Staging of Newly Diagnosed Prostate Cancer: A Systematic Review of the Literature. <i>European Urology Oncology</i> , 2021, 4, 370-395. | 5.4 | 25 |
| 9 | Association of neurovascular bundle preservation with oncological outcomes in patients with high-risk prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 193-201. | 3.9 | 7 |
| 10 | Impact of Age on Perioperative Outcomes at Radical Prostatectomy: A Population-Based Study. <i>European Urology Focus</i> , 2020, 6, 1213-1219. | 3.1 | 5 |
| 11 | The Impact of Anxiety and Depression on Surgical and Functional Outcomes in Patients Who Underwent Radical Prostatectomy. <i>European Urology Focus</i> , 2020, 6, 1199-1204. | 3.1 | 25 |
| 12 | Tumor characteristics, oncological and functional outcomes after radical prostatectomy in very young men <45 years of age. <i>World Journal of Urology</i> , 2020, 38, 95-101. | 2.2 | 8 |
| 13 | Effect of bladder neck sparing at robot-assisted laparoscopic prostatectomy on postoperative continence rates and biochemical recurrence. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 1.e11-1.e16. | 1.6 | 3 |
| 14 | Retrograde ejaculation after holmium laser enucleation of the prostate (HoLEP) – Impact on sexual function and evaluation of patient bother using validated questionnaires. <i>Andrology</i> , 2020, 8, 1779-1786. | 3.5 | 13 |
| 15 | Validation of the updated eighth edition of AJCC for prostate cancer: Removal of pT2 substages – Does extent of tumor involvement matter?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 637.e1-637.e7. | 1.6 | 1 |
| 16 | Validation of the Social Security Administration Life Tables (2004–2014) in Localized Prostate Cancer Patients within the Surveillance, Epidemiology, and End Results database. <i>European Urology Focus</i> , 2019, 5, 807-814. | 3.1 | 22 |
| 17 | Inverse stage migration patterns in North American patients undergoing local prostate cancer treatment: a contemporary population-based update in light of the 2012 USPSTF recommendations. <i>World Journal of Urology</i> , 2019, 37, 469-479. | 2.2 | 25 |
| 18 | Impact of positive surgical margin length and Gleason grade at the margin on biochemical recurrence in patients with organ-confined prostate cancer. <i>Prostate</i> , 2019, 79, 1832-1836. | 2.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Prostate cancer prognosis in men with other malignancies prior to radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 575.e1-575.e7. | 1.6 | 4 |
| 20 | Impact of the estimated blood loss during radical prostatectomy on functional outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 298.e11-298.e17. | 1.6 | 7 |
| 21 | External Validation of the European Association of Urology Biochemical Recurrence Risk Groups to Predict Metastasis and Mortality After Radical Prostatectomy in a European Cohort. <i>European Urology</i> , 2019, 75, 896-900. | 1.9 | 74 |
| 22 | Persistent Prostate-Specific Antigen After Radical Prostatectomy and Its Impact on Oncologic Outcomes. <i>European Urology</i> , 2019, 76, 106-114. | 1.9 | 77 |
| 23 | The Impact of Lymph Node Metastases Burden at Radical Prostatectomy. <i>European Urology Focus</i> , 2019, 5, 399-406. | 3.1 | 19 |
| 24 | Are the Results of the Prostate Testing for Cancer and Treatment Trial Applicable to Contemporary Prostate Cancer Patients Treated with Radical Prostatectomy? Results from Two High-volume European Institutions. <i>European Urology Focus</i> , 2019, 5, 545-549. | 3.1 | 5 |
| 25 | Assessment of Oncological Outcomes After Radical Prostatectomy According to Preoperative and Postoperative Cancer of the Prostate Risk Assessment Scores: Results from a Large, Two-center Experience. <i>European Urology Focus</i> , 2019, 5, 568-576. | 3.1 | 5 |
| 26 | Extent of lymph node dissection improves survival in prostate cancer patients treated with radical prostatectomy without lymph node invasion. <i>Prostate</i> , 2018, 78, 469-475. | 2.3 | 40 |
| 27 | Contemporary approach to predict early biochemical recurrence after radical prostatectomy: update of the Walz nomogram. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 386-393. | 3.9 | 11 |
| 28 | Validation of the current eligibility criteria for focal therapy in men with localized prostate cancer and the role of MRI. <i>World Journal of Urology</i> , 2018, 36, 705-712. | 2.2 | 5 |
| 29 | Survival benefit of local versus no local treatment for metastatic prostate cancer—Impact of baseline PSA and metastatic substages. <i>Prostate</i> , 2018, 78, 753-757. | 2.3 | 27 |
| 30 | Local treatment for metastatic prostate cancer: A systematic review. <i>International Journal of Urology</i> , 2018, 25, 390-403. | 1.0 | 37 |
| 31 | Long-term cancer control outcomes in patients with biochemical recurrence and the impact of time from radical prostatectomy to biochemical recurrence. <i>Prostate</i> , 2018, 78, 676-681. | 2.3 | 23 |
| 32 | Adjuvant Therapies in Nonmetastatic Renal-Cell Carcinoma: A Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 176-183. | 1.9 | 16 |
| 33 | Tumor characteristics, treatments, and oncological outcomes of prostate cancer in men aged ≥50 years: a population-based study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 71-77. | 3.9 | 13 |
| 34 | Adherence to pelvic lymph node dissection recommendations according to the National Comprehensive Cancer Network pelvic lymph node dissection guideline and the D'Amico lymph node invasion risk stratification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 81.e17-81.e24. | 1.6 | 18 |
| 35 | The impact of time to catheter removal on short-, intermediate- and long-term urinary continence after radical prostatectomy. <i>World Journal of Urology</i> , 2018, 36, 1247-1253. | 2.2 | 16 |
| 36 | Does surgical delay for radical prostatectomy affect biochemical recurrence? A retrospective analysis from a Canadian cohort. <i>World Journal of Urology</i> , 2018, 36, 1-6. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Radical prostatectomy or radiotherapy reduce prostate cancer mortality in elderly patients: a population-based propensity score adjusted analysis. <i>World Journal of Urology</i> , 2018, 36, 7-13. | 2.2 | 23 |
| 38 | Effect of pathological high-risk features on cancer-specific mortality in non-metastatic clear cell renal cell carcinoma: a tool for optimizing patient selection for adjuvant therapy. <i>World Journal of Urology</i> , 2018, 36, 51-57. | 2.2 | 16 |
| 39 | The impact of lymph node dissection and positive lymph nodes on cancer-specific mortality in contemporary pT₂ non-metastatic renal cell carcinoma treated with radical nephrectomy. <i>BJU International</i> , 2018, 121, 383-392. | 2.5 | 30 |
| 40 | Comparison of 11 Active Surveillance Protocols in Contemporary European Men Treated With Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e141-e149. | 1.9 | 10 |
| 41 | First North American validation and head-to-head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. <i>BJU International</i> , 2018, 121, 592-599. | 2.5 | 32 |
| 42 | Improved cancer-specific free survival and overall free survival in contemporary metastatic prostate cancer patients: a population-based study. <i>International Urology and Nephrology</i> , 2018, 50, 71-78. | 1.4 | 37 |
| 43 | Radical prostatectomy after previous TUR-P: Oncological, surgical, and functional outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 527.e21-527.e28. | 1.6 | 16 |
| 44 | Up regulation of the steroid hormone synthesis regulator HSD3B2 is linked to early PSA recurrence in prostate cancer. <i>Experimental and Molecular Pathology</i> , 2018, 105, 50-56. | 2.1 | 6 |
| 45 | Increase in the Annual Rate of Newly Diagnosed Metastatic Prostate Cancer: A Contemporary Analysis of the Surveillance, Epidemiology and End Results Database. <i>European Urology Oncology</i> , 2018, 1, 314-320. | 5.4 | 19 |
| 46 | The effect of age on cancer-specific mortality in patients with small renal masses: A population-based analysis. <i>Canadian Urological Association Journal</i> , 2018, 12, E325-30. | 0.6 | 13 |
| 47 | Trend of Adverse Stage Migration in Patients Treated with Radical Prostatectomy for Localized Prostate Cancer. <i>European Urology Oncology</i> , 2018, 1, 160-168. | 5.4 | 15 |
| 48 | Postoperative complications of contemporary open and robot-assisted laparoscopic radical prostatectomy using standardised reporting systems. <i>BJU International</i> , 2018, 122, 801-807. | 2.5 | 52 |
| 49 | External validation of the novel International Society of Urological Pathology (ISUP) Gleason grading groups in a large contemporary Canadian cohort. <i>Canadian Urological Association Journal</i> , 2018, 12, . | 0.6 | 2 |
| 50 | Population-Based Validation of the 2014 ISUP Gleason Grade Groups in Patients Treated With Radical Prostatectomy, Brachytherapy, External Beam Radiation, or no Local Treatment. <i>Prostate</i> , 2017, 77, 686-693. | 2.3 | 33 |
| 51 | Oncologic and Functional Outcomes after Radical Prostatectomy for High or Very High Risk Prostate Cancer: European Validation of the Current NCCN® Guideline. <i>Journal of Urology</i> , 2017, 198, 354-361. | 0.4 | 36 |
| 52 | Radical prostatectomy neutralizes obesity-driven risk of prostate cancer progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 243-249. | 1.6 | 11 |
| 53 | External Beam Radiotherapy Affects Serum Testosterone in Patients with Localized Prostate Cancer. <i>Journal of Sexual Medicine</i> , 2017, 14, 876-882. | 0.6 | 16 |
| 54 | Long-term oncological outcomes in patients with limited nodal disease undergoing radical prostatectomy and pelvic lymph node dissection without adjuvant treatment. <i>World Journal of Urology</i> , 2017, 35, 1833-1839. | 2.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Marital status and gender affect stage, tumor grade, treatment type and cancer specific mortality in T1â€“2 N0 M0 renal cell carcinoma. <i>World Journal of Urology</i> , 2017, 35, 1899-1905. | 2.2 | 28 |
| 56 | Short- and Long-term Functional Outcomes and Quality of Life after Radical Prostatectomy: Patient-reported Outcomes from a Tertiary High-volume Center. <i>European Urology Focus</i> , 2017, 3, 615-620. | 3.1 | 44 |
| 57 | Survival of metastatic renal cell carcinoma patients continues to improve over time, even in targeted therapy era. <i>International Urology and Nephrology</i> , 2017, 49, 2143-2149. | 1.4 | 36 |
| 58 | Functional Outcomes and Quality of Life After Radical Prostatectomy Only Versus a Combination of Prostatectomy with Radiation and Hormonal Therapy. <i>European Urology</i> , 2017, 71, 330-336. | 1.9 | 57 |
| 59 | Complications after salvage radical prostatectomy: vesicourethral anastomosis leaks and possible prevention. <i>Translational Andrology and Urology</i> , 2017, 6, 994-996. | 1.4 | 1 |
| 60 | Oncological, functional and perioperative outcomes in transplant patients after radical prostatectomy. <i>World Journal of Urology</i> , 2016, 34, 1101-1105. | 2.2 | 10 |