## Arthur Raymond Hubert van Zanten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/610955/publications.pdf

Version: 2024-02-01

145 papers

7,285 citations

39 h-index 81 g-index

152 all docs

152 docs citations

152 times ranked

6394 citing authors

#	Article	IF	Citations
1	ESPEN guideline on clinical nutrition in the intensive care unit. Clinical Nutrition, 2019, 38, 48-79.	5.0	1,610
2	Early enteral nutrition in critically ill patients: ESICM clinical practice guidelines. Intensive Care Medicine, 2017, 43, 380-398.	8.2	528
3	Metabolic and nutritional support of critically ill patients: consensus and controversies. Critical Care, 2015, 19, 35.	5.8	306
4	Enteral versus parenteral nutrition in critically ill patients: an updated systematic review and meta-analysis of randomized controlled trials. Critical Care, 2016, 20, 117.	5.8	247
5	High-Protein Enteral Nutrition Enriched With Immune-Modulating Nutrients vs Standard High-Protein Enteral Nutrition and Nosocomial Infections in the ICU. JAMA - Journal of the American Medical Association, 2014, 312, 514.	7.4	228
6	Effect of a Recombinant Human Soluble Thrombomodulin on Mortality in Patients With Sepsis-Associated Coagulopathy. JAMA - Journal of the American Medical Association, 2019, 321, 1993.	7.4	221
7	Prehospital antibiotics in the ambulance for sepsis: a multicentre, open label, randomised trial. Lancet Respiratory Medicine,the, 2018, 6, 40-50.	10.7	219
8	Guideline Bundles Adherence and Mortality in Severe Sepsis and Septic Shock. Critical Care Medicine, 2014, 42, 1890-1898.	0.9	192
9	Nutrition therapy and critical illness: practical guidance for the ICU, post-ICU, and long-term convalescence phases. Critical Care, 2019, 23, 368.	5.8	145
10	The intensive care medicine research agenda in nutrition and metabolism. Intensive Care Medicine, 2017, 43, 1239-1256.	8.2	140
11	Antioxidant Vitamins and Trace Elements in Critical Illness. Nutrition in Clinical Practice, 2016, 31, 457-474.	2.4	135
12	Nurses' worry or concern and early recognition of deteriorating patients on general wards in acute care hospitals: a systematic review. Critical Care, 2015, 19, 230.	5.8	124
13	Infusion of ultrafiltrate from endotoxemic pigs depresses myocardial performance in normal pigs. Journal of Critical Care, 1993, 8, 161-169.	2.2	110
14	Remifentanil-propofol analgo-sedation shortens duration of ventilation and length of ICU stay compared to a conventional regimen: a centre randomised, cross-over, open-label study in the Netherlands. Intensive Care Medicine, 2009, 35, 291-298.	8.2	110
15	Monitoring nutrition in the ICU. Clinical Nutrition, 2019, 38, 584-593.	5.0	105
16	Gastrointestinal dysfunction in the critically ill: a systematic scoping review and research agenda proposed by the Section of Metabolism, Endocrinology and Nutrition of the European Society of Intensive Care Medicine. Critical Care, 2020, 24, 224.	5.8	96
17	Enteral glutamine supplementation in critically ill patients: a systematic review and meta-analysis. Critical Care, 2015, 19, 294.	5.8	95
18	Ciprofloxacin pharmacokinetics in critically ill patients: A prospective cohort study. Journal of Critical Care, 2008, 23, 422-430.	2.2	94

#	Article	IF	CITATIONS
19	Timing of PROTein INtake and clinical outcomes of adult critically ill patients on prolonged mechanical VENTilation: The PROTINVENT retrospective study. Clinical Nutrition, 2019, 38, 883-890.	5.0	94
20	Nutritional assessment of critically ill patients: validation of the modified NUTRIC score. European Journal of Clinical Nutrition, 2018, 72, 428-435.	2.9	91
21	Feeding mitochondria: Potential role of nutritional components to improve critical illness convalescence. Clinical Nutrition, 2019, 38, 982-995.	5.0	91
22	Diagnostic accuracy of novel serological biomarkers to detect acute mesenteric ischemia: a systematic review and meta-analysis. Internal and Emergency Medicine, 2017, 12, 821-836.	2.0	85
23	Impact of caloric intake in critically ill patients with, and without, refeeding syndrome: A retrospective study. Clinical Nutrition, 2018, 37, 1609-1617.	5.0	81
24	Importance of nondrug costs of intravenous antibiotic therapy. Critical Care, 2003, 7, R184.	5.8	66
25	Pharmacokinetics of caspofungin in ICU patients. Journal of Antimicrobial Chemotherapy, 2014, 69, 3294-3299.	3.0	61
26	Hydrogen peroxide vapor decontamination of an intensive care unit to remove environmental reservoirs of multidrug-resistant gram-negative rods during an outbreak. American Journal of Infection Control, 2010, 38, 754-756.	2.3	60
27	Haemodynamic consequences of mild therapeutic hypothermia after cardiac arrest. European Journal of Anaesthesiology, 2010, 27, 383-387.	1.7	58
28	Very high intact-protein formula successfully provides protein intake according to nutritional recommendations in overweight critically ill patients: a double-blind randomized trial. Critical Care, 2018, 22, 156.	5.8	57
29	Hospital-acquired sinusitis is a common cause of fever of unknown origin in orotracheally intubated critically ill patients. Critical Care, 2005, 9, R583.	5.8	55
30	Metabolic support in the critically ill: a consensus of 19. Critical Care, 2019, 23, 318.	5.8	55
31	Case series of four secondary mucormycosis infections in COVID-19 patients, the Netherlands, December 2020 to May 2021. Eurosurveillance, 2021, 26, .	7.0	55
32	Blowing hot and cold? Skin counter warming to prevent shivering during therapeutic cooling*. Critical Care Medicine, 2009, 37, 2106-2108.	0.9	52
33	Nurses' â€~worry' as predictor of deteriorating surgical ward patients: A prospective cohort study of the Dutch-Early-Nurse-Worry-Indicator-Score. International Journal of Nursing Studies, 2016, 59, 134-140.	5.6	52
34	Continuous vs. intermittent cefotaxime administration in patients with chronic obstructive pulmonary disease and respiratory tract infections: pharmacokinetics/pharmacodynamics, bacterial susceptibility and clinical efficacy. British Journal of Clinical Pharmacology, 2007, 63, 100-109.	2.4	49
35	Bioelectric impedance analysis for body composition measurement and other potential clinical applications in critical illness. Current Opinion in Critical Care, 2021, 27, 344-353.	3.2	49
36	A guide to enteral nutrition in intensive care units: 10 expert tips for the daily practice. Critical Care, 2021, 25, 424.	5.8	48

#	Article	IF	Citations
37	Association of bioelectric impedance analysis body composition and disease severity in COVID-19 hospital ward and ICU patients: The BIAC-19 study. Clinical Nutrition, 2021, 40, 2328-2336.	5.0	46
38	Induced Hypothermia in Traumatic Brain Injury: Effective if Properly Employed. Critical Care Medicine, 2004, 32, 313-314.	0.9	45
39	Energy expenditure and indirect calorimetry in critical illness and convalescence: current evidence and practical considerations. Journal of Intensive Care, 2021, 9, 8.	2.9	44
40	Relevance of non-nutritional calories in mechanically ventilated critically ill patients. European Journal of Clinical Nutrition, 2016, 70, 1443-1450.	2.9	43
41	Clinical validation of the non-invasive cardiac output monitor USCOM-1A in critically ill patients. European Journal of Anaesthesiology, 2008, 25, 917-924.	1.7	40
42	Consequences of the REDOXS and METAPLUS Trials. Journal of Parenteral and Enteral Nutrition, 2015, 39, 890-892.	2.6	38
43	Timing of (supplemental) parenteral nutrition in critically ill patients: a systematic review. Annals of Intensive Care, 2014, 4, 31.	4.6	37
44	Dose Reduction of Caspofungin in Intensive Care Unit Patients with Child Pugh B Will Result in Suboptimal Exposure. Clinical Pharmacokinetics, 2016, 55, 723-733.	3.5	35
45	Capturing early signs of deterioration: the dutchâ€earlyâ€nurseâ€worryâ€indicatorâ€score and its value in the Rapid Response System. Journal of Clinical Nursing, 2017, 26, 2605-2613.	3.0	35
46	Refeeding syndrome: relevance for the critically ill patient. Current Opinion in Critical Care, 2018, 24, 235-240.	3.2	34
47	Unravelling post-ICU mortality: predictors and causes of death. European Journal of Anaesthesiology, 2010, 27, 486-490.	1.7	33
48	Should we stop prescribing metoclopramide as a prokinetic drug in critically ill patients?. Critical Care, 2014, 18, 502.	5.8	33
49	Current evidence on i‰-3 fatty acids in enteral nutrition in the critically ill: A systematic review and meta-analysis. Nutrition, 2019, 59, 56-68.	2.4	33
50	A multicenter, randomized, double-blind study of ulimorelin and metoclopramide in the treatment of critically ill patients with enteral feeding intolerance: PROMOTE trial. Intensive Care Medicine, 2019, 45, 647-656.	8.2	31
51	How is intensive care reimbursed? A review of eight European countries. Annals of Intensive Care, 2013, 3, 37.	4.6	29
52	Glutamine and antioxidants. Current Opinion in Clinical Nutrition and Metabolic Care, 2015, 18, 179-186.	2.5	29
53	Nutrition in the ICU. Current Opinion in Anaesthesiology, 2018, 31, 136-143.	2.0	29
54	Early induction of hypothermia: Will sooner be better?*. Critical Care Medicine, 2005, 33, 1449-1452.	0.9	28

#	Article	IF	Citations
55	Nutrition in the critically ill patient. Current Opinion in Anaesthesiology, 2017, 30, 178-185.	2.0	28
56	Severe local vancomycin induced skin necrosis. British Journal of Clinical Pharmacology, 2007, 64, 553-554.	2.4	27
57	The importance of magnesium in critically ill patients: a role in mitigating neurological injury and in the prevention of vasospasms. Intensive Care Medicine, 2003, 29, 1202-1203.	8.2	26
58	The Golden Hour of Antibiotic Administration in Severe Sepsis. Critical Care Medicine, 2014, 42, 1931-1932.	0.9	23
59	Nutritional support and refeeding syndrome in critical illness. Lancet Respiratory Medicine, the, 2015, 3, 904-905.	10.7	23
60	Should We Increase Protein Delivery During Critical Illness?. Journal of Parenteral and Enteral Nutrition, 2016, 40, 756-762.	2.6	21
61	Bioelectric impedance body composition and phase angle in relation to 90-day adverse outcome in hospitalized COVID-19 ward and ICU patients: The prospective BIAC-19 study. Clinical Nutrition ESPEN, 2021, 46, 185-192.	1.2	21
62	Mitochondrial dysfunction in critical illness during acute metabolic stress and convalescence: consequences for nutrition therapy. Current Opinion in Critical Care, 2020, 26, 346-354.	3.2	20
63	Noninvasive and invasive positive pressure ventilation for acute respiratory failure in critically ill patients: a comparative cohort study. Journal of Thoracic Disease, 2016, 8, 813-825.	1.4	19
64	Mitochondrial Dysfunction in Critical Illness: Implications for Nutritional Therapy. Current Nutrition Reports, 2019, 8, 363-373.	4.3	19
65	Association of PROtein and CAloric Intake and Clinical Outcomes in Adult SEPTic and Nonâ€Septic ICU Patients on Prolonged Mechanical Ventilation: The PROCASEPT Retrospective Study. Journal of Parenteral and Enteral Nutrition, 2020, 44, 434-443.	2.6	19
66	Micronutrient deficiencies in critical illness. Clinical Nutrition, 2021, 40, 3780-3786.	5.0	19
67	Outbreak of Acinetobacter genomic species 3 in a Dutch intensive care unit. Journal of Hospital Infection, 2006, 63, 485-487.	2.9	18
68	Glutamine supplementation in the critically ill: friend or foe?. Critical Care, 2014, 18, 143.	5.8	18
69	Is refeeding syndrome relevant for critically ill patients?. Current Opinion in Clinical Nutrition and Metabolic Care, 2018, 21, 130-137.	2.5	18
70	Glutamine, fish oil and antioxidants in critical illness: MetaPlus trial post hoc safety analysis. Annals of Intensive Care, 2016, 6, 119.	4.6	17
71	The postintensive care syndrome of survivors of critical illness and their families. Journal of Clinical Nursing, 2015, 24, 876-879.	3.0	16
72	Switching From Intermittent to Continuous Infusion of Vancomycin in Critically III Patients. Therapeutic Drug Monitoring, 2016, 38, 398-401.	2.0	16

#	Article	IF	Citations
73	Management of sepsis in out-of-hours primary care: a retrospective study of patients admitted to the intensive care unit. BMJ Open, 2018, 8, e022832.	1.9	16
74	Reliable New High-Performance Liquid Chromatographic Method for the Determination of Ciprofloxacin in Human Serum. Therapeutic Drug Monitoring, 2006, 28, 278-281.	2.0	15
75	Unexpected fatal neurological deterioration after successful cardio-pulmonary resuscitation and therapeutic hypothermia. Resuscitation, 2008, 76, 142-145.	3.0	15
76	Effects of implementation of a computerized nutritional protocol in mechanically ventilated critically ill patients: A single-centre before and after study. Clinical Nutrition ESPEN, 2016, 11, e47-e54.	1.2	15
77	Pre–post evaluation of effects of a titanium dioxide coating on environmental contamination of an intensive care unit: the TITANIC study. Journal of Hospital Infection, 2018, 99, 256-262.	2.9	15
78	Actively implementing an evidence-based feeding guideline for critically ill patients (NEED): a multicenter, cluster-randomized, controlled trial. Critical Care, 2022, 26, 46.	5.8	15
79	Poor physical recovery after critical illness: incidence, features, risk factors, pathophysiology, and evidence-based therapies. Current Opinion in Critical Care, 2022, 28, 409-416.	3.2	15
80	Permissive Underfeeding or Standard Enteral Feeding in Critical Illness. New England Journal of Medicine, 2015, 373, 1173-1176.	27.0	14
81	Physical recovery of COVIDâ€19 pneumosepsis intensive care survivors compared with nonâ€COVID pneumosepsis intensive care survivors during post–intensive care hospitalization: The RECOVID retrospective cohort study. Journal of Parenteral and Enteral Nutrition, 2022, 46, 798-804.	2.6	14
82	Surgical ward nurses' responses to worry: An observational descriptive study. International Journal of Nursing Studies, 2018, 85, 90-95.	5.6	13
83	The safety and efficacy of nicotine replacement therapy in the intensive care unit: a randomised controlled pilot study. Annals of Intensive Care, 2018, 8, 70.	4.6	12
84	Do we need new prokinetics to reduce enteral feeding intolerance during critical illness?. Critical Care, 2016, 20, 294.	5.8	11
85	Associations of hyperosmolar medications administered via nasogastric or nasoduodenal tubes and feeding adequacy, food intolerance and gastrointestinal complications amongst critically ill patients: A retrospective study. Clinical Nutrition ESPEN, 2018, 25, 78-86.	1.2	11
86	Reply-Letter to the Editor – Timing of PROTein INtake and clinical outcomes of adult critically ill patients on prolonged mechanical VENTilation: The PROTINVENT retrospective study. Clinical Nutrition, 2018, 37, 1772-1773.	5.0	10
87	Routine use of indirect calorimetry in critically ill patients: pros and cons. Critical Care, 2022, 26, 123.	5.8	10
88	Still a Place for Metoclopramide as a Prokinetic Drug in Critically III Patients?. Journal of Parenteral and Enteral Nutrition, 2015, 39, 763-766.	2.6	9
89	The jury is still out on continuous infusion of $\hat{l}^2$ -lactam antibiotics in intensive care patients*. Critical Care Medicine, 2009, 37, 2137-2138.	0.9	8
90	Electrolyte disorders during the initiation of nutrition therapy in the ICU. Current Opinion in Clinical Nutrition and Metabolic Care, 2021, 24, 151-158.	2.5	8

#	Article	IF	CITATIONS
91	Optimal timing, dose and route of early nutrition therapy in critical illness and shock: the quest for the Holy Grail. Intensive Care Medicine, 2018, 44, 1558-1560.	8.2	7
92	The Effect of Nutrition on Early Stress-Induced Hyperglycemia, Serum Insulin Levels, and Exogenous Insulin Administration in Critically Ill Patients With Septic Shock: A Prospective Observational Study. Shock, 2019, 52, e31-e38.	2.1	7
93	Resting energy expenditure by indirect calorimetry versus the ventilator-VCO2 derived method in critically ill patients: The DREAM-VCO2 prospective comparative study. Clinical Nutrition ESPEN, 2020, 39, 137-143.	1.2	7
94	Exposure Variability and Target Attainment of Vancomycin: A Systematic Review Comparing Intermittent and Continuous Infusion. Therapeutic Drug Monitoring, 2020, 42, 381-391.	2.0	7
95	Protein requirements and provision in hospitalised COVID-19 ward and ICU patients: Agreement between calculations based on body weight and height, and measured bioimpedance lean body mass. Clinical Nutrition ESPEN, 2022, , .	1.2	7
96	Pleural Enterococcus faecalis Empyema: An Unusual Case. Infection, 2009, 37, 56-59.	4.7	6
97	Nutritional support in critically ill patients: Can we have the cake and the topping too?*. Critical Care Medicine, $2011$ , $39$ , $2757$ - $2759$ .	0.9	6
98	Phlebitis as a consequence of peripheral intravenous administration of cisatracurium besylate in critically ill patients. BMJ Case Reports, 2016, 2016, bcr2016216448.	0.5	6
99	Vitamin D deficiency in the critically ill. Annals of Medicine, 2016, 48, 301-304.	3.8	6
100	Mid-arm circumference method is invalid to estimate the body weight of elderly Emergency Department patients in the Netherlands. Medicine (United States), 2019, 98, e16722.	1.0	6
101	Video-assisted placement of enteral feeding tubes using the Integrated Real-Time Imaging System (IRIS)-technology in critically ill patients. Clinical Nutrition, 2021, 40, 5000-5007.	5.0	6
102	A 67-Year-Old Male Patient With COVID-19ÂWith Worsening Respiratory Function and Acute Kidney Failure. Chest, 2022, 161, e5-e11.	0.8	6
103	Free Cortisol and Critically Ill Patients. New England Journal of Medicine, 2004, 351, 395-397.	27.0	5
104	Nutrition Barriers in Abdominal Aortic Surgery. Journal of Parenteral and Enteral Nutrition, 2013, 37, 172-177.	2.6	5
105	Standard vs Enriched High Protein Enteral Nutrition in the ICU—Reply. JAMA - Journal of the American Medical Association, 2014, 312, 2288.	7.4	5
106	Parenteral glutamine should not be routinely used in adult critically ill patients. Clinical Nutrition, 2017, 36, 1184-1185.	5.0	5
107	Hydrolysed protein enteral nutrition is not superior to polymeric whole protein feeding with regard to gastrointestinal feeding tolerance and feeding adequacy. Critical Care, 2017, 21, 232.	5.8	5
108	Changing paradigms in metabolic support and nutrition therapy during critical illness. Current Opinion in Critical Care, 2018, 24, 223-227.	3.2	5

#	Article	IF	CITATIONS
109	The effect of cisatracurium infusion on the energy expenditure of critically ill patients: an observational cohort study. Critical Care, 2020, 24, 32.	5.8	5
110	Organizational Changes in a Single Intensive Care Unit Affect Benchmarking. Annals of Internal Medicine, 2004, 140, 674.	3.9	5
111	Immediate vs. gradual advancement to goal of enteral nutrition after elective abdominal surgery: A multicenter non-inferiority randomized trial. Clinical Nutrition, 2021, 40, 5802-5811.	5.0	5
112	Legal implications of clinical practice guidelines. Intensive Care Medicine, 2003, 29, 3-7.	8.2	4
113	Design and prospective validation of a dosing instrument for continuous infusion of vancomycin: a within-population approach. European Journal of Clinical Pharmacology, 2014, 70, 1353-1359.	1.9	4
114	Metabolic effects of beta-blockers in critically ill patients: A retrospective cohort study. Heart and Lung: Journal of Acute and Critical Care, 2019, 48, 278-286.	1.6	4
115	Development of a clinical prediction rule for sepsis in primary care: protocol for the TeSD-IT study. Diagnostic and Prognostic Research, 2020, 4, 12.	1.8	4
116	Early high-dose vitamin C in post-cardiac arrest syndrome (VITaCCA): study protocol for a randomized, double-blind, multi-center, placebo-controlled trial. Trials, 2021, 22, 546.	1.6	4
117	Coma in an alcoholic: Marchiafava-Bignami disease. New Zealand Medical Journal, 2006, 119, U2280.	0.5	4
118	Prolonged Infusion of Carbapenems in Critically Ill Patients. Critical Care Medicine, 2013, 41, 676-677.	0.9	3
119	Authors' Response to Vermeulen et al. Journal of Parenteral and Enteral Nutrition, 2016, 40, 12-13.	2.6	3
120	How to improve worldwide early enteral nutrition performance in intensive care units?. Critical Care, 2018, 22, 315.	5.8	3
121	Full or hypocaloric nutritional support for the critically ill patient: is less really more?. Journal of Thoracic Disease, 2015, 7, 1086-91.	1.4	3
122	Family Satisfaction with Intensive Care Unit Care: Influenced by Workload, Staffing, and Patient Selection?. Critical Care Medicine, 2003, 31, 1597-1598.	0.9	2
123	Preventing nosocomial sinusitis in the ICU: comment on article by Pneumatikos et al Intensive Care Medicine, 2006, 32, 1451-1451.	8.2	2
124	Posttraumatic stress disorder–related symptoms after critical care: The role of sedation and family. Critical Care Medicine, 2009, 37, 1831-1832.	0.9	2
125	Nutritional therapy in patients with sepsis: is less really more?. Critical Care, 2020, 24, 254.	5.8	2
126	Commentary on "Guidelines for the provision of nutrition support therapy in the adult critically ill patient: The American Society for Parenteral and Enteral Nutrition― Journal of Parenteral and Enteral Nutrition, 2022, 46, 1223-1225.	2.6	2

#	Article	IF	CITATIONS
127	Real-time polymerase chain reaction to evaluate antibiotic appropriateness. Critical Care Medicine, 2012, 40, 2492-2493.	0.9	1
128	Chlorhexidine Bathing and Infections in Critically Ill Patients. JAMA - Journal of the American Medical Association, 2015, 313, 1862.	7.4	1
129	No Significant Reduction in Antibiotic Treatment Using a Procalcitonin Algorithm with Low Cutoff Value in the Intensive Care Unit?. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 858-859.	5.6	1
130	Response to Gunst and Casaer on the letter to the editor "ls the protein intake saturated at doses recommended by the feeding guidelines for critically ill patients?― Critical Care, 2018, 22, 330.	5.8	1
131	Primum non nocere in early nutrition therapy during critical illness: Balancing the pros and cons of early very high protein administration. Clinical Nutrition, 2019, 38, 1963-1964.	<b>5.</b> O	1
132	Computerâ€Assisted Prescription: The Future of Nutrition Care?. Journal of Parenteral and Enteral Nutrition, 2021, 45, 452-454.	2.6	1
133	Progressive respiratory distress due to neck mass. BMJ Case Reports, 2009, 2009, bcr1120081193-bcr1120081193.	0.5	1
134	Comparison of the Beacon and Quark indirect calorimetry devices to measure resting energy expenditure in ventilated ICU patients. Clinical Nutrition ESPEN, 2022, 48, 370-377.	1.2	1
135	Negative pressure pulmonary oedema. European Journal of Anaesthesiology, 2007, 24, 1057-1058.	1.7	O
136	Unexpected tracheal compression detected after immediate extubation failure. European Journal of Anaesthesiology, 2007, 24, 296-297.	1.7	0
137	P1692 Environmental decontamination of an intensive care unit to control outbreaks of multidrug-resistant Gram-negative rods using hydrogen peroxide vapour. International Journal of Antimicrobial Agents, 2007, 29, S479.	2.5	0
138	Hypothermia or normothermia after cardiac arrest? Do not throw the baby out with the bath water?. Internal and Emergency Medicine, 2014, 9, 785-787.	2.0	0
139	In critical illness, high-protein enteral nutrition with immune-modulating nutrients did not reduce infections. Annals of Internal Medicine, 2015, 162, JC9.	3.9	O
140	In response to "Supplemental protein and energy likely account for multi-ingredient supplementation in mitigating morbidity and mortality in compromised elderly malnourished patients― Clinical Nutrition, 2016, 35, 1578.	5.0	0
141	Is Less Really More with Respect to Permissive Feeding in Critical Illness?. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 691-692.	<b>5.</b> 6	O
142	Data on effects, tolerability and safety of Omega-3 Fatty Acids in Enteral Nutrition in the Critically ill. Data in Brief, 2018, 21, 604-615.	1.0	0
143	Evaluation of the Initial General Ward Early Warning Score and ICU Admission, Hospital Length of Stay and Mortality. Western Journal of Emergency Medicine, 2021, 22, 1132-1138.	1.1	0
144	Nutrition in Abdominal Aortic Repair. , 2014, , 1-14.		0

# ARTICLE IF CITATIONS

145 Nutrition in Abdominal Aortic Repair., 2015, , 623-634. 0