John E Shively

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6110801/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tâ€cell surface generation of dual bivalent, bispecific Tâ€cell engaging, RNA duplex crossâ€linked antibodies (dbBiTERs) for reâ€directed tumor cell lysis. Biotechnology Journal, 2022, 17, e2100389.	3.5	2
2	Dual-labeled anti-CEA antibody for near-infrared fluorescence and PET imaging of colorectal cancer. , 2022, , .		0
3	Role of IncRNA LIPE-AS1 in adipogenesis. Adipocyte, 2022, 11, 11-27.	2.8	11
4	Abstract 2732: A mathematical model for optimization of combination therapy involving targeted radionuclide and CAR-T cell therapy. Cancer Research, 2022, 82, 2732-2732.	0.9	1
5	lsolation and expansion of murine γÎ′T cells from mouse splenocytes. Journal of Immunological Methods, 2022, 508, 113322.	1.4	1
6	Reversal of obesity development in <i>Ceacam1</i> <scp> ^{<i>â^'/â^'</i>} </scp> male mice by bone marrow transplantation or introduction of the human <i>CEACAM1</i> gene. Obesity, 2022, 30, 1351-1356.	3.0	4
7	Preclinical PET Imaging of NTSR-1-Positive Tumors with ⁶⁴ Cu- and ⁶⁸ Ga-DOTA-Neurotensin Analogs and Therapy with an ²²⁵ Ac-DOTA-Neurotensin Analog. Cancer Biotherapy and Radiopharmaceuticals, 2021, 36, 651-661.	1.0	4
8	Daratumumab induces mechanisms of immune activation through CD38+ NK cell targeting. Leukemia, 2021, 35, 189-200.	7.2	56
9	TAG-72–Targeted α-Radionuclide Therapy of Ovarian Cancer Using 225Ac-Labeled DOTAylated-huCC49 Antibody. Journal of Nuclear Medicine, 2021, 62, 55-61.	5.0	11
10	Structural characterization of a dimeric complex between the short cytoplasmic domain of CEACAM1 and the pseudo tetramer of S100A10-Annexin A2 using NMR and molecular dynamics. Biochimica Et Biophysica Acta - Biomembranes, 2021, 1863, 183451.	2.6	7
11	Comparison of CD38-Targeted α- Versus β-Radionuclide Therapy of Disseminated Multiple Myeloma in an Animal Model. Journal of Nuclear Medicine, 2021, 62, 795-801.	5.0	18
12	Tumor regression and immunity in combination therapy with anti-CEA chimeric antigen receptor T cells and anti-CEA-IL2 immunocytokine. Oncolmmunology, 2021, 10, 1899469.	4.6	28
13	Homogeneous Cytochrome 579 Is an Octamer That Reacts Too Slowly With Soluble Iron to Be the Initial Iron Oxidase in the Respiratory Chain of Leptospirillum ferriphilum. Frontiers in Microbiology, 2021, 12, 673066.	3.5	1
14	A Mathematical Modeling Approach for Targeted Radionuclide and Chimeric Antigen Receptor T Cell Combination Therapy. Cancers, 2021, 13, 5171.	3.7	7
15	Human CEACAM1-LF regulates lipid storage in HepC2 cells via fatty acid transporter CD36. Journal of Biological Chemistry, 2021, 297, 101311.	3.4	3
16	Anti-CD25 radioimmunotherapy with BEAM autologous hematopoietic cell transplantation conditioning in Hodgkin lymphoma. Blood Advances, 2021, 5, 5300-5311.	5.2	9
17	Phosphorylation of human CEACAM1-LF by PKA and GSK3β promotes its interaction with β-catenin. Journal of Biological Chemistry, 2021, 297, 101305.	3.4	2
18	CXCR2 specific endocytosis of immunomodulatory peptide LL-37 in human monocytes and formation of LL-37 positive large vesicles in differentiated monoosteophils. Bone Reports, 2020, 12, 100237.	0.4	7

#	Article	IF	CITATIONS
19	Identifying CD38+ cells in patients with multiple myeloma: first-in-human imaging using copper-64–labeled daratumumab. Blood Advances, 2020, 4, 5194-5202.	5.2	29
20	Improved targeting of an antiâ€TAGâ€72 antibody drug conjugate for the treatment of ovarian cancer. Cancer Medicine, 2020, 9, 4756-4767.	2.8	12
21	Potent immunomodulatory effects of an anti-CEA-IL-2 immunocytokine on tumor therapy and effects of stereotactic radiation. Oncolmmunology, 2020, 9, 1724052.	4.6	12
22	Antibody Targeted PET Imaging of ⁶⁴ Cu-DOTA-Anti-CEA PEGylated Lipid Nanodiscs in CEA Positive Tumors. Bioconjugate Chemistry, 2020, 31, 743-753.	3.6	16
23	Generation of dual specific bivalent BiTEs (dbBIspecific T-cell engaging antibodies) for cellular immunotherapy. BMC Cancer, 2019, 19, 882.	2.6	12
24	CEACAM1 regulates the IL-6 mediated fever response to LPS through the RP105 receptor in murine monocytes. BMC Immunology, 2019, 20, 7.	2.2	24
25	NMR analysis of free and lipid nanodisc anchored CEACAM1 membrane proximal peptides with Ca2+/CaM. Biochimica Et Biophysica Acta - Biomembranes, 2019, 1861, 787-797.	2.6	5
26	Copper 64–labeled daratumumab as a PET/CT imaging tracer for multiple myeloma. Blood, 2018, 131, 741-745.	1.4	54
27	Interferon regulatory factor 1 and a variant of heterogeneous nuclear ribonucleoprotein L coordinately silence the gene for adhesion protein CEACAM1. Journal of Biological Chemistry, 2018, 293, 9277-9291.	3.4	13
28	Tumor Uptake of ⁶⁴ Cu-DOTA-Trastuzumab in Patients with Metastatic Breast Cancer. Journal of Nuclear Medicine, 2018, 59, 38-43.	5.0	63
29	Effective Targeting of TAG72+ Peritoneal Ovarian Tumors via Regional Delivery of CAR-Engineered T Cells. Frontiers in Immunology, 2018, 9, 2268.	4.8	80
30	<scp>S</scp> erumâ€derived carcinoembryonic antigen (<scp>CEA</scp>) activates fibroblasts to induce a local reâ€modeling of the extracellular matrix that favors the engraftment of <scp>CEA</scp> â€expressing tumor cells. International Journal of Cancer, 2018, 143, 1963-1977.	5.1	18
31	SNPs in inflammatory genes CCL11, CCL4 and MEFV in a fibromyalgia family study. PLoS ONE, 2018, 13, e0198625.	2.5	12
32	PET of Adoptively Transferred Chimeric Antigen Receptor T Cells with ⁸⁹ Zr-Oxine. Journal of Nuclear Medicine, 2018, 59, 1531-1537.	5.0	111
33	Phase I Study of Yttrium-90 Labeled ANTI-CD25 (aTac) Monoclonal Antibody PLUS BEAM for Autologous Hematopoietic CELL Transplantation (AHCT) in Patients with Mature T-CELL NON-Hodgkin Lymphoma, the "a-TAC-BEAM Regimen". Blood, 2018, 132, 611-611.	1.4	7
34	64cu-DOTA-Anti-CD33 PET-CT Imaging for Acute Myeloid Leukemia and Image-Guided Treatment. Blood, 2018, 132, 2747-2747.	1.4	1
35	PET imaging of 64Cu-DOTA-scFv-anti-PSMA lipid nanoparticles (LNPs): Enhanced tumor targeting over anti-PSMA scFv or untargeted LNPs. Nuclear Medicine and Biology, 2017, 47, 62-68.	0.6	29
36	Diagnostic PET Imaging of Mammary Microcalcifications Using ⁶⁴ Cu-DOTA-Alendronate in a Rat Model of Breast Cancer. Journal of Nuclear Medicine, 2017, 58, 1373-1379.	5.0	12

#	Article	IF	CITATIONS
37	Characterization of 1,2-Distearoyl- <i>sn</i> -glycero-3-phosphoethanolamine– <i>N</i> -[Methoxy(polyethylene) Tj ETQq1 1 0.7843 and Molecular Dynamics. Bioconjugate Chemistry, 2017, 28, 1777-1790.	14.rgBT /(3.g	Dverlock 10
38	Aptamer-Drug Conjugates of Active Metabolites of Nucleoside Analogs and Cytotoxic Agents Inhibit Pancreatic Tumor Cell Growth. Molecular Therapy - Nucleic Acids, 2017, 6, 80-88.	5.1	65
39	The adaptor SASH1 acts through NOTCH1 and its inhibitor DLK1 in a 3D model of lumenogenesis involving CEACAM1. Experimental Cell Research, 2017, 359, 384-393.	2.6	6
40	Synthesis, Positron Emission Tomography Imaging, and Therapy of Diabody Targeted Drug Lipid Nanoparticles in a Prostate Cancer Murine Model. Cancer Biotherapy and Radiopharmaceuticals, 2017, 32, 247-257.	1.0	10
41	ETS transcription factor ELF5 induces lumen formation in a 3D model of mammary morphogenesis and its expression is inhibited by Jak2 inhibitor TG101348. Experimental Cell Research, 2017, 359, 62-75.	2.6	3
42	CEACAM1 is associated with recurrence after hepatectomy for colorectal liver metastasis. Journal of Surgical Research, 2017, 220, 353-362.	1.6	11
43	Clinical implications of carcinoembryonic antigen distribution in serum exosomal fraction—Measurement by ELISA. PLoS ONE, 2017, 12, e0183337.	2.5	70
44	Phase I/II Trial of Anticarcinoembryonic Antigen Radioimmunotherapy, Gemcitabine, and Hepatic Arterial Infusion of Fluorodeoxyuridine Postresection of Liver Metastasis for Colorectal Carcinoma. Cancer Biotherapy and Radiopharmaceuticals, 2017, 32, 258-265.	1.0	11
45	Induction of antigenâ€specific T _H 9 immunity accompanied by mast cell activation blocks tumor cell engraftment. International Journal of Cancer, 2016, 139, 841-853.	5.1	45
46	miRNA-342 Regulates CEACAM1-induced Lumen Formation in a Three-dimensional Model of Mammary Gland Morphogenesis. Journal of Biological Chemistry, 2016, 291, 16777-16786.	3.4	11
47	Induction of Lumen Formation in a Three-dimensional Model of Mammary Morphogenesis by Transcriptional Regulator ID4. Journal of Biological Chemistry, 2016, 291, 16766-16776.	3.4	6
48	CEACAM1 and hollow spheroid formation modulate the chemosensitivity of colorectal cancer to 5-fluorouracil. Cancer Chemotherapy and Pharmacology, 2015, 75, 421-430.	2.3	13
49	P4H9-detected molecule expression on spindle-shaped fibroblasts indicates malignant phenotype of colorectal cancer. British Journal of Cancer, 2015, 113, 1454-1459.	6.4	3
50	Radioimmunoimaging of Liver Metastases with PET Using a 64Cu-Labeled CEA Antibody in Transgenic Mice. PLoS ONE, 2014, 9, e106921.	2.5	16
51	⁶⁴ Cu Labeled Sarcophagine Exendin-4 for MicroPET Imaging of Glucagon like Peptide-1 Receptor Expression. Theranostics, 2014, 4, 770-777.	10.0	36
52	Phosphorylation of CEACAM1 Molecule by Calmodulin Kinase IID in a Three-dimensional Model of Mammary Gland Lumen Formation. Journal of Biological Chemistry, 2014, 289, 2934-2945.	3.4	15
53	CEACAM1 Long Cytoplasmic Domain Isoform is Associated with Invasion and Recurrence of Hepatocellular Carcinoma. Annals of Surgical Oncology, 2014, 21, 505-514.	1.5	28
54	Functional Imaging of Human Epidermal Growth Factor Receptor 2–Positive Metastatic Breast Cancer Using ⁶⁴ Cu-DOTA-Trastuzumab PET. Journal of Nuclear Medicine, 2014, 55, 23-29.	5.0	142

#	Article	IF	CITATIONS
55	Facile Preparation of a Thiol-Reactive ¹⁸ F-Labeling Agent and Synthesis of ¹⁸ F-DEG-VS-NT for PET Imaging of a Neurotensin Receptor–Positive Tumor. Journal of Nuclear Medicine, 2014, 55, 1178-1184.	5.0	29
56	Sequence analysis and feeding responses evoked by the large molecular form of gastrin releasing peptide (GRP) in the rat GRP-29. Peptides, 2014, 59, 1-8.	2.4	4
57	IRF-1 regulates alternative mRNA splicing of carcinoembryonic antigen-related cell adhesion molecule 1 (CEACAM1) in breast epithelial cells generating an immunoreceptor tyrosine-based inhibition motif (ITIM) containing isoform. Molecular Cancer, 2014, 13, 64.	19.2	22
58	CEACAM1 regulates Fas-mediated apoptosis in Jurkat T-cells via its interaction with β-catenin. Experimental Cell Research, 2013, 319, 1061-1072.	2.6	23
59	Carcinoembryonic antigenâ€related cell adhesion molecule 1 negatively regulates granulocyte colonyâ€stimulating factor production by breast tumorâ€associated macrophages that mediate tumor angiogenesis. International Journal of Cancer, 2013, 133, 394-407.	5.1	15
60	Development and Evaluation of ¹⁸ F-TTCO-Cys ⁴⁰ -Exendin-4: A PET Probe for Imaging Transplanted Islets. Journal of Nuclear Medicine, 2013, 54, 244-251.	5.0	98
61	A series of anti-CEA/anti-DOTA bispecific antibody formats evaluated for pre-targeting: comparison of tumor uptake and blood clearance. Protein Engineering, Design and Selection, 2013, 26, 187-193.	2.1	30
62	Role of CEACAM1 and CEACAM20 in an In Vitro Model of Prostate Morphogenesis. PLoS ONE, 2013, 8, e53359.	2.5	15
63	Acceleration of Bone Repair in NOD/SCID Mice by Human Monoosteophils, Novel LL-37-Activated Monocytes. PLoS ONE, 2013, 8, e67649.	2.5	19
64	Discovery of Potential New Gene Variants and Inflammatory Cytokine Associations with Fibromyalgia Syndrome by Whole Exome Sequencing. PLoS ONE, 2013, 8, e65033.	2.5	34
65	CEACAM1 Negatively Regulates IL-1Î ² Production in LPS Activated Neutrophils by Recruiting SHP-1 to a SYK-TLR4-CEACAM1 Complex. PLoS Pathogens, 2012, 8, e1002597.	4.7	62
66	Tumor Angiogenesis Mediated by Myeloid Cells Is Negatively Regulated by CEACAM1. Cancer Research, 2012, 72, 2239-2250.	0.9	30
67	The Short Isoform of the CEACAM1 Receptor in Intestinal T Cells Regulates Mucosal Immunity and Homeostasis via Tfh Cell Induction. Immunity, 2012, 37, 930-946.	14.3	40
68	In Vivo Imaging of Transplanted Islets with ⁶⁴ Cu-DO3A-VS-Cys ⁴⁰ -Exendin-4 by Targeting GLP-1 Receptor. Bioconjugate Chemistry, 2011, 22, 1587-1594.	3.6	80
69	Site-Specific Conjugation of Monodispersed DOTA-PEGn to a Thiolated Diabody Reveals the Effect of Increasing PEG Size on Kidney Clearance and Tumor Uptake with Improved 64-Copper PET Imaging. Bioconjugate Chemistry, 2011, 22, 709-716.	3.6	38
70	Angiopoietins-1 and -2 play opposing roles in endothelial sprouting of embryoid bodies in 3D culture and their receptor Tie-2 associates with the cell–cell adhesion molecule PECAM1. Experimental Cell Research, 2011, 317, 2171-2182.	2.6	17
71	Reâ€expression of CEACAM1 long cytoplasmic domain isoform is associated with invasion and migration of colorectal cancer. International Journal of Cancer, 2011, 129, 1351-1361.	5.1	63
72	Mechanistic Control of Carcinoembryonic Antigen-related Cell Adhesion Molecule-1 (CEACAM1) Splice Isoforms by the Heterogeneous Nuclear Ribonuclear Proteins hnRNP L, hnRNP A1, and hnRNP M. Journal of Biological Chemistry, 2011, 286, 16039-16051.	3.4	44

#	Article	IF	CITATIONS
73	Role of CEACAM1, ECM, and Mesenchymal Stem Cells in an Orthotopic Model of Human Breast Cancer. International Journal of Breast Cancer, 2011, 2011, 1-10.	1.2	10
74	Interaction of Actin with Carcinoembryonic Antigen-related Cell Adhesion Molecule 1 (CEACAM1) Receptor in Liposomes Is Ca2+- and Phospholipid-dependent. Journal of Biological Chemistry, 2011, 286, 27528-27536.	3.4	9
75	Erratum of "Role of CEACAM1, ECM, and Mesenchymal Stem Cells in an Orthotopic Model of Human Breast Cancer― International Journal of Breast Cancer, 2011, 2011, 1-2.	1.2	9
76	Role of calpain-9 and PKC-î´ in the apoptotic mechanism of lumen formation in CEACAM1 transfected breast epithelial cells. Experimental Cell Research, 2010, 316, 638-648.	2.6	24
77	Carcinoembryonic Antigen-Related Cell Adhesion Molecule-1 Regulates Granulopoiesis by Inhibition of Granulocyte Colony-Stimulating Factor Receptor. Immunity, 2010, 33, 620-631.	14.3	55
78	Regulation of CEACAM1 transcription in human breast epithelial cells. BMC Molecular Biology, 2010, 11, 79.	3.0	19
79	Generation of Human CEACAM1 Transgenic Mice and Binding of Neisseria Opa Protein to Their Neutrophils. PLoS ONE, 2010, 5, e10067.	2.5	37
80	Generation of Novel Bone Forming Cells (Monoosteophils) from the Cathelicidin-Derived Peptide LL-37 Treated Monocytes. PLoS ONE, 2010, 5, e13985.	2.5	52
81	Pivotal Advance: CEACAM1 is a negative coreceptor for the B cell receptor and promotes CD19-mediated adhesion of B cells in a PI3K-dependent manner. Journal of Leukocyte Biology, 2009, 86, 205-218.	3.3	40
82	Mutational analysis of the cytoplasmic domain of CEACAM1-4L in humanized mammary glands reveals key residues involved in lumen formation: Stimulation by Thr-457 and inhibition by Ser-461. Experimental Cell Research, 2009, 315, 1225-1233.	2.6	13
83	Role of Ceacam1 in VEGF induced vasculogenesis of murine embryonic stem cell-derived embryoid bodies in 3D culture. Experimental Cell Research, 2009, 315, 1668-1682.	2.6	26
84	Evidence that cathelicidin peptide LLâ€37 may act as a functional ligand for CXCR2 on human neutrophils. European Journal of Immunology, 2009, 39, 3181-3194.	2.9	88
85	Alternative Splicing as a Therapeutic Target for Human Diseases. Methods in Molecular Biology, 2009, 555, 127-144.	0.9	11
86	Altered splicing of CEACAM1 in breast cancer: Identification of regulatory sequences that control splicing of CEACAM1 into long or short cytoplasmic domain isoforms. Molecular Cancer, 2008, 7, 46.	19.2	41
87	A Versatile Bifunctional Chelate for Radiolabeling Humanized Anti-CEA Antibody with In-111 and Cu-64 at Either Thiol or Amino Groups: PET Imaging Of CEA-Positive Tumors with Whole Antibodies. Bioconjugate Chemistry, 2008, 19, 89-96.	3.6	47
88	Differential cell fates induced by all-trans retinoic acid-treated HL-60 human leukemia cells. Journal of Leukocyte Biology, 2008, 84, 769-779.	3.3	29
89	Neutrophil secondary necrosis is induced by LL-37 derived from cathelicidin. Journal of Leukocyte Biology, 2008, 84, 780-788.	3.3	59
90	Direct Interaction of Tumor Suppressor CEACAM1 with Beta Catenin: Identification of Key Residues in the Long Cytoplasmic Domain. Experimental Biology and Medicine, 2008, 233, 849-859.	2.4	30

#	Article	IF	CITATIONS
91	Radioiodinated versus Radiometal-Labeled Anti–Carcinoembryonic Antigen Single-Chain Fv-Fc Antibody Fragments: Optimal Pharmacokinetics for Therapy. Cancer Research, 2007, 67, 718-726.	0.9	86
92	Mutation Analysis of the Short Cytoplasmic Domain of the Cell-Cell Adhesion Molecule CEACAM1 Identifies Residues That Orchestrate Actin Binding and Lumen Formation. Journal of Biological Chemistry, 2007, 282, 5749-5760.	3.4	42
93	18F labeling for immuno-PET: where speed and contrast meet. Journal of Nuclear Medicine, 2007, 48, 170-2.	5.0	16
94	A Phase I Trial of90Y-DOTA-Anti-CEA Chimeric T84.66 (cT84.66) Radioimmunotherapy in Patients with Metastatic CEA-Producing Malignancies. Cancer Biotherapy and Radiopharmaceuticals, 2006, 21, 88-100.	1.0	44
95	Neisseria gonorrhoeae Kills Carcinoembryonic Antigen-Related Cellular Adhesion Molecule 1 (CD66a)-Expressing Human B Cells and Inhibits Antibody Production. Infection and Immunity, 2005, 73, 4171-4179.	2.2	74
96	The Cell-Cell Adhesion Molecule Carcinoembryonic Antigen-Related Cellular Adhesion Molecule 1 Inhibits IL-2 Production and Proliferation in Human T Cells by Association with Src Homology Protein-1 and Down-Regulates IL-2 Receptor. Journal of Immunology, 2004, 172, 3544-3552.	0.8	61
97	Humanization of the anti-CEA T84.66 antibody based on crystal structure data. Protein Engineering, Design and Selection, 2004, 17, 481-489.	2.1	56
98	CEACAM1 and hyperplastic polyps: new links in the chain of events leading to colon cancer. Oncogene, 2004, 23, 9303-9305.	5.9	10
99	Characterization of recombinant soluble carcinoembryonic antigen cell adhesion molecule 1. Biochemical and Biophysical Research Communications, 2004, 318, 227-233.	2.1	10
100	Cell–Cell Adhesion Molecule CEACAM1 is Expressed in Normal Breast and Milk and Associates with β1 Integrin in a 3D Model of Morphogenesis. Journal of Molecular Histology, 2003, 35, 287-299.	2.2	21
101	CEACAM1, a Cell-Cell Adhesion Molecule, Directly Associates with Annexin II in a Three-dimensional Model of Mammary Morphogenesis. Journal of Biological Chemistry, 2003, 278, 50338-50345.	3.4	47
102	CEACAM1-4S, a cell-cell adhesion molecule, mediates apoptosis and reverts mammary carcinoma cells to a normal morphogenic phenotype in a 3D culture. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 521-526.	7.1	161
103	124I-labeled engineered anti-CEA minibodies and diabodies allow high-contrast, antigen-specific small-animal PET imaging of xenografts in athymic mice. Journal of Nuclear Medicine, 2003, 44, 1962-9.	5.0	167
104	Protein Epitopes in Carcinoembryonic Antigen. Tumor Biology, 2002, 23, 249-262.	1.8	29
105	Vinyl Sulfone Bifunctional Derivatives of DOTA Allow Sulfhydryl- or Amino-Directed Coupling to Antibodies. Conjugates Retain Immunoreactivity and Have Similar Biodistributions. Bioconjugate Chemistry, 2002, 13, 110-115.	3.6	26
106	Improved initial yields in C-terminal sequence analysis by thiohydantoin chemistry using purified diphenylphosphoryl isothiocyanate: NMR evidence for a reaction intermediate in the coupling reaction. Analytical Biochemistry, 2002, 307, 202-211.	2.4	3
107	An Improved Method for Conjugating Monoclonal Antibodies with N-Hydroxysulfosuccinimidyl DOTA. Bioconjugate Chemistry, 2001, 12, 320-324.	3.6	102
108	Tumor Targeting of Radiometal Labeled Anti-CEA Recombinant T84.66 Diabody and T84.66 Minibody: Comparison to Radioiodinated Fragments. Bioconjugate Chemistry, 2001, 12, 220-228.	3.6	97

#	Article	IF	CITATIONS
109	Carcinoembryonic Antigen Cell Adhesion Molecule 1 Directly Associates with Cytoskeleton Proteins Actin and Tropomyosin. Journal of Biological Chemistry, 2001, 276, 47421-47433.	3.4	63
110	Specific binding of glucosaminylmuramyl peptides to histones. FEBS Letters, 1999, 454, 152-156.	2.8	6
111	Maleimidocysteineamido-DOTA Derivatives:Â New Reagents for Radiometal Chelate Conjugation to Antibody Sulfhydryl Groups Undergo pH-Dependent Cleavage Reactions. Bioconjugate Chemistry, 1998, 9, 72-86.	3.6	92
112	Role of Interferon Regulatory Factor-1 in the Induction of Biliary Glycoprotein (Cell CAM-1) by Interferon-γ. Journal of Biological Chemistry, 1996, 271, 28181-28188.	3.4	48
113	A Facile, Water-Soluble Method for Modification of Proteins with DOTA. Use of Elevated Temperature and Optimized pH To Achieve High Specific Activity and High Chelate Stability in Radiolabeled Immunoconjugates. Bioconjugate Chemistry, 1994, 5, 565-576.	3.6	150
114	Prognostic relevance of carcinoembryonic antigen and estrogen receptor status in breast cancer patients. Cancer, 1994, 74, 1575-1583.	4.1	51
115	Sensitivity and specificity of Gold types 1 to 5 anti-carcinoembryonic antigen monoclonal antibodies: Immunohistologic characterization in colorectal cancer and normal tissues. Human Pathology, 1993, 24, 322-328.	2.0	17
116	Carboxylic acidâ€modified polyethylene: A novel support for the covalent immobilization of polypeptides for Câ€ŧerminal sequencing. Protein Science, 1992, 1, 58-67.	7.6	23
117	Automated carboxyâ€ŧerminal sequence analysis of peptides. Protein Science, 1992, 1, 68-80.	7.6	33
118	Automated carboxy-terminal sequence analysis of peptides and proteins using diphenyl phosphoroisothiocyanatidate. Protein Science, 1992, 1, 1622-1633.	7.6	33
119	Expression of carcinoembryonic antigen and related genes in lung and gastrointestinal cancers. International Journal of Cancer, 1992, 52, 718-725.	5.1	46
120	Transcription of biliary glycoprotein I gene in malignant and non-malignant human liver tissues. International Journal of Cancer, 1990, 45, 875-878.	5.1	26
121	Carboxy-terminal sequencing: formation and hydrolysis of C-terminal peptidylthiohydantoins. Biochemistry, 1990, 29, 3145-3156.	2.5	45
122	Expression of Human Placental Aromatase inSaccharomyces cerevisiae. Molecular Endocrinology, 1989, 3, 1477-1487.	3.7	60
123	Predominant Low-Molecular-Weight Proteins in Isolated Brain Capillaries Are Histones. Journal of Neurochemistry, 1989, 53, 1014-1018.	3.9	2
124	Brain Capillary 46,000 Dalton Protein is Cytoplasmic Actin and is Localized to Endothelial Plasma Membrane. Journal of Cerebral Blood Flow and Metabolism, 1989, 9, 675-680.	4.3	34
125	Carcinoembryonic antigen: molecular cloning and expression of CEA-related antigens, and the use of monoclonal antibodies to CEA in tumor imaging and therapy. Fresenius Zeitschrift Für Analytische Chemie, 1988, 330, 310-311.	0.8	2
126	Processing of Mammalian Preprogastrin-Releasing Peptide. Annals of the New York Academy of Sciences, 1988, 547, 21-29.	3.8	21

#	Article	IF	CITATIONS
127	Amyloid Angiopathy of Alzheimer's Disease: Amino Acid Composition and Partial Sequence of a 4,200-Dalton Peptide Isolated from Cortical Microvessels. Journal of Neurochemistry, 1987, 49, 1394-1401.	3.9	70
128	Demonstration of structural differences between the two subunits of human-plasma fibronectin in the carboxy-terminal heparin-binding domain. FEBS Journal, 1987, 162, 403-411.	0.2	22
129	Isolation of a cDNA for adrenodoxin reductase (ferredoxin -NADP+ reductase). Implications for mitochondrial cytochrome P-450 systems. FEBS Journal, 1987, 169, 449-455.	0.2	33
130	Affinity labeling of the active site of pig liver NADH-cytochrome b5 reductase by 5?-p-fluorosulfonylbenzoyladenosine. The Protein Journal, 1986, 5, 133-145.	1.1	3
131	Cea-related antigens: Molecular biology and clinical significance. Critical Reviews in Oncology/Hematology, 1985, 2, 355-399.	4.4	229
132	Purification of Somatostatin from Frog Brain: Coisolation with Retinal Somatostatin-Like Immunoreactivity. Journal of Neurochemistry, 1985, 45, 1869-1874.	3.9	21
133	Apparent anomalies in the resolution of cytochrome <i>P</i> -450 isoenzymes by gel electrophoresis. Biochemical Society Transactions, 1984, 12, 62-68.	3.4	10
134	Structure of Somatostatin Isolated from Bovine Retina. Journal of Neurochemistry, 1983, 41, 601-606.	3.9	28
135	Confirmation of the primary structure of thymosin α ₁ by microsequence analysis of limited acid and enzymatic hydrolysis fragments. International Journal of Peptide and Protein Research, 1983, 21, 93-99.	0.1	7
136	Carcinoembryonic Antigen—A Marker of Human Colonic Cancer. ACS Symposium Series, 1978, , 342-356.	0.5	5