
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6118183/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Microarrayed allergen molecules: diagnostic gatekeepers for allergy treatment. FASEB Journal, 2002, 16, 414-416.	0.5	420
2	BIACORE Analysis of Histidine-Tagged Proteins Using a Chelating NTA Sensor Chip. Analytical Biochemistry, 1997, 252, 217-228.	2.4	337
3	Characteristics and Immunobiology of Grass Pollen Allergens. International Archives of Allergy and Immunology, 2003, 130, 87-107.	2.1	304
4	Sensitization to Cor a 9 and Cor a 14 is highly specific for a hazelnut allergy with objective symptoms in Dutch children and adults. Journal of Allergy and Clinical Immunology, 2013, 132, 393-399.	2.9	202
5	Birch pollen–related food allergy: Clinical aspects and the role of allergen-specific IgE and IgG4 antibodies. Journal of Allergy and Clinical Immunology, 2011, 127, 616-622.e1.	2.9	198
6	WHO/IUIS Allergen Nomenclature: Providing a common language. Molecular Immunology, 2018, 100, 3-13.	2.2	162
7	Strong allergenicity of Pru av 3, the lipid transfer protein from cherry, is related to high stability against thermal processing and digestion. Journal of Allergy and Clinical Immunology, 2004, 114, 900-907.	2.9	161
8	lgEâ€Mediated food allergy diagnosis: Current status and new perspectives. Molecular Nutrition and Food Research, 2007, 51, 135-147.	3.3	155
9	Component resolution reveals additional major allergens in patients with honeybee venom allergy. Journal of Allergy and Clinical Immunology, 2014, 133, 1383-1389.e6.	2.9	152
10	Recombinant Marker Allergens: Diagnostic Gatekeepers for the Treatment of Allergy. International Archives of Allergy and Immunology, 2002, 127, 259-268.	2.1	149
11	Induction of antibody responses to new B cell epitopes indicates vaccination character of allergen immunotherapy. European Journal of Immunology, 1999, 29, 2026-2036.	2.9	138
12	Component-resolved in vitro diagnosis of hazelnut allergy in Europe. Journal of Allergy and Clinical Immunology, 2009, 123, 1134-1141.e3.	2.9	137
13	Prostatic kallikrein: A new major dog allergen. Journal of Allergy and Clinical Immunology, 2009, 123, 362-368.e3.	2.9	131
14	Peanut component Ara h 8 sensitization and tolerance toÂpeanut. Journal of Allergy and Clinical Immunology, 2012, 130, 468-472.	2.9	129
15	Generation of a comprehensive panel of crustacean allergens from the North Sea Shrimp Crangon crangon. Molecular Immunology, 2011, 48, 1983-1992.	2.2	112
16	Component-resolved diagnostics in food allergy. Current Opinion in Allergy and Clinical Immunology, 2006, 6, 234-240.	2.3	98
17	Component-resolved diagnosis of kiwifruit allergy with purified natural and recombinant kiwifruit allergens. Journal of Allergy and Clinical Immunology, 2010, 125, 687-694.e1.	2.9	95
18	Predominant Api m 10 sensitization as risk factor for treatment failure in honey bee venom immunotherapy. Journal of Allergy and Clinical Immunology, 2016, 138, 1663-1671.e9.	2.9	93

#	Article	IF	CITATIONS
19	Hazelnut allergy across Europe dissected molecularly: AÂEuroPrevall outpatient clinic survey. Journal of Allergy and Clinical Immunology, 2015, 136, 382-391.	2.9	92
20	Kiwifruit allergy across Europe: Clinical manifestation and IgE recognition patterns to kiwifruit allergens. Journal of Allergy and Clinical Immunology, 2013, 131, 164-171.	2.9	82
21	Peanut-specific IgE antibodies in asymptomatic Chanaian children possibly caused by carbohydrate determinant cross-reactivity. Journal of Allergy and Clinical Immunology, 2013, 132, 639-647.	2.9	75
22	Relevance of IgE binding to short peptides for the allergenic activity of food allergens. Journal of Allergy and Clinical Immunology, 2009, 124, 328-336.e6.	2.9	73
23	Homologues of the green algal gidA gene and the liverwort frxC gene are present on the chloroplast genomes of conifers. Plant Molecular Biology, 1991, 17, 787-798.	3.9	67
24	Walnut oral immunotherapy for desensitisation of walnut and additional tree nut allergies (Nut) Tj ETQq0 0 0 rgB1 312-321.	[ /Overlock 5.6	2 10 Tf 50 5 65
25	Sensitization to cashew nut 2S albumin, AnaÂoÂ3,Âis highly predictive of cashew and pistachio allergy in Greek children. Journal of Allergy and Clinical Immunology, 2015, 136, 192-194.	2.9	63
26	Identification of cross-reactive and genuine Parietaria judaica pollen allergens. Journal of Allergy and Clinical Immunology, 2003, 111, 974-979.	2.9	62
27	Association of Clinical Reactivity with Sensitization to Allergen Components in Multifood-Allergic Children. Journal of Allergy and Clinical Immunology: in Practice, 2017, 5, 1325-1334.e4.	3.8	60
28	Assessment of component-resolved in vitro diagnosis of celeriac allergy. Journal of Allergy and Clinical Immunology, 2009, 124, 1273-1281.e2.	2.9	53
29	Pru p 7 sensitization is a predominant cause of severe, cypress pollenâ€associated peach allergy. Clinical and Experimental Allergy, 2019, 49, 526-536.	2.9	48
30	Comparable IgE reactivity to natural and recombinant Api m 1 in cross-reactive carbohydrate determinant–negative patients with bee venom allergy. Journal of Allergy and Clinical Immunology, 2012, 130, 276-278.	2.9	47
31	Efficacy and Safety of Sesame Oral Immunotherapy—A Real-World, Single-Center Study. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 2775-2781.e2.	3.8	46
32	The chloroplast genomes of conifers lack one of the rRNA-encoding inverted repeats. Molecular Genetics and Genomics, 1988, 212, 6-10.	2.4	44
33	Duplication of the psbA gene in the chloroplast genome of two Pinus species. Molecular Genetics and Genomics, 1991, 226, 345-52.	2.4	43
34	The chloroplast genome of the gymnosperm Pinus contorta: a physical map and a complete collection of overlapping clones. Current Genetics, 1991, 20, 161-166.	1.7	42
35	Recombinant tropomyosin from <i>Penaeus aztecus</i> (rPen a 1) for measurement of specific immuno― globulin E antibodies relevant in food allergy to crustaceans and other invertebrates. Molecular Nutrition and Food Research, 2004, 48, 370-379.	3.3	41
36	Tenâ€year review reveals changing trends and severity of allergic reactions to nuts and other foods. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, 862-867.	1.5	41

#	Article	IF	CITATIONS
37	Clinical and Molecular Characterization of Walnut and Pecan Allergy (NUT CRACKER Study). Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 157-165.e2.	3.8	40
38	Comparison of IgE-Binding Capacity, Cross-Reactivity and Biological Potency of Allergenic Non-Specific Lipid Transfer Proteins from Peach, Cherry and Hazelnut. International Archives of Allergy and Immunology, 2010, 153, 335-346.	2.1	37
39	Carbohydrate epitopes currently recognized as targets for IgE antibodies. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2383-2394.	5.7	36
40	Molecular characterisation of Lac s 1, the major allergen from lettuce (Lactuca sativa). Molecular Immunology, 2007, 44, 2820-2830.	2.2	35
41	Involvement of Can f 5 in a Case of Human Seminal Plasma Allergy. International Archives of Allergy and Immunology, 2012, 159, 143-146.	2.1	33
42	Oral exposure to Mal d 1 affects the immune response in patients with birch pollen allergy. Journal of Allergy and Clinical Immunology, 2013, 131, 94-102.	2.9	32
43	lgE Abs to Der p 1 and Der p 2 as diagnostic markers of house dust mite allergy as defined by a bronchoprovocation test. Allergology International, 2015, 64, 90-95.	3.3	31
44	Pichia pastoris is superior to E. coli for the production of recombinant allergenic non-specific lipid-transfer proteins. Protein Expression and Purification, 2010, 69, 68-75.	1.3	30
45	Sensitization profiles to peanut allergens across the United States. Annals of Allergy, Asthma and Immunology, 2017, 119, 262-266.e1.	1.0	29
46	Identification of Sola I 4 as Bet v 1 homologous pathogenesis related-10 allergen in tomato fruits. Molecular Nutrition and Food Research, 2015, 59, 582-592.	3.3	27
47	Allergen Recognition Patterns in Walnut Allergy Are Age Dependent and Correlate with the Severity of Allergic Reactions. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1560-1567.e6.	3.8	27
48	Characterization of a 7 kDa pollen allergen belonging to the gibberellinâ€regulated protein family from three Cupressaceae species. Clinical and Experimental Allergy, 2020, 50, 964-972.	2.9	26
49	Clinical, Anamnestic and Serological Features of Peach Allergy in Portugal. International Archives of Allergy and Immunology, 2009, 149, 65-73.	2.1	25
50	Cashew oral immunotherapy for desensitizing cashewâ€pistachio allergy (NUT CRACKER study). Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1863-1872.	5.7	25
51	Specific IgE to fish extracts does not predict allergy to specific species within an adult fish allergic population. Clinical and Translational Allergy, 2014, 4, 27.	3.2	24
52	Characterization of Bet v 1-related allergens from kiwifruit relevant for patients with combined kiwifruit and birch pollen allergy. Molecular Nutrition and Food Research, 2008, 52 Suppl 2, NA-NA.	3.3	23
53	Identification and implication of an allergenic PRâ€10 protein from walnut in birch pollen associated walnut allergy. Molecular Nutrition and Food Research, 2017, 61, 1600902.	3.3	23
54	Yeast profilin complements profilin deficiency in transgenic tomato fruits and allows development of hypoallergenic tomato fruits. FASEB Journal, 2010, 24, 4939-4947.	0.5	22

#	Article	IF	CITATIONS
55	Purification, Structural and Immunological Characterization of a Timothy Grass (Phleum pratense) Pollen Allergen, Phl p 4, with Cross-Reactive Potential. Biological Chemistry, 2002, 383, 1383-96.	2.5	21
56	Walnut Allergy Across Europe: Distribution of Allergen Sensitization Patterns and Prediction of Severity. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 225-235.e10.	3.8	21
57	Recombinant Mal d 1 is a reliable diagnostic tool for birch pollen allergen–associated apple allergy. Journal of Allergy and Clinical Immunology, 2013, 132, 1008-1010.	2.9	20
58	Identification of the aminoâ€ŧerminal fragment of Ara h 1 as a major target of the IgEâ€binding activity in the basic peanut protein fraction. Clinical and Experimental Allergy, 2020, 50, 401-405.	2.9	19
59	Enlarging the Toolbox for Allergen Epitope Definition with an Allergen-Type Model Protein. PLoS ONE, 2014, 9, e111691.	2.5	18
60	Sensitization profiles to hazelnut allergens across the United States. Annals of Allergy, Asthma and Immunology, 2019, 122, 111-116.e1.	1.0	17
61	Identification of an Allergen Related to Phl p 4, a Major Timothy Grass Pollen Allergen, in Pollens, Vegetables, and Fruits by Immunogold Electron Microscopy. Biological Chemistry, 2002, 383, 1441-5.	2.5	14
62	Development and in-house validation of allergen-specific ELISA tests for the quantification of Dau c 1.01, Dau c 1.02 and Dau c 4 in carrot extracts (Daucus carota). Analytical and Bioanalytical Chemistry, 2011, 399, 935-943.	3.7	14
63	Crystal structure of Pla l 1 reveals both structural similarity and allergenic divergence within the Ole e 1–like protein family. Journal of Allergy and Clinical Immunology, 2017, 140, 277-280.	2.9	14
64	Identification and molecular characterization of allergenic nonâ€specific lipidâ€transfer protein from durum wheat ( <i>Triticum turgidum</i> ). Clinical and Experimental Allergy, 2019, 49, 120-129.	2.9	14
65	Food allergy in the Netherlands: differences in clinical severity, causative foods, sensitization and DBPCFC between community and outpatients. Clinical and Translational Allergy, 2015, 5, 8.	3.2	13
66	The BASALIT multicenter trial: Gly m 4 quantification for consistency control of challenge meal batches and toward Gly m 4 threshold data. Molecular Nutrition and Food Research, 2017, 61, 1600527.	3.3	13
67	Cyclophilin – A novel crossâ€reactive determinant in peanut. Clinical and Experimental Allergy, 2021, 51, 620-622.	2.9	12
68	Identification of allergen-resolved threshold doses of carrot (Daucus carota) by means of oral challenge and ELISA. Journal of Allergy and Clinical Immunology, 2013, 131, 1711-1713.e2.	2.9	9
69	Endolysosomal Degradation of Allergenic Ole e 1-Like Proteins: Analysis of Proteolytic Cleavage Sites Revealing T Cell Epitope-Containing Peptides. International Journal of Molecular Sciences, 2017, 18, 1780.	4.1	9
70	Sensitization to storage proteins in peanut and hazelnut is associated with higher levels of inflammatory markers in asthma. Clinical and Molecular Allergy, 2020, 18, 11.	1.8	9
71	Perceived Food Hypersensitivity Relates to Poor Asthma Control and Quality of Life in Young Non-Atopic Asthmatics. PLoS ONE, 2015, 10, e0124675.	2.5	7
72	ldentification of a defensin as novel allergen in celery root: ApiÂgÂ7 as a missing link in the diagnosis of celery allergy?. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1294-1296.	5.7	6

#	Article	IF	CITATIONS
73	Structure and regulation of photosynthesis genes in Pinus sylvestris (Scots pine) and Pinus contorta (lodgepole pine). Forest Ecology and Management, 1991, 43, 287-300.	3.2	4
74	A functional promoter shift of a chloroplast gene: a transcriptional fusion between a novel psbA gene copy and the trnK (UUU) gene in Pinus contorta Plant Journal, 1992, 2, 875-886.	5.7	4
75	Component-Resolved Diagnosis of American Cockroach (Periplaneta americana) Allergy in Patients From Different Geographical Areas. Frontiers in Allergy, 2021, 2, 691627.	2.8	4
76	A functional promoter shift of a chloroplast gene: a transcriptional fusion between a novel psbA gene copy and the trnK(UUU) gene in Pinus contorta. Plant Journal, 1992, 2, 875-886.	5.7	4
77	A new vicilinâ€like allergen in hazelnut giving rise to a spectrum of IgEâ€binding lowâ€molecularâ€weight Nâ€terminal fragments. Clinical and Experimental Allergy, 2022, 52, 1208-1212.	2.9	4