
## Daniela Farinelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6124109/publications.pdf Version: 2024-02-01



DANIELA FADINELLI

#	Article	IF	CITATIONS
1	Carbon allocation strategies and water uptake in young grafted and own-rooted hazelnut ( <i>Corylus avellana</i> L.) cultivars. Tree Physiology, 2022, 42, 939-957.	3.1	10
2	Climatic Suitability of Different Areas in Abruzzo, Central Italy, for the Cultivation of Hazelnut. Horticulturae, 2022, 8, 580.	2.8	7
3	A Dual-Successive-Screen Model at Pollen/Stigma and Pollen Tube/Ovary Explaining Paradoxical Self-Incompatibility Diagnosis in the Olive Tree—An Interpretative Update of the Literature. Plants, 2021, 10, 1938.	3.5	6
4	Variability of Fruit Quality among 103 Acerola (Malpighia emarginata D. C.) Phenotypes from the Subtropical Region of Brazil. Agriculture (Switzerland), 2021, 11, 1078.	3.1	9
5	Untargeted metabolomics with multivariate analysis to discriminate hazelnut ( <i>Corylus) Tj ETQq1 1 0.784314 Agriculture, 2020, 100, 500-508.</i>	rgBT /Ove 3.5	erlock 10 Tf 50 35
6	Harvesting system and fruit storage affect basic quality parameters and phenolic and volatile compounds of oils from intensive and super-intensive olive orchards. Scientia Horticulturae, 2020, 263, 109045.	3.6	15
7	Kaolin treatments on Tonda Giffoni hazelnut (Corylus avellana L.) for the control of heat stress damages. Scientia Horticulturae, 2020, 263, 109097.	3.6	14
8	Stone Fruits: Growth and Nitrogen and Organic Acid Metabolism in the Fruits and Seeds—A Review. Frontiers in Plant Science, 2020, 11, 572601.	3.6	29
9	Mitigation of multiple summer stresses on hazelnut (Corylus avellana L.): effects of the new arbuscular mycorrhiza Glomus iranicum tenuihypharum sp. nova. Scientia Horticulturae, 2019, 257, 108659.	3.6	10
10	Combining analysis of fatty acid composition and δ13C in extra-virgin olive oils as affected by harvest period and cultivar: Possible use in traceability studies. Food Control, 2019, 105, 151-158.	5.5	10
11	Effects of a new arbuscular mycorrhizal fungus ( <i>Glomus iranicum</i> ) on grapevine development. BIO Web of Conferences, 2019, 13, 04018.	0.2	2
12	The cost of flowering in olive (Olea europaea L.). Scientia Horticulturae, 2019, 252, 268-273.	3.6	19
13	Cultivar discrimination, fatty acid profile and carotenoid characterization of monovarietal olive oils by Raman spectroscopy at a single glance. Food Control, 2019, 96, 137-145.	5.5	24
14	Discrimination of extra-virgin-olive oils from different cultivars and geographical origins by untargeted metabolomics. Food Research International, 2019, 121, 746-753.	6.2	54
15	Intra-specific variability of stomatal sensitivity to vapour pressure deficit in Corylus avellana L.: A candidate factor influencing different adaptability to different climates?. Journal of Plant Physiology, 2019, 232, 241-247.	3.5	15
16	Neem Oil Used as a "Complex Mixture―to Improve In Vitro Shoot Proliferation in Olive. Hortscience: A Publication of the American Society for Hortcultural Science, 2018, 53, 531-534.	1.0	9
17	Reply to Saumitou‣aprade etÂal. (2017) "Controlling for genetic identity of varieties, pollen contamination and stigma receptivity is essential to characterize the selfâ€incompatibility system of <i>Olea europaea</i> L.â€. Eva:https://doi.org/10.1111/eva.12498. Evolutionary Applications, 2018, 11, 1465-1470.	3.1	9
18	Impact of climate change on the possible expansion of almond cultivation area pole-ward: a case study of Abruzzo, Italy. Journal of Horticultural Science and Biotechnology, 2018, 93, 209-215.	1.9	14

#	Article	IF	CITATIONS
19	Xylem manipulation techniques affecting tree vigour in peach and olive trees. Acta Horticulturae, 2018, , 91-96.	0.2	0

Application of additive light increases leafy cutting rooting and survival in hazelnut (<i>Corylus) Tj ETQq0 0 0 rgBT  $O_{0.2}$ 

21	Tracking olive fruit movement and twisting during the harvesting process using video analysis. Acta	0.2	2
	Horticulturae, 2018, , 409-414.		
22	Olive fruit detachment force against pulling and torsional stress. Spanish Journal of Agricultural Research, 2018, 16, e0202.	0.6	8
23	Mechanical vibration transmission and harvesting effectiveness is affected by the presence of branch suckers in olive trees. Biosystems Engineering, 2017, 158, 1-9.	4.3	32
24	Modelling of pruning technique effects on branch architecture and subsequent year shoot flowering in hazelnut. Acta Horticulturae, 2017, , 141-144.	0.2	1
25	Canopy management in super high-density olive orchards: relationship between canopy light penetration, canopy size and productivity. Acta Horticulturae, 2017, , 87-92.	0.2	3
26	A model based on S-allele dominance relationships to explain pseudo self-fertility of varieties in the olive tree. Euphytica, 2016, 210, 105-117.	1.2	14
27	Malate as substrate for catabolism and gluconeogenesis during ripening in the pericarp of different grape cultivars. Biologia Plantarum, 2016, 60, 155-162.	1.9	27
28	The contribution of stored malate and citrate to the substrate requirements of metabolism of ripening peach (Prunus persica L. Batsch) flesh is negligible. Implications for the occurrence of phosphoenolpyruvate carboxykinase and gluconeogenesis. Plant Physiology and Biochemistry, 2016, 101, 33-42.	5.8	31
29	Stomatal closure is induced by hydraulic signals and maintained by ABA in drought-stressed grapevine. Scientific Reports, 2015, 5, 12449.	3.3	245
30	Influence of light and shoot development stage on leaf photosynthesis and carbohydrate status during the adventitious root formation in cuttings of Corylus avellana L Frontiers in Plant Science, 2015, 6, 973.	3.6	40
31	Stable isotope and fatty acid compositions of monovarietal olive oils:ÂImplications of ripening stage and climate effects as determinants in traceability studies. Food Control, 2015, 57, 129-135.	5.5	38
32	Analysis of seed growth, fruit growth and composition and phospoenolpyruvate carboxykinase (PEPCK) occurrence in apricot (Prunus armeniaca L.). Scientia Horticulturae, 2015, 186, 38-46.	3.6	28
33	Performance and oil quality of â€~Arbequina' and four Italian olive cultivars under super high density hedgerow planting system cultivated in central Italy. Scientia Horticulturae, 2015, 192, 97-107.	3.6	40
34	Specific features in the olive self-incompatibility system: A method to decipher S-allele pairs based on fruit settings. Scientia Horticulturae, 2015, 181, 62-75.	3.6	15
35	Relationships between stomatal behavior, xylem vulnerability to cavitation and leaf water relations in two cultivars of <i>Vitis vinifera</i> . Physiologia Plantarum, 2014, 152, 453-464.	5.2	68
36	The self-incompatibility mating system of the olive (Olea europaea L.) functions with dominance between S-alleles. Tree Genetics and Genomes, 2014, 10, 1055-1067.	1.6	39

Daniela Farinelli

#	Article	IF	CITATIONS
37	Is stored malate the quantitatively most important substrate utilised by respiration and ethanolic fermentation in grape berry pericarp during ripening?. Plant Physiology and Biochemistry, 2014, 76, 52-57.	5.8	59
38	RELATIONSHIPS BETWEEN FLOWER DENSITY AND SHOOT LENGTH IN HAZELNUT (CORYLUS AVELLANA L.). Acta Horticulturae, 2014, , 137-142.	0.2	4
39	PRUNING TECHNIQUE IN YOUNG HIGH DENSITY HEDGEROW OLIVE ORCHARDS. Acta Horticulturae, 2014, , 385-390.	0.2	9
40	EVALUATION OF CANOPY ELASTICITY, LIGHT PENETRATION AND RECIPROCAL SHADING FOR OPTIMAL CANOPY MANAGEMENT IN HIGH DENSITY HEDGEROW OLIVE ORCHARDS. Acta Horticulturae, 2014, , 315-320.	0.2	13
41	Evaluation of different mechanical fruit harvesting systems and oil quality in very large size olive trees. Spanish Journal of Agricultural Research, 2014, 12, 960.	0.6	46
42	THE FRUIT DETACHMENT FORCE/FRUIT WEIGHT RATIO CAN BE USED TO PREDICT THE HARVESTING YIELD AND THE EFFICIENCY OF TRUNK SHAKERS ON MECHANICALLY HARVESTED OLIVES. Acta Horticulturae, 2012, , 61-64.	0.2	30
43	Yield affects qualitative kiwifruit characteristics and dry matter content may be an indicator of both quality and storability. Scientia Horticulturae, 2012, 146, 124-130.	3.6	27
44	Feasible Application of a Portable NIR-AOTF Tool for On-Field Prediction of Phenolic Compounds during the Ripening of Olives for Oil Production. Journal of Agricultural and Food Chemistry, 2012, 60, 2665-2673.	5.2	60
45	YIELD EFFICIENCY AND MECHANICAL HARVESTING WITH TRUNK SHAKER OF SOME INTERNATIONAL OLIVE CULTIVARS. Acta Horticulturae, 2012, , 379-384.	0.2	20
46	FIRST RESULTS OF OLIVE MECHANICAL PRUNING. Acta Horticulturae, 2012, , 409-414.	0.2	5
47	WORK PRODUCTIVITY OF TEAMS WITH DIFFERENT PRUNING TOOLS IN OLIVE. Acta Horticulturae, 2012, , 595-600.	0.2	3
48	Pollenizer and Cultivar Influence Seed Number and Fruit Characteristics in Olea europaea L Hortscience: A Publication of the American Society for Hortcultural Science, 2012, 47, 1430-1437.	1.0	18
49	Sucrose synthase dominates carbohydrate metabolism and relative growth rate in growing kiwifruit (Actinidia deliciosa, cv Hayward). Scientia Horticulturae, 2011, 128, 197-205.	3.6	74
50	VEGETATIVE AND PRODUCTIVE BEHAVIOUR OF FOUR OLIVE ITALIAN CULTIVARS AND 'ARBEQUINA' ACCORDING TO SUPER INTENSIVE OLIVE TRAINING SYSTEM IN CENTRAL ITALY. Acta Horticulturae, 2011, , 211-218.	0.2	11
51	MECHANICAL PRUNING OF ADULT OLIVE TREES AND INFLUENCE ON YIELD AND ON EFFICIENCY OF MECHANICAL HARVESTING. Acta Horticulturae, 2011, , 203-209.	0.2	5
52	INFLUENCE OF PEDOCLIMATIC CONDITIONS AND ORCHARD MANAGEMENT ON FRUIT QUALITY CHARACTERISTICS IN HAZELNUT CULTIVARS 'TONDA GENTILE ROMANA' AND 'TONDA DI GIFFONI'. Acta Horticulturae, 2009, , 599-606.	0.2	1
53	PRODUCTIVE AND ORGANOLEPTIC EVALUATION OF NEW HAZELNUT CROSSES. Acta Horticulturae, 2009, , 651-656.	0.2	6
54	SELF-STERILITY AND CROSS-POLLINATION RESPONSES OF NINE OLIVE CULTIVARS IN CENTRAL ITALY. Acta Horticulturae, 2008, , 127-136.	0.2	19

#	Article	IF	CITATIONS
55	PATERNAL AND MATERNAL EFFECTS ON SEED CHARACTERISTICS OF OLIVE CULTIVARS. Acta Horticulturae, 2008, , 121-125.	0.2	3