
## Martijn M Stuiver

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6125585/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. Journal of Clinical Oncology, 2015, 33, 1918-1927.	0.8	453
2	Exercise is medicine in oncology: Engaging clinicians to help patients move through cancer. Ca-A Cancer Journal for Clinicians, 2019, 69, 468-484.	157.7	412
3	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	3.4	398
4	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. Journal of Clinical Oncology, 2012, 30, 4124-4133.	0.8	182
5	Incidence of shoulder pain after neck dissection: A clinical explorative study for risk factors. Head and Neck, 2001, 23, 947-953.	0.9	130
6	Trends in treatment, incidence and survival of hypopharynx cancer: a 20-year population-based study in the Netherlands. European Archives of Oto-Rhino-Laryngology, 2018, 275, 181-189.	0.8	113
7	Early Wound Complications After Inguinal Lymphadenectomy in Penile Cancer: A Historical Cohort Study and Risk-factor Analysis. European Urology, 2013, 64, 486-492.	0.9	101
8	Salivary gland pleomorphic adenoma in the Netherlands: A nationwide observational study of primary tumor incidence, malignant transformation, recurrence, and risk factors for recurrence. Oral Oncology, 2017, 66, 93-99.	0.8	87
9	The effectiveness of exercise-based telemedicine on pain, physical activity and quality of life in the treatment of chronic pain: A systematic review. Journal of Telemedicine and Telecare, 2018, 24, 511-526.	1.4	80
10	Why do patients choose (not) to participate in an exercise trial during adjuvant chemotherapy for breast cancer?. Psycho-Oncology, 2016, 25, 964-970.	1.0	72
11	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200.	3.0	72
12	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. British Journal of Sports Medicine, 2019, 53, 812-812.	3.1	67
13	Impact of shoulder complaints after neck dissection on shoulder disability and quality of life. Otolaryngology - Head and Neck Surgery, 2008, 139, 32-39.	1.1	60
14	Conservative interventions for preventing clinically detectable upper-limb lymphoedema in patients who are at risk of developing lymphoedema after breast cancer therapy. The Cochrane Library, 2015, 2015, CD009765.	1.5	60
15	Feasibility of a home-based exercise intervention with remote guidance for patients with stable grade II and III gliomas: a pilot randomized controlled trial. Clinical Rehabilitation, 2018, 32, 352-366.	1.0	59
16	Surgical wound complications after groin dissection inÂmelanoma patients – A historical cohort study and riskÂfactor analysis. European Journal of Surgical Oncology, 2014, 40, 1284-1290.	0.5	50
17	Co-creation of an ICT-supported cancer rehabilitation application for resected lung cancer survivors: design and evaluation. BMC Health Services Research, 2016, 16, 155.	0.9	50
18	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314.	0.2	50

#	Article	IF	CITATIONS
19	Design of the Physical exercise during Adjuvant Chemotherapy Effectiveness Study (PACES):A randomized controlled trial to evaluate effectiveness and cost-effectiveness of physical exercise in improving physical fitness and reducing fatigue. BMC Cancer, 2010, 10, 673.	1.1	46
20	Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical decisions. Disability and Rehabilitation, 2018, 40, 486-496.	0.9	43
21	Cost–utility and cost-effectiveness of physical exercise during adjuvant chemotherapy. European Journal of Health Economics, 2018, 19, 893-904.	1.4	42
22	Effects of Strengthening Exercises on Swallowing Musculature and Function in Senior Healthy Subjects: a Prospective Effectiveness and Feasibility Study. Dysphagia, 2015, 30, 392-403.	1.0	38
23	Content validity across methods of malnutrition assessment in patients with cancer is limited. Journal of Clinical Epidemiology, 2016, 76, 125-136.	2.4	38
24	Comparison of symptom clusters associated with fatigue in older and younger survivors of colorectal cancer. Supportive Care in Cancer, 2017, 25, 625-632.	1.0	38
25	"l am busy survivingâ€+ Views about physical exercise in older adults scheduled for colorectal cancer surgery. Journal of Geriatric Oncology, 2020, 11, 444-450.	0.5	38
26	A pilot randomized controlled trial of exercise to improve cognitive performance in patients with stable glioma: a proof of concept. Neuro-Oncology, 2020, 22, 103-115.	0.6	37
27	Efficacy of a novel swallowing exercise program for chronic dysphagia in long-term head and neck cancer survivors. Head and Neck, 2017, 39, 1943-1961.	0.9	36
28	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 66.	2.0	36
29	Recruitment to and pilot results of the PACES randomized trial of physical exercise during adjuvant chemotherapy for colon cancer. International Journal of Colorectal Disease, 2018, 33, 29-40.	1.0	35
30	Physical problems, functional limitations, and preferences for physical therapist-guided exercise programs among Dutch patients with metastatic breast cancer: a mixed methods study. Supportive Care in Cancer, 2019, 27, 3061-3070.	1.0	34
31	Cost-effectiveness of cognitive behavioral therapy and physical exercise for alleviating treatment-induced menopausal symptoms in breast cancer patients. Journal of Cancer Survivorship, 2015, 9, 126-135.	1.5	33
32	An Executive Summary of Reports From an International Multidisciplinary Roundtable on Exercise and Cancer: Evidence, Guidelines, and Implementation. Rehabilitation Oncology, 2019, 37, 144-152.	0.2	29
33	Ambulant monitoring and web-accessible home-based exercise program during outpatient follow-up for resected lung cancer survivors: actual use and feasibility in clinical practice. Journal of Cancer Survivorship, 2017, 11, 720-731.	1.5	28
34	Effect of physical exercise on cognitive function after chemotherapy in patients with breast cancer: a randomized controlled trial (PAM study). Breast Cancer Research, 2022, 24, .	2.2	27
35	Alpe d'HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. International Journal of Behavioral Medicine, 2012, 19, 143-156.	0.8	23
36	Feasibility and impact of a dedicated multidisciplinary rehabilitation program on health-related quality of life in advanced head and neck cancer patients. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1577-1587.	0.8	22

#	Article	IF	CITATIONS
37	Improving decision making in larynx cancer by developing a decision aid: A mixed methods approach. Laryngoscope, 2019, 129, 2733-2739.	1.1	21
38	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. Journal of Psychosomatic Research, 2019, 124, 109746.	1.2	20
39	Sarcopenia, a strong determinant for prolonged feeding tube dependency after chemoradiotherapy for head and neck cancer. Head and Neck, 2019, 41, 4000-4008.	0.9	19
40	Efficacy of Physical Exercise to Offset Anthracyclineâ€Induced Cardiotoxicity: A Systematic Review and Metaâ€Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10, e021580.	1.6	19
41	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. Annals of Thoracic Surgery, 2019, 107, 1639-1646.	0.7	16
42	From reactive to proactive tube feeding during chemoradiotherapy for head and neck cancer: A clinical prediction model-based approach. Oral Oncology, 2019, 88, 172-179.	0.8	16
43	Adherence to and satisfaction with low-intensity physical activity and supervised moderate-high intensity exercise during chemotherapy for breast cancer. Supportive Care in Cancer, 2020, 28, 2115-2126.	1.0	16
44	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2167-2173.	0.5	15
45	An international perspective on integrating physiotherapists in oncology care. Journal of Physiotherapy, 2019, 65, 186-188.	0.7	15
46	Mapping the EORTC QLQ-C30 and QLQ-H&N35 to the EQ-5D for head and neck cancer: Can disease-specific utilities be obtained?. PLoS ONE, 2019, 14, e0226077.	1.1	15
47	Physical behavior and associations with health outcomes in operable NSCLC patients: A prospective study. Lung Cancer, 2018, 119, 91-98.	0.9	14
48	(Cost-)effectiveness of an internet-based physical activity support program (with and without) Tj ETQq0 0 0 rgBT of the PABLO trial. BMC Cancer, 2018, 18, 1073.	/Overlock 1.1	10 Tf 50 30 14
49	Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq1 1 C Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.	.784314 r 1.7	gBT /Overloc 14
50	Exercise Programs to Reduce the Risk of Musculoskeletal Injuries in Military Personnel: A Systematic Review and Metaâ€Analysis. PM and R, 2020, 12, 1028-1037.	0.9	13
51	Longâ€ŧerm swallowing, trismus, and speech outcomes after combined chemoradiotherapy and preventive rehabilitation for head and neck cancer; 10â€year plus update. Head and Neck, 2020, 42, 1907-1918.	0.9	13
52	Physical Fitness and Chemotherapy Tolerance in Patients with Early-Stage Breast Cancer. Medicine and Science in Sports and Exercise, 2022, 54, 537-542.	0.2	13
53	Quality of primary care for resettled refugees in the Netherlands with chronic mental and physical health problems: a cross-sectional analysis of medical records and interview data. BMC Family Practice, 2014, 15, 160.	2.9	12
54	Development and external validation of a riskâ€prediction model to predict 5â€year overall survival in advanced larynx cancer. Laryngoscope, 2018, 128, 1140-1145.	1.1	12

#	Article	IF	CITATIONS
55	Occupational therapy in cancer rehabilitation: going beyond physical function in enabling activity and participation. Expert Review of Quality of Life in Cancer Care, 2018, 3, 1-3.	0.6	11
56	Education Needs of Dutch Physical Therapists for the Treatment of Patients With Advanced Cancer: A Mixed Methods Study. Physical Therapy, 2020, 100, 477-486.	1.1	11
57	Practice variation in Sentinel Lymph Node Biopsy for melanoma patients in different geographical regions in the Netherlands. Surgical Oncology, 2017, 26, 431-437.	0.8	10
58	Which are the best conservative interventions for lymphoedema after breast cancer surgery?. BMJ: British Medical Journal, 2017, 357, j2330.	2.4	9
59	Demographic, clinical, lifestyle-related, and social-cognitive correlates of physical activity in head and neck cancer survivors. Supportive Care in Cancer, 2018, 26, 1447-1456.	1.0	9
60	Optimizing Survival Predictions of Hypopharynx Cancer: Development of a Clinical Prediction Model. Laryngoscope, 2020, 130, 2166-2172.	1.1	9
61	Can an increase in autoantibody levels predict arthritis in arthralgia patients?. Rheumatology, 2018, 57, 932-934.	0.9	8
62	Structured clinical reasoning for exercise prescription in patients with comorbidity. Disability and Rehabilitation, 2020, 42, 1474-1479.	0.9	8
63	Longitudinal virological outcomes and factors associated with virological failure in behaviorally HIV-infected young adults on combination antiretroviral treatment in the Netherlands, 2000 to 2015. Medicine (United States), 2019, 98, e16357.	0.4	7
64	Dysphagia, trismus and speech impairment following radiation-based treatment for advanced stage oropharyngeal carcinoma: a one-year prospective evaluation. European Archives of Oto-Rhino-Laryngology, 2022, 279, 1003-1027.	0.8	7
65	Practice variation on hospital level in the systemic treatment of metastatic colorectal cancer in The Netherlands: a population-based study. Acta Oncológica, 2020, 59, 395-403.	0.8	6
66	Feasibility and outcomes of a goal-directed physical therapy program for patients with metastatic breast cancer. Supportive Care in Cancer, 2021, 29, 3287-3298.	1.0	6
67	Psychometric properties of 3 patientâ€reported outcome measures for the assessment of shoulder disability after neck dissection. Head and Neck, 2016, 38, 102-110.	0.9	5
68	Reasons for and outcome of occupational therapy consultation and treatment in the context of multidisciplinary cancer rehabilitation; a historical cohort study. Australian Occupational Therapy Journal, 2020, 67, 260-268.	0.6	5
69	Nonexercise Interventions for Prevention of Musculoskeletal Injuries in Armed Forces: A Systematic Review and Meta-Analysis. American Journal of Preventive Medicine, 2021, 60, e73-e84.	1.6	5
70	Perception and Performance of Physical Activity Behavior after Head and Neck Cancer Treatment: Exploration and Integration of Qualitative and Quantitative Findings. International Journal of Environmental Research and Public Health, 2022, 19, 287.	1.2	5
71	Laryngo-esophageal dysfunction free survival and propensity score matched analysis comparing organ preservation and total laryngectomy in hypopharynx cancer. Oral Oncology, 2019, 95, 143-149.	0.8	4
72	Study protocol of a prospective multicenter study comparing (cost-)effectiveness of a tailored interdisciplinary head and neck rehabilitation program to usual supportive care for patients treated with concomitant chemo- or bioradiotherapy. BMC Cancer, 2019, 19, 655.	1.1	4

#	Article	IF	CITATIONS
73	Expiratory Muscle Strength Training in patients After Total Laryngectomy; A Feasibility Pilot Study. Annals of Otology, Rhinology and Laryngology, 2020, 129, 1186-1194.	0.6	4
74	MRI Assessment of Swallow Muscle Activation with the Swallow Exercise Aid and with Conventional Exercises in Healthy Volunteers: An Explorative Biomechanical Study. Dysphagia, 2021, 36, 41-53.	1.0	4
75	Characteristics of Participants and Nonparticipants in a Blended Internet-Based Physical Activity Trial for Breast and Prostate Cancer Survivors: Cross-sectional Study. JMIR Cancer, 2021, 7, e25464.	0.9	4
76	A Prediction Model for Falls in Community-Dwelling Older Adults in Podiatry Practices. Gerontology, 2022, 68, 1214-1223.	1.4	4
77	The association between preoperative fatigue and instrumental activities in daily living with complications and length of hospital stay in patients undergoing colorectal surgery. Aging Clinical and Experimental Research, 2020, 32, 257-264.	1.4	3
78	Clinicopathological predictors of finding additional inguinal lymph node metastases in penile cancer patients after positive dynamic sentinel node biopsy: a European multicentre evaluation. BJU International, 2021, , .	1.3	3
79	Decolonisation of meticillin-resistant Staphylococcus aureus (MRSA) carriage in adopted children with cleft lip and palate. Journal of Global Antimicrobial Resistance, 2016, 7, 28-33.	0.9	2
80	The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588.	1.0	2
81	The Timed Swallowing Proficiency for Eating and Drinking (SPEAD) Test: Development and Initial Validation of an Instrument to Objectify (Impaired) Swallowing Capacity in Head and Neck Cancer Patients. Dysphagia, 2021, 36, 1072-1087.	1.0	2
82	Despite an improved aerobic endurance, still high attrition rates in initially low-fit recruits—results of a randomised controlled trial. Contemporary Clinical Trials Communications, 2020, 20, 100679.	0.5	2
83	The Effect of a Therapeutic Exercise Program "Life In Balance―on the Quality of Life in a Patient with Metastatic Breast Cancer: A Case Report. Rehabilitation Oncology, 2010, 28, 19-22.	0.2	1
84	A pre-training conditioning program to increase physical fitness and reduce attrition due to injuries in Dutch Airmobile recruits: Study protocol for a randomised controlled trial. Contemporary Clinical Trials Communications, 2019, 14, 100342.	0.5	1
85	Viewing Exercise Oncology Through the Lens of Multidisciplinarity. , 2020, , 389-404.		1
86	Evaluating The Translation Of Dutch Exercise Oncology Trials Into Clinical Practice Using The RE-AIM Framework. Medicine and Science in Sports and Exercise, 2019, 51, 426-427.	0.2	0
87	Zorg voor ondersteuning en herstel. , 2021, , 119-135.		0
88	Practice variation on hospital level in the systemic treatment of metastatic colorectal cancer in the Netherlands: A population-based study Journal of Clinical Oncology, 2019, 37, 6612-6612.	0.8	0
89	The construct validity of the Steep Ramp Test for assessing cardiorespiratory fitness in patients with breast cancer, and the impact of chemotherapy-related symptom burden Archives of Physical Medicine and Rehabilitation, 2022, , .	0.5	0