## Martijn M Stuiver

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6125585/publications.pdf

Version: 2024-02-01

89 papers 3,558 citations

172457 29 h-index 56 g-index

90 all docs

90 docs citations

90 times ranked 4566 citing authors

#	Article	IF	CITATIONS
1	Dysphagia, trismus and speech impairment following radiation-based treatment for advanced stage oropharyngeal carcinoma: a one-year prospective evaluation. European Archives of Oto-Rhino-Laryngology, 2022, 279, 1003-1027.	1.6	7
2	A Prediction Model for Falls in Community-Dwelling Older Adults in Podiatry Practices. Gerontology, 2022, 68, 1214-1223.	2.8	4
3	Perception and Performance of Physical Activity Behavior after Head and Neck Cancer Treatment: Exploration and Integration of Qualitative and Quantitative Findings. International Journal of Environmental Research and Public Health, 2022, 19, 287.	2.6	5
4	Physical Fitness and Chemotherapy Tolerance in Patients with Early-Stage Breast Cancer. Medicine and Science in Sports and Exercise, 2022, 54, 537-542.	0.4	13
5	Effect of physical exercise on cognitive function after chemotherapy in patients with breast cancer: a randomized controlled trial (PAM study). Breast Cancer Research, 2022, 24, .	5.0	27
6	The construct validity of the Steep Ramp Test for assessing cardiorespiratory fitness in patients with breast cancer, and the impact of chemotherapy-related symptom burden Archives of Physical Medicine and Rehabilitation, 2022, , .	0.9	0
7	MRI Assessment of Swallow Muscle Activation with the Swallow Exercise Aid and with Conventional Exercises in Healthy Volunteers: An Explorative Biomechanical Study. Dysphagia, 2021, 36, 41-53.	1.8	4
8	Nonexercise Interventions for Prevention of Musculoskeletal Injuries in Armed Forces: A Systematic Review and Meta-Analysis. American Journal of Preventive Medicine, 2021, 60, e73-e84.	3.0	5
9	Feasibility and outcomes of a goal-directed physical therapy program for patients with metastatic breast cancer. Supportive Care in Cancer, 2021, 29, 3287-3298.	2.2	6
10	Zorg voor ondersteuning en herstel. , 2021, , 119-135.		0
10		2.2	0
	Zorg voor ondersteuning en herstel. , 2021, , 119-135.  The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer.		2
11	Zorg voor ondersteuning en herstel., 2021,, 119-135.  The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588.  Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 0	0 rgBT /Ov	2 verlock 10 Tf 5
11 12	Zorg voor ondersteuning en herstel., 2021, , 119-135.  The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588.  Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.  Efficacy of Physical Exercise to Offset Anthracyclineâ€Induced Cardiotoxicity: A Systematic Review and Metaâ€Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10,	0 rgBT /Ov 3.7	2 verlock 10 Tf 5 14
11 12 13	Zorg voor ondersteuning en herstel., 2021,, 119-135.  The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588.  Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.  Efficacy of Physical Exercise to Offset Anthracyclineâ€Induced Cardiotoxicity: A Systematic Review and Metaâ€Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10, e021580.  The Timed Swallowing Proficiency for Eating and Drinking (SPEAD) Test: Development and Initial Validation of an Instrument to Objectify (Impaired) Swallowing Capacity in Head and Neck Cancer	0 rgBT /Ov 3.7 3.7	2 verlock 10 Tf 5 14
11 12 13	Zorg voor ondersteuning en herstel., 2021,, 119-135.  The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588.  Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 of Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.  Efficacy of Physical Exercise to Offset Anthracyclineâ€Induced Cardiotoxicity: A Systematic Review and Metaâ€Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10, e021580.  The Timed Swallowing Proficiency for Eating and Drinking (SPEAD) Test: Development and Initial Validation of an Instrument to Objectify (Impaired) Swallowing Capacity in Head and Neck Cancer Patients. Dysphagia, 2021, 36, 1072-1087.  Characteristics of Participants and Nonparticipants in a Blended Internet-Based Physical Activity Trial	0 rgBT /Ov 3.7 3.7	2 verlock 10 Tf 5 14 19
11 12 13 14	Zorg voor ondersteuning en herstel., 2021,, 119-135.  The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588.  Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 or Cancer Survivors: The PABLO Randomized Controlled Trial. Cancers, 2021, 13, 3665.  Efficacy of Physical Exercise to Offset Anthracyclineâ&Induced Cardiotoxicity: A Systematic Review and Metaâ&Analysis of Clinical and Preclinical Studies. Journal of the American Heart Association, 2021, 10, e021580.  The Timed Swallowing Proficiency for Eating and Drinking (SPEAD) Test: Development and Initial Validation of an Instrument to Objectify (Impaired) Swallowing Capacity in Head and Neck Cancer Patients. Dysphagia, 2021, 36, 1072-1087.  Characteristics of Participants and Nonparticipants in a Blended Internet-Based Physical Activity Trial for Breast and Prostate Cancer Survivors: Cross-sectional Study. JMIR Cancer, 2021, 7, e25464.  Clinicopathological predictors of finding additional inguinal lymph node metastases in penile cancer patients after positive dynamic sentinel node biopsy: a European multicentre evaluation. BJU	0 rgBT /Ov 3.7 3.7 1.8	2 verlock 10 Tf 5 14 19 2

#	Article	IF	Citations
19	The association between preoperative fatigue and instrumental activities in daily living with complications and length of hospital stay in patients undergoing colorectal surgery. Aging Clinical and Experimental Research, 2020, 32, 257-264.	2.9	3
20	Adherence to and satisfaction with low-intensity physical activity and supervised moderate-high intensity exercise during chemotherapy for breast cancer. Supportive Care in Cancer, 2020, 28, 2115-2126.	2.2	16
21	Optimizing Survival Predictions of Hypopharynx Cancer: Development of a Clinical Prediction Model. Laryngoscope, 2020, 130, 2166-2172.	2.0	9
22	A pilot randomized controlled trial of exercise to improve cognitive performance in patients with stable glioma: a proof of concept. Neuro-Oncology, 2020, 22, 103-115.	1.2	37
23	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314.	0.4	50
24	Expiratory Muscle Strength Training in patients After Total Laryngectomy; A Feasibility Pilot Study. Annals of Otology, Rhinology and Laryngology, 2020, 129, 1186-1194.	1.1	4
25	Exercise Programs to Reduce the Risk of Musculoskeletal Injuries in Military Personnel: A Systematic Review and Metaâ€Analysis. PM and R, 2020, 12, 1028-1037.	1.6	13
26	Reasons for and outcome of occupational therapy consultation and treatment in the context of multidisciplinary cancer rehabilitation; a historical cohort study. Australian Occupational Therapy Journal, 2020, 67, 260-268.	1.1	5
27	Education Needs of Dutch Physical Therapists for the Treatment of Patients With Advanced Cancer: A Mixed Methods Study. Physical Therapy, 2020, 100, 477-486.	2.4	11
28	Practice variation on hospital level in the systemic treatment of metastatic colorectal cancer in The Netherlands: a population-based study. Acta Oncol $\tilde{A}^3$ gica, 2020, 59, 395-403.	1.8	6
29	Longâ€term swallowing, trismus, and speech outcomes after combined chemoradiotherapy and preventive rehabilitation for head and neck cancer; 10â€year plus update. Head and Neck, 2020, 42, 1907-1918.	2.0	13
30	Viewing Exercise Oncology Through the Lens of Multidisciplinarity. , 2020, , 389-404.		1
31	Despite an improved aerobic endurance, still high attrition rates in initially low-fit recruits—results of a randomised controlled trial. Contemporary Clinical Trials Communications, 2020, 20, 100679.	1.1	2
32	Laryngo-esophageal dysfunction free survival and propensity score matched analysis comparing organ preservation and total laryngectomy in hypopharynx cancer. Oral Oncology, 2019, 95, 143-149.	1.5	4
33	Study protocol of a prospective multicenter study comparing (cost-)effectiveness of a tailored interdisciplinary head and neck rehabilitation program to usual supportive care for patients treated with concomitant chemo- or bioradiotherapy. BMC Cancer, 2019, 19, 655.	2.6	4
34	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. Journal of Psychosomatic Research, 2019, 124, 109746.	2.6	20
35	Sarcopenia, a strong determinant for prolonged feeding tube dependency after chemoradiotherapy for head and neck cancer. Head and Neck, 2019, 41, 4000-4008.	2.0	19
36	Exercise is medicine in oncology: Engaging clinicians to help patients move through cancer. Ca-A Cancer Journal for Clinicians, 2019, 69, 468-484.	329.8	412

#	Article	IF	CITATIONS
37	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 66.	4.6	36
38	An international perspective on integrating physiotherapists in oncology care. Journal of Physiotherapy, 2019, 65, 186-188.	1.7	15
39	Improving decision making in larynx cancer by developing a decision aid: A mixed methods approach. Laryngoscope, 2019, 129, 2733-2739.	2.0	21
40	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. Annals of Thoracic Surgery, 2019, 107, 1639-1646.	1.3	16
41	A pre-training conditioning program to increase physical fitness and reduce attrition due to injuries in Dutch Airmobile recruits: Study protocol for a randomised controlled trial. Contemporary Clinical Trials Communications, 2019, 14, 100342.	1.1	1
42	Evaluating The Translation Of Dutch Exercise Oncology Trials Into Clinical Practice Using The RE-AIM Framework. Medicine and Science in Sports and Exercise, 2019, 51, 426-427.	0.4	0
43	Mapping the EORTC QLQ-C30 and QLQ-H& N35 to the EQ-5D for head and neck cancer: Can disease-specific utilities be obtained?. PLoS ONE, 2019, 14, e0226077.	2.5	15
44	An Executive Summary of Reports From an International Multidisciplinary Roundtable on Exercise and Cancer: Evidence, Guidelines, and Implementation. Rehabilitation Oncology, 2019, 37, 144-152.	0.5	29
45	Longitudinal virological outcomes and factors associated with virological failure in behaviorally HIV-infected young adults on combination antiretroviral treatment in the Netherlands, 2000 to 2015. Medicine (United States), 2019, 98, e16357.	1.0	7
46	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. British Journal of Sports Medicine, 2019, 53, 812-812.	6.7	67
47	From reactive to proactive tube feeding during chemoradiotherapy for head and neck cancer: A clinical prediction model-based approach. Oral Oncology, 2019, 88, 172-179.	1.5	16
48	Physical problems, functional limitations, and preferences for physical therapist-guided exercise programs among Dutch patients with metastatic breast cancer: a mixed methods study. Supportive Care in Cancer, 2019, 27, 3061-3070.	2.2	34
49	Practice variation on hospital level in the systemic treatment of metastatic colorectal cancer in the Netherlands: A population-based study Journal of Clinical Oncology, 2019, 37, 6612-6612.	1.6	0
50	Demographic, clinical, lifestyle-related, and social-cognitive correlates of physical activity in head and neck cancer survivors. Supportive Care in Cancer, 2018, 26, 1447-1456.	2.2	9
51	Can an increase in autoantibody levels predict arthritis in arthralgia patients?. Rheumatology, 2018, 57, 932-934.	1.9	8
52	Physical behavior and associations with health outcomes in operable NSCLC patients: A prospective study. Lung Cancer, 2018, 119, 91-98.	2.0	14
53	Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical decisions. Disability and Rehabilitation, 2018, 40, 486-496.	1.8	43
54	Cost–utility and cost-effectiveness of physical exercise during adjuvant chemotherapy. European Journal of Health Economics, 2018, 19, 893-904.	2.8	42

#	Article	IF	CITATIONS
55	The effectiveness of exercise-based telemedicine on pain, physical activity and quality of life in the treatment of chronic pain: A systematic review. Journal of Telemedicine and Telecare, 2018, 24, 511-526.	2.7	80
56	Feasibility of a home-based exercise intervention with remote guidance for patients with stable grade II and III gliomas: a pilot randomized controlled trial. Clinical Rehabilitation, 2018, 32, 352-366.	2.2	59
57	Trends in treatment, incidence and survival of hypopharynx cancer: a 20-year population-based study in the Netherlands. European Archives of Oto-Rhino-Laryngology, 2018, 275, 181-189.	1.6	113
58	Development and external validation of a riskâ€prediction model to predict 5â€year overall survival in advanced larynx cancer. Laryngoscope, 2018, 128, 1140-1145.	2.0	12
59	Recruitment to and pilot results of the PACES randomized trial of physical exercise during adjuvant chemotherapy for colon cancer. International Journal of Colorectal Disease, 2018, 33, 29-40.	2.2	35
60	(Cost-)effectiveness of an internet-based physical activity support program (with and without) Tj ETQq0 0 0 rgB of the PABLO trial. BMC Cancer, 2018, 18, 1073.	Γ/Overloc 2.6	k 10 Tf 50 54 14
61	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200.	6.3	72
62	Occupational therapy in cancer rehabilitation: going beyond physical function in enabling activity and participation. Expert Review of Quality of Life in Cancer Care, 2018, 3, 1-3.	0.6	11
63	Salivary gland pleomorphic adenoma in the Netherlands: A nationwide observational study of primary tumor incidence, malignant transformation, recurrence, and risk factors for recurrence. Oral Oncology, 2017, 66, 93-99.	1.5	87
64	Which are the best conservative interventions for lymphoedema after breast cancer surgery?. BMJ: British Medical Journal, 2017, 357, j2330.	2.3	9
65	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2167-2173.	0.9	15
66	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	7.7	398
67	Practice variation in Sentinel Lymph Node Biopsy for melanoma patients in different geographical regions in the Netherlands. Surgical Oncology, 2017, 26, 431-437.	1.6	10
68	Efficacy of a novel swallowing exercise program for chronic dysphagia in long-term head and neck cancer survivors. Head and Neck, 2017, 39, 1943-1961.	2.0	36
69	Ambulant monitoring and web-accessible home-based exercise program during outpatient follow-up for resected lung cancer survivors: actual use and feasibility in clinical practice. Journal of Cancer Survivorship, 2017, 11, 720-731.	2.9	28
70	Comparison of symptom clusters associated with fatigue in older and younger survivors of colorectal cancer. Supportive Care in Cancer, 2017, 25, 625-632.	2.2	38
71	Psychometric properties of 3 patientâ€reported outcome measures for the assessment of shoulder disability after neck dissection. Head and Neck, 2016, 38, 102-110.	2.0	5
72	Why do patients choose (not) to participate in an exercise trial during adjuvant chemotherapy for breast cancer?. Psycho-Oncology, 2016, 25, 964-970.	2.3	72

#	Article	IF	Citations
73	Decolonisation of meticillin-resistant Staphylococcus aureus (MRSA) carriage in adopted children with cleft lip and palate. Journal of Global Antimicrobial Resistance, 2016, 7, 28-33.	2.2	2
74	Co-creation of an ICT-supported cancer rehabilitation application for resected lung cancer survivors: design and evaluation. BMC Health Services Research, 2016, 16, 155.	2.2	50
75	Content validity across methods of malnutrition assessment in patients with cancer is limited. Journal of Clinical Epidemiology, 2016, 76, 125-136.	5.0	38
76	Feasibility and impact of a dedicated multidisciplinary rehabilitation program on health-related quality of life in advanced head and neck cancer patients. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1577-1587.	1.6	22
77	Conservative interventions for preventing clinically detectable upper-limb lymphoedema in patients who are at risk of developing lymphoedema after breast cancer therapy. The Cochrane Library, 2015, 2015, CD009765.	2.8	60
78	Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. Journal of Clinical Oncology, 2015, 33, 1918-1927.	1.6	453
79	Effects of Strengthening Exercises on Swallowing Musculature and Function in Senior Healthy Subjects: a Prospective Effectiveness and Feasibility Study. Dysphagia, 2015, 30, 392-403.	1.8	38
80	Cost-effectiveness of cognitive behavioral therapy and physical exercise for alleviating treatment-induced menopausal symptoms in breast cancer patients. Journal of Cancer Survivorship, 2015, 9, 126-135.	2.9	33
81	Quality of primary care for resettled refugees in the Netherlands with chronic mental and physical health problems: a cross-sectional analysis of medical records and interview data. BMC Family Practice, 2014, 15, 160.	2.9	12
82	Surgical wound complications after groin dissection inÂmelanoma patients – A historical cohort study and riskÂfactor analysis. European Journal of Surgical Oncology, 2014, 40, 1284-1290.	1.0	50
83	Early Wound Complications After Inguinal Lymphadenectomy in Penile Cancer: A Historical Cohort Study and Risk-factor Analysis. European Urology, 2013, 64, 486-492.	1.9	101
84	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. Journal of Clinical Oncology, 2012, 30, 4124-4133.	1.6	182
85	Alpe d'HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. International Journal of Behavioral Medicine, 2012, 19, 143-156.	1.7	23
86	Design of the Physical exercise during Adjuvant Chemotherapy Effectiveness Study (PACES):A randomized controlled trial to evaluate effectiveness and cost-effectiveness of physical exercise in improving physical fitness and reducing fatigue. BMC Cancer, 2010, 10, 673.	2.6	46
87	The Effect of a Therapeutic Exercise Program "Life In Balance―on the Quality of Life in a Patient with Metastatic Breast Cancer: A Case Report. Rehabilitation Oncology, 2010, 28, 19-22.	0.5	1
88	Impact of shoulder complaints after neck dissection on shoulder disability and quality of life. Otolaryngology - Head and Neck Surgery, 2008, 139, 32-39.	1.9	60
89	Incidence of shoulder pain after neck dissection: A clinical explorative study for risk factors. Head and Neck, 2001, 23, 947-953.	2.0	130