

Martijn M Stuiver

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6125585/publications.pdf>

Version: 2024-02-01

89
papers

3,558
citations

172207

29
h-index

149479

56
g-index

90
all docs

90
docs citations

90
times ranked

4566
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysphagia, trismus and speech impairment following radiation-based treatment for advanced stage oropharyngeal carcinoma: a one-year prospective evaluation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 1003-1027.	0.8	7
2	A Prediction Model for Falls in Community-Dwelling Older Adults in Podiatry Practices. <i>Gerontology</i> , 2022, 68, 1214-1223.	1.4	4
3	Perception and Performance of Physical Activity Behavior after Head and Neck Cancer Treatment: Exploration and Integration of Qualitative and Quantitative Findings. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 287.	1.2	5
4	Physical Fitness and Chemotherapy Tolerance in Patients with Early-Stage Breast Cancer. <i>Medicine and Science in Sports and Exercise</i> , 2022, 54, 537-542.	0.2	13
5	Effect of physical exercise on cognitive function after chemotherapy in patients with breast cancer: a randomized controlled trial (PAM study). <i>Breast Cancer Research</i> , 2022, 24, .	2.2	27
6	The construct validity of the Steep Ramp Test for assessing cardiorespiratory fitness in patients with breast cancer, and the impact of chemotherapy-related symptom burden.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, , .	0.5	0
7	MRI Assessment of Swallow Muscle Activation with the Swallow Exercise Aid and with Conventional Exercises in Healthy Volunteers: An Explorative Biomechanical Study. <i>Dysphagia</i> , 2021, 36, 41-53.	1.0	4
8	Nonexercise Interventions for Prevention of Musculoskeletal Injuries in Armed Forces: A Systematic Review and Meta-Analysis. <i>American Journal of Preventive Medicine</i> , 2021, 60, e73-e84.	1.6	5
9	Feasibility and outcomes of a goal-directed physical therapy program for patients with metastatic breast cancer. <i>Supportive Care in Cancer</i> , 2021, 29, 3287-3298.	1.0	6
10	Zorg voor ondersteuning en herstel. , 2021, , 119-135.		0
11	The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. <i>Supportive Care in Cancer</i> , 2021, 29, 6579-6588.	1.0	2
12	Effects of and Lessons Learned from an Internet-Based Physical Activity Support Program (with and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Cancer Survivors: The PABLO Randomized Controlled Trial. <i>Cancers</i> , 2021, 13, 3665.	1.7	14
13	Efficacy of Physical Exercise to Offset Anthracyclineâ€­induced Cardiotoxicity: A Systematic Review and Metaâ€­Analysis of Clinical and Preclinical Studies. <i>Journal of the American Heart Association</i> , 2021, 10, e021580.	1.6	19
14	The Timed Swallowing Proficiency for Eating and Drinking (SPEAD) Test: Development and Initial Validation of an Instrument to Objectify (Impaired) Swallowing Capacity in Head and Neck Cancer Patients. <i>Dysphagia</i> , 2021, 36, 1072-1087.	1.0	2
15	Characteristics of Participants and Nonparticipants in a Blended Internet-Based Physical Activity Trial for Breast and Prostate Cancer Survivors: Cross-sectional Study. <i>JMIR Cancer</i> , 2021, 7, e25464.	0.9	4
16	Clinicopathological predictors of finding additional inguinal lymph node metastases in penile cancer patients after positive dynamic sentinel node biopsy: a European multicentre evaluation. <i>BJU International</i> , 2021, , .	1.3	3
17	Structured clinical reasoning for exercise prescription in patients with comorbidity. <i>Disability and Rehabilitation</i> , 2020, 42, 1474-1479.	0.9	8
18	â€œI am busy survivingâ€­ Views about physical exercise in older adults scheduled for colorectal cancer surgery. <i>Journal of Geriatric Oncology</i> , 2020, 11, 444-450.	0.5	38

#	ARTICLE	IF	CITATIONS
19	The association between preoperative fatigue and instrumental activities in daily living with complications and length of hospital stay in patients undergoing colorectal surgery. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 257-264.	1.4	3
20	Adherence to and satisfaction with low-intensity physical activity and supervised moderate-high intensity exercise during chemotherapy for breast cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 2115-2126.	1.0	16
21	Optimizing Survival Predictions of Hypopharynx Cancer: Development of a Clinical Prediction Model. <i>Laryngoscope</i> , 2020, 130, 2166-2172.	1.1	9
22	A pilot randomized controlled trial of exercise to improve cognitive performance in patients with stable glioma: a proof of concept. <i>Neuro-Oncology</i> , 2020, 22, 103-115.	0.6	37
23	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 303-314.	0.2	50
24	Expiratory Muscle Strength Training in patients After Total Laryngectomy; A Feasibility Pilot Study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020, 129, 1186-1194.	0.6	4
25	Exercise Programs to Reduce the Risk of Musculoskeletal Injuries in Military Personnel: A Systematic Review and Meta-analysis. <i>PM and R</i> , 2020, 12, 1028-1037.	0.9	13
26	Reasons for and outcome of occupational therapy consultation and treatment in the context of multidisciplinary cancer rehabilitation; a historical cohort study. <i>Australian Occupational Therapy Journal</i> , 2020, 67, 260-268.	0.6	5
27	Education Needs of Dutch Physical Therapists for the Treatment of Patients With Advanced Cancer: A Mixed Methods Study. <i>Physical Therapy</i> , 2020, 100, 477-486.	1.1	11
28	Practice variation on hospital level in the systemic treatment of metastatic colorectal cancer in The Netherlands: a population-based study. <i>Acta Oncologica</i> , 2020, 59, 395-403.	0.8	6
29	Long-term swallowing, trismus, and speech outcomes after combined chemoradiotherapy and preventive rehabilitation for head and neck cancer; 10-year plus update. <i>Head and Neck</i> , 2020, 42, 1907-1918.	0.9	13
30	Viewing Exercise Oncology Through the Lens of Multidisciplinarity. , 2020, , 389-404.		1
31	Despite an improved aerobic endurance, still high attrition rates in initially low-fit recruits" results of a randomised controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 20, 100679.	0.5	2
32	Laryngo-esophageal dysfunction free survival and propensity score matched analysis comparing organ preservation and total laryngectomy in hypopharynx cancer. <i>Oral Oncology</i> , 2019, 95, 143-149.	0.8	4
33	Study protocol of a prospective multicenter study comparing (cost-)effectiveness of a tailored interdisciplinary head and neck rehabilitation program to usual supportive care for patients treated with concomitant chemo- or bioradiotherapy. <i>BMC Cancer</i> , 2019, 19, 655.	1.1	4
34	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. <i>Journal of Psychosomatic Research</i> , 2019, 124, 109746.	1.2	20
35	Sarcopenia, a strong determinant for prolonged feeding tube dependency after chemoradiotherapy for head and neck cancer. <i>Head and Neck</i> , 2019, 41, 4000-4008.	0.9	19
36	Exercise is medicine in oncology: Engaging clinicians to help patients move through cancer. <i>Ca-A Cancer Journal for Clinicians</i> , 2019, 69, 468-484.	157.7	412

#	ARTICLE	IF	CITATIONS
37	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 66.	2.0	36
38	An international perspective on integrating physiotherapists in oncology care. <i>Journal of Physiotherapy</i> , 2019, 65, 186-188.	0.7	15
39	Improving decision making in larynx cancer by developing a decision aid: A mixed methods approach. <i>Laryngoscope</i> , 2019, 129, 2733-2739.	1.1	21
40	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. <i>Annals of Thoracic Surgery</i> , 2019, 107, 1639-1646.	0.7	16
41	A pre-training conditioning program to increase physical fitness and reduce attrition due to injuries in Dutch Airmobile recruits: Study protocol for a randomised controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2019, 14, 100342.	0.5	1
42	Evaluating The Translation Of Dutch Exercise Oncology Trials Into Clinical Practice Using The RE-AIM Framework. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 426-427.	0.2	0
43	Mapping the EORTC QLQ-C30 and QLQ-H&N35 to the EQ-5D for head and neck cancer: Can disease-specific utilities be obtained?. <i>PLoS ONE</i> , 2019, 14, e0226077.	1.1	15
44	An Executive Summary of Reports From an International Multidisciplinary Roundtable on Exercise and Cancer: Evidence, Guidelines, and Implementation. <i>Rehabilitation Oncology</i> , 2019, 37, 144-152.	0.2	29
45	Longitudinal virological outcomes and factors associated with virological failure in behaviorally HIV-infected young adults on combination antiretroviral treatment in the Netherlands, 2000 to 2015. <i>Medicine (United States)</i> , 2019, 98, e16357.	0.4	7
46	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. <i>British Journal of Sports Medicine</i> , 2019, 53, 812-812.	3.1	67
47	From reactive to proactive tube feeding during chemoradiotherapy for head and neck cancer: A clinical prediction model-based approach. <i>Oral Oncology</i> , 2019, 88, 172-179.	0.8	16
48	Physical problems, functional limitations, and preferences for physical therapist-guided exercise programs among Dutch patients with metastatic breast cancer: a mixed methods study. <i>Supportive Care in Cancer</i> , 2019, 27, 3061-3070.	1.0	34
49	Practice variation on hospital level in the systemic treatment of metastatic colorectal cancer in the Netherlands: A population-based study.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6612-6612.	0.8	0
50	Demographic, clinical, lifestyle-related, and social-cognitive correlates of physical activity in head and neck cancer survivors. <i>Supportive Care in Cancer</i> , 2018, 26, 1447-1456.	1.0	9
51	Can an increase in autoantibody levels predict arthritis in arthralgia patients?. <i>Rheumatology</i> , 2018, 57, 932-934.	0.9	8
52	Physical behavior and associations with health outcomes in operable NSCLC patients: A prospective study. <i>Lung Cancer</i> , 2018, 119, 91-98.	0.9	14
53	Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical decisions. <i>Disability and Rehabilitation</i> , 2018, 40, 486-496.	0.9	43
54	Costâ€“utility and cost-effectiveness of physical exercise during adjuvant chemotherapy. <i>European Journal of Health Economics</i> , 2018, 19, 893-904.	1.4	42

#	ARTICLE	IF	CITATIONS
55	The effectiveness of exercise-based telemedicine on pain, physical activity and quality of life in the treatment of chronic pain: A systematic review. <i>Journal of Telemedicine and Telecare</i> , 2018, 24, 511-526.	1.4	80
56	Feasibility of a home-based exercise intervention with remote guidance for patients with stable grade II and III gliomas: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018, 32, 352-366.	1.0	59
57	Trends in treatment, incidence and survival of hypopharynx cancer: a 20-year population-based study in the Netherlands. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 181-189.	0.8	113
58	Development and external validation of a risk prediction model to predict 5-year overall survival in advanced larynx cancer. <i>Laryngoscope</i> , 2018, 128, 1140-1145.	1.1	12
59	Recruitment to and pilot results of the PACES randomized trial of physical exercise during adjuvant chemotherapy for colon cancer. <i>International Journal of Colorectal Disease</i> , 2018, 33, 29-40.	1.0	35
60	(Cost-)effectiveness of an internet-based physical activity support program (with and without) of the PABLO trial. <i>BMC Cancer</i> , 2018, 18, 1073.	1.1	14
61	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1190-1200.	3.0	72
62	Occupational therapy in cancer rehabilitation: going beyond physical function in enabling activity and participation. <i>Expert Review of Quality of Life in Cancer Care</i> , 2018, 3, 1-3.	0.6	11
63	Salivary gland pleomorphic adenoma in the Netherlands: A nationwide observational study of primary tumor incidence, malignant transformation, recurrence, and risk factors for recurrence. <i>Oral Oncology</i> , 2017, 66, 93-99.	0.8	87
64	Which are the best conservative interventions for lymphoedema after breast cancer surgery?. <i>BMJ: British Medical Journal</i> , 2017, 357, j2330.	2.4	9
65	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2167-2173.	0.5	15
66	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. <i>Cancer Treatment Reviews</i> , 2017, 52, 91-104.	3.4	398
67	Practice variation in Sentinel Lymph Node Biopsy for melanoma patients in different geographical regions in the Netherlands. <i>Surgical Oncology</i> , 2017, 26, 431-437.	0.8	10
68	Efficacy of a novel swallowing exercise program for chronic dysphagia in long-term head and neck cancer survivors. <i>Head and Neck</i> , 2017, 39, 1943-1961.	0.9	36
69	Ambulant monitoring and web-accessible home-based exercise program during outpatient follow-up for resected lung cancer survivors: actual use and feasibility in clinical practice. <i>Journal of Cancer Survivorship</i> , 2017, 11, 720-731.	1.5	28
70	Comparison of symptom clusters associated with fatigue in older and younger survivors of colorectal cancer. <i>Supportive Care in Cancer</i> , 2017, 25, 625-632.	1.0	38
71	Psychometric properties of 3 patient-reported outcome measures for the assessment of shoulder disability after neck dissection. <i>Head and Neck</i> , 2016, 38, 102-110.	0.9	5
72	Why do patients choose (not) to participate in an exercise trial during adjuvant chemotherapy for breast cancer?. <i>Psycho-Oncology</i> , 2016, 25, 964-970.	1.0	72

#	ARTICLE	IF	CITATIONS
73	Decolonisation of meticillin-resistant <i>Staphylococcus aureus</i> (MRSA) carriage in adopted children with cleft lip and palate. <i>Journal of Global Antimicrobial Resistance</i> , 2016, 7, 28-33.	0.9	2
74	Co-creation of an ICT-supported cancer rehabilitation application for resected lung cancer survivors: design and evaluation. <i>BMC Health Services Research</i> , 2016, 16, 155.	0.9	50
75	Content validity across methods of malnutrition assessment in patients with cancer is limited. <i>Journal of Clinical Epidemiology</i> , 2016, 76, 125-136.	2.4	38
76	Feasibility and impact of a dedicated multidisciplinary rehabilitation program on health-related quality of life in advanced head and neck cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1577-1587.	0.8	22
77	Conservative interventions for preventing clinically detectable upper-limb lymphoedema in patients who are at risk of developing lymphoedema after breast cancer therapy. <i>The Cochrane Library</i> , 2015, CD009765.	1.5	60
78	Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 1918-1927.	0.8	453
79	Effects of Strengthening Exercises on Swallowing Musculature and Function in Senior Healthy Subjects: a Prospective Effectiveness and Feasibility Study. <i>Dysphagia</i> , 2015, 30, 392-403.	1.0	38
80	Cost-effectiveness of cognitive behavioral therapy and physical exercise for alleviating treatment-induced menopausal symptoms in breast cancer patients. <i>Journal of Cancer Survivorship</i> , 2015, 9, 126-135.	1.5	33
81	Quality of primary care for resettled refugees in the Netherlands with chronic mental and physical health problems: a cross-sectional analysis of medical records and interview data. <i>BMC Family Practice</i> , 2014, 15, 160.	2.9	12
82	Surgical wound complications after groin dissection in melanoma patients – A historical cohort study and risk-factor analysis. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1284-1290.	0.5	50
83	Early Wound Complications After Inguinal Lymphadenectomy in Penile Cancer: A Historical Cohort Study and Risk-factor Analysis. <i>European Urology</i> , 2013, 64, 486-492.	0.9	101
84	Efficacy of Cognitive Behavioral Therapy and Physical Exercise in Alleviating Treatment-Induced Menopausal Symptoms in Patients With Breast Cancer: Results of a Randomized, Controlled, Multicenter Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 4124-4133.	0.8	182
85	Alpe d'AuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 143-156.	0.8	23
86	Design of the Physical exercise during Adjuvant Chemotherapy Effectiveness Study (PACES): A randomized controlled trial to evaluate effectiveness and cost-effectiveness of physical exercise in improving physical fitness and reducing fatigue. <i>BMC Cancer</i> , 2010, 10, 673.	1.1	46
87	The Effect of a Therapeutic Exercise Program "Life In Balance" on the Quality of Life in a Patient with Metastatic Breast Cancer: A Case Report. <i>Rehabilitation Oncology</i> , 2010, 28, 19-22.	0.2	1
88	Impact of shoulder complaints after neck dissection on shoulder disability and quality of life. <i>Otolaryngology - Head and Neck Surgery</i> , 2008, 139, 32-39.	1.1	60
89	Incidence of shoulder pain after neck dissection: A clinical explorative study for risk factors. <i>Head and Neck</i> , 2001, 23, 947-953.	0.9	130