

Sabine Roman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6127487/publications.pdf>

Version: 2024-02-01

221
papers

11,813
citations

26630

56
h-index

30922

102
g-index

244
all docs

244
docs citations

244
times ranked

5086
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Resolution Manometry Thresholds and Motor Patterns Among Asymptomatic Individuals. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e398-e406.	4.4	23
2	Episode-level reflux characteristics: How experienced reviewers differentiate true reflux from artifact on pH-impedance studies. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14153.	3.0	10
3	Question Prompt List as a Communication Tool for Adults With Gastroesophageal Reflux Disease. <i>Journal of Clinical Gastroenterology</i> , 2022, 56, 565-570.	2.2	3
4	Role of functional luminal imaging probe in the management of postmyotomy clinical failure. <i>Gastrointestinal Endoscopy</i> , 2022, 96, 9-17.e3.	1.0	5
5	Achalasia. <i>Nature Reviews Disease Primers</i> , 2022, 8, 28.	30.5	36
6	Inter-reviewer Variability in Interpretation of pH-Impedance Studies: The Wingate Consensus. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1976-1978.e1.	4.4	45
7	Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. <i>Cut</i> , 2021, 70, 1441-1449.	12.1	49
8	Artificial intelligence automates and augments baseline impedance measurements from pH-impedance studies in gastroesophageal reflux disease. <i>Journal of Gastroenterology</i> , 2021, 56, 34-41.	5.1	24
9	Application of a novel straight leg raise test during high-resolution manometry can predict esophageal contractile reserve in patients with gastroesophageal reflux disease. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13996.	3.0	2
10	Esophagogastric junction morphology and contractile integral on high-resolution manometry in asymptomatic healthy volunteers: An international multicenter study. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14009.	3.0	10
11	European Society for Neurogastroenterology and Motility (ESNM) recommendations for the use of high-resolution manometry of the esophagus. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14043.	3.0	15
12	Diagnostic yield of adding solid food swallows during high-resolution manometry in esophageal motility disorders. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14060.	3.0	9
13	Development of quality indicators for the diagnosis and management of achalasia. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14118.	3.0	9
14	Chicago Classification Update (v4.0): Technical review on diagnostic criteria for distal esophageal spasm. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14119.	3.0	15
15	Validation of the French version of the esophageal hypervigilance and anxiety scale. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101672.	1.5	2
16	Diagnostic yield and reliability of postprandial high-resolution manometry and impedance-pH for detecting rumination and supragastric belching in PPI nonresponders. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14106.	3.0	3
17	A case of acute pancreatitis after intrapyloric botulinum toxin injection to treat gastroparesis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101628.	1.5	1
18	Validation in French of the Brief Esophageal Dysphagia Questionnaire in Patients Referred For Esophageal Manometry. <i>Dysphagia</i> , 2021, , 1.	1.8	2

#	ARTICLE	IF	CITATIONS
19	Low FODMAPs diet or usual dietary advice for the treatment of refractory gastroesophageal reflux disease: An open-label randomized trial. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14181.	3.0	11
20	Value of pH Impedance Monitoring While on Twice-Daily Proton Pump Inhibitor Therapy to Identify Need for Escalation of Reflux Management. <i>Gastroenterology</i> , 2021, 161, 1412-1422.	1.3	27
21	Esophageal motility disorders on high-resolution manometry: Chicago classification version 4.0. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14058.	3.0	468
22	ESNM/ANMS consensus paper: Diagnosis and management of refractory gastroesophageal reflux disease. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14075.	3.0	68
23	Hypercontractile Esophagus From Pathophysiology to Management: Proceedings of the Pisa Symposium. <i>American Journal of Gastroenterology</i> , 2021, 116, 263-273.	0.4	24
24	Durability of per-oral endoscopic myotomy beyond 6 years. <i>Endoscopy International Open</i> , 2021, 09, E1595-E1601.	1.8	4
25	Gastro-esophageal reflux disorders. , 2020, , 225-236.		0
26	Development of a Preliminary Question Prompt List as a Communication Tool for Adults With Gastroesophageal Reflux Disease. <i>Journal of Clinical Gastroenterology</i> , 2020, 54, 857-863.	2.2	5
27	Esophageal Motor Disorders. , 2020, , 368-377.		0
28	The use of impedance planimetry (Endoscopic Functional Lumen Imaging Probe, EndoFLIP) in the gastrointestinal tract: A systematic review. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13980.	3.0	39
29	149 ARTIFICIAL INTELLIGENCE AUTOMATES EVALUATION OF BASELINE IMPEDANCE FROM PH-IMPEDANCE STUDIES AND PREDICTS SYMPTOM OUTCOME IN GASTRO-ESOPHAGEAL REFLUX DISEASE (GERD). <i>Gastroenterology</i> , 2020, 158, S-32.	1.3	1
30	Use of the Functional Lumen Imaging Probe in Clinical Esophagology. <i>American Journal of Gastroenterology</i> , 2020, 115, 1786-1796.	0.4	84
31	Esophageal Motility Disorders Associated With Death or Allograft Dysfunction After Lung Transplantation? Results of a Retrospective Monocentric Study. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00137.	2.5	11
32	Long-term outcomes of per-oral endoscopic myotomy in achalasia patients with a minimum follow-up of 4 years: a multicenter study. <i>Endoscopy International Open</i> , 2020, 08, E650-E655.	1.8	29
33	Jackhammer esophagus: Clinical presentation, manometric diagnosis, and therapeutic results—Results from a multicenter French cohort. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13918.	3.0	21
34	Esophageal Hypervigilance and Visceral Anxiety Are Contributors to Symptom Severity Among Patients Evaluated With High-Resolution Esophageal Manometry. <i>American Journal of Gastroenterology</i> , 2020, 115, 367-375.	0.4	51
35	European guidelines on achalasia: United European Gastroenterology and European Society of Neurogastroenterology and Motility recommendations. <i>United European Gastroenterology Journal</i> , 2020, 8, 13-33.	3.8	125
36	Role of Rapid Drink Challenge During Esophageal High-resolution Manometry in Predicting Outcome of Peroral Endoscopic Myotomy in Patients With Achalasia. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 204-214.	2.4	11

#	ARTICLE	IF	CITATIONS
37	Efficacy of per-oral endoscopic myotomy for the treatment of non-achalasia esophageal motor disorders. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 5508-5515.	2.4	37
38	Post-reflux swallow-induced peristaltic wave (PSPW): physiology, triggering factors and role in reflux clearance in healthy subjects. <i>Journal of Gastroenterology</i> , 2020, 55, 1109-1118.	5.1	23
39	Prognostic Value of Metabolic Liver Function Tests: a Study on 711 Cirrhotic Patients. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 25, 337-343.	0.9	2
40	“Let’s Make Your Clinic Visit a Little Simpler” Development of a Question Prompt List for Adult Patients With Gastroesophageal Reflux Disease: a Modified Delphi Study. <i>Gastroenterology</i> , 2019, 157, e25-e26.	1.3	0
41	The treatment of achalasia patients with esophageal varices: an international study. <i>United European Gastroenterology Journal</i> , 2019, 7, 565-572.	3.8	10
42	Achalasia diagnosed despite normal integrated relaxation pressure responds favorably to therapy. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13586.	3.0	26
43	Botulinum toxin for the treatment of hypercontractile esophagus: Results of a double-blind randomized sham-controlled study. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13587.	3.0	22
44	Ineffective esophageal motility: Concepts, future directions, and conclusions from the Stanford 2018 symposium. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13584.	3.0	76
45	Multicenter Evaluation of Clinical Efficacy and Safety of Peroral Endoscopic Myotomy in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 69, 523-527.	1.8	32
46	Trajectory assessment is useful when day-to-day esophageal acid exposure varies in prolonged wireless pH monitoring. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.4	19
47	Esophageal provocation tests: Are they useful to improve diagnostic yield of high resolution manometry?. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13321.	3.0	37
48	Curriculum for neurogastroenterology and motility training: A report from the joint ANMS/ESNM task force. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13341.	3.0	15
49	Modern diagnosis of GERD: the Lyon Consensus. <i>Gut</i> , 2018, 67, 1351-1362.	12.1	991
50	Rapid drink challenge test during esophageal high resolution manometry in patients with esophageal-gastric junction outflow obstruction. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13293.	3.0	51
51	Anal sphincter function as assessed by 3D high definition anorectal manometry. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2018, 42, 378-381.	1.5	5
52	An international multicenter study evaluating the clinical efficacy and safety of per-oral endoscopic myotomy in octogenarians. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 956-961.	1.0	41
53	Postprandial High-Resolution Impedance Manometry Identifies Mechanisms of Nonresponse to Proton Pump Inhibitors. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 211-218.e1.	4.4	67
54	Endoscopic submucosal dissection of a squamous cell carcinoma of the esophagus developing in the area of a previous Heller’s myotomy for achalasia. <i>Endoscopy</i> , 2018, 50, E38-E41.	1.8	0

#	ARTICLE	IF	CITATIONS
55	Submucosal tunneling and septum myotomy as an endoscopic treatment for symptomatic epiphrenic diverticulum. <i>Endoscopy</i> , 2018, 50, E348-E349.	1.8	2
56	Refractory GERD, beyond proton pump inhibitors. <i>Current Opinion in Pharmacology</i> , 2018, 43, 99-103.	3.5	22
57	Indications and interpretation of esophageal function testing. <i>Annals of the New York Academy of Sciences</i> , 2018, 1434, 239-253.	3.8	43
58	Endoscopic injection therapy for achalasia and other esophageal motility disorders. <i>Techniques in Gastrointestinal Endoscopy</i> , 2018, 20, 130-134.	0.3	0
59	Esophageal shortening after rapid drink test during esophageal high-resolution manometry: A relevant finding?. <i>United European Gastroenterology Journal</i> , 2018, 6, 1323-1330.	3.8	12
60	Clinical measurement of gastrointestinal motility and function: who, when and which test?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 568-579.	17.8	44
61	A reduced esophageal epithelial integrity in a subgroup of healthy individuals increases with proton pump inhibitor therapy. <i>United European Gastroenterology Journal</i> , 2018, 6, 511-518.	3.8	2
62	EUS-guided per-oral endoscopic myotomy to treat an achalasia with relapse after Heller's myotomy. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 849-851.	1.0	0
63	3D High-definition anorectal manometry: Values obtained in asymptomatic volunteers, fecal incontinence and chronic constipation. Results of a prospective multicenter study (<sc>NOMAD</sc>). <i>Neurogastroenterology and Motility</i> , 2017, 29, e13049.	3.0	49
64	Efficacy and Safety of Peroral Endoscopic Myotomy for Treatment of Achalasia After Failed Heller Myotomy. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1531-1537.e3.	4.4	138
65	Ultrasound anal sphincter defects and 3D anal pressure defects. <i>Colorectal Disease</i> , 2017, 19, 1030-1031.	1.4	1
66	Gastroesophageal reflux after peroral endoscopic myotomy: a multicenter case-control study. <i>Endoscopy</i> , 2017, 49, 634-642.	1.8	154
67	Jackhammer Esophagus: Clinical, Functional and Therapeutic Data. a Retrospective Multicenter Study in 272 Patients. <i>Gastroenterology</i> , 2017, 152, S323.	1.3	1
68	Anal Sphincter Function Evaluated by 3D High Definition Anorectal Manometry in Fecal Incontinence and Chronic Constipation Patients. <i>Gastroenterology</i> , 2017, 152, S313.	1.3	0
69	Editorial: should we recommend oesophageal biopsies for all patients with symptoms suggestive of GERD?. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 62-63.	3.7	1
70	Comprehensive Analysis of Adverse Events Associated With Per Oral Endoscopic Myotomy in 1826 Patients: An International Multicenter Study. <i>American Journal of Gastroenterology</i> , 2017, 112, 1267-1276.	0.4	168
71	Classification of esophageal motor findings in gastroesophageal reflux disease: Conclusions from an international consensus group. <i>Neurogastroenterology and Motility</i> , 2017, 29, e13104.	3.0	158
72	Ambulatory reflux monitoring for diagnosis of gastroesophageal reflux disease: Update of the Porto consensus and recommendations from an international consensus group. <i>Neurogastroenterology and Motility</i> , 2017, 29, 1-15.	3.0	275

#	ARTICLE	IF	CITATIONS
73	Advances in the management of oesophageal motility disorders in the era of high-resolution manometry: a focus on achalasia syndromes. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017, 14, 677-688.	17.8	84
74	PWE-129â€¦Treatment of achalasia in patients with oesophageal varices: an international case series. , 2017, , .		0
75	Long Term Results of Sacral Nerve Stimulation to Treat Fecal Incontinence Within a Monocentric Cohort. <i>Gastroenterology</i> , 2017, 152, S313.	1.3	0
76	Rapid Drink Challenge (RDC) During Esophageal High Resolution Manometry (HRM): Is it Useful in Patients with Esophago-Gastric Junction Outflow Obstruction (EGJOO)? <i>Gastroenterology</i> , 2017, 152, S328.	1.3	0
77	Randomized clinical trial of sacral nerve stimulation for refractory constipation. <i>British Journal of Surgery</i> , 2017, 104, 205-213.	0.3	63
78	A study with pharyngeal and esophageal 24â€“hour <sc>pH</sc>â€“impedance monitoring in patients with laryngopharyngeal symptoms refractory to proton pump inhibitors. <i>Neurogastroenterology and Motility</i> , 2017, 29, e12909.	3.0	34
79	Validation of criteria for the definition of transient lower esophageal sphincter relaxations using highâ€“resolution manometry. <i>Neurogastroenterology and Motility</i> , 2017, 29, e12920.	3.0	78
80	Prevalence of fecal incontinence in a cohort of systemic sclerosis patients within a regional referral network. <i>United European Gastroenterology Journal</i> , 2017, 5, 1046-1050.	3.8	6
81	Advances in the physiological assessment and diagnosis of GERD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017, 14, 665-676.	17.8	157
82	Emerging dilemmas in the diagnosis and management of gastroesophageal reflux disease. <i>F1000Research</i> , 2017, 6, 1748.	1.6	4
83	Factors associated with nonresponse to proton pump inhibitors therapy in patients referred for esophageal pH-impedance monitoring. <i>Ecological Management and Restoration</i> , 2016, 29, 787-793.	0.4	14
84	Vigor of peristalsis during multiple rapid swallows is inversely correlated with acid exposure time in patients with <sc>NERD</sc>. <i>Neurogastroenterology and Motility</i> , 2016, 28, 243-250.	3.0	63
85	Use of a long, stiff, overtube placed by a colonoscope to facilitate the POEM procedure for a 36-year history of achalasia with 13-cm esophageal dilation. <i>Endoscopy</i> , 2016, 48, E172-E173.	1.8	0
86	874 Comparative Evaluation of PerOral Endoscopic Myotomy (POEM) for the Treatment of Achalasia in Patients With Failed Heller Myotomy vs Patients Without a History of Surgical Myotomy: A Multicenter Retrospective Cohort Study. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB175.	1.0	1
87	Mo1970 An International Multicenter Study Evaluating the Clinical Efficacy and Safety of PerOral Endoscopic Myotomy (POEM) in Octogenarians. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB477-AB478.	1.0	0
88	Tu2049 Long term Outcomes of PerOral Endoscopic Myotomy (POEM) in Achalasia patients With a minimum follow-up of 2 years: A multicenter study. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB628.	1.0	7
89	Tu1784 High-Definition 3D Ano-Rectal Manometry: Normal Values and Comparison With Fecal Incontinence and Chronic Constipation. Final Results of a Prospective Multicenter Study (NOMAD). <i>Gastroenterology</i> , 2016, 150, S944-S945.	1.3	0
90	Temporary dumping syndrome after gastric peroral endoscopic myotomy: should we control the glycemia?. <i>Endoscopy</i> , 2016, 48, E10-E11.	1.8	6

#	ARTICLE	IF	CITATIONS
91	Endoscopic Zenker diverticulotomy using the window technique: a technical trick to improve the field of view. <i>Endoscopy</i> , 2016, 48, E63-E64.	1.8	4
92	Reply to Huo et al.. <i>Endoscopy</i> , 2016, 48, 954-954.	1.8	0
93	Complications of botulinum toxin injections for treatment of esophageal motility disordersâ€¢. <i>Ecological Management and Restoration</i> , 2016, 30, 1-5.	0.4	30
94	870 Comprehensive Analysis of Adverse Events Associated With PerOral Endoscopic Myotomy (POEM) in 1826 Patients: An International Multicenter Study. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB173.	1.0	3
95	Su1087 Impact of Per Oral Endoscopic Myotomy on Esophageal High Resolution Manometry Parameters in Patients With Achalasia. <i>Gastroenterology</i> , 2016, 150, S465.	1.3	0
96	High-Resolution Manometry Improves the Diagnosis of Esophageal Motility Disorders in Patients With Dysphagia: A Randomized Multicenter Study. <i>American Journal of Gastroenterology</i> , 2016, 111, 372-380.	0.4	110
97	High-resolution Impedance Manometry after Sleeve Gastrectomy: Increased Intra-gastric Pressure and Reflux are Frequent Events. <i>Obesity Surgery</i> , 2016, 26, 2449-2456.	2.1	124
98	Current Therapeutic Options for Esophageal Motor Disorders as Defined by the Chicago Classification. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 451-460.	2.2	32
99	Botulinum toxin injection for hypercontractile or spastic esophageal motility disorders: may high-resolution manometry help to select cases?. <i>Ecological Management and Restoration</i> , 2015, 28, 735-741.	0.4	53
100	Normal values of esophageal motility after antireflux surgery; a study using high-resolution manometry. <i>Neurogastroenterology and Motility</i> , 2015, 27, 929-935.	3.0	37
101	Esophagogastric junction morphology is associated with a positive impedanceâ€¢pH monitoring in patients with GERD. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1175-1182.	3.0	91
102	Esophagogastric junction contractility for clinical assessment in patients with GERD: a real added value?. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1423-1431.	3.0	85
103	Majority of symptoms in esophageal reflux PPI non-responders are not related to reflux. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1667-1674.	3.0	69
104	Distal esophageal spasm. <i>Current Opinion in Gastroenterology</i> , 2015, 31, 328-333.	2.3	32
105	Mechanisms of Barrett's oesophagus (clinical): LOS dysfunction, hiatal hernia, peristaltic defects. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2015, 29, 17-28.	2.4	17
106	Normative values in esophageal high-resolution manometry. <i>Neurogastroenterology and Motility</i> , 2015, 27, 175-187.	3.0	81
107	Trastornos de la motilidad esofÃ¡gica. <i>EMC - Tratado De Medicina</i> , 2015, 19, 1-7.	0.0	0
108	Diagnosis of Esophageal Motility Disorders: Esophageal Pressure Topography vs. Conventional Line Tracing. <i>American Journal of Gastroenterology</i> , 2015, 110, 967-977.	0.4	90

#	ARTICLE	IF	CITATIONS
109	505 Impaired Esophageal Mucosa Integrity in Refractory Reflux Disease Patients on Proton Pump Inhibitors. A Role for Residual Acid Reflux?. <i>Gastroenterology</i> , 2015, 148, S-99.	1.3	1
110	177 Variables Associated With Clinical Failure After PerOral Endoscopic Myotomy (POEM): a Case Control Study. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB117.	1.0	0
111	Tu1503 Variables Associated With the Prevalence of Gastroesophageal Reflux (GER) After PerOral Endoscopic Myotomy (POEM): a Case Control Study. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB487-AB488.	1.0	0
112	Esophageal hematoma after peroral endoscopic myotomy for achalasia in a patient on antiplatelet therapy. <i>Endoscopy</i> , 2015, 47, E363-E364.	1.8	8
113	Per oral endoscopic myotomy (POEM) for all spastic esophageal disorders?. <i>Endoscopy International Open</i> , 2015, 3, E202-E204.	1.8	3
114	The Chicago Classification of esophageal motility disorders, v3.0. <i>Neurogastroenterology and Motility</i> , 2015, 27, 160-174.	3.0	1,628
115	Inter-observer agreement for diagnostic classification of esophageal motility disorders defined in high-resolution manometry. <i>Ecological Management and Restoration</i> , 2015, 28, 711-719.	0.4	39
116	Oesophageal function assessed by high-resolution manometry in patients with diabetes and inadequate glycaemic control. <i>Diabetic Medicine</i> , 2014, 31, 1452-1459.	2.3	16
117	Prognostic factors in patients with refractory ascites treated by transjugular intrahepatic porto-systemic shunt: From the liver to the kidney. <i>Digestive and Liver Disease</i> , 2014, 46, 1001-1007.	0.9	10
118	The diagnosis and management of hiatus hernia. <i>BMJ, The</i> , 2014, 349, g6154-g6154.	6.0	130
119	The Chicago Classification of Motility Disorders. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2014, 24, 545-561.	1.4	50
120	Gaviscon Double Action Liquid (antacid & alginate) is more effective than antacid in controlling postprandial oesophageal acid exposure in GERD patients: a double-blind crossover study. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 531-537.	3.7	69
121	Loss of H^{21} Soluble Guanylate Cyclase, the Major Nitric Oxide Receptor, Leads to Moyamoya and Achalasia. <i>American Journal of Human Genetics</i> , 2014, 94, 642.	6.2	0
122	Lack of Correlation Between HRM Metrics and Symptoms During the Manometric Protocol. <i>American Journal of Gastroenterology</i> , 2014, 109, 521-526.	0.4	87
123	Perineal retraining improves conservative treatment for faecal incontinence: A multicentre randomized study. <i>Digestive and Liver Disease</i> , 2014, 46, 237-242.	0.9	22
124	Tu1882 Impedance Baseline Values in the Upright and Recumbent Period in GERD Patients and Healthy Volunteers on Proton Pump Inhibitors. <i>Gastroenterology</i> , 2014, 146, S-863.	1.3	1
125	Loss of H^{21} Soluble Guanylate Cyclase, the Major Nitric Oxide Receptor, Leads to Moyamoya and Achalasia. <i>American Journal of Human Genetics</i> , 2014, 94, 385-394.	6.2	95
126	Eosinophilic oesophagitis: From physiopathology to treatment. <i>Digestive and Liver Disease</i> , 2013, 45, 871-878.	0.9	25

#	ARTICLE	IF	CITATIONS
127	Sacral nerve stimulation for fecal incontinence improves symptoms, quality of life and patients' satisfaction: results of a monocentric series of 119 patients. <i>International Journal of Colorectal Disease</i> , 2013, 28, 227-233.	2.2	37
128	Swallowable Obalon® Gastric Balloons as an Aid for Weight Loss: A Pilot Feasibility Study. <i>Obesity Surgery</i> , 2013, 23, 730-733.	2.1	98
129	Management of Spastic Disorders of the Esophagus. <i>Gastroenterology Clinics of North America</i> , 2013, 42, 27-43.	2.2	103
130	Normal Values of Pharyngeal and Esophageal 24-Hour pH Impedance in Individuals on and off Therapy and Interobserver Reproducibility. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 366-372.	4.4	145
131	Evaluation of esophageal motor function in clinical practice. <i>Neurogastroenterology and Motility</i> , 2013, 25, 99-133.	3.0	107
132	Fatal mediastinitis following botulinum toxin injection for esophageal spasm. <i>Endoscopy</i> , 2013, 45, E405-E406.	1.8	21
133	Pharyngeal pH alone is not reliable for the detection of pharyngeal reflux events: A study with oesophageal and pharyngeal pH-impedance monitoring. <i>United European Gastroenterology Journal</i> , 2013, 1, 438-444.	3.8	41
134	Esophageal high resolution manometry in a community practice. <i>Neurogastroenterology and Motility</i> , 2013, 25, 776-777.	3.0	3
135	Partial Recovery of Peristalsis After Myotomy for Achalasia. <i>JAMA Surgery</i> , 2013, 148, 157.	4.3	66
136	Techniques of High-Resolution Esophageal Manometry, Classification and Treatment of Spastic Esophageal Motility Disorders. , 2013, , 132-146.		0
137	High-intensity focused ultrasound liver destruction through the gastric wall under endoscopic ultrasound control: first experience in living pigs. <i>Endoscopy</i> , 2012, 44, E376-E377.	1.8	12
138	Wireless pH capsule "yield" in clinical practice. <i>Endoscopy</i> , 2012, 44, 270-276.	1.8	24
139	High-Resolution Manometry Correlates of Ineffective Esophageal Motility. <i>American Journal of Gastroenterology</i> , 2012, 107, 1647-1654.	0.4	85
140	Response to Melchior et al.. <i>American Journal of Gastroenterology</i> , 2012, 107, 954-955.	0.4	0
141	Phenotypes and Clinical Context of Hypercontractility in High-Resolution Esophageal Pressure Topography (EPT). <i>American Journal of Gastroenterology</i> , 2012, 107, 37-45.	0.4	151
142	Effects of Large Hiatal Hernias on Esophageal Peristalsis. <i>Archives of Surgery</i> , 2012, 147, 352.	2.2	26
143	Optimizing the swallow protocol of clinical high-resolution esophageal manometry studies. <i>Neurogastroenterology and Motility</i> , 2012, 24, e489-96.	3.0	32
144	The effect of a sitting vs supine posture on normative esophageal pressure topography metrics and Chicago Classification diagnosis of esophageal motility disorders. <i>Neurogastroenterology and Motility</i> , 2012, 24, e509-16.	3.0	78

#	ARTICLE	IF	CITATIONS
145	Comment to "Rumination syndrome: When the lower oesophageal sphincter rises". <i>Digestive and Liver Disease</i> , 2012, 44, 269.	0.9	1
146	The Chicago classification for achalasia in a French multicentric cohort. <i>Digestive and Liver Disease</i> , 2012, 44, 976-980.	0.9	37
147	137a Inter-Observer Agreement for Manometry Classification of Individual Swallows and Diagnoses Using High-Resolution Manometry (HRM) With Esophageal Pressure Topography (EPT): Results of Web-Based Studies With High Participation. <i>Gastroenterology</i> , 2012, 142, S-34.	1.3	3
148	Impaired postoperative EGJ relaxation as a determinant of post laparoscopic fundoplication dysphagia: a study with high-resolution manometry before and after surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 3642-3649.	2.4	36
149	Achalasia-Like Disorder After Laparoscopic Adjustable Gastric Banding: a Reversible Side Effect?. <i>Obesity Surgery</i> , 2012, 22, 704-711.	2.1	37
150	Automated calculation of the distal contractile integral in esophageal pressure topography with a region-growing algorithm. <i>Neurogastroenterology and Motility</i> , 2012, 24, e4-10.	3.0	13
151	Esophageal hypertensive peristaltic disorders. <i>Neurogastroenterology and Motility</i> , 2012, 24, 32-39.	3.0	32
152	Esophageal high resolution manometry: a new gold standard for the detection of transient lower esophageal sphincter relaxations?. <i>Neurogastroenterology and Motility</i> , 2012, 24, 498-499.	3.0	4
153	Refining the criterion for an abnormal Integrated Relaxation Pressure in esophageal pressure topography based on the pattern of esophageal contractility using a classification and regression tree model. <i>Neurogastroenterology and Motility</i> , 2012, 24, e356-63.	3.0	80
154	Distal Esophageal Spasm. <i>Dysphagia</i> , 2012, 27, 115-123.	1.8	40
155	Neurological features in adult Triple-A (Allgrove) syndrome. <i>Journal of Neurology</i> , 2012, 259, 39-46.	3.6	51
156	Challenges in the Swallowing Mechanism: Nonobstructive Dysphagia in the Era of High-Resolution Manometry and Impedance. <i>Gastroenterology Clinics of North America</i> , 2011, 40, 823-835.	2.2	24
157	Technically-Limited High Resolution Esophageal Pressure Topography Studies in Clinical Practice: Why, How Often, and How Limited?. <i>Gastroenterology</i> , 2011, 140, S-300.	1.3	0
158	Systematic Analysis of Esophageal Pressure Topography After Laparoscopic Nissen-Rossetti: A Case for the Floppy Valve?. <i>Gastroenterology</i> , 2011, 140, S-299.	1.3	0
159	Automated Calculation of Distal Contractile Integral in Esophageal Pressure Topography (EPT) With a Region-Growing Algorithm Centered at the Pressure Maximum and Bracketed by Pressure Minima. <i>Gastroenterology</i> , 2011, 140, S-871.	1.3	0
160	High-Resolution Manometry Studies Are Frequently Imperfect but Usually Still Interpretable. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 1050-1055.	4.4	59
161	High-Resolution Manometry: An Atlas of Esophageal Motility Disorders and Findings of GERD Using Esophageal Pressure Topography. <i>Thoracic Surgery Clinics</i> , 2011, 21, 465-475.	1.0	36
162	Distal Esophageal Spasm in High-Resolution Esophageal Pressure Topography: Defining Clinical Phenotypes. <i>Gastroenterology</i> , 2011, 141, 469-475.	1.3	140

#	ARTICLE	IF	CITATIONS
163	High resolution esophageal manometry evaluation in symptomatic patients after gastric banding for morbid obesity. <i>Digestive and Liver Disease</i> , 2011, 43, 116-120.	0.9	29
164	The Effect of Treatment on High-Resolution Esophageal Pressure Topography (EPT) Achalasia Subtype. <i>Gastroenterology</i> , 2011, 140, S-76-S-77.	1.3	0
165	Spastic Achalasia Phenotypes in Esophageal Pressure Topography (EPT): Not All Spasm is the Same. <i>Gastroenterology</i> , 2011, 140, S-77.	1.3	1
166	Outflow Obstruction or Primary Hypercontractility: Which is the Determinant of Hypertensive Peristaltic Contractions?. <i>Gastroenterology</i> , 2011, 140, S-123.	1.3	0
167	Do Large Hiatal Hernias Affect Esophageal Peristalsis?. <i>Gastroenterology</i> , 2011, 140, S-155.	1.3	1
168	Rapid Peristaltic Propagation: A Non-Specific Finding in High Resolution Esophageal Pressure Topography (EPT) Studies. <i>Gastroenterology</i> , 2011, 140, S-224.	1.3	0
169	Jackhammer Esophagus: A Symptomatic Phenotype of Hypertensive Contraction in High Resolution Esophageal Pressure Topography (EPT). <i>Gastroenterology</i> , 2011, 140, S-231.	1.3	1
170	Reflux, Acid Exposure, or Bolus Presence: Which is the Genesis of Post-Prandial Symptoms in Subjects With Gastro-Esophageal Reflux Disease (GERD)?. <i>Gastroenterology</i> , 2011, 140, S-247.	1.3	0
171	Les nouvelles explorations fonctionnelles oesophagiennes. , 2011, , 47-56.		0
172	Pan-Esophageal Pressurization in Achalasia: Is 30 mmHg the Best Discriminator for Predicting Good Treatment Outcome?. <i>Gastroenterology</i> , 2011, 140, S-301.	1.3	0
173	Interpreting Esophageal Pressure Topography (EPT) Utilizing a Scheme Based on Individual Swallow Pattern Categorization and Formula Driven Diagnosis. <i>Gastroenterology</i> , 2011, 140, S-300.	1.3	1
174	Phenotypes of Rapid Peristaltic Propagation in Esophageal Pressure Topography (EPT): Distal Contractile Latency Matters. <i>Gastroenterology</i> , 2011, 140, S-300.	1.3	0
175	Inter-Observer Agreement in High Resolution Esophageal Pressure Topography Interpretation Using the Chicago Classification. <i>Gastroenterology</i> , 2011, 140, S-295.	1.3	0
176	Pseudoachalasia and Laparoscopic Gastric Banding. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 745-747.	2.2	15
177	Could metabolic liver function tests predict mortality on waiting list for liver transplantation? A study on 560 patients. <i>Clinical Transplantation</i> , 2011, 25, 755-765.	1.6	14
178	Persistent dysphagia after removal of an adjustable gastric band for morbid obesity: a rare complication. <i>Ecological Management and Restoration</i> , 2011, 24, 401-403.	0.4	6
179	Esophageal dysmotility associated with systemic sclerosis: a high-resolution manometry study. <i>Ecological Management and Restoration</i> , 2011, 24, 299-304.	0.4	55
180	Manometric features of eosinophilic esophagitis in esophageal pressure topography. <i>Neurogastroenterology and Motility</i> , 2011, 23, 208-e111.	3.0	125

#	ARTICLE	IF	CITATIONS
181	Randomised clinical trial: effects of monotherapy with ADX10059, a mGluR5 inhibitor, on symptoms and reflux events in patients with gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 911-921.	3.7	83
182	An alginate-antacid formulation (Gaviscon Double Action Liquid) can eliminate or displace the postprandial "acid pocket"™ in symptomatic GERD patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 59-66.	3.7	120
183	High resolution manometry to detect transient lower oesophageal sphincter relaxations: diagnostic accuracy compared with perfused sleeve manometry, and the definition of new detection criteria. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 384-393.	3.7	45
184	Testing for gastroesophageal reflux in the 21st century. <i>Annals of the New York Academy of Sciences</i> , 2011, 1232, 358-364.	3.8	3
185	Response to Jung et al.. <i>American Journal of Gastroenterology</i> , 2011, 106, 1856-1857.	0.4	1
186	Weak Peristalsis in Esophageal Pressure Topography: Classification and Association With Dysphagia. <i>American Journal of Gastroenterology</i> , 2011, 106, 349-356.	0.4	167
187	Distal Contraction Latency: A Measure of Propagation Velocity Optimized for Esophageal Pressure Topography Studies. <i>American Journal of Gastroenterology</i> , 2011, 106, 443-451.	0.4	68
188	The time course and persistence of "concurrent contraction" during normal peristalsis. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, G679-G683.	3.4	1
189	Noninvasive diagnosis and prognosis of liver cirrhosis: a comparison of biological scores, elastometry, and metabolic liver function tests. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 532-540.	1.6	45
190	Environmental " Lifestyle related factors. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2010, 24, 847-859.	2.4	18
191	Transcutaneous electrical posterior tibial nerve stimulation for faecal incontinence: effects on symptoms and quality of life. <i>International Journal of Colorectal Disease</i> , 2010, 25, 1017-1020.	2.2	33
192	Esophageal dilation after gastric banding: to test or not to test before surgery?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 972-973.	2.4	8
193	Laparoscopic Repair of Large Hiatal Hernia Without Prosthetic Reinforcement: Late Results and Relevance of Anterior Gastropexy. <i>Journal of Gastrointestinal Surgery</i> , 2010, 14, 1910-1916.	1.7	64
194	Does body position modify the results of oesophageal high resolution manometry?. <i>Neurogastroenterology and Motility</i> , 2010, 22, 271-275.	3.0	77
195	Functional dyspepsia: still a serious challenge for medical practitioners and new drug investigators? A Belgian, French, German and Hungarian opinion. <i>Acta Gastro-Enterologica Belgica</i> , 2010, 73, 360-5.	1.0	1
196	A Positive Breath Hydrogen Test Does Not Predict the Occurrence of a Spontaneous Bacterial Peritonitis in Cirrhotic Patients with Ascites. <i>Digestion</i> , 2009, 79, 252-258.	2.3	4
197	High-resolution manometry: A new gold standard to diagnose esophageal dysmotility?. <i>Gastroenterologie Clinique Et Biologique</i> , 2009, 33, 1061-1067.	0.9	11
198	Transcutaneous Posterior Tibial Nerve Stimulation for Fecal Incontinence in Inflammatory Bowel Disease Patients: A Therapeutic Option?. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 402-405.	1.9	43

#	ARTICLE	IF	CITATIONS
199	Prevalence of urinary incontinence in women and impact on quality of life: French regional survey. <i>Pelvi-perineologie</i> , 2009, 4, 10-14.	0.0	2
200	Sacral Nerve Stimulation and Constipation. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 752-753.	1.3	11
201	Sacral nerve stimulation and rectal function: results of a prospective study in faecal incontinence. <i>Neurogastroenterology and Motility</i> , 2008, 20, 1127-1131.	3.0	28
202	Clinical, sonographic and manometric characteristics and impact on quality of life of anal incontinence in 92 men referred for endoanal ultrasonography. <i>Gastroenterologie Clinique Et Biologique</i> , 2008, 32, 328-336.	0.9	4
203	Determinants of gastro-oesophageal reflux perception in patients with persistent symptoms despite proton pump inhibitors. <i>Gut</i> , 2008, 57, 156-160.	12.1	156
204	Downregulation of p63 upon exposure to bile salts and acid in normal and cancer esophageal cells in culture. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G45-G53.	3.4	44
205	Prospective evaluation of a new ultrathin one-plane bending videoendoscope for transnasal EGD: a comparative study on performance and tolerance. <i>Gastrointestinal Endoscopy</i> , 2007, 66, 13-19.	1.0	57
206	Characterization of reflux events after fundoplication using combined impedance-pH recording. <i>British Journal of Surgery</i> , 2007, 94, 48-52.	0.3	38
207	Correlation between gastric pH and gastro-oesophageal reflux contents: ambulatory pH-impedance monitoring results. <i>Neurogastroenterology and Motility</i> , 2007, 19, 562-568.	3.0	11
208	Tolerance and Efficacy of an Air-filled Balloon in Non-morbidly Obese Patients: Results of a Prospective Multicenter Study. <i>Obesity Surgery</i> , 2007, 17, 764-769.	2.1	51
209	Ambulatory 24-h oesophageal impedance-pH recordings: reliability of automatic analysis for gastro-oesophageal reflux assessment. <i>Neurogastroenterology and Motility</i> , 2006, 18, 978-986.	3.0	91
210	Esophageal Capsule Endoscopy versus Esophagogastroduodenoscopy for Evaluating Portal Hypertension: a Prospective Comparative Study of Performance and Tolerance. <i>Endoscopy</i> , 2006, 38, 36-41.	1.8	111
211	Esophageal pH-Impedance Monitoring and Symptom Analysis in GERD: A Study in Patients off and on Therapy. <i>American Journal of Gastroenterology</i> , 2006, 101, 1956-1963.	0.4	407
212	Effects of Intra-gastric Balloon on Gastric Emptying and Plasma Ghrelin Levels in Non-morbid Obese Patients. <i>Obesity Surgery</i> , 2005, 15, 510-516.	2.1	120
213	Normal values and day-to-day variability of 24h ambulatory oesophageal impedance-pH monitoring in a Belgian-French cohort of healthy subjects. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 1011-1021.	3.7	285
214	Triple-A Syndrome: A Rare Etiology of Adult Achalasia. <i>Digestive Diseases and Sciences</i> , 2005, 50, 440-442.	2.3	7
215	Is scintigraphic double-track appearance a sign of severe acute episodes of ulcerative colitis?. <i>Gastroenterologie Clinique Et Biologique</i> , 2004, 28, 221-225.	0.9	6
216	Intra-gastric Balloon for "Non-Morbid" Obesity: A Retrospective Evaluation of Tolerance and Efficacy. <i>Obesity Surgery</i> , 2004, 14, 539-544.	2.1	127

#	ARTICLE	IF	CITATIONS
217	Value of Rectal Ultrasound in Predicting Staging and Outcome in Patients With Rectal Adenocarcinoma. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 1323-1330.	1.3	14
218	Long Term Outcome of Patients with Unexplained GI Bleeding Investigated by Push Enteroscopy. <i>Gastrointestinal Endoscopy</i> , 2004, 59, P100.	1.0	0
219	Influence of rectal prolapse on the asymmetry of the anal sphincter in patients with anal incontinence. <i>BMC Gastroenterology</i> , 2003, 3, 23.	2.0	15
220	Tolerance and Efficacy of Argon Plasma Coagulation for Controlling Bleeding in Patients with Typical and Atypical Manifestations of Watermelon Stomach. <i>Endoscopy</i> , 2003, 35, 1024-1028.	1.8	80
221	BCG Therapy-related Death and Previous Pelvic Radiation. <i>Annals of Pharmacotherapy</i> , 2001, 35, 963-964.	1.9	3