Eileen M Handberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6130945/publications.pdf

Version: 2024-02-01

66343 32842 10,599 165 42 100 citations h-index g-index papers 168 168 168 9724 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|---------------------|--------------|
| 1 | Specialized Proresolving Mediators in Symptomatic Women With Coronary Microvascular Dysfunction (from the Women's Ischemia Trial to Reduce Events in Nonobstructive CAD [WARRIOR]) Tj ETQq1 | . 0 :78 4314 | rg&T /Overlo |
| 2 | Coronary microvascular dysfunction as a chronic inflammatory state: Is there a role for omega-3 fatty acid treatment?. American Heart Journal Plus, 2022, 13, 100098. | 0.6 | 0 |
| 3 | Ultra-high sensitivity cardiac troponin-I concentration and left ventricular structure and function in women with ischemia and no obstructive coronary artery disease. American Heart Journal Plus, 2022, 13, 100115. | 0.6 | 1 |
| 4 | Body weight and physical fitness in women with ischaemic heart disease: does physical fitness contribute to our understanding of the obesity paradox in women?. European Journal of Preventive Cardiology, 2022, 29, 1608-1614. | 1.8 | 6 |
| 5 | Microvascular Dysfunction as a Systemic Disease: A Review of the Evidence. American Journal of Medicine, 2022, 135, 1059-1068. | 1.5 | 22 |
| 6 | Left ventricular circumferential strain and coronary microvascular dysfunction: A report from the Women's Ischemia Syndrome Evaluation Coronary Vascular Dysfunction (WISE-CVD) Project. International Journal of Cardiology, 2021, 327, 25-30. | 1.7 | 12 |
| 7 | Butyrate Regulates COVID-19–Relevant Genes in Gut Epithelial Organoids From Normotensive Rats. Hypertension, 2021, 77, e13-e16. | 2.7 | 45 |
| 8 | Optimizing Precision of Hypertension Care to Maximize Blood Pressure Control: A Pilot Study Utilizing a Smartphone App to Incorporate Plasma Renin Activity Testing. Clinical and Translational Science, 2021, 14, 617-624. | 3.1 | 1 |
| 9 | A multiplexed ion-exchange membrane-based miRNA (MIX·miR) detection platform for rapid diagnosis of myocardial infarction. Lab on A Chip, 2021, 21, 3876-3887. | 6.0 | 11 |
| 10 | Preparticipation Cardiac Evaluation Findings in a Cohort of Collegiate Female Athletes. American Journal of Cardiology, 2021, 140, 134-139. | 1.6 | 4 |
| 11 | Prior Oral Contraceptive Use and Longer Term Mortality Outcomes in Women with Suspected Ischemic Heart Disease. Journal of Women's Health, 2021, 30, 377-384. | 3.3 | 4 |
| 12 | Association of 1-Year Blood Pressure Variability With Long-term Mortality Among Adults With Coronary Artery Disease. JAMA Network Open, 2021, 4, e218418. | 5.9 | 19 |
| 13 | Distinct Gene Expression Profiles in Colonic Organoids from Normotensive and the Spontaneously Hypertensive Rats. Cells, 2021, 10, 1523. | 4.1 | 4 |
| 14 | Angina relates to coronary flow in women with ischemia and no obstructive coronary artery disease. International Journal of Cardiology, 2021, 333, 35-39. | 1.7 | 10 |
| 15 | Rationale and design of the Women's Ischemia Trial to Reduce Events in Nonobstructive CAD (WARRIOR) trial. American Heart Journal, 2021, 237, 90-103. | 2.7 | 51 |
| 16 | Risk factors for heart failure in women with ischemia and no obstructive coronary artery disease. American Heart Journal Plus, 2021, 8, 100035. | 0.6 | 0 |
| 17 | Coronary endothelial dysfunction appears to be a manifestation of a systemic process: A report from the Women's Ischemia Syndrome Evaluation – Coronary Vascular Dysfunction (WISE-CVD) study. PLoS ONE, 2021, 16, e0257184. | 2.5 | 11 |
| 18 | A Six-Day, Lifestyle-Based Immersion Program Mitigates Cardiovascular Risk Factors and Induces Shifts in Gut Microbiota, Specifically Lachnospiraceae, Ruminococcaceae, Faecalibacterium prausnitzii: A Pilot Study. Nutrients, 2021, 13, 3459. | 4.1 | 31 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Association of coronary microvascular dysfunction and cardiac bridge integrator 1, a cardiomyocyte dysfunction biomarker. Clinical Cardiology, 2021, 44, 1586-1593. | 1.8 | 2 |
| 20 | Potential of Minocycline for Treatment of Resistant Hypertension. American Journal of Cardiology, 2021, 156, 147-149. | 1.6 | 5 |
| 21 | Relationship between coronary function testing and migraine: results from the Women's Ischemia Syndrome Evaluation-Coronary Vascular Dysfunction project. , 2021, 5, . | | O |
| 22 | Anemia and Long-term cardiovascular outcomes in women with suspected ischemia – The Women's Ischemia Syndrome Evaluation (WISE). American Heart Journal Plus, 2021, 10, 100059. | 0.6 | 0 |
| 23 | Somatic versus cognitive depressive symptoms as predictors of coronary artery disease among women with suspected ischemia: The women's ischemia syndrome evaluation. Heart and Mind (Mumbai, India), 2021, 5, 112. | 0.6 | 4 |
| 24 | Adverse Pregnancy Outcomes Are Associated with Reduced Coronary Flow Reserve in Women With Signs and Symptoms of Ischemia Without Obstructive Coronary Artery Disease: A Report from the Women's Ischemia Syndrome Evaluation-Coronary Vascular Dysfunction Study. Journal of Women's Health, 2020, 29, 487-492. | 3.3 | 11 |
| 25 | Risk and Blood Pressure Control Rates Across the Spectrum of Coronary Artery Disease in Hypertensive Women: An Analysis from The INternational VErapamil SR-Trandolapril STudy (INVEST). Journal of Women's Health, 2020, 29, 158-166. | 3.3 | 1 |
| 26 | Design, methodology and baseline characteristics of the Women's Ischemia Syndrome Evaluation–Coronary Vascular Dysfunction (WISE-CVD). American Heart Journal, 2020, 220, 224-236. | 2.7 | 15 |
| 27 | Coronary Vascular Function and Cardiomyocyte Injury. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 3015-3021. | 2.4 | 10 |
| 28 | Left ventricular mass and myocardial scarring in women with hypertensive disorders of pregnancy. Open Heart, 2020, 7, e001273. | 2.3 | 6 |
| 29 | Optimal systolic blood pressure and reduced long-term mortality in older hypertensive women with prior coronary events – An analysis from INVESTâ~†. International Journal of Cardiology: Hypertension, 2020, 7, 100052. | 2.2 | 1 |
| 30 | Even "WISE-R?â€â€"an Update on the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation. Current Atherosclerosis Reports, 2020, 22, 35. | 4.8 | 6 |
| 31 | Resting coronary velocity and myocardial performance in women with impaired coronary flow reserve: Results from the Women's Ischemia Syndrome Evaluation-Coronary Vascular Dysfunction (WISE-CVD) study. International Journal of Cardiology, 2020, 309, 19-22. | 1.7 | 12 |
| 32 | Not typical angina and mortality in women with obstructive coronary artery disease: Results from the Women's Ischemic Syndrome Evaluation study (WISE). IJC Heart and Vasculature, 2020, 27, 100502. | 1,1 | 5 |
| 33 | Temporal Trends in Angina, Myocardial Perfusion, and Left Ventricular Remodeling in Women With No Obstructive Coronary Artery Disease Over 1â€Year Followâ€Up: Results From WISEâ€CVD. Journal of the American Heart Association, 2020, 9, e016305. | 3.7 | 4 |
| 34 | Redefining Resistant Hypertension. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e005979. | 2.2 | 2 |
| 35 | Angina Hospitalization Rates in Women With Signs and Symptoms of Ischemia But no Obstructive Coronary Artery Disease: A Report from the WISE (Women's Ischemia Syndrome Evaluation) Study. Journal of the American Heart Association, 2020, 9, e013168. | 3.7 | 10 |
| 36 | Psychological stress, cardiac symptoms, and cardiovascular risk in women with suspected ischaemia but no obstructive coronary disease. Stress and Health, 2020, 36, 264-273. | 2.6 | 10 |

| # | Article | IF | CITATIONS |
|----|--|------------------------|-----------------------|
| 37 | Predicted Versus Observed Major Adverse Cardiac Event Risk in Women With Evidence of Ischemia and No Obstructive Coronary Artery Disease: A Report From WISE (Women's Ischemia Syndrome) Tj ETQq1 10 |).78431 4.n gBT | Ov e8 lock 10° |
| 38 | N-Terminal pro-B-type natriuretic peptide and coronary microvascular dysfunction in women with preserved ejection fraction: A report from the Women's Ischemia Syndrome Evaluation–Coronary Vascular Dysfunction (WISE-CVD) study. PLoS ONE, 2020, 15, e0243213. | 2.5 | 3 |
| 39 | Prevalence of Coronary Endothelial and Microvascular Dysfunction in Women with Symptoms of Ischemia and No Obstructive Coronary Artery Disease Is Confirmed by a New Cohort: The NHLBI-Sponsored Women's Ischemia Syndrome Evaluation–Coronary Vascular Dysfunction (WISE-CVD), Iournal of Interventional Cardiology, 2019, 2019, 1-8. | 1.2 | 22 |
| 40 | Left ventricular concentric remodelling and functional impairment in women with ischaemia with no obstructive coronary artery disease and intermediate coronary flow reserve: a report from the WISE-CVD study. European Heart Journal Cardiovascular Imaging, 2019, 20, 875-882. | 1.2 | 11 |
| 41 | Multimodal Intervention to Improve Functional Status in Hypertensive Older Adults: A Pilot Randomized Controlled Trial. Journal of Clinical Medicine, 2019, 8, 196. | 2.4 | 11 |
| 42 | Effect of all-extremity high-intensity interval training vs. moderate-intensity continuous training on aerobic fitness in middle-aged and older adults with type 2 diabetes: A randomized controlled trial. Experimental Gerontology, 2019, 116, 46-53. | 2.8 | 31 |
| 43 | Late sodium channel blockade improves angina and myocardial perfusion in patients with severe coronary microvascular dysfunction: Women's Ischemia Syndrome Evaluation–Coronary Vascular Dysfunction ancillary study. International Journal of Cardiology, 2019, 276, 8-13. | 1.7 | 37 |
| 44 | Endothelial Function is Attenuated Following Total Sleep Deprivation in Healthy Young Adults. FASEB Journal, 2019, 33, lb471. | 0.5 | 1 |
| 45 | Total Sleep Deprivation Does Not Adversely Affect Arterial Stiffness, Wave Reflection and Aortic Pressure in Young Healthy Men. FASEB Journal, 2019, 33, lb490. | 0.5 | 1 |
| 46 | Increasing and Evolving Role of Smart Devices in Modern Medicine. European Cardiology Review, 2019, 14, 181-186. | 2.2 | 36 |
| 47 | Myocardial Scar Is Prevalent and Associated With Subclinical Myocardial Dysfunction in Women With Suspected Ischemia But No Obstructive Coronary Artery Disease. Circulation, 2018, 137, 874-876. | 1.6 | 23 |
| 48 | Intensive blood pressure lowering reduces adverse cardiovascular outcomes among patients with highâenormal glucose: An analysis from the Systolic Blood Pressure Intervention Trial database. Journal of Clinical Hypertension, 2018, 20, 620-624. | 2.0 | 5 |
| 49 | Imbalance of gut microbiome and intestinal epithelial barrier dysfunction in patients with high blood pressure. Clinical Science, 2018, 132, 701-718. | 4.3 | 328 |
| 50 | Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2018, 73, 1501-1513. | 3.9 | 20 |
| 51 | Mortality implications of lower DBP with lower achieved systolic pressures in coronary artery disease. Journal of Hypertension, 2018, 36, 419-427. | 0.5 | 5 |
| 52 | Serotonin Transporter Gene Polymorphism in Women With Suspected Ischemia., 2018, 2, 8-15. | 0.8 | 1 |
| 53 | Weight cycling and cardiovascular outcome in women with suspected ischemia: A report from the NHLBI-sponsored WISE Study. PLoS ONE, 2018, 13, e0207223. | 2.5 | 5 |
| 54 | Long-term mortality and estimated functional capacity among women with symptoms of ischemic heart disease: From the NHLBI-sponsored Women's Ischemia Syndrome Evaluation. American Heart Journal, 2018, 206, 123-126. | 2.7 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Ischemia and No Obstructive Coronary Artery Disease (INOCA): What Is the Risk?. Journal of the American Heart Association, 2018, 7, e008868. | 3.7 | 124 |
| 56 | Gut microbiota and serum metabolite differences in African Americans and White Americans with high blood pressure. International Journal of Cardiology, 2018, 271, 336-339. | 1.7 | 47 |
| 57 | Maladaptive left ventricular remodeling in women: An analysis from the Women's Ischemia Syndrome Evaluation–Coronary Vascular Dysfunction study. International Journal of Cardiology, 2018, 268, 230-235. | 1.7 | 3 |
| 58 | It Takes a Team to Deliver Optimal Cardiovascular Care. Journal of the American College of Cardiology, 2018, 72, 948-951. | 2.8 | 2 |
| 59 | Evaluation of Cell Therapy on Exercise Performance and Limb Perfusion in Peripheral Artery Disease. Circulation, 2017, 135, 1417-1428. | 1.6 | 46 |
| 60 | All-Extremity Exercise Training Improves Arterial Stiffness in Older Adults. Medicine and Science in Sports and Exercise, 2017, 49, 1404-1411. | 0.4 | 44 |
| 61 | Dynapenia and Metabolic Health in Obese and Nonobese Adults Aged 70ÂYears and Older: The LIFE Study. Journal of the American Medical Directors Association, 2017, 18, 312-319. | 2.5 | 17 |
| 62 | Typical angina is associated with greater coronary endothelial dysfunction but not abnormal vasodilatory reserve. Clinical Cardiology, 2017, 40, 886-891. | 1.8 | 7 |
| 63 | Sex impacts the flow-mediated dilation response to acute aerobic exercise in older adults. Experimental Gerontology, 2017, 91, 57-63. | 2.8 | 16 |
| 64 | Ischemia and No Obstructive Coronary Artery Disease (INOCA). Circulation, 2017, 135, 1075-1092. | 1.6 | 527 |
| 65 | Metabolic costs of daily activity in older adults (Chores XL) study: Design and methods. Contemporary Clinical Trials Communications, 2017, 6, 1-8. | 1.1 | 15 |
| 66 | Myocardial tissue deformation is reduced in subjects with coronary microvascular dysfunction but not rescued by treatment with ranolazine. Clinical Cardiology, 2017, 40, 300-306. | 1.8 | 22 |
| 67 | Ten-Year Mortality in the WISE Study (Women's Ischemia Syndrome Evaluation). Circulation: Cardiovascular Quality and Outcomes, 2017, 10, . | 2.2 | 82 |
| 68 | Association of Accelerometryâ€Measured Physical Activity and Cardiovascular Events in Mobilityâ€Limited Older Adults: The LIFE (Lifestyle Interventions and Independence for Elders) Study. Journal of the American Heart Association, 2017, 6, . | 3.7 | 35 |
| 69 | Predictors of Change in Physical Function in Older Adults in Response to Long-Term, Structured Physical Activity: The LIFE Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 11-24.e3. | 0.9 | 27 |
| 70 | Effect of Lowâ€Furanocoumarin Hybrid Grapefruit Juice Consumption on Midazolam Pharmacokinetics. Journal of Clinical Pharmacology, 2017, 57, 305-311. | 2.0 | 4 |
| 71 | Acetylcholine versus cold pressor testing for evaluation of coronary endothelial function. PLoS ONE, 2017, 12, e0172538. | 2.5 | 13 |
| 72 | Daily Activity Measured With Wearable Technology as a Novel Measurement of Treatment Effect in Patients With Coronary Microvascular Dysfunction: Substudy of a Randomized Controlled Crossover Trial. JMIR Research Protocols, 2017, 6, e255. | 1.0 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Abstract 108: Impact of a Wireless "Wearable" Device to Measure Daily Activity in Patients With Coronary Microvascular Disease Treated With Late Na Channel Inhibition (ranolazine): a Substudy of the RWISE Clinical Trial. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, . | 2.2 | 0 |
| 74 | An injectable capillary-like microstructured alginate hydrogel improves left ventricular function after myocardial infarction in rats. International Journal of Cardiology, 2016, 220, 149-154. | 1.7 | 31 |
| 75 | A randomized, placebo-controlled trial of late Na current inhibition (ranolazine) in coronary microvascular dysfunction (CMD): impact on angina and myocardial perfusion reserve. European Heart Journal, 2016, 37, 1504-1513. | 2.2 | 152 |
| 76 | Circulating progenitor cells and coronary microvascular dysfunction: Results from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation – Coronary Vascular Dysfunction Study (WISE-CVD). Atherosclerosis, 2016, 253, 111-117. | 0.8 | 11 |
| 77 | Long-Term Mortality in Hypertensive Patients With Coronary Artery Disease. Hypertension, 2016, 68, 1110-1114. | 2.7 | 25 |
| 78 | Psychosocial predictors of long-term mortality among women with suspected myocardial ischemia: the NHLBI-sponsored Women's Ischemia Syndrome Evaluation. Journal of Behavioral Medicine, 2016, 39, 687-693. | 2.1 | 15 |
| 79 | Mortality Risk Associated With Resistant Hypertension Among Women: Analysis from Three Prospective Cohorts Encompassing the Spectrum of Women's Heart Disease. Journal of Women's Health, 2016, 25, 996-1003. | 3.3 | 14 |
| 80 | Novel all-extremity high-intensity interval training improves aerobic fitness, cardiac function and insulin resistance in healthy older adults. Experimental Gerontology, 2016, 82, 112-119. | 2.8 | 100 |
| 81 | Association between High Endocardial Unipolar Voltage and Improved Left Ventricular Function in Patients with Ischemic Cardiomyopathy. Texas Heart Institute Journal, 2016, 43, 291-296. | 0.3 | 2 |
| 82 | Relationships between components of metabolic syndrome and coronary intravascular ultrasound atherosclerosis measures in women without obstructive coronary artery disease. Cardiovascular Endocrinology, 2015, 4, 45-52. | 0.8 | 10 |
| 83 | Effects of Verapamil SR and Atenolol on 24-Hour Blood Pressure and Heart Rate in Hypertension Patients with Coronary Artery Disease: An International Verapamil SR-Trandolapril Ambulatory Monitoring Substudy. PLoS ONE, 2015, 10, e0122726. | 2.5 | 4 |
| 84 | Cardiac Magnetic Resonance Myocardial Perfusion Reserve Index Is Reduced in Women With Coronary Microvascular Dysfunction. Circulation: Cardiovascular Imaging, 2015, 8 , . | 2.6 | 184 |
| 85 | 2015 ACC Health Policy Statement onÂCardiovascular Team-Based Care andÂtheÂRole of Advanced Practice Providers. Journal of the American College of Cardiology, 2015, 65, 2118-2136. | 2.8 | 86 |
| 86 | Mild renal dysfunction and long-term adverse outcomes in women with chest pain: Results from the National Heart, Lung, and Blood Institute–sponsored Women's Ischemia Syndrome Evaluation (WISE). American Heart Journal, 2015, 169, 412-418. | 2.7 | 15 |
| 87 | Impact of Aspirin According to Type of Stable Coronary Artery Disease: Insights from a Large International Cohort. American Journal of Medicine, 2015, 128, 137-143. | 1.5 | 7 |
| 88 | Renal Function and Coronary Microvascular Dysfunction in Women with Symptoms/Signs of Ischemia. PLoS ONE, 2015, 10, e0125374. | 2.5 | 34 |
| 89 | TIMI Frame Count and Adverse Events in Women with No Obstructive Coronary Disease: A Pilot Study from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE). PLoS ONE, 2014, 9, e96630. | 2.5 | 23 |
| 90 | Aldosterone inhibition and coronary endothelial function in women without obstructive coronary artery disease: An ancillary study of the National Heart, Lung, and Blood Institute–sponsored Women's Ischemia Syndrome Evaluation. American Heart Journal, 2014, 167, 826-832. | 2.7 | 33 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Comparison of low and high dose intracoronary adenosine and acetylcholine in women undergoing coronary reactivity testing: Results from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE). International Journal of Cardiology, 2014, 172, e114-e115. | 1.7 | 9 |
| 92 | Depression, Dietary Habits, and Cardiovascular Events Among Women with Suspected Myocardial Ischemia. American Journal of Medicine, 2014, 127, 840-847. | 1.5 | 23 |
| 93 | Predictors and outcomes of resistant hypertension among patients with coronary artery disease and hypertension. Journal of Hypertension, 2014, 32, 635-643. | 0.5 | 88 |
| 94 | Recruiting for Acute Myocardial Infarction Cell Therapy Trials: Challenges and Best Practices for the CCTRN. Clinical Researcher, 2014, 28, 71-77. | 0.5 | 2 |
| 95 | Clinical Implications of the Women's Ischemia Syndrome Evaluation: Inter-Relationships Between Symptoms, Psychosocial Factors and Cardiovascular Outcomes. Women's Health, 2013, 9, 479-490. | 1.5 | 32 |
| 96 | Simple Integer Risk Score to Determine Prognosis of Patients With Hypertension and Chronic Stable Coronary Artery Disease. Journal of the American Heart Association, 2013, 2, e000205. | 3.7 | 11 |
| 97 | Anginal Symptoms, Coronary Artery Disease, and Adverse Outcomes in Black and White Women: The NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study. Journal of Women's Health, 2013, 22, 724-732. | 3.3 | 55 |
| 98 | Mortality Implications of Angina and Blood Pressure in Hypertensive Patients With Coronary Artery Disease: New Data From Extended Followâ€up of the International Verapamil/Trandolapril Study (<scp>INVEST</scp>). Clinical Cardiology, 2013, 36, 442-447. | 1.8 | 5 |
| 99 | Number and Function of Bone-Marrow Derived Angiogenic Cells and Coronary Flow Reserve in Women without Obstructive Coronary Artery Disease: A Substudy of the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE). PLoS ONE, 2013, 8, e81595. | 2.5 | 5 |
| 100 | Cardiac Pain in Women. , 2013, , 284-296. | | 0 |
| 101 | Modest Increase in Peak VO ₂ Is Related to Better Clinical Outcomes in Chronic Heart Failure Patients. Circulation: Heart Failure, 2012, 5, 579-585. | 3.9 | 239 |
| 102 | Effect of Transendocardial Delivery of Autologous Bone Marrow Mononuclear Cells on Functional Capacity, Left Ventricular Function, and Perfusion in Chronic Heart Failure. JAMA - Journal of the American Medical Association, 2012, 307, 1717-26. | 7.4 | 424 |
| 103 | Relationships Between Cardiovascular Disease Risk Factors and Depressive Symptoms as Predictors of Cardiovascular Disease Events in Women. Journal of Women's Health, 2012, 21, 133-139. | 3.3 | 34 |
| 104 | How Do Guidelines Impact Measures of Performance? Can They Keep Up?. Archives of Internal Medicine, 2012, 172, 945-6. | 3.8 | 1 |
| 105 | Combining Psychosocial Data to Improve Prediction of Cardiovascular Disease Risk Factors and Events. Psychosomatic Medicine, 2012, 74, 263-270. | 2.0 | 20 |
| 106 | Effect of the Use and Timing of Bone Marrow Mononuclear Cell Delivery on Left Ventricular Function After Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2012, 308, 2380-9. | 7.4 | 357 |
| 107 | Safety of Coronary Reactivity Testing in Women With No Obstructive Coronary Artery Disease. JACC: Cardiovascular Interventions, 2012, 5, 646-653. | 2.9 | 177 |
| | | | |

| # | Article | lF | CITATIONS |
|-----|--|-------------------|-------------------|
| 109 | President's Page: Team-Based Care: A Solution for Our Health Care Delivery Challenges. Journal of the American College of Cardiology, 2011, 57, 1123-1125. | 2.8 | 23 |
| 110 | In women with symptoms of cardiac ischemia, nonobstructive coronary arteries, and microvascular dysfunction, angiotensin-converting enzyme inhibition is associated with improved microvascular function: A double-blind randomized study from the National Heart, Lung and Blood Institute Women's Ischemia Syndrome Evaluation (WISE). American Heart Journal, 2011, 162, 678-684. | 2.7 | 185 |
| 111 | Harmful Effects of NSAIDs among Patients with Hypertension and Coronary Artery Disease. American Journal of Medicine, 2011, 124, 614-620. | 1.5 | 65 |
| 112 | Oversight and management of a cell therapy clinical trial network: Experience and lessons learned. Contemporary Clinical Trials, 2011, 32, 614-619. | 1.8 | 5 |
| 113 | Antiplatelet Therapy in Acute Coronary Syndromes. Journal of Cardiovascular Nursing, 2011, 26, 239-249. | 1.1 | 2 |
| 114 | Effect of Phosphodiesterase Type 5 Inhibition on Microvascular Coronary Dysfunction in Women: A Women's Ischemia Syndrome Evaluation (WISE) Ancillary Study. Clinical Cardiology, 2011, 34, 483-487. | 1.8 | 58 |
| 115 | Effect of Intracoronary Delivery of Autologous Bone Marrow Mononuclear Cells 2 to 3 Weeks Following Acute Myocardial Infarction on Left Ventricular Function. JAMA - Journal of the American Medical Association, 2011, 306, 2110. | 7.4 | 377 |
| 116 | Coronary Revascularization Strategy and Outcomes According to Blood Pressure (from the) Tj ETQq0 0 0 rgBT /O 498-503. | verlock 10 1.6 | Tf 50 467 1 32 |
| 117 | An Intravascular Ultrasound Analysis in Women Experiencing Chest Pain in the Absence of Obstructive Coronary Artery Disease: A Substudy from the National Heart, Lung and Blood Institute–Sponsored Women's Ischemia Syndrome Evaluation (WISE). Journal of Interventional Cardiology, 2010, 23, 511-519. | 1.2 | 162 |
| 118 | Outcomes Among Hypertensive Patients With Concomitant Peripheral and Coronary Artery Disease. Hypertension, 2010, 55, 48-53. | 2.7 | 156 |
| 119 | Tight Blood Pressure Control and Cardiovascular Outcomes Among Hypertensive Patients With Diabetes and Coronary Artery Disease. JAMA - Journal of the American Medical Association, 2010, 304, 61. | 7.4 | 578 |
| 120 | Coronary Microvascular Reactivity to Adenosine Predicts Adverse Outcome in Women Evaluated for Suspected Ischemia. Journal of the American College of Cardiology, 2010, 55, 2825-2832. | 2.8 | 660 |
| 121 | A randomized controlled trial of low-dose hormone therapy on myocardial ischemia in postmenopausal women with no obstructive coronary artery disease: Results from the National Institutes of Health/National Heart, Lung, and Blood Institute–sponsored Women's Ischemia Syndrome Evaluation (WISE). American Heart Journal, 2010, 159, 987.e1-987.e7. | 2.7 | 39 |
| 122 | Blood Pressure and Outcomes in Very Old Hypertensive Coronary Artery Disease Patients: An INVEST Substudy. American Journal of Medicine, 2010, 123, 719-726. | 1.5 | 139 |
| 123 | Adverse Cardiovascular Outcomes in Women With Nonobstructive Coronary Artery Disease. Archives of Internal Medicine, 2009, 169, 843. | 3.8 | 475 |
| 124 | Characteristics and Outcomes of Revascularized Patients With Hypertension. Hypertension, 2009, 53, 624-630. | 2.7 | 8 |
| 125 | Multimarker Approach Predicts Adverse Cardiovascular Events in Women Evaluated for Suspected Ischemia: Results from the National Heart, Lung, and Blood Institute–Sponsored Women's Ischemia Syndrome Evaluation. Clinical Cardiology, 2009, 32, 244-250. | 1.8 | 21 |
| 126 | Systolic Blood Pressure and Subjective Wellâ€Being in Patients with Coronary Artery Disease. Clinical Cardiology, 2009, 32, 627-632. | 1.8 | 15 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | Electronic prescribing via the internet for a coronary artery disease and hypertension megatrial. Clinical Cardiology, 2009, 24, V-14-V-16. | 1.8 | 9 |
| 128 | New York Heart Association functional class predicts exercise parameters in the current era. American Heart Journal, 2009, 158, S24-S30. | 2.7 | 65 |
| 129 | Depression and Cardiovascular Health Care Costs Among Women With Suspected Myocardial Ischemia. Journal of the American College of Cardiology, 2009, 53, 176-183. | 2.8 | 80 |
| 130 | INVEST revisited: review of findings from the International Verapamil SR–Trandolapril Study. Expert Review of Cardiovascular Therapy, 2009, 7, 1329-1340. | 1.5 | 36 |
| 131 | Pulse Pressure and Adverse Outcomes in Women: A Report From the Women's Ischemia Syndrome Evaluation (WISE). American Journal of Hypertension, 2008, 21, 1224-1230. | 2.0 | 8 |
| 132 | Influence of Hispanic Ethnicity on Blood Pressure Control and Cardiovascular Outcomes in Women with CAD and Hypertension: Findings from INVEST. Journal of Women's Health, 2007, 16, 632-640. | 3.3 | 15 |
| 133 | Impact of resting heart rate on outcomes in hypertensive patients with coronary artery disease: findings from the INternational VErapamil-SR/trandolapril STudy (INVEST). European Heart Journal, 2007, 29, 1327-1334. | 2.2 | 276 |
| 134 | The ICD Shock and Stress Management Program: A Randomized Trial of Psychosocial Treatment to Optimize Quality of Life in ICD Patients. PACE - Pacing and Clinical Electrophysiology, 2007, 30, 858-864. | 1.2 | 107 |
| 135 | Coronary microvascular reactivity is only partially predicted by atherosclerosis risk factors or coronary artery disease in women evaluated for suspected ischemia: results from the NHLBI Women's Ischemia Syndrome Evaluation (WISE). Clinical Cardiology, 2007, 30, 69-74. | 1.8 | 85 |
| 136 | The Value of Estimated Functional Capacity in Estimating Outcome. Journal of the American College of Cardiology, 2006, 47, S36-S43. | 2.8 | 124 |
| 137 | Predictors of Adverse Outcome Among Patients With Hypertension and Coronary Artery Disease. Journal of the American College of Cardiology, 2006, 47, 547-551. | 2.8 | 51 |
| 138 | Impaired Coronary Vascular Reactivity and Functional Capacity in Women. Journal of the American College of Cardiology, 2006, 47, S44-S49. | 2.8 | 41 |
| 139 | Quality of Death: Implantable Cardioverter Defibrillators and Proactive Care. PACE - Pacing and Clinical Electrophysiology, 2006, 29, 637-642. | 1.2 | 21 |
| 140 | Validating a Self-report Measure of Global Subjective Well-being to Predict Adverse Clinical Outcomes. Quality of Life Research, 2006, 15, 675-686. | 3.1 | 42 |
| 141 | Managing Congestive Heart Failure Patient Factors in the Device Era. Congestive Heart Failure, 2006, 12, 335-340. | 2.0 | 8 |
| 142 | Endâ€ofâ€Life Issues in Elderly Patients With Acute Coronary Syndrome: The Role of the Cardiovascular Nurse. Progress in Cardiovascular Nursing, 2006, 21, 151-155. | 0.4 | 0 |
| 143 | A Study of Antihypertensive Drugs and Depressive Symptoms (SADD-Sx) in Patients Treated With a Calcium Antagonist Versus an Atenolol Hypertension Treatment Strategy in the International Verapamil SR-Trandolapril Study (INVEST). Psychosomatic Medicine, 2005, 67, 398-406. | 2.0 | 47 |
| 144 | Improving Perinatal and Neonatal Patient Safety. Journal of Perinatal and Neonatal Nursing, 2005, 19, 15-23. | 0.7 | 19 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | Hostility Scores Are Associated With Increased Risk of Cardiovascular Events in Women Undergoing Coronary Angiography: A Report from the NHLBI-Sponsored WISE Study. Psychosomatic Medicine, 2005, 67, 546-552. | 2.0 | 32 |
| 146 | Management of Heart Failure After Cardiac Resynchronization Therapy. Journal of the American College of Cardiology, 2005, 46, 2193-2198. | 2.8 | 48 |
| 147 | Characteristics of contemporary patients with hypertension and coronary artery disease. Clinical Cardiology, 2004, 27, 571-576. | 1.8 | 16 |
| 148 | Abnormal Coronary Vasomotion as a Prognostic Indicator of Cardiovascular Events in Women. Circulation, 2004, 109, 722-725. | 1.6 | 346 |
| 149 | Hemoglobin level is an independent predictor for adverse cardiovascular outcomes in women undergoing evaluation for chest pain. Journal of the American College of Cardiology, 2004, 43, 2009-2014. | 2.8 | 93 |
| 150 | Psychosocial Intervention for a Geriatric Patient to Address Fears Related to Implantable Cardioverter Defibrillator Discharges. Psychosomatics, 2004, 45, 140-144. | 2.5 | 17 |
| 151 | Relationship of Physical Fitness vs Body Mass Index With Coronary Artery Disease and Cardiovascular Events in Women. JAMA - Journal of the American Medical Association, 2004, 292, 1179. | 7.4 | 300 |
| 152 | Acute and chronic psychological stress in coronary disease. Current Opinion in Cardiology, 2004, 19, 494-499. | 1.8 | 32 |
| 153 | Expanding the Scope of Practice for Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2004, 24, 209-215. | 0.5 | 17 |
| 154 | Emergency Treatment and Labor Act (EMTALA). Journal of Perinatal and Neonatal Nursing, 2004, 18, 103-114. | 0.7 | 10 |
| 155 | A Calcium Antagonist vs a Non–Calcium Antagonist Hypertension Treatment Strategy for Patients With Coronary Artery Disease. JAMA - Journal of the American Medical Association, 2003, 290, 2805. | 7.4 | 1,107 |
| 156 | Evaluating women with chest pain for the diagnosis of coronary artery disease. Disease-a-Month, 2002, 48, 647-658. | 1.1 | 2 |
| 157 | Ethnicity and blood pressure control in patients with diabetes and coronary artery disease. American Journal of Hypertension, 2002, 15, A194. | 2.0 | 0 |
| 158 | Young at Heart: Understanding the Unique Psychosocial Adjustment of Young Implantable Cardioverter Defibrillator Recipients. PACE - Pacing and Clinical Electrophysiology, 2001, 24, 1113-1117. | 1.2 | 73 |
| 159 | The vascular biology of hypertension and atherosclerosis and intervention with calcium antagonists and angiotensin-converting enzyme inhibitors. Clinical Cardiology, 2001, 24, V-1-V-5. | 1.8 | 13 |
| 160 | Fear of Exertion Following ICD Storm: Considering ICD Shock and Learning History. Journal of Cardiopulmonary Rehabilitation and Prevention, 2001, 21, 47-49. | 0.5 | 16 |
| 161 | Weight cycling and high-density lipoprotein cholesterol in women: evidence of an adverse effect. Journal of the American College of Cardiology, 2000, 36, 1565-1571. | 2.8 | 95 |
| 162 | Factors limiting the enrollment of women in a randomized coronary artery disease trial. Clinical Cardiology, 1996, 19, 614-618. | 1.8 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Characteristics of a contemporary population with angina pectoris. American Journal of Cardiology, 1994, 74, 226-231. | 1.6 | 129 |
| 164 | The Prognostic and Economic Implications of a Strategy to Detect and Treat Asymptomatic Ischemia: The Atenolol Silent Ischemia Trial (ASIST) Protocol. Clinical Cardiology, 1991, 14, 457-462. | 1.8 | 20 |
| 165 | Risk management in outpatient cardiac catheterization clinics. Perspectives in Healthcare Risk Management, 1991, 11, 16-20. | 0.0 | O |