

Hark Hoe Tan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6136034/publications.pdf>

Version: 2024-02-01

694
papers

17,193
citations

20759

60
h-index

32761

100
g-index

705
all docs

705
docs citations

705
times ranked

12368
citing authors

#	ARTICLE	IF	CITATIONS
1	A New Strategy for Selective Area Growth of Highly Uniform InGaAs/InP Multiple Quantum Well Nanowire Arrays for Optoelectronic Device Applications. <i>Advanced Functional Materials</i> , 2022, 32, 2103057.	7.8	21
2	Semiconductor Nanowire Arrays for High-Performance Miniaturized Chemical Sensing. <i>Advanced Functional Materials</i> , 2022, 32, 2107596.	7.8	16
3	Surface-Structured Cocatalyst Foils Unraveling a Pathway to High-Performance Solar Water Splitting. <i>Advanced Energy Materials</i> , 2022, 12, 2102752.	10.2	11
4	Topical review: pathways toward cost-effective single-junction III-V solar cells. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 143002.	1.3	17
5	A hybrid random laser using dye with self-organized GaN nanorods. <i>Semiconductor Science and Technology</i> , 2022, 37, 025009.	1.0	2
6	Tuning the crystal structure and optical properties of selective area grown InGaAs nanowires. <i>Nano Research</i> , 2022, 15, 3695-3703.	5.8	5
7	Epitaxial Growth of GaAs Nanowires on Synthetic Mica by Metal-Organic Chemical Vapor Deposition. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 3395-3403.	4.0	7
8	Protocol on the fabrication of monocrystalline thin semiconductor via crack-assisted layer exfoliation technique for photoelectrochemical water-splitting. <i>STAR Protocols</i> , 2022, 3, 101015.	0.5	1
9	The Australian National Fabrication Facility: Micro/nanotechnologies from Concept to Translation to End Users. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	0
10	A New Strategy for Selective Area Growth of Highly Uniform InGaAs/InP Multiple Quantum Well Nanowire Arrays for Optoelectronic Device Applications (Adv. Funct. Mater. 3/2022). <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	1
11	Room-temperature optically detected magnetic resonance of single defects in hexagonal boron nitride. <i>Nature Communications</i> , 2022, 13, 618.	5.8	97
12	III-V Semiconductor Whispering-Gallery Mode Micro-Cavity Lasers: Advances and Prospects. <i>IEEE Journal of Quantum Electronics</i> , 2022, 58, 1-18.	1.0	2
13	Investigation of light-matter interaction in single vertical nanowires in ordered nanowire arrays. <i>Nanoscale</i> , 2022, 14, 3527-3536.	2.8	6
14	Flexible InP-ZnO nanowire heterojunction light emitting diodes. <i>Nanoscale Horizons</i> , 2022, 7, 446-454.	4.1	8
15	Design of InAs nanosheet arrays with ultrawide polarization-independent high absorption for infrared photodetection. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	6
16	Ultrathin transparent metal capping layer on metal oxide carrier-selective contacts for Si solar cells. <i>European Physical Journal: Special Topics</i> , 2022, 231, 2933-2939.	1.2	2
17	SnO ₂ as a Transparent Electrode and Heterojunction for InP Nanowire Light Emitting Diodes. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	4
18	Recent Advances in Materials Design Using Atomic Layer Deposition for Energy Applications. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	34

#	ARTICLE	IF	CITATIONS
19	Direct GaAs Nanowire Growth and Monolithic Light-Emitting Diode Fabrication on Flexible Plastic Substrates. <i>Advanced Photonics Research</i> , 2022, 3, .	1.7	4
20	Layer-by-Layer Assembly of CeO ₂ @C-rGO Nanocomposites and CNTs as a Multifunctional Separator Coating for Highly Stable Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 18634-18645.	4.0	24
21	Self-frequency-conversion nanowire lasers. <i>Light: Science and Applications</i> , 2022, 11, 120.	7.7	13
22	Nonpolar Al _x Ga _{1-x} N/Al _y Ga _{1-y} N multiple quantum wells on GaN nanowire for UV emission. <i>Nano Research</i> , 2022, 15, 7670-7680.	5.8	4
23	Deep-Ultraviolet Photodetectors Based on Hexagonal Boron Nitride Nanosheets Enhanced by Localized Surface Plasmon Resonance in Al Nanoparticles. <i>ACS Applied Nano Materials</i> , 2022, 5, 7481-7491.	2.4	9
24	Effective Passivation of InGaAs Nanowires for Telecommunication Wavelength Optoelectronics. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	5
25	Controlled Cracking for Large-Area Thin Film Exfoliation: Working Principles, Status, and Prospects. <i>ACS Applied Electronic Materials</i> , 2021, 3, 145-162.	2.0	10
26	Identifying carbon as the source of visible single-photon emission from hexagonal boron nitride. <i>Nature Materials</i> , 2021, 20, 321-328.	13.3	210
27	Controlled growth of porous oxygen-deficient NiCo ₂ O ₄ nanobelts as high-efficiency electrocatalysts for oxygen evolution reaction. <i>Catalysis Science and Technology</i> , 2021, 11, 264-271.	2.1	11
28	Understanding the role of facets and twin defects in the optical performance of GaAs nanowires for laser applications. <i>Nanoscale Horizons</i> , 2021, 6, 559-567.	4.1	11
29	Passivation of InP solar cells using large area hexagonal-BN layers. <i>Npj 2D Materials and Applications</i> , 2021, 5, .	3.9	9
30	Earth-Abundant Amorphous Electrocatalysts for Electrochemical Hydrogen Production: A Review. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2000071.	2.8	30
31	Electron-Selective Contact for GaAs Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 1356-1364.	2.5	17
32	Nanomechanical behavior of single taper-free GaAs nanowires unravelled by in-situ TEM mechanical testing and molecular dynamics simulation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 806, 140866.	2.6	4
33	Understanding Shape Evolution and Phase Transition in InP Nanostructures Grown by Selective Area Epitaxy. <i>Small</i> , 2021, 17, e2100263.	5.2	7
34	Managing Resonant and Nonresonant Lasing Modes in GaAs Nanowire Random Lasers. <i>Nano Letters</i> , 2021, 21, 3901-3907.	4.5	18
35	Postgrowth Shaping and Transport Anisotropy in Two-Dimensional InAs Nanofins. <i>ACS Nano</i> , 2021, 15, 7226-7236.	7.3	3
36	Ultralow Threshold, Single-Mode InGaAs/GaAs Multiquantum Disk Nanowire Lasers. <i>ACS Nano</i> , 2021, 15, 9126-9133.	7.3	19

#	ARTICLE	IF	CITATIONS
37	2D Carrier Localization at the Wurtzite-Zincblende Interface in Novel Layered InP Nanomembranes. ACS Photonics, 2021, 8, 1735-1745.	3.2	10
38	Terahertz Full-polarization-state Detection by Nanowires. , 2021, , .		0
39	Selective area epitaxy of III-V nanostructure arrays and networks: Growth, applications, and future directions. Applied Physics Reviews, 2021, 8, .	5.5	75
40	Epitaxially Grown InP Micro-Ring Lasers. Nano Letters, 2021, 21, 5681-5688.	4.5	16
41	Thin silicon via crack-assisted layer exfoliation for photoelectrochemical water splitting. IScience, 2021, 24, 102921.	1.9	4
42	Surface-Tailored InP Nanowires via Self-Assembled Au Nanodots for Efficient and Stable Photoelectrochemical Hydrogen Evolution. Nano Letters, 2021, 21, 6967-6974.	4.5	13
43	Broadband GaAsSb Nanowire Array Photodetectors for Filter-Free Multispectral Imaging. Nano Letters, 2021, 21, 7388-7395.	4.5	36
44	Stable, multi-mode lasing in the strong localization regime from InP random nanowire arrays at low temperature. Optica, 2021, 8, 1160.	4.8	8
45	Manipulating Intermediates at the Au-TiO ₂ Interface over InP Nanopillar Array for Photoelectrochemical CO ₂ Reduction. ACS Catalysis, 2021, 11, 11416-11428.	5.5	48
46	3D Tungsten Disulfide/Carbon Nanotube Networks as Separator Coatings and Cathode Additives for Stable and Fast Lithium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 45547-45557.	4.0	17
47	Controlling the lasing modes in random lasers operating in the Anderson localization regime. Optics Express, 2021, 29, 33548.	1.7	7
48	Spatially dense integration of micron-scale devices from multiple materials on a single chip via transfer-printing. Optical Materials Express, 2021, 11, 3567.	1.6	17
49	Thermodynamic properties of metastable wurtzite InP nanosheets. Journal Physics D: Applied Physics, 2021, 54, 505112.	1.3	1
50	Self-Powered InP Nanowire Photodetector for Single-Photon Level Detection at Room Temperature. Advanced Materials, 2021, 33, e2105729.	11.1	18
51	Tunable Synthesis of 3D Niobium Oxynitride Nanosheets for Lithium-Ion Hybrid Capacitors with High Energy/Power Density. ACS Sustainable Chemistry and Engineering, 2021, 9, 14569-14578.	3.2	7
52	Effect of Au substrate and coating on the lasing characteristics of GaAs nanowires. Scientific Reports, 2021, 11, 21378.	1.6	5
53	Role of defects and grain boundaries in the thermal response of wafer-scale hBN films. Nanotechnology, 2021, 32, 075702.	1.3	6
54	Epitaxially-grown InP micro-ring lasers. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
55	Anderson localization of light in InP nanowires for stable, multimode lasing. , 2021, , .		0
56	Non-epitaxial carrier selective contacts for III-V solar cells: A review. Applied Materials Today, 2020, 18, 100503.	2.3	23
57	Fabrication of WO ₃ /TiO ₂ core-shell nanowire arrays: Structure design and high electrochromic performance. Electrochimica Acta, 2020, 330, 135189.	2.6	34
58	Engineering III-V Semiconductor Nanowires for Device Applications. Advanced Materials, 2020, 32, e1904359.	11.1	43
59	Forward and Backward Switching of Nonlinear Unidirectional Emission from GaAs Nanoantennas. ACS Nano, 2020, 14, 1379-1389.	7.3	53
60	Monocrystalline InP Thin Films with Tunable Surface Morphology and Energy Band gap. ACS Applied Materials & Interfaces, 2020, 12, 36380-36388.	4.0	12
61	Solar Water Splitting: Over 17% Efficiency Standalone Solar Water Splitting Enabled by Perovskite-Silicon Tandem Absorbers (Adv. Energy Mater. 28/2020). Advanced Energy Materials, 2020, 10, 2070122.	10.2	4
62	Theoretical Insights into the Favorable Functionalized Ti ₂ C-Based MXenes for Lithium-Sulfur Batteries. ACS Omega, 2020, 5, 29272-29283.	1.6	28
63	Three-Dimensional Ordered Macroporous TiO ₂ -TaO _x N _y Heterostructure for Photoelectrochemical Water Splitting. Journal of Physical Chemistry C, 2020, 124, 24135-24144.	1.5	4
64	Hole and Electron Effective Masses in Single InP Nanowires with a Wurtzite-Zincblende Homojunction. ACS Nano, 2020, 14, 11613-11622.	7.3	8
65	Impact of invasive metal probes on Hall measurements in semiconductor nanostructures. Nanoscale, 2020, 12, 20317-20325.	2.8	4
66	Facet-dependent growth of InAsP quantum wells in InP nanowire and nanomembrane arrays. Nanoscale Horizons, 2020, 5, 1530-1537.	4.1	8
67	Electrical Properties of Compact Drop-Casted Cu ₂ SnS ₃ Films. Journal of Electronic Materials, 2020, 49, 6403-6409.	1.0	1
68	Facet-Related Non-uniform Photoluminescence in Passivated GaAs Nanowires. Frontiers in Chemistry, 2020, 8, 607481.	1.8	2
69	Carbon-Coated Self-Assembled Ultrathin T-Nb ₂ O ₅ Nanosheets for High-Rate Lithium-Ion Storage with Superior Cycling Stability. ACS Applied Energy Materials, 2020, 3, 12037-12045.	2.5	26
70	Over 17% Efficiency Standalone Solar Water Splitting Enabled by Perovskite-Silicon Tandem Absorbers. Advanced Energy Materials, 2020, 10, 2000772.	10.2	58
71	Highly regular rosette-shaped cathodoluminescence in GaN self-assembled nanodisks and nanorods. Nano Research, 2020, 13, 2500-2505.	5.8	6
72	Polarization-Independent Indium Phosphide Nanowire Photodetectors. Advanced Optical Materials, 2020, 8, 2000514.	3.6	9

#	ARTICLE	IF	CITATIONS
73	In situ passivation of GaAsSb nanowires for enhanced infrared photoresponse. <i>Nanotechnology</i> , 2020, 31, 244002.	1.3	13
74	Review on III-V Semiconductor Single Nanowire-Based Room Temperature Infrared Photodetectors. <i>Materials</i> , 2020, 13, 1400.	1.3	44
75	Rational Design of Oxygen Deficiency-Controlled Tungsten Oxide Electrochromic Films with an Exceptional Memory Effect. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 32658-32665.	4.0	46
76	Cathodoluminescence visualisation of local thickness variations of GaAs/AlGaAs quantum-well tubes on nanowires. <i>Nanotechnology</i> , 2020, 31, 424001.	1.3	4
77	Characterization, Selection, and Microassembly of Nanowire Laser Systems. <i>Nano Letters</i> , 2020, 20, 1862-1868.	4.5	17
78	Highly uniform InGaAs/InP quantum well nanowire array-based light emitting diodes. <i>Nano Energy</i> , 2020, 71, 104576.	8.2	23
79	Improving the Morphology and Crystal Quality of AlN Grown on Two-Dimensional hBN. <i>Crystal Growth and Design</i> , 2020, 20, 1811-1819.	1.4	7
80	III-V Semiconductor Materials for Solar Hydrogen Production: Status and Prospects. <i>ACS Energy Letters</i> , 2020, 5, 611-622.	8.8	54
81	Design of Ultrathin InP Solar Cell Using Carrier Selective Contacts. <i>IEEE Journal of Photovoltaics</i> , 2020, 10, 1657-1666.	1.5	18
82	Three-dimensional cross-nanowire networks recover full terahertz state. <i>Science</i> , 2020, 368, 510-513.	6.0	81
83	Exploring the band structure of Wurtzite InAs nanowires using photocurrent spectroscopy. <i>Nano Research</i> , 2020, 13, 1586-1591.	5.8	7
84	Structure modulated amorphous/crystalline WO ₃ nanoporous arrays with superior electrochromic energy storage performance. <i>Solar Energy Materials and Solar Cells</i> , 2020, 212, 110579.	3.0	45
85	Carrier dynamics and recombination mechanisms in InP twinning superlattice nanowires. <i>Optics Express</i> , 2020, 28, 16795.	1.7	7
86	Wavelength-tunable InAsP quantum dots in InP nanowires. <i>Applied Physics Letters</i> , 2019, 115, 053101.	1.5	7
87	Effect of Sn Addition on Epitaxial GaAs Nanowire Grown at Different Temperatures in Metal-Organic Chemical Vapor Deposition. <i>Crystal Growth and Design</i> , 2019, 19, 5314-5319.	1.4	4
88	Strong Hot Carrier Effects in Single Nanowire Heterostructures. <i>Nano Letters</i> , 2019, 19, 5062-5069.	4.5	13
89	On the origin of dislocation generation and annihilation in InGaAs/Ga ₂ O ₃ epilayers on sapphire. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	37
90	Band alignment and band bending at InGaAs/Ga ₂ O ₃ /ZnO n-n isotype hetero-interface. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	25

#	ARTICLE	IF	CITATIONS
91	Understanding the Effect of Catalyst Size on the Epitaxial Growth of Hierarchical Structured InGaP Nanowires. Nano Letters, 2019, 19, 8262-8269.	4.5	4
92	Nanowire Quantum Dot Surface Engineering for High Temperature Single Photon Emission. ACS Nano, 2019, 13, 13492-13500.	7.3	22
93	Second-Harmonic Generation in (111) Gallium Arsenide Nanoantennas. , 2019, , .		0
94	High-Efficiency Solar Cells from Extremely Low Minority Carrier Lifetime Substrates Using Radial Junction Nanowire Architecture. ACS Nano, 2019, 13, 12015-12023.	7.3	31
95	Crystalline WO ₃ nanowires array sheathed with sputtered amorphous shells for enhanced electrochromic performance. Applied Surface Science, 2019, 498, 143796.	3.1	42
96	Resonant harmonic generation in AlGaAs nanoantennas probed by cylindrical vector beams. Nanoscale, 2019, 11, 1745-1753.	2.8	26
97	Four-Dimensional Probing of Phase-Reaction Dynamics in Au/GaAs Nanowires. Nano Letters, 2019, 19, 781-786.	4.5	3
98	Design Principles for Fabrication of InP-Based Radial Junction Nanowire Solar Cells Using an Electron Selective Contact. IEEE Journal of Photovoltaics, 2019, 9, 980-991.	1.5	31
99	Introduction of TiO ₂ in CuI for Its Improved Performance as a p-Type Transparent Conductor. ACS Applied Materials & Interfaces, 2019, 11, 24254-24263.	4.0	33
100	Regaining a Spatial Dimension: Mechanically Transferrable Two-Dimensional InAs Nanofins Grown by Selective Area Epitaxy. Nano Letters, 2019, 19, 4666-4677.	4.5	25
101	Realization of p-type gallium nitride by magnesium ion implantation for vertical power devices. Scientific Reports, 2019, 9, 8796.	1.6	24
102	InGaAsP as a Promising Narrow Band Gap Semiconductor for Photoelectrochemical Water Splitting. ACS Applied Materials & Interfaces, 2019, 11, 25236-25242.	4.0	21
103	Shape Engineering of InP Nanostructures by Selective Area Epitaxy. ACS Nano, 2019, 13, 7261-7269.	7.3	41
104	Multiwavelength Single Nanowire InGaAs/InP Quantum Well Light-Emitting Diodes. Nano Letters, 2019, 19, 3821-3829.	4.5	32
105	Tailoring Second-Harmonic Emission from (111)-GaAs Nanoantennas. Nano Letters, 2019, 19, 3905-3911.	4.5	66
106	Mechanical Behavior of InP Twinning Superlattice Nanowires. Nano Letters, 2019, 19, 4490-4497.	4.5	18
107	Compositional Varied Core-Shell InGaP Nanowires Grown by Metal-Organic Chemical Vapor Deposition. Nano Letters, 2019, 19, 3782-3788.	4.5	17
108	Unusual spin properties of InP wurtzite nanowires revealed by Zeeman splitting spectroscopy. Physical Review B, 2019, 99, .	1.1	14

#	ARTICLE	IF	CITATIONS
109	Nanosails Showcasing Zn ₃ As ₂ as an Optoelectronic-Grade Earth Abundant Semiconductor. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1900084.	1.2	8
110	Ultrathin Ta ₂ O ₅ electron-selective contacts for high efficiency InP solar cells. <i>Nanoscale</i> , 2019, 11, 7497-7505.	2.8	38
111	Unexpected benefits of stacking faults on the electronic structure and optical emission in wurtzite GaAs/GaN core/shell nanowires. <i>Nanoscale</i> , 2019, 11, 9207-9215.	2.8	18
112	Ultrasensitive Mid-wavelength Infrared Photodetection Based on a Single InAs Nanowire. <i>ACS Nano</i> , 2019, 13, 3492-3499.	7.3	45
113	Electron selective contact for high efficiency core-shell nanowire solar cell. , 2019, , .		4
114	Engineering the Side Facets of Vertical [100] Oriented InP Nanowires for Novel Radial Heterostructures. <i>Nanoscale Research Letters</i> , 2019, 14, 399.	3.1	9
115	Threshold reduction and yield improvement of semiconductor nanowire lasers <i>via</i> processing-related end-facet optimization. <i>Nanoscale Advances</i> , 2019, 1, 4393-4397.	2.2	9
116	Axial p-n junction design and characterization for InP nanowire array solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2019, 27, 237-244.	4.4	22
117	Solution-Processed InAs Nanowire Transistors as Microwave Switches. <i>Advanced Electronic Materials</i> , 2019, 5, 1800323.	2.6	3
118	Optical Study of p-Doping in GaAs Nanowires for Low-Threshold and High-Yield Lasing. <i>Nano Letters</i> , 2019, 19, 362-368.	4.5	24
119	Broadband Metamaterial Absorbers. <i>Advanced Optical Materials</i> , 2019, 7, 1800995.	3.6	404
120	Engineering III-V Nanowires for Optoelectronics: From Visible to Terahertz. , 2019, , .		0
121	Enhancement of radiation tolerance in GaAs/AlGaAs core-shell and InP nanowires. <i>Nanotechnology</i> , 2018, 29, 225703.	1.3	8
122	Transfer printing of semiconductor nanowire lasers. <i>IET Optoelectronics</i> , 2018, 12, 30-35.	1.8	7
123	Photo-assisted synthesis of coaxial-structured polypyrrole/electrochemically hydrogenated TiO ₂ nanotube arrays as a high performance supercapacitor electrode. <i>RSC Advances</i> , 2018, 8, 13393-13400.	1.7	10
124	Temperature effects in contacts between a metal and a semiconductor nanowire near the degenerate doping. <i>Nanotechnology</i> , 2018, 29, 165202.	1.3	1
125	Electrochemical hydrogenation of mixed-phase TiO ₂ nanotube arrays enables remarkably enhanced photoelectrochemical water splitting performance. <i>Science Bulletin</i> , 2018, 63, 194-202.	4.3	30
126	<i>In situ</i> mechanical resonance behaviour of pristine and defective zinc blende GaAs nanowires. <i>Nanoscale</i> , 2018, 10, 2588-2595.	2.8	15

#	ARTICLE	IF	CITATIONS
127	Reducing Zn diffusion in single axial junction InP nanowire solar cells for improved performance. Progress in Natural Science: Materials International, 2018, 28, 178-182.	1.8	23
128	Tantalum Oxide Electron-Selective Heterocontacts for Silicon Photovoltaics and Photoelectrochemical Water Reduction. ACS Energy Letters, 2018, 3, 125-131.	8.8	127
129	CuI-TiO ₂ Composite Thin Film for Flexible Electronic Applications. , 2018, , .		1
130	Precise Positioning and Orientation of Nanowire Lasers in Regular and Patterned Surfaces. , 2018, , .		2
131	Room Temperature GaAsSb Array Photodetectors. , 2018, , .		1
132	The Route to Nanoscale Terahertz Technology: Nanowire-based Terahertz Detectors and Terahertz Modulators. , 2018, , .		0
133	Radial Growth Evolution of InGaAs/InP Multi-Quantum-Well Nanowires Grown by Selective-Area Metal Organic Vapor-Phase Epitaxy. ACS Nano, 2018, 12, 10374-10382.	7.3	26
134	Preparation of V ₂ O ₅ dot-decorated WO ₃ nanorod arrays for high performance multi-color electrochromic devices. Journal of Materials Chemistry C, 2018, 6, 12206-12216.	2.7	31
135	The effect of Sn addition on GaAs nanowire grown by vapor-liquid-solid growth mechanism. Nanotechnology, 2018, 29, 465601.	1.3	4
136	Vertically Emitting Indium Phosphide Nanowire Lasers. Nano Letters, 2018, 18, 3414-3420.	4.5	33
137	The effect of nitridation on the polarity and optical properties of GaN self-assembled nanorods. Nanoscale, 2018, 10, 11205-11210.	2.8	9
138	III-V Semiconductor Single Nanowire Solar Cells: A Review. Advanced Materials Technologies, 2018, 3, 1800005.	3.0	75
139	Role of surface energy in nanowire growth. Journal Physics D: Applied Physics, 2018, 51, 283002.	1.3	33
140	Indium phosphide based solar cell using ultra-thin ZnO as an electron selective layer. Journal Physics D: Applied Physics, 2018, 51, 395301.	1.3	28
141	Flow modulation epitaxy of hexagonal boron nitride. 2D Materials, 2018, 5, 045018.	2.0	57
142	Identification and modulation of electronic band structures of single-phase \hat{I}^2 -(Al _x Ga _{1-x}) ₂ O ₃ alloys grown by laser molecular beam epitaxy. Applied Physics Letters, 2018, 113, .	1.5	43
143	Modal refractive index measurement in nanowire lasers—a correlative approach. Nano Futures, 2018, 2, 035004.	1.0	8
144	Tailored Emission Properties of ZnTe/ZnTe:O/ZnO Core-Shell Nanowires Coupled with an Al Plasmonic Bowtie Antenna Array. ACS Nano, 2018, 12, 7327-7334.	7.3	8

#	ARTICLE	IF	CITATIONS
145	Engineering III-V nanowires for optoelectronics: from epitaxy to terahertz photonics. , 2018, , .		0
146	Radiation effects on GaAs/AlGaAs core/shell ensemble nanowires and nanowire infrared photodetectors. Nanotechnology, 2017, 28, 125702.	1.3	14
147	Single n⁺-i-n⁺InP nanowires for highly sensitive terahertz detection. Nanotechnology, 2017, 28, 125202.	1.3	26
148	Nonlinear Optical Magnetism Revealed by Second-Harmonic Generation in Nanoantennas. Nano Letters, 2017, 17, 3914-3918.	4.5	100
149	Growth and optical properties of In _x Ga _{1-x} P nanowires synthesized by selective-area epitaxy. Nano Research, 2017, 10, 672-682.	5.8	24
150	3D Atomic-Scale Insights into Anisotropic Core-Shell-Structured InGaAs Nanowires Grown by Metal-Organic Chemical Vapor Deposition. Advanced Materials, 2017, 29, 1701888.	11.1	15
151	The influence of surfaces on the transient terahertz conductivity and electron mobility of GaAs nanowires. Journal Physics D: Applied Physics, 2017, 50, 224001.	1.3	31
152	Strong Amplified Spontaneous Emission from High Quality GaAs_{1-x}Sb_x Single Quantum Well Nanowires. Journal of Physical Chemistry C, 2017, 121, 8636-8644.	1.5	15
153	Choice of Polymer Matrix for a Fast Switchable III-V Nanowire Terahertz Modulator. MRS Advances, 2017, 2, 1475-1480.	0.5	1
154	An Ultrafast Switchable Terahertz Polarization Modulator Based on III-V Semiconductor Nanowires. Nano Letters, 2017, 17, 2603-2610.	4.5	77
155	Hybrid Nanowire Ion-to-Electron Transducers for Integrated Bioelectronic Circuitry. Nano Letters, 2017, 17, 827-833.	4.5	26
156	Semiconductor nanowires in terahertz photonics: From spectroscopy to ultrafast nanowire-based devices. , 2017, , .		0
157	Dopant-Free Twinning Superlattice Formation in InSb and InP Nanowires. Physica Status Solidi - Rapid Research Letters, 2017, 11, 1700310.	1.2	15
158	The influence of atmosphere on the performance of pure-phase WZ and ZB InAs nanowire transistors. Nanotechnology, 2017, 28, 454001.	1.3	14
159	Chiral Metamaterials: A Terahertz Controlled NOT Gate Based on Asymmetric Rotation of Polarization in Chiral Metamaterials (Advanced Optical Materials 18/2017). Advanced Optical Materials, 2017, 5, .	3.6	0
160	Extreme absorption enhancement in ZnTe:O/ZnO intermediate band core-shell nanowires by interplay of dielectric resonance and plasmonic bowtie nanoantennas. Scientific Reports, 2017, 7, 7503.	1.6	12
161	Integration of Semiconductor Nanowire Lasers with Polymeric Waveguide Devices on a Mechanically Flexible Substrate. Nano Letters, 2017, 17, 5990-5994.	4.5	55
162	Impurity Free Vacancy Disordering (IFVD) of InGaAs/AlGaAs Quantum Well Laser Structures. ECS Journal of Solid State Science and Technology, 2017, 6, N122-N126.	0.9	0

#	ARTICLE	IF	CITATIONS
163	Large-Scale Statistics for Threshold Optimization of Optically Pumped Nanowire Lasers. Nano Letters, 2017, 17, 4860-4865.	4.5	31
164	A Terahertz Controlled NOT Gate Based on Asymmetric Rotation of Polarization in Chiral Metamaterials. Advanced Optical Materials, 2017, 5, 1700108.	3.6	15
165	In _x Ga _{1-x} As core-multi-shell nanowire quantum wells with tunable emission in the 1.3–1.5 μm wavelength range. Nanoscale, 2017, 9, 13554-13562.	2.8	9
166	Engineering the Photoresponse of InAs Nanowires. ACS Applied Materials & Interfaces, 2017, 9, 43993-44000.	4.0	49
167	Dynamics and control of gold-encapped gallium arsenide nanowires imaged by 4D electron microscopy. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 12876-12881.	3.3	13
168	Electrochemical hydrogenated TiO ₂ nanotube arrays decorated with 3D cotton-like porous MnO ₂ enables superior supercapacitive performance. RSC Advances, 2017, 7, 31512-31518.	1.7	6
169	Critical Temperature for the Conversion from Wurtzite to Zincblende of the Optical Emission of InAs Nanowires. Journal of Physical Chemistry C, 2017, 121, 16650-16656.	1.5	2
170	Broadband Single-Nanowire Photoconductive Terahertz Detectors. , 2017, , .		0
171	GaAs/AlGaAs core-shell ensemble nanowire photodetectors. , 2017, , .		0
172	Modulation of Terahertz Polarization on Picosecond Timescales using Polymer-Encapsulated Semiconductor Nanowires. , 2017, , .		0
173	Robust Submonolayers of Co ₃ O ₄ Nanoislands: A Highly Transparent Morphology for Efficient Water Oxidation Catalysis. Advanced Energy Materials, 2016, 6, 1600697.	10.2	44
174	Electrically tunable terahertz metamaterials with embedded large-area transparent thin-film transistor arrays. Scientific Reports, 2016, 6, 23486.	1.6	21
175	Structural transition, subgap states, and carrier transport in anion-engineered zinc oxynitride nanocrystalline films. Applied Physics Letters, 2016, 109, .	1.5	17
176	Long-Lived Hot Carriers in III–V Nanowires. Nano Letters, 2016, 16, 3085-3093.	4.5	42
177	Efficiency enhancement of axial junction InP single nanowire solar cells by dielectric coating. Nano Energy, 2016, 28, 106-114.	8.2	58
178	Value and Anisotropy of the Electron and Hole Mass in Pure Wurtzite InP Nanowires. Nano Letters, 2016, 16, 6213-6221.	4.5	16
179	Design and Room-Temperature Operation of GaAs/AlGaAs Multiple Quantum Well Nanowire Lasers. Nano Letters, 2016, 16, 5080-5086.	4.5	80
180	Bandgap Energy of Wurtzite InAs Nanowires. Nano Letters, 2016, 16, 5197-5203.	4.5	47

#	ARTICLE	IF	CITATIONS
181	Temperature-dependent side-facets of GaAs nanopillars. Semiconductor Science and Technology, 2016, 31, 094004.	1.0	4
182	Nonconservative dynamics of optically trapped high-aspect-ratio nanowires. Physical Review E, 2016, 93, 022137.	0.8	12
183	Broadband Phase-Sensitive Single InP Nanowire Photoconductive Terahertz Detectors. Nano Letters, 2016, 16, 4925-4931.	4.5	46
184	Nonlinear Generation of Vector Beams From AlGaAs Nanoantennas. Nano Letters, 2016, 16, 7191-7197.	4.5	237
185	Doping-enhanced radiative efficiency enables lasing in unpassivated GaAs nanowires. Nature Communications, 2016, 7, 11927.	5.8	68
186	Transfer printing of semiconductor nanowires. , 2016, , .		0
187	Simultaneous Selective-Area and Vapor-Liquid-Solid Growth of InP Nanowire Arrays. Nano Letters, 2016, 16, 4361-4367.	4.5	57
188	Growth of Catalyst-Free Epitaxial InAs Nanowires on Si Wafers Using Metallic Masks. Nano Letters, 2016, 16, 4189-4193.	4.5	10
189	Thermal Delocalization of Excitons in GaAs/AlGaAs Quantum Well Tube Nanowires. Nano Letters, 2016, 16, 1392-1397.	4.5	8
190	Transfer Printing of Semiconductor Nanowires with Lasing Emission for Controllable Nanophotonic Device Fabrication. ACS Nano, 2016, 10, 3951-3958.	7.3	50
191	Effect of a High Density of Stacking Faults on the Young's Modulus of GaAs Nanowires. Nano Letters, 2016, 16, 1911-1916.	4.5	61
192	Mirror-twin induced bicrystalline InAs nanoleaves. Nano Research, 2016, 9, 766-773.	5.8	11
193	Optical design of nanowire absorbers for wavelength selective photodetectors. Scientific Reports, 2015, 5, 15339.	1.6	53
194	Photocurrent spectroscopy of single GaAs/AlGaAs core-multishell nanowire devices. , 2015, , .		0
195	Room temperature GaAsSb single nanowire infrared photodetectors. Nanotechnology, 2015, 26, 445202.	1.3	63
196	Antimony Induced {112}A Faceted Triangular GaAs _{1-x} Sb _x /InP Core/Shell Nanowires and Their Enhanced Optical Quality. Advanced Functional Materials, 2015, 25, 5300-5308.	7.8	40
197	Tunable Polarity in a III-V Nanowire by Droplet Wetting and Surface Energy Engineering. Advanced Materials, 2015, 27, 6096-6103.	11.1	69
198	Micrometer-Scale Deep-Level Spectral Photoluminescence From Dislocations in Multicrystalline Silicon. IEEE Journal of Photovoltaics, 2015, 5, 799-804.	1.5	29

#	ARTICLE	IF	CITATIONS
199	Quantum Confined Stark Effect in a GaAs/AlGaAs Nanowire Quantum Well Tube Device: Probing Exciton Localization. Nano Letters, 2015, 15, 7847-7852.	4.5	21
200	Photoconductive terahertz receivers utilizing single semiconductor nanowires. , 2015, , .		0
201	Controlling the morphology, composition and crystal structure in gold-seeded GaAs _{1-x} Sb _x nanowires. Nanoscale, 2015, 7, 4995-5003.	2.8	56
202	Polarized Light Absorption in Wurtzite InP Nanowire Ensembles. Nano Letters, 2015, 15, 998-1005.	4.5	44
203	An Order of Magnitude Increase in the Quantum Efficiency of (Al)GaAs Nanowires Using Hybrid Photonicâ€“Plasmonic Modes. Nano Letters, 2015, 15, 307-312.	4.5	19
204	Emergence of Localized States in Narrow GaAs/AlGaAs Nanowire Quantum Well Tubes. Nano Letters, 2015, 15, 1876-1882.	4.5	49
205	Enhanced carrier collection efficiency and reduced quantum state absorption by electron doping in self-assembled quantum dot solar cells. Applied Physics Letters, 2015, 106, .	1.5	10
206	Influence of Electrical Design on Coreâ€“Shell GaAs Nanowire Array Solar Cells. IEEE Journal of Photovoltaics, 2015, 5, 854-864.	1.5	44
207	Determination of Youngâ€™s Modulus of Ultrathin Nanomaterials. Nano Letters, 2015, 15, 5279-5283.	4.5	44
208	Mode Profiling of Semiconductor Nanowire Lasers. Nano Letters, 2015, 15, 5342-5348.	4.5	73
209	In _x Ga _{1-x} As nanowires with uniform composition, pure wurtzite crystal phase and taper-free morphology. Nanotechnology, 2015, 26, 205604.	1.3	36
210	Temperature Dependence of Interband Transitions in Wurtzite InP Nanowires. ACS Nano, 2015, 9, 4277-4287.	7.3	48
211	Spatially Resolved Doping Concentration and Nonradiative Lifetime Profiles in Single Si-Doped InP Nanowires Using Photoluminescence Mapping. Nano Letters, 2015, 15, 3017-3023.	4.5	43
212	Quantum confinement of excitons in wurtzite InP nanowires. Journal of Applied Physics, 2015, 117, .	1.1	19
213	Single Nanowire Terahertz Detectors. , 2015, , .		1
214	Spontaneous formation of coreâ€“shell GaAsP nanowires and their enhanced electrical conductivity. Journal of Materials Chemistry C, 2015, 3, 1745-1750.	2.7	18
215	Understanding the growth and composition evolution of gold-seeded ternary InGaAs nanowires. Nanoscale, 2015, 7, 16266-16272.	2.8	37
216	Low ensemble disorder in quantum well tube nanowires. Nanoscale, 2015, 7, 20531-20538.	2.8	15

#	ARTICLE	IF	CITATIONS
217	Single Nanowire Photoconductive Terahertz Detectors. Nano Letters, 2015, 15, 206-210.	4.5	105
218	Zn ₃ As ₂ Nanowires and Nanoplatelets: Highly Efficient Infrared Emission and Photodetection by an Earth Abundant Material. Nano Letters, 2015, 15, 378-385.	4.5	17
219	Direct Characterization of Axial p-n Junctions for InP Nanowire Array Solar Cells Using Electron Beam-Induced Current. , 2015, , .		1
220	InP single nanowire solar cells. , 2015, , .		1
221	High Quantum Efficiency (Al) GaAs Nanowires for Optoelectronic Devices. , 2014, , .		0
222	Measurement of doping concentration, internal quantum efficiency and non-radiative lifetime of InP nanowires. , 2014, , .		1
223	Top-down approach for fabricating InP nanowires with ohmic metal contacts. , 2014, , .		0
224	Plasmonic cavities for increasing the radiative efficiency of GaAs nano wires. , 2014, , .		0
225	Single GaAs/AlGaAs nanowire photoconductive terahertz detectors. , 2014, , .		1
226	InP-based radial heterostructures grown on [100] nanowires. , 2014, , .		0
227	Sidewall evolution in VLS grown GaAs nanowires. , 2014, , .		0
228	Fabrication and photoluminescence studies of GaN nanopillars. , 2014, , .		1
229	Extremely high short-circuit current density in vertical single nanowire solar cells. , 2014, , .		1
230	Nanoscale polymer electrolytes: Fabrication and applications using nanowire transistors. , 2014, , .		0
231	Tuning Band Energies in a Combined Axial and Radial GaAs/GaP Heterostructure. Materials Research Society Symposia Proceedings, 2014, 1659, 139-142.	0.1	0
232	Low-Dimensional Nanostructures for Optoelectronic Applications. Journal of Nanomaterials, 2014, 2014, 1-2.	1.5	2
233	Anomalous dynamic behaviour of optically trapped high aspect ratio nanowires. , 2014, , .		0
234	III-V semiconductor nanowire lasers. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
235	Second-order surface-plasmon assisted responsivity enhancement in germanium nano-photodetectors with bullâ€™s eye antennas. Optics Express, 2014, 22, 15949.	1.7	15
236	Effect of active region position in Fabry-Perot single transverse mode broad-waveguide InGaAsP/InP lasers. Optics Express, 2014, 22, 8156.	1.7	4
237	Atomic-scale observation of parallel development of super elasticity and reversible plasticity in GaAs nanowires. Applied Physics Letters, 2014, 104, .	1.5	26
238	Localization of Excitons in Thin Core-Multi-Shell Quantum Well Tubes. Materials Research Society Symposia Proceedings, 2014, 1659, 135-138.	0.1	0
239	Elemental diffusion during the droplet epitaxy growth of In(Ga)As/GaAs(001) quantum dots by metal-organic chemical vapor deposition. Applied Physics Letters, 2014, 104, .	1.5	4
240	Carrier Thermalization Dynamics in Single Zincblende and Wurtzite InP Nanowires. Nano Letters, 2014, 14, 7153-7160.	4.5	16
241	Electron-Beam Patterning of Polymer Electrolyte Films To Make Multiple Nanoscale Gates for Nanowire Transistors. Nano Letters, 2014, 14, 94-100.	4.5	27
242	Understanding the True Shape of Au-Catalyzed GaAs Nanowires. Nano Letters, 2014, 14, 5865-5872.	4.5	52
243	Selective-Area Epitaxy of Pure Wurtzite InP Nanowires: High Quantum Efficiency and Room-Temperature Lasing. Nano Letters, 2014, 14, 5206-5211.	4.5	198
244	Nanowires Grown on InP (100): Growth Directions, Facets, Crystal Structures, and Relative Yield Control. ACS Nano, 2014, 8, 6945-6954.	7.3	51
245	Electron Mobilities Approaching Bulk Limits in â€™Surface-Freeâ€™GaAs Nanowires. Nano Letters, 2014, 14, 5989-5994.	4.5	79
246	Magneto-Optical Properties of Wurtzite-Phase InP Nanowires. Nano Letters, 2014, 14, 4250-4256.	4.5	23
247	Spectral tuning of InGaAs/GaAs quantum dot infrared photodetectors with bandpass guidedâ€™mode resonance filters. Physica Status Solidi - Rapid Research Letters, 2014, 8, 69-73.	1.2	0
248	The role of intersubband optical transitions on the electrical properties of InGaAs/GaAs quantum dot solar cells. Progress in Photovoltaics: Research and Applications, 2013, 21, 736-746.	4.4	38
249	Titanium Nano-Antenna for High-Power Pulsed Operation. Journal of Lightwave Technology, 2013, 31, 2459-2466.	2.7	22
250	Polarity-Driven 3-Fold Symmetry of GaAs/AlGaAs Core Multishell Nanowires. Nano Letters, 2013, 13, 3742-3748.	4.5	80
251	Phase Separation Induced by Au Catalysts in Ternary InGaAs Nanowires. Nano Letters, 2013, 13, 643-650.	4.5	79
252	Optical, Structural, and Numerical Investigations of GaAs/AlGaAs Coreâ€™Multishell Nanowire Quantum Well Tubes. Nano Letters, 2013, 13, 1016-1022.	4.5	106

#	ARTICLE	IF	CITATIONS
253	Using Spectroscopic Techniques to Interrogate Trapping Dynamics of Nanoscale Objects. , 2013, , .		0
254	Preferential nucleation and growth of InAs/GaAs(001) quantum dots on defected sites by droplet epitaxy. Scripta Materialia, 2013, 69, 638-641.	2.6	4
255	Polarity-driven Nonuniform Composition in InGaAs Nanowires. Nano Letters, 2013, 13, 5085-5089.	4.5	40
256	Unequal P Distribution in Nanowires and the Planar Layer during GaAsP Growth on GaAs {111}B by Metal-Organic Chemical Vapor Deposition. Journal of Physical Chemistry C, 2013, 117, 19234-19238.	1.5	12
257	Strengthening Brittle Semiconductor Nanowires through Stacking Faults: Insights from in Situ Mechanical Testing. Nano Letters, 2013, 13, 4369-4373.	4.5	45
258	Optically pumped room-temperature GaAs nanowire lasers. Nature Photonics, 2013, 7, 963-968.	15.6	503
259	Polarity driven simultaneous growth of free-standing and lateral GaAsP epitaxial nanowires on GaAs (001) substrate. Applied Physics Letters, 2013, 103, .	1.5	12
260	Twinning Superlattice Formation in GaAs Nanowires. ACS Nano, 2013, 7, 8105-8114.	7.3	77
261	Quantitative dopant distributions in GaAs nanowires using atom probe tomography. Ultramicroscopy, 2013, 132, 186-192.	0.8	29
262	III–V semiconductor nanowires for optoelectronic device applications. , 2013, , .		1
263	Illuminating the Second Conduction Band and Spin-Orbit Energy in Single Wurtzite InP Nanowires. Nano Letters, 2013, 13, 5367-5372.	4.5	22
264	Full tip imaging in atom probe tomography. Ultramicroscopy, 2013, 124, 96-101.	0.8	23
265	Attraction of semiconductor nanowires: An in situ observation. Acta Materialia, 2013, 61, 7166-7172.	3.8	10
266	Resolving Stable Axial Trapping Points of Nanowires in an Optical Tweezers Using Photoluminescence Mapping. Nano Letters, 2013, 13, 1185-1191.	4.5	36
267	Engineering the composition, morphology, and optical properties of InAsSb nanostructures via graded growth technique. Applied Physics Letters, 2013, 102, .	1.5	1
268	Nanostructured photovoltaics. Journal Physics D: Applied Physics, 2013, 46, 020301.	1.3	0
269	Three-Dimensional in Situ Photocurrent Mapping for Nanowire Photovoltaics. Nano Letters, 2013, 13, 1405-1409.	4.5	39
270	Anelastic Behavior in GaAs Semiconductor Nanowires. Nano Letters, 2013, 13, 3169-3172.	4.5	39

#	ARTICLE	IF	CITATIONS
271	Electronic properties of GaAs, InAs and InP nanowires studied by terahertz spectroscopy. Nanotechnology, 2013, 24, 214006.	1.3	264
272	A study of quantum well solar cell structures with bound-to-continuum transitions for reduced carrier recombination. Applied Physics Letters, 2013, 102, 213903.	1.5	1
273	Design Considerations for Semiconductor Nanowire-Plasmonic Nanoparticle Coupled Systems for High Quantum Efficiency Nanowires. Small, 2013, 9, 3964-3969.	5.2	7
274	Enhanced Minority Carrier Lifetimes in GaAs/AlGaAs Core-Shell Nanowires through Shell Growth Optimization. Nano Letters, 2013, 13, 5135-5140.	4.5	97
275	Effects of growth rate on InP nanowires morphology and crystal structure. Journal of Crystal Growth, 2013, 383, 100-105.	0.7	7
276	Direct Observation of Charge-Carrier Heating at WZ-ZB InP Nanowire Heterojunctions. Nano Letters, 2013, 13, 4280-4287.	4.5	31
277	Origin and transport properties of two-dimensional electron gas at ZnMgO/ZnO interface grown by MOVPE. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 1268-1271.	0.8	3
278	Nanostructure photovoltaics based on III-V compound semiconductors. , 2013, , .		1
279	Merged beam laser design for reduction of gain-saturation and two-photon absorption in high power single mode semiconductor lasers. Optics Express, 2013, 21, 8276.	1.7	3
280	Periodic dielectric structures for light-trapping in InGaAs/GaAs quantum well solar cells. Optics Express, 2013, 21, A324.	1.7	10
281	Transient Rayleigh scattering from single semiconductor nanowires. AIP Conference Proceedings, 2013, , .	0.3	1
282	Integration of bandpass guided-mode resonance filters with mid-wavelength infrared photodetectors. Journal Physics D: Applied Physics, 2013, 46, 095104.	1.3	13
283	(Invited) III-V Nanowires for Optoelectronic Applications. ECS Transactions, 2013, 58, 93-98.	0.3	0
284	Measuring the electrical properties of semiconductor nanowires using terahertz conductivity spectroscopy. Proceedings of SPIE, 2013, , .	0.8	0
285	High vertical yield InP nanowire growth on Si(111) using a thin buffer layer. Nanotechnology, 2013, 24, 465602.	1.3	21
286	Palladium Catalyzed Defect-free <110> Zinc-Blende Structured InAs Nanowires. Materials Research Society Symposia Proceedings, 2013, 1551, 95-99.	0.1	0
287	Probing the critical electronic properties of III–V nanowires using optical pump-terahertz probe spectroscopy. , 2013, , .		0
288	High performance GaAs/AlGaAs radial heterostructure nanowires grown by MOCVD. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
289	Catalyst size dependent growth of Pd-catalyzed one-dimensional InAs nanostructures. Applied Physics Letters, 2013, 102, 203108.	1.5	16
290	Multi-colour emission from GaAs core-AlGaAs shell photonic nanowires. , 2013, , .		0
291	Compound semiconductor nanowires for optoelectronic devices. , 2013, , .		0
292	Electronic comparison of InAs wurtzite and zincblende phases using nanowire transistors. Physica Status Solidi - Rapid Research Letters, 2013, 7, 911-914.	1.2	15
293	Engineering the morphology and optical properties of InP-based InAsSb/InGaAs nanostructures via Sb exposure and graded growth techniques. Materials Research Society Symposia Proceedings, 2013, 1509, 1.	0.1	0
294	III-V COMPOUND SEMICONDUCTOR NANOWIRES FOR OPTOELECTRONIC DEVICE APPLICATIONS. , 2013, , .		0
295	Growth and properties of III-V compound semiconductor heterostructure nanowires. Semiconductor Science and Technology, 2012, 27, 059501.	1.0	4
296	Tunable and nonlinear fishnet metamaterials based on liquid crystal infiltration. Proceedings of SPIE, 2012, , .	0.8	1
297	Taper-free and kinked germanium nanowires grown on silicon via purging and the two-temperature process. Nanotechnology, 2012, 23, 115603.	1.3	13
298	Direct-write non-linear photolithography for semiconductor nanowire characterization. Nanotechnology, 2012, 23, 335704.	1.3	6
299	Diffusion and population dynamics of excitons in c-axis grown ZnO quantum wells. , 2012, , .		0
300	Raman probing of competitive laser heating and local recrystallization effect in ZnO nanocrystals. Optics Express, 2012, 20, 23281.	1.7	9
301	Origin of gate hysteresis in p -type Si-doped AlGaAs/GaAs heterostructures. Physical Review B, 2012, 86, .	1.1	12
302	Long minority carrier lifetime in Au-catalyzed GaAs/Al _x Ga _{1-x} As core-shell nanowires. Applied Physics Letters, 2012, 101, .	1.5	80
303	Coupling of light from microdisk lasers to nano-antennas with nano-tapers. , 2012, , .		0
304	Precursor flow rate manipulation for the controlled fabrication of twin-free GaAs nanowires on silicon substrates. Nanotechnology, 2012, 23, 415702.	1.3	12
305	Photomodulated Rayleigh Scattering from Single Semiconductor Nanowires. Materials Research Society Symposia Proceedings, 2012, 1408, 11.	0.1	0
306	Mapping optical process in semiconductor nanowires using dynamic optical tweezers. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
307	Arrayed Nanoantennas for Efficient Broadband Unidirectional Emission Enhancement. , 2012, , .		1
308	Nonlinear fishnet metamaterials based on liquid crystal infiltration. , 2012, , .		0
309	Strong Carrier Lifetime Enhancement in GaAs Nanowires Coated with Semiconducting Polymer. Nano Letters, 2012, 12, 6293-6301.	4.5	54
310	Polarization Tunable, Multicolor Emission from Core-Shell Photonic III-V Semiconductor Nanowires. Nano Letters, 2012, 12, 6428-6431.	4.5	27
311	Intermixing of InGaAs/GaAs quantum wells and quantum dots using sputter-deposited silicon oxynitride capping layers. Journal of Applied Physics, 2012, 112, .	1.1	7
312	III-V nanowires for optoelectronic applications. , 2012, , .		0
313	Liquid crystal based nonlinear fishnet metamaterials. Applied Physics Letters, 2012, 100, .	1.5	128
314	Reduction of gain-saturation in merged beam lasers. , 2012, , .		0
315	InP nanowires grown by SA-MOVPE. , 2012, , .		1
316	Improvement of minority carrier lifetime in GaAs/Al _x Ga _{1-x} As core-shell nanowires. , 2012, , .		0
317	Spin-polarized Wide Electron Slabs in Functionally Graded Polar Oxide Heterostructures. Scientific Reports, 2012, 2, 533.	1.6	16
318	Unequal P distribution in nanowires and the layer during the growth of GaAsP nanowires on GaAs. , 2012, , .		1
319	PL mapping and optimized optical trapping of nanowires SLM beam shaping. , 2012, , .		0
320	Effect of plasmonic nanoparticles on the quantum efficiency of III-V semiconductor nanowire emitters. , 2012, , .		0
321	Influence of growth temperature and V/III ratio on Au-assisted In _x Ga _{1-x} As nanowires. , 2012, , .		0
322	Optoelectronic properties of GaAs nanowire photodetector. , 2012, , .		0
323	Plasmonics for III-V semiconductor solar cells. , 2012, , .		0
324	Ultralow Surface Recombination Velocity in InP Nanowires Probed by Terahertz Spectroscopy. Nano Letters, 2012, 12, 5325-5330.	4.5	158

#	ARTICLE	IF	CITATIONS
325	Taper-Free and Vertically Oriented Ge Nanowires on Ge/Si Substrates Grown by a Two-Temperature Process. <i>Crystal Growth and Design</i> , 2012, 12, 135-141.	1.4	31
326	Transient Rayleigh Scattering: A New Probe of Picosecond Carrier Dynamics in a Single Semiconductor Nanowire. <i>Nano Letters</i> , 2012, 12, 5389-5395.	4.5	22
327	A plasmonic staircase nano-antenna device with strong electric field enhancement for surface enhanced Raman scattering (SERS) applications. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 305102.	1.3	30
328	Can misfit dislocations be located above the interface of InAs/GaAs (001) epitaxial quantum dots?. <i>Nanoscale Research Letters</i> , 2012, 7, 486.	3.1	3
329	Quantitative study of GaAs nanowires catalyzed by Au film of different thicknesses. <i>Nanoscale Research Letters</i> , 2012, 7, 589.	3.1	17
330	Improved performance of InGaAs/GaAs quantum dot solar cells using Si-modulation doping. , 2012, , .		1
331	The conduction band absorption spectrum of interdiffused InGaAs/GaAs quantum dot infrared photodetectors. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	13
332	Dielectric diffraction gratings for light-trapping in InGaAs-GaAs quantum well solar cells. , 2012, , .		0
333	Defect-Free $\langle 110 \rangle$ Zinc-Blende Structured InAs Nanowires Catalyzed by Palladium. <i>Nano Letters</i> , 2012, 12, 5744-5749.	4.5	62
334	High-Density, Defect-Free, and Taper-Restrained Epitaxial GaAs Nanowires Induced from Annealed Au Thin Films. <i>Crystal Growth and Design</i> , 2012, 12, 2018-2022.	1.4	35
335	Plasmonic quantum dot solar cells for enhanced infrared response. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	26
336	Ultrafast Dynamics of Exciton Formation in Semiconductor Nanowires. <i>Small</i> , 2012, 8, 1725-1731.	5.2	16
337	Magnetism of Co-doped ZnO epitaxially grown on a ZnO substrate. <i>Physical Review B</i> , 2012, 85, .	1.1	54
338	Spin-Resolved Purcell Effect in a Quantum Dot Microcavity System. <i>Nano Letters</i> , 2012, 12, 3455-3459.	4.5	25
339	Removal of Surface States and Recovery of Band-Edge Emission in InAs Nanowires through Surface Passivation. <i>Nano Letters</i> , 2012, 12, 3378-3384.	4.5	98
340	Two-photon luminescence study of optically trapped InP semiconductor nanowires. , 2011, , .		0
341	Self-Healing of Fractured GaAs Nanowires. <i>Nano Letters</i> , 2011, 11, 1546-1549.	4.5	48
342	Nonlinear Optical Processes in Optically Trapped InP Nanowires. <i>Nano Letters</i> , 2011, 11, 4149-4153.	4.5	58

#	ARTICLE	IF	CITATIONS
343	Defect-Free GaAs/AlGaAs Core-Shell Nanowires on Si Substrates. <i>Crystal Growth and Design</i> , 2011, 11, 3109-3114.	1.4	42
344	Photomodulated Rayleigh Scattering of Single Semiconductor Nanowires: Probing Electronic Band Structure. <i>Nano Letters</i> , 2011, 11, 4329-4336.	4.5	20
345	Characterization of Semiconductor Nanowires Using Optical Tweezers. <i>Nano Letters</i> , 2011, 11, 2375-2381.	4.5	79
346	Direct imaging of the spatial diffusion of excitons in single semiconductor nanowires. <i>Applied Physics Letters</i> , 2011, 99, 263110.	1.5	13
347	Plasmonic light trapping effect on properties of InGaAs/GaAs quantum dot solar cells. , 2011, , .		0
348	Merging Photonic Wire Lasers and Nanoantennas. <i>Journal of Lightwave Technology</i> , 2011, 29, 2690-2697.	2.7	13
349	Three-dimensional electronic spectroscopy of excitons in asymmetric double quantum wells. <i>Journal of Chemical Physics</i> , 2011, 135, 044510.	1.2	38
350	Probing the valence band structure of wurtzite InP nanowires by photoluminescence excitation spectroscopy. , 2011, , .		2
351	Direct Measure of Strain and Electronic Structure in GaAs-GaP Core-Shell Nanowires. , 2011, , .		0
352	Origin of stress in radio frequency magnetron sputtered zinc oxide thin films. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	55
353	Selective Intermixing of InGaAs/GaAs Quantum Dot Infrared Photodetectors. <i>IEEE Journal of Quantum Electronics</i> , 2011, 47, 577-590.	1.0	7
354	Tailoring GaAs, InAs, and InGaAs Nanowires for Optoelectronic Device Applications. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011, 17, 766-778.	1.9	40
355	Raman spectra, photoluminescence and dielectric relaxation in Bi _{1.5} ZnNb _{1.5} O ₇ pyrochlore. <i>Current Applied Physics</i> , 2011, 11, S171-S174.	1.1	16
356	Growth of Straight InAs-on-GaAs Nanowire Heterostructures. <i>Nano Letters</i> , 2011, 11, 3899-3905.	4.5	44
357	III-V semiconductor nanowires for optoelectronic device applications. <i>Progress in Quantum Electronics</i> , 2011, 35, 23-75.	3.5	256
358	Super Deformability and Young's Modulus of GaAs Nanowires. <i>Advanced Materials</i> , 2011, 23, 1356-1360.	11.1	114
359	III-V COMPOUND SEMICONDUCTOR NANOWIRES FOR OPTOELECTRONIC DEVICE APPLICATIONS. <i>International Journal of High Speed Electronics and Systems</i> , 2011, 20, 131-141.	0.3	1
360	Investigation of ion implantation induced intermixing in InP based quaternary quantum wells. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 475105.	1.3	6

#	ARTICLE	IF	CITATIONS
361	Controlling the morphology and optical properties of self-assembled InAsSb/InGaAs/InP nanostructures via Sb exposure. Applied Physics Letters, 2011, 99, 193110.	1.5	8
362	The influence of InGaAs quantum dots on GaAs P-I-N solar cell dark current properties. , 2011, , .		0
363	Selective confinement of macroscopic long-lifetime exciton and trion populations. Physical Review B, 2011, 84, .	1.1	8
364	Temperature dependence of dark current properties of InGaAs/GaAs quantum dot solar cells. Applied Physics Letters, 2011, 98, .	1.5	36
365	Compound semiconductor nanowires for optoelectronic device applications. , 2011, , .		0
366	Single-Step RIE Fabrication Process of Low Loss InP Waveguide Using CH ₄ •H ₂ Chemistry. Journal of the Electrochemical Society, 2011, 158, H281.	1.3	9
367	Growth and properties of III-V compound semiconductor heterostructure nanowires. Semiconductor Science and Technology, 2011, 26, 014035.	1.0	31
368	Growth and characterization of compound semiconductor nanowires on Si. , 2011, , .		1
369	Growth and Characterization of Self-Assembled InAs/InP Quantum Dot Structures. Journal of Nanoscience and Nanotechnology, 2010, 10, 1525-1536.	0.9	7
370	Emission wavelength extension of mid-infrared InAsSb/InP nanostructures using InGaAsSb sandwich layers. Journal Physics D: Applied Physics, 2010, 43, 302001.	1.3	4
371	Near-field studies of arrays of chirped subwavelength apertures. Physica Status Solidi - Rapid Research Letters, 2010, 4, 253-255.	1.2	2
372	Synthesis of indium oxide hexagonal microcavity and identification of its whispering gallery modes. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 1672-1674.	0.8	6
373	Tunable, high beam quality and narrow linewidth semiconductor disk laser. Optical Engineering, 2010, 49, 104201.	0.5	1
374	Probing valence band structure in wurtzite InP nanowires using excitation spectroscopy. Applied Physics Letters, 2010, 97, 023106.	1.5	44
375	Enhanced photoluminescence efficiency of mid-infrared InAsSb nanostructures using a carrier blocking layer. Applied Physics Letters, 2010, 96, .	1.5	5
376	Increasing the coupling efficiency of a microdisk laser to waveguides by using well designed spiral structures. Journal of Applied Physics, 2010, 107, 043105.	1.1	5
377	Study of intermixing mechanism in AlInGaAs/InGaAs quantum well. , 2010, , .		0
378	Increasing the coupling efficiency of a microdisk laser to waveguides by using spiral structures. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
379	Characterisation of nanostructures via terahertz spectroscopy. , 2010, , .		0
380	Third generation biosensing matrix based on Fe-implanted ZnO thin film. Applied Physics Letters, 2010, 97, 133704.	1.5	19
381	Spectral tuning of InGaAs/GaAs quantum dot infrared photodetectors using selective-area intermixing. , 2010, , .		1
382	Photoluminescence study of optically trapped InP semiconductor nanowires. , 2010, , .		0
383	Spatially resolved characterization of InGaAs/GaAs quantum dot structures by scanning spreading resistance microscopy. Applied Physics Letters, 2010, 97, 041106.	1.5	4
384	Electron-hole recombination properties of In _{0.5} Ga _{0.5} As/GaAs quantum dot solar cells and the influence on the open circuit voltage. Applied Physics Letters, 2010, 97, .	1.5	54
385	A new optical front-end compensation technique for suppression of spurious signal in photorefectance spectroscopy using an antiphase signal. Review of Scientific Instruments, 2010, 81, 043102.	0.6	5
386	Photoluminescence study of optically trapped InP semiconductor nanowires. Proceedings of SPIE, 2010, , .	0.8	1
387	Novel growth and properties of GaAs nanowires on Si substrates. Nanotechnology, 2010, 21, 035604.	1.3	38
388	CdS/CdSe lateral heterostructure nanobelts by a two-step physical vapor transport method. Nanotechnology, 2010, 21, 145602.	1.3	16
389	The temperature dependence of InGaAs single-wavelength quantum well and multi-wavelength quantum dot square resonator microlasers. Journal Physics D: Applied Physics, 2010, 43, 135102.	1.3	0
390	Investigations of impurity-free vacancy disordering in (Al)InGaAs(P)/InGaAs quantum wells. Semiconductor Science and Technology, 2010, 25, 055014.	1.0	10
391	Thermal expansion coefficients and composition of sputter-deposited silicon oxynitride thin films. Journal Physics D: Applied Physics, 2010, 43, 335104.	1.3	2
392	Phase Perfection in Zinc Blende and Wurtzite III [~] V Nanowires Using Basic Growth Parameters. Nano Letters, 2010, 10, 908-915.	4.5	443
393	Vertically oriented epitaxial germanium nanowires on silicon substrates using thin germanium buffer layers. Nanotechnology, 2010, 21, 295602.	1.3	8
394	Single-crystalline hexagonal ZnO microtube optical resonators. Journal of Materials Chemistry, 2010, 20, 5510.	6.7	26
395	Using graded barriers to control the optical properties of ZnO/Zn _{0.7} Mg _{0.3} O quantum wells with an intrinsic internal electric field. Applied Physics Letters, 2010, 96, .	1.5	23
396	Direct Measure of Strain and Electronic Structure in GaAs/GaP Core [~] Shell Nanowires. Nano Letters, 2010, 10, 880-886.	4.5	101

#	ARTICLE	IF	CITATIONS
397	Performance assessment of hybrid surface emitting lasers with lateral one-dimensional photonic-crystal mirrors. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 806.	0.9	1
398	Strain relaxation and phonon confinement in self-assembled InAsSb/InP (001) quantum dashes: Effect of deposition thickness and composition. Applied Physics Letters, 2010, 97, 223108.	1.5	5
399	Temperature effect on device characteristics of InGaAs/GaAs quantum dot solar cell. , 2010, , .		0
400	Tilted response of fishnet metamaterials at near-infrared optical wavelengths. Physical Review B, 2010, 81, .	1.1	49
401	Analysis of multi-wavelength photonic crystal single-defect laser arrays. , 2010, , .		0
402	Structural and optical characterization of vertical GaAs/GaP core-shell nanowires grown on Si substrates. , 2010, , .		0
403	Temperature dependence of dark current properties of In-GaAs/GaAs quantum dot solar cells. , 2010, , .		0
404	Growth temperature and V/III ratio effects on the morphology and crystal structure of InP nanowires. Journal Physics D: Applied Physics, 2010, 43, 445402.	1.3	52
405	Selective enhancement of photon emission in a quantum dot coupling with micropillar cavity. , 2010, , .		0
406	The influence of doping on the device characteristics of In _{0.5} Ga _{0.5} As/GaAs/Al _{0.2} Ga _{0.8} As quantum dots-in-a-well infrared photodetectors. Nanoscale, 2010, 2, 1128.	2.8	5
407	Dynamics of Carriers and the Influence of the Quantum Confined Stark Effect in ZnO/ZnMgO Quantum Wells. , 2010, , .		0
408	Recombination dynamics and screening of the internal electric field in ZnO/ZnMgO quantum wells. Physical Review B, 2009, 80, .	1.1	14
409	Crystallographically driven Au catalyst movement during growth of InAs/GaAs axial nanowire heterostructures. Journal of Applied Physics, 2009, 105, 073503.	1.1	15
410	Effect of matrix material on the morphology and optical properties of InP-based InAsSb nanostructures. Applied Physics Letters, 2009, 95, .	1.5	18
411	Effect of the crystal structure on the optical properties of InP nanowires. , 2009, , .		0
412	Combined optical trapping and microphotoluminescence of single InP nanowires. Applied Physics Letters, 2009, 95, .	1.5	36
413	Room temperature photocurrent spectroscopy of single zinblende and wurtzite InP nanowires. Applied Physics Letters, 2009, 94, 193115.	1.5	50
414	Properties of In _{0.5} Ga _{0.5} As/GaAs/Al _{0.2} Ga _{0.8} As quantum-dots-in-a-well infrared photodetectors. Journal Physics D: Applied Physics, 2009, 42, 095101.	1.3	7

#	ARTICLE	IF	CITATIONS
415	Effects of annealing on the properties of In _{0.5} Ga _{0.5} As/GaAs/Al _{0.2} Ga _{0.8} As quantum dots-in-a-well infrared photodetectors. Journal Physics D: Applied Physics, 2009, 42, 115103.	1.3	0
416	Shape Control and Emission-wavelength Extension of InP-based InAsSb Nanostructures. Materials Research Society Symposia Proceedings, 2009, 1208, 1.	0.1	0
417	Formation of Hierarchical InAs Nanoring/GaAs Nanowire Heterostructures. Angewandte Chemie - International Edition, 2009, 48, 780-783.	7.2	43
418	Evolution of Wurtzite Structured GaAs Shells Around InAs Nanowire Cores. Nanoscale Research Letters, 2009, 4, 846-849.	3.1	30
419	Evolution of Epitaxial InAs Nanowires on GaAs (111)B. Small, 2009, 5, 366-369.	5.2	51
420	Nanowires for optoelectronic device applications. Physica Status Solidi C: Current Topics in Solid State Physics, 2009, 6, 2678-2682.	0.8	4
421	Enhanced transmission of light through periodic and chirped lattices of nanoholes. Optics Communications, 2009, 282, 2023-2027.	1.0	6
422	Thermal quenching of photoluminescence in ZnO/ZnMgO multiple quantum wells following oxygen implantation and rapid thermal annealing. Journal of Luminescence, 2009, 129, 153-157.	1.5	7
423	Coupling Analysis of GaAs-Based Microdisk Lasers With Different External Claddings. Journal of Lightwave Technology, 2009, 27, 5090-5098.	2.7	3
424	Carrier Dynamics and Quantum Confinement in type II ZB-WZ InP Nanowire Homostructures. Nano Letters, 2009, 9, 648-654.	4.5	168
425	Whispering gallery modes in indium oxide hexagonal microcavities. Applied Physics Letters, 2009, 94, 173115.	1.5	29
426	Single-mode operation of a large optically pumped triangular laser with lateral air trenches. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 1417.	0.9	8
427	Directional Optically Pumped Laterally Coupled DFB Lasers With Circular Mirrors. Journal of Lightwave Technology, 2009, 27, 1425-1433.	2.7	2
428	Effects of annealing and substrate orientation on epitaxial growth of GaAs on Si. Journal of Applied Physics, 2009, 106, .	1.1	28
429	Large Square Resonator Laser With Quasi-Single-Mode Operation. IEEE Photonics Technology Letters, 2009, 21, 359-361.	1.3	25
430	Carrier Lifetime and Mobility Enhancement in Nearly Defect-Free Core-Shell Nanowires Measured Using Time-Resolved Terahertz Spectroscopy. Nano Letters, 2009, 9, 3349-3353.	4.5	253
431	Nanosheets-Based Rhombohedral In ₂ O ₃ 3D Hierarchical Microspheres: Synthesis, Growth Mechanism, and Optical Properties. Journal of Physical Chemistry C, 2009, 113, 10511-10516.	1.5	49
432	Unexpected Benefits of Rapid Growth Rate for III-V Nanowires. Nano Letters, 2009, 9, 695-701.	4.5	126

#	ARTICLE	IF	CITATIONS
433	III-V compound semiconductor nanowires. , 2009, , .		3
434	The effect of V/III ratio and catalyst particle size on the crystal structure and optical properties of InP nanowires. Nanotechnology, 2009, 20, 225606.	1.3	99
435	Semiconductor disk laser with a diamond heatspreader. , 2009, , .		0
436	Formation and shape control of InAsSb/InP (001) nanostructures. Applied Physics Letters, 2009, 95, .	1.5	24
437	10.1063/1.3225148.1. , 2009, , .		0
438	High Purity GaAs Nanowires Free of Planar Defects: Growth and Characterization. Advanced Functional Materials, 2008, 18, 3794-3800.	7.8	97
439	Electron dynamics in modulation p-doped InGaAs/GaAs quantum dots. European Physical Journal B, 2008, 62, 65-70.	0.6	7
440	Nature of heterointerfaces in GaAs/InAs and InAs/GaAs axial nanowire heterostructures. Applied Physics Letters, 2008, 93, .	1.5	90
441	Optically Pumped In-Plane Photonic Crystal Microcavity Laser Arrays Coupled to Waveguides. Journal of Lightwave Technology, 2008, 26, 1374-1380.	2.7	5
442	Photonic crystal phase detector. Journal of the Optical Society of America B: Optical Physics, 2008, 25, 1532.	0.9	9
443	Tuning the bandgap of InAs quantum dots by selective-area MOCVD. Journal Physics D: Applied Physics, 2008, 41, 085104.	1.3	5
444	Role of stress on impurity free disordering of quantum dots. Optoelectronic and Microelectronic Materials and Devices (COMMAD), Conference on, 2008, , .	0.0	0
445	Growth behavior of epitaxial semiconductor axial nanowire heterostructures. Optoelectronic and Microelectronic Materials and Devices (COMMAD), Conference on, 2008, , .	0.0	0
446	Effects of well thickness on the spectral properties of In _{0.5} Ga _{0.5} As ⁺ /GaAs ⁺ /Al _{0.2} Ga _{0.8} As quantum dots-in-a-well infrared photodetectors. Applied Physics Letters, 2008, 92, 193507.	1.5	26
447	Two-color InGaAs ⁺ /GaAs quantum dot infrared photodetectors by selective area interdiffusion. Applied Physics Letters, 2008, 93, 013504.	1.5	15
448	Comparison of proton and arsenic implantation-induced intermixing in InGaAsP/InGaAs/InP and InAlGaAs/InGaAs/InP quantum wells. , 2008, , .		0
449	Growth, Structural and Optical Properties of High Quality GaAs Nanowires for Optoelectronics. , 2008, , .		0
450	Nearly intrinsic exciton lifetimes in single twin-free GaAs ⁺ /AlGaAs core-shell nanowire heterostructures. Applied Physics Letters, 2008, 93, .	1.5	109

#	ARTICLE	IF	CITATIONS
451	Effects of annealing on the spectral response and dark current of quantum dot infrared photodetectors. Journal Physics D: Applied Physics, 2008, 41, 215101.	1.3	6
452	Suppression of the internal electric field effects in ZnO/Zn _{0.7} Mg _{0.3} O quantum wells by ion-implantation induced intermixing. Nanotechnology, 2008, 19, 055205.	1.3	28
453	Vertically standing Ge nanowires on GaAs(110) substrates. Nanotechnology, 2008, 19, 125602.	1.3	23
454	Impurity-free vacancy disordering of quantum heterostructures with SiOxNy encapsulants deposited by magnetron sputtering. , 2008, , .		4
455	Effect of ion-implantation enhanced intermixing on luminescence of InAs/InP quantum dots. Journal Physics D: Applied Physics, 2008, 41, 205107.	1.3	7
456	Analytical expression for the quantum dot contribution to the quasistatic capacitance for conduction band characterization. Journal of Applied Physics, 2008, 104, 023713.	1.1	1
457	Self-sustained output power pulsations in InGaAs quantum dot ridge-waveguide lasers. Applied Physics Letters, 2008, 92, 021104.	1.5	9
458	Photoconductive response correction for detectors of terahertz radiation. Journal of Applied Physics, 2008, 104, .	1.1	53
459	Optically pumped equilateral triangular microlasers with three mode-selective trenches. , 2008, , .		0
460	Polarity driven formation of InAs/GaAs hierarchical nanowire heterostructures. Applied Physics Letters, 2008, 93, 201908.	1.5	36
461	Mechanisms of electrical isolation in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> \langle \text{mml:mrow} \langle \text{mml:msup} \langle \text{mml:mtext} \rangle \text{O} \langle \text{mml:mtext} \rangle \langle \text{mml:mo} \rangle + \langle \text{mml:mo} \rangle \langle \text{mml:msup} \langle \text{mml:mrow} \langle \text{mml:math} \rangle \text{ZnO} \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle \text{Physical Review B, 2008, 78, .$	1.1	46
462	Photonic crystal-enhanced quantum dot infrared photodetectors. , 2008, , .		2
463	Porous Silicon as Photonic Substrate for Hybrid Optoelectronics. ECS Meeting Abstracts, 2008, , .	0.0	0
464	In(Ga)As/GaAs Quantum Dots Grown by MOCVD for Opto-electronic Device Applications. , 2008, , 359-403.		4
465	Growth, Structural and Optical Properties of GaAs, InGaAs and AlGaAs Nanowires and Nanowire Heterostructures. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	2
466	Structural and Optical Properties of III-V Nanowires and Nanowire Heterostructures Grown by Metalorganic Chemical Vapour Deposition. , 2007, , .		0
467	Micro-Lasers for Future Generation of Optical Systems. , 2007, , .		0
468	Comparison of proton and phosphorous ion implantation-induced intermixing of InAs/InP quantum dots. Nanotechnology, 2007, 18, 175305.	1.3	7

#	ARTICLE	IF	CITATIONS
469	Influence of SiO ₂ and TiO ₂ dielectric layers on the atomic intermixing of In _x Ga _{1-x} As/InP quantum well structures. <i>Semiconductor Science and Technology</i> , 2007, 22, 988-992.	1.0	14
470	The state filling effect in p-doped InGaAs/GaAs quantum dots. <i>Journal of Physics Condensed Matter</i> , 2007, 19, 386213.	0.7	15
471	Ultrafast dynamics in ZnO/ZnMgO multiple quantum wells. <i>Nanotechnology</i> , 2007, 18, 315403.	1.3	11
472	Effect of GaP strain compensation layers on rapid thermally annealed InGaAs/GaAs quantum dot infrared photodetectors grown by metal-organic chemical-vapor deposition. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	5
473	Temperature dependent photoluminescence in oxygen ion implanted and rapid thermally annealed ZnO/ZnMgO multiple quantum wells. <i>Applied Physics Letters</i> , 2007, 90, 221914.	1.5	25
474	High temperature rapid thermal annealing of phosphorous ion implanted InAs/InP quantum dots. <i>Applied Physics Letters</i> , 2007, 90, 093106.	1.5	9
475	Polarization and temperature dependence of photoluminescence from zincblende and wurtzite InP nanowires. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	196
476	Evolution of InAs branches in InAs/GaAs nanowire heterostructures. <i>Applied Physics Letters</i> , 2007, 91, 133115.	1.5	39
477	Multiple wavelength InGaAs quantum dot lasers using selective area epitaxy. <i>Applied Physics Letters</i> , 2007, 90, 171104.	1.5	6
478	Analysis of optically pumped compact laterally coupled distributed feedback lasers with three symmetric defect regions. <i>Journal of Applied Physics</i> , 2007, 102, 083109.	1.1	2
479	Growth, Structural and Optical Properties of III-V Nanowires for Optoelectronic Applications. , 2007, , .		1
480	Modeling and characterization of InAs/GaAs quantum dot lasers grown using metal organic chemical vapor deposition. <i>Journal of Applied Physics</i> , 2007, 101, 013112.	1.1	15
481	Failure and Formation of Axial Nanowire Heterostructures in Vapor-Liquid-Solid Growth. <i>Materials Research Society Symposia Proceedings</i> , 2007, 1058, 1.	0.1	0
482	Transmission and emission terahertz time-domain spectroscopy with polarisation-sensitive photoconductive receivers. , 2007, , .		0
483	Spectral behavior of quantum dots-in-a-well infrared photodetectors grown by MOCVD. , 2007, , .		0
484	An ion-implanted InP receiver for polarization resolved terahertz spectroscopy. <i>Optics Express</i> , 2007, 15, 7047.	1.7	46
485	Transient Terahertz Conductivity of GaAs Nanowires. <i>Nano Letters</i> , 2007, 7, 2162-2165.	4.5	194
486	In-Plane Coupling of Light From InP-Based Photonic Crystal Band-Edge Lasers Into Single-Mode Waveguides. <i>IEEE Journal of Quantum Electronics</i> , 2007, 43, 279-286.	1.0	28

#	ARTICLE	IF	CITATIONS
487	Carrier dynamics in p-type InGaAs/GaAs quantum dots. Journal of Materials Science: Materials in Electronics, 2007, 18, 363-365.	1.1	5
488	Impurity-free disordering of InAs ⁺ InP quantum dots. Applied Physics Letters, 2007, 90, 243114.	1.5	15
489	Influence of quantum well and barrier composition on the spectral behavior of InGaAs quantum dots-in-a-well infrared photodetectors. Applied Physics Letters, 2007, 91, 173508.	1.5	19
490	Growth of III-V Nanowires and Nanowire Heterostructures by Metalorganic Chemical Vapor Deposition. , 2007, , .		1
491	Twin-Free Uniform Epitaxial GaAs Nanowires Grown by a Two-Temperature Process. Nano Letters, 2007, 7, 921-926.	4.5	297
492	Resonant Excitation and Imaging of Nonequilibrium Exciton Spins in Single Core ⁺ Shell GaAs ⁺ AlGaAs Nanowires. Nano Letters, 2007, 7, 588-595.	4.5	41
493	Effects of a p ⁺ n junction on heterojunction far infrared detectors. Infrared Physics and Technology, 2007, 50, 274-278.	1.3	0
494	Growth Mechanism of Truncated Triangular III ⁺ V Nanowires. Small, 2007, 3, 389-393.	5.2	136
495	Novel Growth Phenomena Observed in Axial InAs/GaAs Nanowire Heterostructures. Small, 2007, 3, 1873-1877.	5.2	93
496	Dynamics of Strongly Degenerate Electron ⁺ Hole Plasmas and Excitons in Single InP Nanowires. Nano Letters, 2007, 7, 3383-3387.	4.5	49
497	Multiple Wavelength InGaAs Quantum Dot Lasers Using Ion Implantation Induced Intermixing. Nanoscale Research Letters, 2007, 2, 550-553.	3.1	9
498	Epitaxial Germanium Nanowires on GaAs Grown by Chemical Vapor Deposition. Journal of the Korean Physical Society, 2007, 51, 120.	0.3	12
499	Influence of Nanowire Density on the Shape and Optical Properties of Ternary InGaAs Nanowires. Nano Letters, 2006, 6, 599-604.	4.5	222
500	Quantum dots-in-a-well infrared photodetectors grown by MOCVD. , 2006, , .		1
501	Integration of quantum dot optoelectronic devices using selective-area MOCVD. , 2006, , .		0
502	Integration of an InGaAs quantum-dot laser with a low-loss passive waveguide using selective-area epitaxy. IEEE Photonics Technology Letters, 2006, 18, 1648-1650.	1.3	9
503	The role of arsine in the self-assembled growth of InAs ⁺ GaAs quantum dots by metal organic chemical vapor deposition. Journal of Applied Physics, 2006, 99, 044908.	1.1	13
504	Proton irradiation-induced intermixing in In _x Ga _{1-x} As/InP quantum wells ⁺ the effect of In composition. Semiconductor Science and Technology, 2006, 21, 1441-1446.	1.0	5

#	ARTICLE	IF	CITATIONS
505	In(Ga)As/GaAs quantum dots for optoelectronic devices. , 2006, , .		3
506	Carrier dynamics in ion-implanted semiconductors studied by simulation and observation of terahertz emission. , 2006, , .		1
507	Observation of blue shifts in ZnO/ZnMgO multiple quantum well structures by ion-implantation induced intermixing. Semiconductor Science and Technology, 2006, 21, L25-L28.	1.0	39
508	Carrier transfer and magneto-transport in single modulation-doped V-grooved quantum wire modified by ion implantation. Journal of Luminescence, 2006, 119-120, 198-203.	1.5	0
509	Structural characteristics of GaSb δ -GaAs nanowire heterostructures grown by metal-organic chemical vapor deposition. Applied Physics Letters, 2006, 89, 231917.	1.5	99
510	III-V nanowires for optoelectronics. , 2006, , .		2
511	Quantum Dots and Nanowires Grown by Metal-Organic Chemical Vapor Deposition for Optoelectronic Device Applications. IEEE Transactions on Energy Conversion, 2006, 12, 1242-1254.	3.7	6
512	Micro-Photoluminescence Confocal Mapping of Single V-Grooved GaAs Quantum Wire. Chinese Physics Letters, 2006, 23, 3341-3344.	1.3	0
513	Comparison of InAs quantum dots grown on GaInAsP and InP. Nanotechnology, 2006, 17, 1867-1870.	1.3	17
514	Quantum Dots and Nanowires for Optoelectronic Device Applications. , 2006, , .		0
515	On quantifying the group-V to group-III interdiffusion rates in In _x Ga _{1-x} As/InP quantum wells. Semiconductor Science and Technology, 2006, 21, 829-832.	1.0	9
516	Effect of Rapid Thermal Annealing on the Atomic Intermixing of Zn- and C-Doped InGaAs δ -AlGaAs Quantum Well Laser Structures. Journal of the Electrochemical Society, 2006, 153, G879.	1.3	6
517	THz Emitters and Detectors Based on Ion Implanted III-V Semiconductors. , 2006, , .		0
518	InGaAsN Quantum Dots for Long Wavelength Lasers. , 2006, , .		0
519	Photonic device integration using MOCVD grown quantum dots. , 2006, , .		0
520	A transmission electron microscopy study of defects formed through the capping layer of self-assembled InAs δ -GaAs quantum dot samples. Journal of Applied Physics, 2006, 99, 113503.	1.1	28
521	Selective wavelength tuning of self-assembled InAs quantum dots grown on InP. Applied Physics Letters, 2006, 88, 193112.	1.5	18
522	Influence of surface passivation on ultrafast carrier dynamics and terahertz radiation generation in GaAs. Applied Physics Letters, 2006, 89, 232102.	1.5	103

#	ARTICLE	IF	CITATIONS
523	Effects of rapid thermal annealing on device characteristics of InGaAs/GaAs quantum dot infrared photodetectors. Journal of Applied Physics, 2006, 99, 114517.	1.1	45
524	Temperature dependence of photoluminescence from single core-shell GaAs/AlGaAs nanowires. Applied Physics Letters, 2006, 89, 173126.	1.5	158
525	Proton implantation-induced intermixing of InAs/InP quantum dots. Applied Physics Letters, 2006, 88, 223101.	1.5	15
526	Observation of coherent biexcitons in ZnO/ZnMgO multiple quantum wells at room temperature. Applied Physics Letters, 2006, 89, 182109.	1.5	15
527	Optimised Two-Temperature Growth of GaAs Nanowires by Metalorganic Chemical Vapour Deposition. , 2006, , .		0
528	Effect of Auger recombination on the performance of p-doped quantum dot lasers. Applied Physics Letters, 2006, 88, 161121.	1.5	17
529	Growth and Characterization of InAs/GaAs Quantum Dots and Diode Lasers. , 2006, , .		0
530	Broadband Terahertz Emission From Ion-Implanted Semiconductors. , 2006, , 77-80.		0
531	Toward quantum-dot-based photonic integrated circuits. , 2005, 5729, 41.		0
532	Growth of highly strained InGaAs quantum wells on GaAs substrates—effect of growth rate. Journal of Crystal Growth, 2005, 274, 85-89.	0.7	18
533	InAs quantum dots grown on InGaAs buffer layers by metal-organic chemical vapor deposition. Journal of Crystal Growth, 2005, 281, 290-296.	0.7	6
534	Study of intermixing in InGaAs/(Al)GaAs quantum well and quantum dot structures for optoelectronic/photonic integration. IET Circuits, Devices and Systems, 2005, 152, 491.	0.6	12
535	Room-Temperature Preparation of InGaAsN Quantum Dot Lasers Grown by MOCVD. Electrochemical and Solid-State Letters, 2005, 8, G57.	2.2	13
536	Rapid thermal annealing study of InGaAs/GaAs quantum dot infrared photodetectors grown by metal-organic chemical vapor deposition. , 2005, , .		1
537	Ion irradiation-induced disordering of semiconductors: defect structures and applications. Philosophical Magazine, 2005, 85, 677-687.	0.7	6
538	Controlling the properties of InGaAs quantum dots by selective-area epitaxy. Applied Physics Letters, 2005, 86, 113102.	1.5	29
539	Compound semiconductor optoelectronics research at the Australian National University. , 2005, , .		0
540	InGaAs quantum dots-in-a-well photodetectors grown by metal organic chemical vapor deposition. , 2005, , .		0

#	ARTICLE	IF	CITATIONS
541	Polarization-sensitive terahertz detection by multicontact photoconductive receivers. Applied Physics Letters, 2005, 86, 254102.	1.5	120
542	In/sub 0.5/Ga/sub 0.5/As/GaAs quantum dot infrared photodetectors grown by metal-organic chemical vapor deposition. IEEE Electron Device Letters, 2005, 26, 628-630.	2.2	43
543	Effects of strain and barrier height of thin interlayer on InAs quantum dots grown on GaInAsP/InP (100) by metalorganic chemical vapor deposition. , 2005, , .		0
544	Thermal stability of ion-implanted ZnO. Applied Physics Letters, 2005, 87, 231912.	1.5	37
545	Enhanced optical properties of the GaAsN/GaAs quantum-well structure by the insertion of InAs monolayers. Applied Physics Letters, 2004, 84, 2536-2538.	1.5	3
546	InGaAs quantum dots grown with GaP strain compensation layers. Journal of Applied Physics, 2004, 95, 5710-5714.	1.1	50
547	Structural, electrical, and optical analysis of ion implanted semi-insulating InP. Journal of Applied Physics, 2004, 95, 477-482.	1.1	1
548	Impurity free vacancy disordering of InGaAs quantum dots. Journal of Applied Physics, 2004, 96, 7544-7548.	1.1	29
549	Effects of thermal stress on interdiffusion in InGaAsN/GaAs quantum dots. Applied Physics Letters, 2004, 84, 4950-4952.	1.5	7
550	Optical properties of erbium-implanted porous silicon microcavities. Applied Physics Letters, 2004, 85, 3363-3365.	1.5	31
551	Towards p-type doping of ZnO by ion implantation. Materials Research Society Symposia Proceedings, 2004, 829, 382.	0.1	0
552	InAs Quantum Dots for Optoelectronic Device Applications. Materials Research Society Symposia Proceedings, 2004, 829, 249.	0.1	1
553	Implant isolation of AlGaAs multilayer DBR. Nuclear Instruments & Methods in Physics Research B, 2004, 218, 381-385.	0.6	6
554	Metalorganic chemical vapor deposition of GaAsN epilayers: microstructures and optical properties. Journal of Crystal Growth, 2004, 264, 92-97.	0.7	11
555	Suppression of thermal atomic interdiffusion in C-doped InGaAs/AlGaAs quantum well laser structures using TiO ₂ dielectric layers. Applied Physics Letters, 2004, 85, 5583-5585.	1.5	12
556	A Partially Depleted Absorber Photodiode With Graded Doping Injection Regions. IEEE Photonics Technology Letters, 2004, 16, 2326-2328.	1.3	33
557	Characteristics of MOCVD-Grown Thin p-Clad InGaAs Quantum-Dot Lasers. IEEE Photonics Technology Letters, 2004, 16, 2589-2591.	1.3	13
558	Picosecond Time-Resolved Bleaching Dynamics of Self-Assembled Quantum Dots. IEEE Nanotechnology Magazine, 2004, 3, 348-352.	1.1	5

#	ARTICLE	IF	CITATIONS
559	Investigation of the blueshift in electroluminescence spectra from MOCVD grown InGaAs quantum dots. IEEE Journal of Quantum Electronics, 2004, 40, 1410-1416.	1.0	7
560	Suppression of thermal atomic interdiffusion in InGaAs/AlGaAs QW laser structures. , 2004, , .		0
561	Determination of carrier-transfer length from side-wall quantum well to quantum wire by micro-photoluminescence scanning. Journal of Electronic Materials, 2003, 32, 913-916.	1.0	0
562	Electrical characterization of impurity-free disordering-induced defects in n-GaAs using native oxide layers. Applied Physics A: Materials Science and Processing, 2003, 76, 961-964.	1.1	1
563	Suppression of interdiffusion in InGaAs/GaAs quantum dots using dielectric layer of titanium dioxide. Applied Physics Letters, 2003, 82, 2613-2615.	1.5	57
564	Improvement of the kink-free operation in ridge-waveguide laser diodes due to coupling of the optical field to the metal layers outside the ridge. IEEE Photonics Technology Letters, 2003, 15, 1686-1688.	1.3	33
565	Low loss, thin p-clad 980-nm InGaAs semiconductor laser diodes with an asymmetric structure design. IEEE Journal of Quantum Electronics, 2003, 39, 625-633.	1.0	33
566	Effects of Zn Doping on Intermixing in InGaAs/AlGaAs Laser Diode Structures. Journal of the Electrochemical Society, 2003, 150, G481.	1.3	10
567	Proton-irradiation-induced intermixing of InGaAs quantum dots. Applied Physics Letters, 2003, 82, 2053-2055.	1.5	40
568	Defect Engineering and Atomic Relocation Processes in Impurity-Free Disordered GaAs and AlGaAs. Materials Research Society Symposia Proceedings, 2003, 799, 1.	0.1	0
569	Characterization of deep level traps responsible for isolation of proton implanted GaAs. Journal of Applied Physics, 2003, 93, 3234-3238.	1.1	11
570	Ion-implanted In _{0.53} Ga _{0.47} As for ultrafast optoelectronic applications. Applied Physics Letters, 2003, 82, 3913-3915.	1.5	55
571	Electrical isolation of n- and p-In _{0.53} Ga _{0.47} As epilayers using ion irradiation. Journal of Applied Physics, 2003, 94, 6616-6620.	1.1	15
572	Ultrafast carrier trapping and recombination in highly resistive ion implanted InP. Journal of Applied Physics, 2003, 94, 1074-1078.	1.1	14
573	Implantation-induced electrical isolation of GaAsN epilayers grown by metalorganic chemical vapor deposition. Applied Physics Letters, 2003, 83, 3386-3388.	1.5	2
574	Influence of cap layer on implantation induced interdiffusion in InP/InGaAs quantum wells. Journal of Applied Physics, 2003, 93, 4468-4470.	1.1	14
575	Epitaxially grown GaAsN random laser. Journal of Applied Physics, 2003, 93, 5855-5858.	1.1	20
576	Defect Evolution in Annealed p-type GaAsN Epilayers Grown by Metalorganic Chemical Vapour Deposition. Japanese Journal of Applied Physics, 2003, 42, 6827-6832.	0.8	10

#	ARTICLE	IF	CITATIONS
577	A Comparison of Low-Energy As Ion Implantation and Impurity-Free Disorder Induced Defects in N-Type GaAs Epitaxial Layers. Japanese Journal of Applied Physics, 2003, 42, 1158-1163.	0.8	7
578	Towards a better understanding of the operative mechanisms underlying impurity-free disordering of GaAs: Effect of stress. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2003, 21, 198.	1.6	10
579	Atomic relocation processes in impurity-free disordered p-GaAs epilayers studied by deep level transient spectroscopy. Applied Physics Letters, 2002, 81, 3573-3575.	1.5	3
580	Ultrafast trapping times in ion implanted InP. Journal of Applied Physics, 2002, 92, 2420-2423.	1.1	9
581	Electrical isolation of Al _x Ga _{1-x} As by ion irradiation. Applied Physics Letters, 2002, 80, 264-266.	1.5	13
582	On the nature of radiative recombination in GaAsN. Applied Physics Letters, 2002, 81, 4368-4370.	1.5	23
583	Impurity-free disordering mechanisms in GaAs-based structures using doped spin-on silica layers. Applied Physics Letters, 2002, 80, 4351-4353.	1.5	14
584	<title>Impurity-free vacancy disordering of InGaAs quantum dots</title>. , 2002, 4656, 43.		1
585	Electrical isolation of p-type GaAsN epitaxial layers by ion irradiation. Materials Research Society Symposia Proceedings, 2002, 744, 1.	0.1	0
586	Interdiffusion in Semiconductor Quantum Dot Structures. Materials Research Society Symposia Proceedings, 2002, 744, 1.	0.1	1
587	Passive mode locking of a self-frequency-doubling Yb:YAl ₃ (BO ₃) ₄ laser. Optics Letters, 2002, 27, 436.	1.7	43
588	Suppression of interdiffusion in GaAs/AlGaAs quantum-well structure capped with dielectric films by deposition of gallium oxide. Journal of Applied Physics, 2002, 92, 3579-3583.	1.1	35
589	Study of intermixing in a GaAs/AlGaAs quantum-well structure using doped spin-on silica layers. Applied Physics Letters, 2002, 80, 1171-1173.	1.5	16
590	Thermally stimulated luminescence in ion-implanted GaAs. Journal of Luminescence, 2002, 96, 287-293.	1.5	6
591	Passively mode-locked, self-frequency doubled, diode-pumped Yb: YAl ₃ (BO ₃) ₄ laser. , 2002, , .		0
592	Optical transition in infrared photodetector based on V-groove Al _{0.5} Ga _{0.5} As/GaAs multiple quantum wire. Journal of Applied Physics, 2001, 89, 2351-2356.	1.1	19
593	Ion Implantation Induced Interdiffusion in Quantum Wells for Optoelectronic Device Integration. Materials Research Society Symposia Proceedings, 2001, 692, 1.	0.1	0
594	<title>Use of ion implantation for the creation of ultrafast photodetector materials and tuning of quantum well infrared photodetectors</title>. , 2001, , .		0

#	ARTICLE	IF	CITATIONS
595	Carrier transfer between V-grooved quantum wire and vertical quantum well. Physics Letters, Section A: General, Atomic and Solid State Physics, 2001, 280, 77-80.	0.9	3
596	Deep-level transient spectroscopy study of electron traps in rapid thermally annealed SiO ₂ -capped n-type GaAs layers grown by metalorganic chemical vapour deposition. Physica B: Condensed Matter, 2001, 308-310, 776-779.	1.3	3
597	Tuning of detection wavelength of quantum-well infrared photodetectors by quantum-well intermixing. Infrared Physics and Technology, 2001, 42, 171-175.	1.3	6
598	Possibility of improved frequency response from intermixed quantum-well devices. Superlattices and Microstructures, 2001, 29, 105-110.	1.4	0
599	The asymmetry in the characteristics of GaAs/AlGaAs quantum well infrared photodetectors. Journal of Crystal Growth, 2001, 222, 786-790.	0.7	3
600	Measurement of the damage profile of ion-implanted GaAs using an automated optical profiler. Nuclear Instruments & Methods in Physics Research B, 2001, 173, 528-532.	0.6	1
601	Application of Selective Implantation in Al _{0.5} Ga _{0.5} As/In _{0.25} Ga _{0.75} As/GaAs Pseudomorphic Single Quantum Wire Structures. Journal of Nanoscience and Nanotechnology, 2001, 1, 389-392.	0.9	2
602	Ion-implanted InGaAs single quantum well semiconductor saturable absorber mirrors for passive mode-locking. Journal Physics D: Applied Physics, 2001, 34, 2455-2464.	1.3	41
603	Electrical isolation of n-type and p-type InP layers by proton bombardment. Journal of Applied Physics, 2001, 89, 5343-5347.	1.1	27
604	Tuning the detection wavelength of quantum-well infrared photodetectors by single high-energy implantation. Applied Physics Letters, 2001, 78, 10-12.	1.5	18
605	Electron and trap dynamics in As-ion-implanted and annealed GaAs. Applied Physics Letters, 2001, 78, 1667-1669.	1.5	6
606	Evidence of blocking effect on carrier trapping process by necking region in very narrow AlGaAs/GaAs V-grooved quantum wire structure. Journal of Applied Physics, 2001, 90, 5438-5440.	1.1	1
607	Surface Disorder and Nitrogen Loss in GaN under Ion Bombardment. Materials Research Society Symposia Proceedings, 2000, 622, 791.	0.1	7
608	Arsenic implantation-induced intermixing effects on AlGaAs/GaAs single QW structures. Physics Letters, Section A: General, Atomic and Solid State Physics, 2000, 271, 213-216.	0.9	3
609	Proton implantation-induced intermixing effects on AlGaAs/GaAs single QW structures. Physics Letters, Section A: General, Atomic and Solid State Physics, 2000, 278, 99-102.	0.9	2
610	Investigation of AlGaAs/GaAs V-grooved Quantum Wire Infrared Photodetector Structures. Japanese Journal of Applied Physics, 2000, 39, 5124-5127.	0.8	3
611	Wavelength Tuning of GaAs/AlGaAs Quantum-Well Infrared Photo-detectors by Proton Implantation Induced Intermixing. Japanese Journal of Applied Physics, 2000, 39, 1687-1689.	0.8	10
612	Influence of annealing on carrier dynamics in As ion-implanted epitaxially lifted-off GaAs layers. Applied Physics Letters, 2000, 76, 1306-1308.	1.5	17

#	ARTICLE	IF	CITATIONS
613	Wavelength shifting of adjacent quantum wells in V-groove quantum wire structure by selective implantation and annealing. Journal of Applied Physics, 2000, 87, 1566-1568.	1.1	6
614	A comparison of impurity-free and ion-implantation-induced intermixing of InGaAs/InP quantum wells. Journal of Applied Physics, 2000, 88, 5252-5254.	1.1	19
615	Optical properties of arsenic ions implanted GaAs/AlGaAs V-grooved quantum wires. Journal of Applied Physics, 2000, 88, 2519-2522.	1.1	2
616	Investigation of deep levels in rapid thermally annealed SiO ₂ -capped n-GaAs grown by metal-organic chemical vapor deposition. Applied Physics Letters, 2000, 77, 696-698.	1.5	17
617	Silane Flow Rate Dependence of SiO _x Cap Layer Induced Impurity-Free Intermixing of GaAs/AlGaAs Quantum Wells. Journal of the Electrochemical Society, 2000, 147, 1950.	1.3	28
618	Electronic and isochronal annealing properties of electron traps in rapid thermally annealed SiO ₂ -capped n-type GaAs epitaxial layers. Journal of Applied Physics, 2000, 88, 5255-5261.	1.1	14
619	High-pressure high-temperature annealing of ion-implanted GaN films monitored by visible and ultraviolet micro-Raman scattering. Journal of Applied Physics, 2000, 87, 2736-2741.	1.1	33
620	Quality of silica capping layer and its influence on quantum-well intermixing. Applied Physics Letters, 2000, 76, 837-839.	1.5	23
621	Thermal annealing recovery of intersubband transitions in proton-irradiated GaAs/AlGaAs multiple quantum wells. Applied Physics Letters, 2000, 77, 2867-2869.	1.5	7
622	Influence of SiO _x Capping Layer Quality on Impurity-Free Interdiffusion in GaAs/AlGaAs Quantum Wells. Materials Research Society Symposia Proceedings, 1999, 607, 491.	0.1	3
623	Role of implantation-induced defects on the response time of semiconductor saturable absorbers. Applied Physics Letters, 1999, 75, 1437-1439.	1.5	23
624	Spatially resolved luminescence investigation of AlGaAs/GaAs single quantum wires modified by selective implantation and annealing. Applied Physics Letters, 1999, 75, 3339-3341.	1.5	10
625	Interdiffused quantum-well infrared photodetectors for color sensitive arrays. Applied Physics Letters, 1999, 75, 923-925.	1.5	20
626	Intermixing-induced resonance shift in GaAs/Al _x O _y distributed Bragg resonators. Journal of Applied Physics, 1999, 85, 7964-7966.	1.1	6
627	Proton irradiation-induced intermixing in InGaAs/(Al)GaAs quantum wells and quantum-well lasers. Journal of Applied Physics, 1999, 85, 6786-6789.	1.1	29
628	Wavelength Tuning of GaAs/AlGaAs Quantum-Well Infrared Photodetectors by Thermal Interdiffusion. Japanese Journal of Applied Physics, 1999, 38, 5044-5045.	0.8	22
629	Energy sublevels in an Al _{0.5} Ga _{0.5} As/GaAs/Al _{0.5} Ga _{0.5} As quantum wire. Superlattices and Microstructures, 1999, 26, 307-315.	1.4	3
630	Proton implantation and rapid thermal annealing effects on GaAs/AlGaAs quantum well infrared photodetectors. Superlattices and Microstructures, 1999, 26, 317-324.	1.4	12

#	ARTICLE	IF	CITATIONS
631	Nonlinear optical absorption and temporal response of arsenic- and oxygen-implanted GaAs. Applied Physics Letters, 1999, 74, 1993-1995.	1.5	37
632	Multipulse operation of a Ti:sapphire laser mode locked by an ion-implanted semiconductor saturable-absorber mirror. Journal of the Optical Society of America B: Optical Physics, 1999, 16, 895.	0.9	122
633	The Use of Micro-Raman Spectroscopy to Monitor High-Pressure High-Temperature Annealing of Ion-Implanted GaN Films. Materials Research Society Symposia Proceedings, 1999, 595, 1.	0.1	1
634	High power CW output from low confinement asymmetric structure diode laser. Electronics Letters, 1999, 35, 148.	0.5	10
635	Vertical integration of dual wavelength index guided lasers. Electronics Letters, 1999, 35, 815.	0.5	1
636	Analysis of semiconductors by ion channelling: Applications and pitfalls. Nuclear Instruments & Methods in Physics Research B, 1998, 136-138, 453-459.	0.6	7
637	In _{0.2} Ga _{0.8} As/GaAs quantum well laser with C doped cladding and ohmic contact layers. Journal of Electronic Materials, 1998, 27, L61-L63.	1.0	1
638	Si-implantation activation annealing of GaN up to 1400Å°C. Journal of Electronic Materials, 1998, 27, 179-184.	1.0	39
639	Anodic-oxide-induced intermixing in GaAs-AlGaAs quantum-well and quantum-wire structures. IEEE Journal of Selected Topics in Quantum Electronics, 1998, 4, 629-635.	1.9	22
640	An antiresonant Fabry-Perot saturable absorber for passive mode-locking fabricated by metal-organic vapor phase epitaxy and ion implantation design, characterization, and mode-locking. IEEE Journal of Quantum Electronics, 1998, 34, 2150-2161.	1.0	19
641	Carrier capture into InGaAs/GaAs quantum wells via impurity mediated resonant tunneling. Applied Physics Letters, 1998, 72, 2008-2010.	1.5	4
642	Anodic-oxide-induced interdiffusion in GaAs/AlGaAs quantum wells. Journal of Applied Physics, 1998, 83, 1305-1311.	1.1	29
643	Improved carrier collection in intermixed InGaAs/GaAs quantum wells. Applied Physics Letters, 1998, 73, 3408-3410.	1.5	26
644	Annealing of ion implanted gallium nitride. Applied Physics Letters, 1998, 72, 1190-1192.	1.5	75
645	Amorphous Semiconductor Sample Preparation For Transmission Exafs Measurements. Materials Research Society Symposia Proceedings, 1998, 524, 309.	0.1	3
646	Selective Intermixing of Ion Irradiated Semiconductor Heterostructures. Materials Research Society Symposia Proceedings, 1998, 540, 15.	0.1	2
647	Characterization of Low-Temperature PECVD Silicon Dioxide Films. Materials Research Society Symposia Proceedings, 1998, 555, 197.	0.1	2
648	Electrical and structural analysis of high-dose Si implantation in GaN. Applied Physics Letters, 1997, 70, 2729-2731.	1.5	107

#	ARTICLE	IF	CITATIONS
649	Wavelength shifting in GaAs quantum well lasers by proton irradiation. Applied Physics Letters, 1997, 71, 2680-2682.	1.5	46
650	GaAs based anti-resonant Fabry-Pérot saturable absorber fabricated by metal organic vapor phase epitaxy and ion implantation. Applied Physics Letters, 1997, 70, 3428-3430.	1.5	27
651	Solid-phase epitaxial growth of $\text{Al}_x\text{Ga}_{1-x}\text{As}$ alloys as a function of Al content. Applied Physics Letters, 1997, 71, 1397-1399.	1.5	4
652	Implantation Activation Annealing of Si-Implanted Gallium Nitride at Temperatures $> 1100\text{ }^\circ\text{C}$. Materials Research Society Symposia Proceedings, 1997, 468, 401.	0.1	5
653	Doping, Activation of Impurities, and Defect Annihilation in GaN by High Pressure Annealing. Materials Research Society Symposia Proceedings, 1997, 482, 946.	0.1	6
654	Quantum Well Intermixing for Optoelectronic Applications. Materials Research Society Symposia Proceedings, 1997, 484, 397.	0.1	3
655	High dose Si- and Mg-implantation in GaN: Electrical and structural analysis. Nuclear Instruments & Methods in Physics Research B, 1997, 127-128, 467-470.	0.6	24
656	Structural, electrical, and optical studies of GaAs implanted with MeV As or Ga ions. Journal of Electronic Materials, 1997, 26, 449-458.	1.0	11
657	Ion-implanted GaAs for subpicosecond optoelectronic applications. IEEE Journal of Selected Topics in Quantum Electronics, 1996, 2, 636-642.	1.9	12
658	Damage to epitaxial GaN layers by silicon implantation. Applied Physics Letters, 1996, 69, 2364-2366.	1.5	118
659	Ultrafast carrier trapping in high energy ion implanted gallium arsenide. Applied Physics Letters, 1996, 68, 2225-2227.	1.5	25
660	Ion Implantation and Annealing Studies in III-V Nitrides. Materials Research Society Symposia Proceedings, 1996, 449, 981.	0.1	8
661	Ion damage buildup and amorphization processes in $\text{GaAs}_{1-x}\text{Al}_x\text{GaAs}$ multilayers. Journal of Applied Physics, 1996, 80, 2691-2701.	1.1	16
662	Large energy shifts in $\text{GaAs}_{1-x}\text{Al}_x\text{GaAs}$ quantum wells by proton irradiation-induced intermixing. Applied Physics Letters, 1996, 68, 2401-2403.	1.5	86
663	Recrystallization of high energy As-implanted GaAs studied by transmission electron microscopy. Applied Physics Letters, 1996, 68, 1501-1503.	1.5	7
664	Time and spatially resolved photoluminescence measurements of nonstoichiometric GaAs. Applied Physics Letters, 1996, 68, 397-399.	1.5	9
665	Irradiation-Induced Damage and Intermixing of GaAs-AlGaAs Quantum Wells. Materials Research Society Symposia Proceedings, 1995, 396, 823.	0.1	13
666	A comparative study of deep levels created by low dose implantation of hydrogen, oxygen and silicon into MOCVD grown n-GaAs. Nuclear Instruments & Methods in Physics Research B, 1995, 106, 313-317.	0.6	1

#	ARTICLE	IF	CITATIONS
667	Measurement of the distribution of damage in ion implanted GaAs by differential reflectance spectroscopy. Nuclear Instruments & Methods in Physics Research B, 1995, 96, 109-112.	0.6	2
668	High resistivity and picosecond carrier lifetime of GaAs implanted with MeV Ga ions at high fluences. Applied Physics Letters, 1995, 67, 1724-1726.	1.5	27
669	Characterization of deep levels and carrier compensation created by proton irradiation in undoped GaAs. Journal of Applied Physics, 1995, 78, 1481-1487.	1.1	32
670	Ion damage buildup and amorphization processes in Al _x Ga _{1-x} As. Journal of Applied Physics, 1995, 77, 87-94.	1.1	65
671	Picosecond carrier lifetime in GaAs implanted with high doses of As ions: An alternative material to low-temperature GaAs for optoelectronic applications. Applied Physics Letters, 1995, 66, 3304-3306.	1.5	76
672	Optical measurement of the distribution of damage in ion-implanted GaAs. Semiconductor Science and Technology, 1994, 9, 1489-1492.	1.0	7
673	Dynamic Annealing and Amorphous Phase Formation in Si, GaAs and AlGaAs Under Ion Irradiation. Materials Research Society Symposia Proceedings, 1993, 316, 15.	0.1	20
674	Solid-phase epitaxy of Al _x Ga _{1-x} As: kinetics as a function of composition. , 0, , .		0
675	Quantum well intermixing and wavelength-shifting in GaAs lasers by proton irradiation. , 0, , .		0
676	Ion implantation for wavelength-shifting and quantum wire lasers. , 0, , .		1
677	Ion implantation into gallium nitride. , 0, , .		0
678	Tuning of detection wavelength of GaAs/AlGaAs quantum-well IR photo-detectors by thermal interdiffusion. , 0, , .		0
679	Effect of dopants in the spin-on glass layer on the bandgap shift in GaAs/AlGaAs and InGaAs/AlGaAs intermixed quantum wells. , 0, , .		1
680	Ion-implanted InP for ultrafast photodetector applications. , 0, , .		0
681	Postgrowth wavelength tuning of optoelectronic devices by ion implantation induced quantum well intermixing. , 0, , .		0
682	High power, kink-free 970 nm InGaAs/AlGaAs laser diodes with asymmetric structure. , 0, , .		0
683	Atomic interdiffusion for integration of quantum dot optoelectronic devices. , 0, , .		0
684	Spatial selectivity of impurity free vacancy disordering using different dielectric layers for photonic/optoelectronic integrated circuits. , 0, , .		0

#	ARTICLE	IF	CITATIONS
685	Hot Electron Injection Laser Controlled Carrier-Heating Induced Gain Switching. , 0, , .		0
686	Growth and Characterisation of InAs/GaAs Quantum Dots Grown by MOCVD. , 0, , .		6
687	Proton Irradiation Induced Intermixing in In _x Ga _{1-x} As/InP Quantum Wells. , 0, , .		0
688	Comparison of Photocurrent Spectra of InGaAsN QD and InGaAs QW Laser Devices. , 0, , .		0
689	Characterisation of InGaAs/GaAs Quantum Dot Lasers Grown by Metal-Organic Vapour Phase Epitaxy. , 0, , .		0
690	Role of Thin GaAs Interlayer on InAs Quantum Dots Grown on InGaAsP/InP. , 0, , .		0
691	Multi-bandgap solar cells: opportunities and challenges. SPIE Newsroom, 0, , .	0.1	0
692	Narrow-bandgap InGaAsP Solar Cell with TiO ₂ Carrier-selective Contact. Physica Status Solidi - Rapid Research Letters, 0, , 2100282.	1.2	2
693	Electrically tunable terahertz metamaterials with embedded large-area transparent thin-film transistor arrays. , 0, .		1
694	Novel nanoscale transfer printing technique for precise positioning of nanowire lasers. SPIE Newsroom, 0, , .	0.1	2