

Irena Nalepa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6138197/publications.pdf>

Version: 2024-02-01

85
papers

1,460
citations

304743

22
h-index

377865

34
g-index

88
all docs

88
docs citations

88
times ranked

1780
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic lesions of the noradrenergic system trigger induction of oxidative stress and inflammation in the ventral midbrain. <i>Neurochemistry International</i> , 2022, 155, 105302.	3.8	3
2	Psychosocial Crowding Stress-Induced Changes in Synaptic Transmission and Glutamate Receptor Expression in the Rat Frontal Cortex. <i>Biomolecules</i> , 2021, 11, 294.	4.0	4
3	Antidepressants Differentially Regulate Intracellular Signaling from $\hat{\pm}$ 1-Adrenergic Receptor Subtypes In Vitro. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4817.	4.1	0
4	Chronic restraint stress induces changes in the cerebral Galpha 12/13 and Rho-GTPase signaling network. <i>Pharmacological Reports</i> , 2021, 73, 1179-1187.	3.3	6
5	The Air We Breathe: Air Pollution as a Prevalent Proinflammatory Stimulus Contributing to Neurodegeneration. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 647643.	3.7	41
6	Metabolic Response of RAW 264.7 Macrophages to Exposure to Crude Particulate Matter and a Reduced Content of Organic Matter. <i>Toxics</i> , 2021, 9, 205.	3.7	3
7	Anticonvulsant effect of pterostilbene and its influence on the anxiety- and depression-like behavior in the pentetrazol-kindled mice: behavioral, biochemical, and molecular studies. <i>Psychopharmacology</i> , 2021, 238, 3167-3181.	3.1	15
8	Pharmacological Blockade of Spinal CXCL3/CXCR2 Signaling by NVP CXCR2 20, a Selective CXCR2 Antagonist, Reduces Neuropathic Pain Following Peripheral Nerve Injury. <i>Frontiers in Immunology</i> , 2019, 10, 2198.	4.8	27
9	The influence of CaMKII and ERK phosphorylation on BDNF changes observed in mice selectively devoid of CREB in serotonergic or noradrenergic neurons. <i>Pharmacological Reports</i> , 2019, 71, 753-761.	3.3	5
10	Stimulation of noradrenergic transmission by reboxetine is beneficial for a mouse model of progressive parkinsonism. <i>Scientific Reports</i> , 2019, 9, 5262.	3.3	19
11	Fear memory-induced alterations in the mRNA expression of G proteins in the mouse brain and the impact of immediate posttraining treatment with morphine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 93, 221-231.	4.8	6
12	Novel multi-target azinesulfonamides of cyclic amine derivatives as potential antipsychotics with pro-social and pro-cognitive effects. <i>European Journal of Medicinal Chemistry</i> , 2018, 145, 790-804.	5.5	43
13	Assessment of leukocyte activity in mice devoid of the glucocorticoid receptor in the noradrenergic system (GR DBHCre). <i>Immunobiology</i> , 2018, 223, 227-238.	1.9	2
14	Selective Depletion of CREB in Serotonergic Neurons Affects the Upregulation of Brain-Derived Neurotrophic Factor Evoked by Chronic Fluoxetine Treatment. <i>Frontiers in Neuroscience</i> , 2018, 12, 637.	2.8	14
15	The Protective Effect of Repeated 1MeTIQ Administration on the Lactacystin-Induced Impairment of Dopamine Release and Decline in TH Level in the Rat Brain. <i>Neurotoxicity Research</i> , 2018, 34, 706-716.	2.7	3
16	Involvement of Macrophage Inflammatory Protein-1 Family Members in the Development of Diabetic Neuropathy and Their Contribution to Effectiveness of Morphine. <i>Frontiers in Immunology</i> , 2018, 9, 494.	4.8	48
17	Suppression of pro-inflammatory cytokine expression and lack of anti-depressant-like effect of fluoxetine in lipopolysaccharide-treated old female mice. <i>International Immunopharmacology</i> , 2017, 48, 35-42.	3.8	15
18	Depressive-like effect of prenatal exposure to DDT involves global DNA hypomethylation and impairment of GPER1/ESR1 protein levels but not ESR2 and AHR/ARNT signaling. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 171, 94-109.	2.5	26

#	ARTICLE	IF	CITATIONS
19	Transgenic mice lacking CREB and CREM in noradrenergic and serotonergic neurons respond differently to common antidepressants on tail suspension test. <i>Scientific Reports</i> , 2017, 7, 13515.	3.3	22
20	Spinal CCL1/CCR8 signaling interplay as a potential therapeutic target – Evidence from a mouse diabetic neuropathy model. <i>International Immunopharmacology</i> , 2017, 52, 261-271.	3.8	31
21	A lack of β 1A-adrenergic receptor-mediated antidepressant-like effects of S-(+)-niguldipine and B8805-033 in the forced swim test. <i>Behavioural Pharmacology</i> , 2016, 27, 397-401.	1.7	1
22	Imipramine administration induces changes in the phosphorylation of FAK and PYK2 and modulates signaling pathways related to their activity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 424-433.	2.4	3
23	Depressive-like immobility behavior and genotype–stress interactions in male mice of selected strains. <i>Stress</i> , 2016, 19, 206-213.	1.8	7
24	Neuroprotective Effect of the Endogenous Amine 1MeTIQ in an Animal Model of Parkinson’s Disease. <i>Neurotoxicity Research</i> , 2016, 29, 351-363.	2.7	11
25	Disruption of glucocorticoid receptors in the noradrenergic system leads to BDNF up-regulation and altered serotonergic transmission associated with a depressive-like phenotype in female GRDBHCre mice. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 137, 69-77.	2.9	12
26	Selective ablation of glucocorticoid receptors in the noradrenergic system affects evening corticosterone levels in a sex-dependent manner. <i>Pharmacological Reports</i> , 2015, 67, 1201-1203.	3.3	7
27	Prenatal stress affects insulin-like growth factor-1 (IGF-1) level and IGF-1 receptor phosphorylation in the brain of adult rats. <i>European Neuropsychopharmacology</i> , 2014, 24, 1546-1556.	0.7	42
28	Isomer-nonspecific action of dichlorodiphenyltrichloroethane on aryl hydrocarbon receptor and G-protein-coupled receptor 30 intracellular signaling in apoptotic neuronal cells. <i>Molecular and Cellular Endocrinology</i> , 2014, 392, 90-105.	3.2	35
29	Brief maternal separation affects brain β 1-adrenoceptors and apoptotic signaling in adult mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 48, 161-169.	4.8	19
30	β 1-Adrenergic receptor subtypes in the central nervous system: insights from genetically engineered mouse models. <i>Pharmacological Reports</i> , 2013, 65, 1489-1497.	3.3	36
31	Minocycline influences the anti-inflammatory interleukins and enhances the effectiveness of morphine under mice diabetic neuropathy. <i>Journal of Neuroimmunology</i> , 2013, 262, 35-45.	2.3	54
32	Gender differences in genetic mouse models evaluated for depressive-like and antidepressant behavior. <i>Pharmacological Reports</i> , 2013, 65, 1580-1590.	3.3	21
33	Gender-dependent activity of CYP3A is indirectly modified by GR in the noradrenergic system. <i>Pharmacological Reports</i> , 2013, 65, 1431-1434.	3.3	3
34	Macrophages and depression – A misalliance or well-arranged marriage?. <i>Pharmacological Reports</i> , 2013, 65, 1663-1672.	3.3	31
35	Inactivation of Glucocorticoid Receptor in Noradrenergic System Influences Anxiety- and Depressive-Like Behavior in Mice. <i>PLoS ONE</i> , 2013, 8, e72632.	2.5	28
36	Morphine-induced place preference affects mRNA expression of G protein β subunits in rat brain. <i>Pharmacological Reports</i> , 2012, 64, 546-557.	3.3	5

#	ARTICLE	IF	CITATIONS
37	Acute and repeated treatment with the 5-HT ₇ receptor antagonist SB 269970 induces functional desensitization of 5-HT ₇ receptors in rat hippocampus. <i>Pharmacological Reports</i> , 2012, 64, 256-265.	3.3	20
38	Effects of co-administration of fluoxetine and risperidone on properties of peritoneal and pleural macrophages in rats subjected to the forced swimming test. <i>Pharmacological Reports</i> , 2012, 64, 1368-1380.	3.3	14
39	Effects of the noradrenergic neurotoxin DSP-4 on the expression of $\hat{1}\pm$ 1-adrenoceptor subtypes after antidepressant treatment. <i>Pharmacological Reports</i> , 2011, 63, 1349-1358.	3.3	10
40	Centropazine affinity to cortical noradrenergic receptors and effect on their responsiveness in the rat*. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 45, 228-230.	2.4	3
41	Avoidance learning during antidepressant withdrawal in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 43, 51-53.	2.4	2
42	The effect of (\hat{e}) ² -4-(2-hydroxy-3(N-isopropylamino)-propoxyimino)-cis-carane on basal and forskolin-stimulated accumulation of cyclic AMP in the cerebral cortical slices of the rat. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 46, 393-394.	2.4	1
43	Paroxetine pretreatment does not change the effects induced in the rat cortical $\hat{1}^2$ -adrenergic receptor system by repetitive transcranial magnetic stimulation and electroconvulsive shock. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 737-746.	2.1	2
44	Carane derivative stereoisomers of different local anaesthetic and antiplatelet activity similarly potentiate forskolin-stimulated cyclic AMP response and bind to $\hat{1}^2$ -adrenoceptors in the rat brain cortex. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 56, 1429-1434.	2.4	6
45	Changes induced by formalin pain in central $\hat{1}\pm$ 1-adrenoceptor density are modulated by adenosine receptor agonists. <i>Journal of Neural Transmission</i> , 2010, 117, 549-558.	2.8	7
46	Effects of morphine and methadone treatment on mRNA expression of $G\hat{1}\pm(i)$ subunits in rat brains. <i>Pharmacological Reports</i> , 2010, 62, 1197-1203.	3.3	7
47	Concomitant administration of fluoxetine and amantadine modulates the activity of peritoneal macrophages of rats subjected to a forced swimming test. <i>Pharmacological Reports</i> , 2009, 61, 1069-1077.	3.3	21
48	Cryptic peptide derived from the rat neuropeptide FF precursor affects G-proteins linked to opioid receptors in the rat brain. <i>Peptides</i> , 2008, 29, 1988-1993.	2.4	4
49	Chronic Treatment With Electroconvulsive Shock May Modulate the Immune Function of Macrophages. <i>Journal of ECT</i> , 2008, 24, 260-267.	0.6	13
50	Effect of cocaine on responsiveness of alpha(1)-adrenergic receptors in rat cerebral cortex: modulation by GABA-mimetic drugs. <i>Pharmacological Reports</i> , 2008, 60, 980-4.	3.3	4
51	Does the presence of morphine counteract adaptive changes in expression of G-protein alpha subunits mRNA induced by chronic morphine treatment?. <i>Pharmacological Reports</i> , 2007, 59, 34-45.	3.3	13
52	Effect of cocaine sensitization on alpha1-adrenoceptors in brain regions of the rat: an autoradiographic analysis. <i>Pharmacological Reports</i> , 2006, 58, 827-35.	3.3	6
53	Effect of Repeated Administration of Paroxetine and Electroconvulsive Shock on the Proliferative Response of Lymphocytes and the Synthesis of Nitric Oxide by Macrophages in Rats. <i>Journal of ECT</i> , 2005, 21, 111-117.	0.6	14
54	Nicotine produces antidepressant-like actions: Behavioral and neurochemical evidence. <i>European Journal of Pharmacology</i> , 2005, 515, 128-133.	3.5	15

#	ARTICLE	IF	CITATIONS
55	Magnetic field inhibits isolated lymphocytes' proliferative response to mitogen stimulation. <i>Bioelectromagnetics</i> , 2005, 26, 201-206.	1.6	7
56	Formalin hindpaw injection induces changes in the [3H]prazosin binding to $\hat{1}\pm 1$ -adrenoceptors in specific regions of the mouse brain and spinal cord. <i>Journal of Neural Transmission</i> , 2005, 112, 1309-1319.	2.8	15
57	The dopamine D4 receptor VNTR in Polish schizophrenia patients. <i>Schizophrenia Research</i> , 2005, 73, 129-131.	2.0	5
58	Chronic treatment with citalopram does not affect the expression of alpha1-adrenergic receptor (alpha1-AR) subtypes. <i>Polish Journal of Pharmacology</i> , 2004, 56, 831-6.	0.3	4
59	A possible physiological role for cerebral tetrahydroisoquinolines. <i>Neurotoxicity Research</i> , 2003, 5, 147-155.	2.7	41
60	The interaction of tetrahydroisoquinoline derivatives with antinociceptive action of morphine and oxotremorine in mice. <i>Journal of Neural Transmission</i> , 2003, 110, 1205-1213.	2.8	3
61	Repeated imipramine and electroconvulsive shock increase $\hat{1}\pm 1$ A-adrenoceptor mRNA level in rat prefrontal cortex. <i>European Journal of Pharmacology</i> , 2002, 444, 151-159.	3.5	29
62	Behavioural and biochemical studies of citalopram and WAY 100635 in rat chronic mild stress model. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 72, 465-474.	2.9	50
63	Using reverse transcription and a competitive polymerase chain reaction for quantification of alpha1B-adrenoceptor mRNA. <i>Polish Journal of Pharmacology</i> , 2002, 54, 401-5.	0.3	3
64	Effect of combined treatment with paroxetine and transcranial magnetic stimulation (TMS) on the mitogen-induced proliferative response of rat lymphocytes. <i>Polish Journal of Pharmacology</i> , 2002, 54, 633-9.	0.3	5
65	Opposite effect of simple tetrahydroisoquinolines on amphetamine- and morphine-stimulated locomotor activity in mice. <i>Journal of Neural Transmission</i> , 2001, 108, 513-526.	2.8	33
66	Splenectomy and Adoptive Cell Transfer Reveal a Prominent Role for Splenic Memory Lymphocytes in the Development of Chronic Relapsing Experimental Autoimmune Encephalomyelitis. <i>Scandinavian Journal of Immunology</i> , 2000, 52, 356-361.	2.7	7
67	Different regulation of phospholipase D activity in glioma C6 cells by sphingosine, propranolol, imipramine and phorbol ester. <i>Cellular Signalling</i> , 2000, 12, 399-404.	3.6	5
68	Antidepressants: past, present and future. <i>European Journal of Pharmacology</i> , 2000, 405, 351-363.	3.5	106
69	Pharmacological actions of the antidepressant venlafaxine beyond aminergic receptors. <i>International Journal of Neuropsychopharmacology</i> , 1999, 2, 1-8.	2.1	33
70	Lack of $\hat{1}^2$ adrenoceptor desensitization in brain following the dual noradrenaline and serotonin reuptake inhibitor venlafaxine. The studies reported in this paper were conducted while Irena Nalepa was a Visiting Scientist from the Institute of Pharmacology of the Polish Academy of Sciences, Krakow, Poland. <i>European Neuropsychopharmacology</i> , 1998, 8, 227-232.	0.7	22
71	Does Ca ²⁺ channel blockade modulate the antidepressant-induced changes in mechanisms of adrenergic transduction?. <i>Journal of Neural Transmission</i> , 1997, 104, 535-547.	2.8	9
72	P-2 Effects of electroconvulsive seizures on protein kinase C-induced potentiation of cyclic AMP response are modified by pretreatment with antidepressant drugs. <i>European Neuropsychopharmacology</i> , 1996, 6, S11.	0.7	0

#	ARTICLE	IF	CITATIONS
73	Modulation by Mianserin Pretreatment of the Chronic Electroconvulsive Shock Effects on the Adrenergic System in the Cerebral Cortex of the Rat. <i>Human Psychopharmacology</i> , 1996, 11, 273-282.	1.5	7
74	Norepinephrine-independent regulation of GR11 mRNA in vivo by a tricyclic antidepressant. <i>Brain Research</i> , 1995, 687, 79-82.	2.2	59
75	Reversal by imipramine of $\hat{1}^2$ -adrenoceptor up-regulation induced in a chronic mild stress model of depression. <i>European Journal of Pharmacology</i> , 1994, 261, 141-147.	3.5	28
76	Retrieval associated cholinergic activity and its inhibition by memory updating. <i>Life Sciences</i> , 1994, 54, 1251-1257.	4.3	16
77	Effects of excitatory amino acids on inositol phosphate accumulation in slices of the cerebral cortex of young and aged rats. <i>Neurochemical Research</i> , 1993, 18, 585-589.	3.3	7
78	Enhancement of the responsiveness of cortical adrenergic receptors by chronic administration of the 5-hydroxytryptamine uptake inhibitor citalopram.. <i>Journal of Neurochemistry</i> , 1993, 60, 2029-2035.	3.9	41
79	Involvement of protein kinase c in the mechanism of in vitro effects of imipramine on generation of second messengers by noradrenaline in cerebral cortical slices of the rat. <i>Neuroscience</i> , 1991, 44, 585-590.	2.3	33
80	Different Mechanisms of $\hat{2}$ -Adrenoceptor Down-Regulation by Chronic Imipramine and Electroconvulsive Treatment: Possible Role for Protein Kinase C. <i>Journal of Neurochemistry</i> , 1991, 57, 904-910.	3.9	19
81	$\hat{1}^2$ down-regulation induced by repeated vasopressin treatment. <i>European Journal of Pharmacology</i> , 1990, 178, 375-376.	3.5	1
82	Increased responsiveness of the cerebral cortical phosphatidylinositol system to noradrenaline and carbachol in senescent rats. <i>Neuroscience Letters</i> , 1989, 107, 195-199.	2.1	45
83	The influence of electroshock on adrenoceptor function in rat brain cerebral cortex: selectivity for the $\hat{1}\pm$ -adrenoceptor site. <i>European Journal of Pharmacology</i> , 1988, 156, 143-147.	3.5	10
84	Reserpinization enhances electroconvulsive treatment effects on cortical $\hat{1}\pm$ 1-adrenoceptors. <i>European Journal of Pharmacology</i> , 1988, 157, 231-234.	3.5	3
85	Assessment of a comparison of colorimetric methods used for oxytocinase determination. <i>Clinica Chimica Acta</i> , 1977, 75, 5-8.	1.1	3