

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/613859/publications.pdf Version: 2024-02-01



VAN LIN

#	Article	IF	CITATIONS
1	Role of Tumor-Derived Extracellular Vesicles in Glioblastoma. Cells, 2021, 10, 512.	4.1	12
2	Proteomics-Based Approach Reveals the Involvement of SERPINB9 in Recurrent and Relapsed Multiple Myeloma. Journal of Proteome Research, 2021, 20, 2673-2686.	3.7	9
3	Excavating the pathogenic gene of breast cancer based on high throughput data of tumor and somatic reprogramming. Cell Cycle, 2021, 20, 1708-1722.	2.6	О
4	Survey of miRNA-miRNA cooperative regulation principles across cancer types. Briefings in Bioinformatics, 2019, 20, 1621-1638.	6.5	39
5	Maternal DCAF13 Regulates Chromatin Tightness to Contribute to Embryonic Development. Scientific Reports, 2019, 9, 6278.	3.3	11
6	The combination of wholeâ€exome sequencing and copy number variation sequencing enables the diagnosis of rare neurological disorders. Clinical Genetics, 2019, 96, 140-150.	2.0	30
7	Keratinocyte growth factor binding to fibroblast growth factor receptor 2-IIIb promotes epithelial ovarian cancer cell proliferation and invasion. Journal of Cancer Research and Therapeutics, 2018, 14, 347.	0.9	2
8	<i><scp>NUBPL</scp></i> , a novel metastasisâ€related gene, promotes colorectal carcinoma cell motility by inducing epithelial–mesenchymal transition. Cancer Science, 2017, 108, 1169-1176.	3.9	12
9	Overexpression of RCC2 Enhances Cell Motility and Promotes Tumor Metastasis in Lung Adenocarcinoma by Inducing Epithelial–Mesenchymal Transition. Clinical Cancer Research, 2017, 23, 5598-5610.	7.0	51
10	Polymorphisms in cytokine genes as prognostic markers in diffuse large B cell lymphoma patients treated with (R)-CHOP. Annals of Hematology, 2017, 96, 227-235.	1.8	5
11	SEI1 induces genomic instability by inhibiting DNA damage response in ovarian cancer. Cancer Letters, 2017, 385, 271-279.	7.2	11
12	Recurrent Fusion Genes in Leukemia: An Attractive Target for Diagnosis and Treatment. Current Genomics, 2017, 18, 378-384.	1.6	32
13	<i>ABCG2</i> and <i>NCF4</i> polymorphisms are associated with clinical outcomes in diffuse large B-cell lymphoma patients treated with R-CHOP. Oncotarget, 2017, 8, 58292-58303.	1.8	18
14	TRIB1 promotes colorectal cancer cell migration and invasion through activation MMP-2 via FAK/Src and ERK pathways. Oncotarget, 2017, 8, 47931-47942.	1.8	45
15	COX-2 expression in ovarian cancer: an updated meta-analysis. Oncotarget, 2017, 8, 88152-88162.	1.8	21
16	The FCGR3A polymorphism predicts the response to rituximab-based therapy in patients with non-Hodgkin lymphoma: a meta-analysis. Annals of Hematology, 2016, 95, 1483-1490.	1.8	24
17	Met promotes the formation of double minute chromosomes induced by Sei-1 in NIH-3T3 murine fibroblasts. Oncotarget, 2016, 7, 56664-56675.	1.8	11
18	RPL13A as a reference gene for normalizing mRNA transcription of ovarian cancer cells with paclitaxel and 10-hydroxycamptothecin treatments. Molecular Medicine Reports, 2015, 11, 3188-3194.	2.4	24

Yan Jin

#	Article	IF	CITATIONS
19	Ribosomal L22-like1 (RPL22L1) Promotes Ovarian Cancer Metastasis by Inducing Epithelial-to-Mesenchymal Transition. PLoS ONE, 2015, 10, e0143659.	2.5	23
20	Novel role for non-homologous end joining in the formation of double minutes in methotrexate-resistant colon cancer cells. Journal of Medical Genetics, 2015, 52, 135-144.	3.2	56
21	Species-Specific Expression of Full-Length and Alternatively Spliced Variant Forms of CDK5RAP2. PLoS ONE, 2015, 10, e0142577.	2.5	4
22	Electroacupuncture at St36 Accelerates the Recovery of Gastrointestinal Motility after Colorectal Surgery: A Randomised Controlled Trial. Acupuncture in Medicine, 2014, 32, 223-226.	1.0	45
23	Integrating epigenetic marks for identification of transcriptionally active miRNAs. Genomics, 2014, 104, 70-78.	2.9	2
24	S-allylmercaptocysteine promotes MAPK inhibitor-induced apoptosis by activating the TGF-β signaling pathway in cancer cells. Oncology Reports, 2014, 32, 1124-1132.	2.6	30
25	Thrombin Enhances NGF-Mediated Neurite Extension via Increased and Sustained Activation of p44/42 MAPK and p38 MAPK. PLoS ONE, 2014, 9, e103530.	2.5	8
26	Novel Functional MAR Elements of Double Minute Chromosomes in Human Ovarian Cells Capable of Enhancing Gene Expression. PLoS ONE, 2012, 7, e30419.	2.5	18
27	Inhibition of angiotensin type 1 receptor impairs renal ability of K conservation in response to K restriction. American Journal of Physiology - Renal Physiology, 2009, 296, F1179-F1184.	2.7	16
28	Methylenetetrahydrofolate reductase gene polymorphisms and lung cancer: a meta-analysis. Journal of Human Genetics, 2008, 53, 340-348.	2.3	36
29	PGE ₂ inhibits apical K channels in the CCD through activation of the MAPK pathway. American Journal of Physiology - Renal Physiology, 2007, 293, F1299-F1307.	2.7	23