

Jacques van Rooy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6138926/publications.pdf>

Version: 2024-02-01

48
papers

556
citations

623734

14
h-index

642732

23
g-index

49
all docs

49
docs citations

49
times ranked

458
citing authors

#	ARTICLE	IF	CITATIONS
1	New national and regional bryophyte records, 35. Journal of Bryology, 2013, 35, 129-139.	1.2	63
2	New national and regional bryophyte records, 32. Journal of Bryology, 2012, 34, 231-246.	1.2	46
3	What is the potential of spread in invasive bryophytes?. Ecography, 2015, 38, 480-487.	4.5	44
4	New national and regional bryophyte records, 26. Journal of Bryology, 2011, 33, 66-73.	1.2	43
5	New national and regional bryophyte records, 39. Journal of Bryology, 2014, 36, 134-151.	1.2	42
6	Distribution of <i>Bucklandiella lamprocarpa</i> (Grimmiaceae, Musci) in South Africa. Cryptogamie, Bryologie, 2013, 34, 359-366.	0.2	40
7	New national and regional bryophyte records, 25. Journal of Bryology, 2010, 32, 311-322.	1.2	29
8	New national and regional bryophyte records, 37. Journal of Bryology, 2013, 35, 290-305.	1.2	28
9	New national and regional bryophyte records, 65. Journal of Bryology, 2021, 43, 67-91.	1.2	26
10	The bryofloristic regions of southern Africa. Journal of Bryology, 2010, 32, 80-91.	1.2	21
11	New national and regional bryophyte records, 7. Journal of Bryology, 2003, 25, 141-144.	1.2	20
12	New national and regional bryophyte records, 47. Journal of Bryology, 2016, 38, 151-167.	1.2	19
13	<i>Octospora conidiophora</i> (Pyronemataceae) – a new species from South Africa and the first report of anamorph in bryophilous Pezizales. MycoKeys, 2019, 54, 49-76.	1.9	17
14	Volatile constituents and antimicrobial activities of nine South African liverwort species. Phytochemistry Letters, 2016, 16, 61-69.	1.2	16
15	A Conspectus of the Subfamily Macromitrioideae (Bryopsida: Orthotrichaceae) in Southern Africa. Bryologist, 1992, 95, 205.	0.6	10
16	The bryofloristic elements of southern Africa. Journal of Bryology, 2011, 33, 17-29.	1.2	10
17	New national and regional bryophyte records, 27. Journal of Bryology, 2011, 33, 158-162.	1.2	9
18	<i>Dicranella hookeri</i> (Dicranaceae, Musci), An Addition to the Moss Flora of Continental Africa. Herzogia, 2013, 26, 169-174.	0.4	9

#	ARTICLE	IF	CITATIONS
19	New species and a new record of <i>Orthotrichum</i> from southern Africa: <i>O. incurvomarginatum</i> sp. nov., <i>O. armatum</i> sp. nov., <i>O. oreophilum</i> sp. nov. and <i>O. firmum</i> Vent.. Journal of Bryology, 1990, 16, 67-78.	1.2	8
20	A new species of <i>Sematophyllum</i> (Sematophyllaceae) from South Africa and a key to the southern African species of the genus. Bryologist, 2014, 117, 297-300.	0.6	6
21	New taxa, new records and name changes for southern African plants. Bothalia, 1990, 20, 249-266.	0.3	5
22	Note on the occurrence of <i>Metzgeria saxbyi</i> Pearson in southern Africa. Journal of Bryology, 2011, 33, 85-85.	1.2	4
23	New combinations and a key to the species of <i>Pelekium</i> (Thuidiaceae) in sub-Saharan Africa and the East African Islands. Phytotaxa, 2013, 84, .	0.3	4
24	New taxa, new records and name changes for southern African plants. Bothalia, 1989, 19, 275-294.	0.3	4
25	<p>Centres of moss diversity in southern Africa</p>. Bryophyte Diversity and Evolution, 2016, 38, 27.	1.1	4
26	The type locality of <i>Hypnobraconia marginata</i> Dixon. Journal of Bryology, 2011, 33, 327-328.	1.2	3
27	Fifty shades of red: Lost or threatened bryophytes in Africa. Bothalia, 2019, 49, .	0.3	3
28	Studies in the liverwort family Metzgeriaceae (Metzgeriales) from southern Africa. 1. <i>Metzgeria nudifrons</i> Stephani and a key to the species. Polish Botanical Journal, 2013, 58, 449-455.	0.5	2
29	Climate-driven vicariance and long-distance dispersal explain the Rand Flora pattern in the liverwort <i>Exormotheca pustulosa</i> (Marchantiophyta). Biological Journal of the Linnean Society, 2020, 130, 480-496.	1.6	2
30	Bryophyta. Bothalia, 2011, 41, 188-189.	0.3	2
31	BRYOPHYTA. Bothalia, 1992, 22, 195.	0.3	2
32	A new species and a new record of <i>Macromitrium</i> (Orthotrichaceae) from southern Africa: <i>M. lebomboense</i> sp. nov. and <i>M. richardii</i> Schwaegr.. Journal of Bryology, 1990, 16, 209-214.	1.2	1
33	The Genus <i>Rhabdoweisia</i> in Southern Africa: <i>R. crispata</i> New to Africa, and <i>R. fugax</i> . Bryologist, 1991, 94, 409.	0.6	1
34	<i>Distribution of</i> <i>Bryurn viguieri</i> ThÄ©r. (Bryaceae), a new record for the moss flora of southern Africa</i>. Journal of Bryology, 1997, 19, 830-832.	1.2	1
35	<i>Ptychomitrium subcrispatum</i> ThÄ©r. & P.de la Varde, an east southern African species excluded from the Cape Verde bryoflora. Journal of Bryology, 2019, 41, 281-284.	1.2	1
36	Bryophyta. Bothalia, 1990, 20, 209-213.	0.3	1

#	ARTICLE	IF	CITATIONS
37	New taxa, new records and name changes for southern African plants. Bothalia, 1991, 21, 191-213.	0.3	1
38	Marchantiophyta. Bothalia, 2011, 41, 185-186.	0.3	1
39	Exsiccatae in the bryophyte collection of the National Herbarium, Pretoria. Bothalia, 2013, 43, 55-66.	0.3	1
40	Sarie Magdalena Perold (1928–2011). Bothalia, 2013, 43, 121-126.	0.3	1
41	Studies in the liverwort family Metzgeriaceae (Metzgeriales) from southern Africa. 3. The widespread species. Telopea, 0, 18, 177-184.	0.4	1
42	Chemical constituents and biological properties of liverworts from South Africa. Planta Medica, 2015, 81, .	1.3	1
43	A revision of the family Sematophyllaceae (Bryophyta) in southern Africa. Acta Musei Silesiae: Scientiae Naturales, 2019, 68, 157-174.	0.2	1
44	Ephemerum homomallum (Pottiaceae) and Torrentaria aquatica (Brachytheciaceae), Two Additional American Moss Species New to Africa. Acta Societatis Botanicorum Poloniae, 2020, 89, .	0.8	1
45	BRYOPHYTA. Bothalia, 1992, 22, 37.	0.3	0
46	BRYOPHYTA. Bothalia, 1997, 27, 136-137.	0.3	0
47	<i>Notoligotrichum</i> synonymised with <i>Atrichopsis</i> (Polytrichaceae, Bryophyta), with two new species from South Africa. Taxon, 2022, 71, 11-24.	0.7	0
48	BRYACEAE (MUSCI). Bothalia, 0, 16, 42-44.	0.3	0