

Jacques van Rooy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6138926/publications.pdf>

Version: 2024-02-01

48
papers

556
citations

623734

14
h-index

642732

23
g-index

49
all docs

49
docs citations

49
times ranked

458
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | <i>Notoligotrichum</i> synonymised with <i>Atrichopsis</i> (Polytrichaceae, Bryophyta), with two new species from South Africa. <i>Taxon</i> , 2022, 71, 11-24. | 0.7 | 0 |
| 2 | New national and regional bryophyte records, 65. <i>Journal of Bryology</i> , 2021, 43, 67-91. | 1.2 | 26 |
| 3 | Climate-driven vicariance and long-distance dispersal explain the Rand Flora pattern in the liverwort <i>Exormotheca pustulosa</i> (Marchantiophyta). <i>Biological Journal of the Linnean Society</i> , 2020, 130, 480-496. | 1.6 | 2 |
| 4 | <i>Ephemerum homomallum</i> (Pottiaceae) and <i>Torrentaria aquatica</i> (Brachytheciaceae), Two Additional American Moss Species New to Africa. <i>Acta Societatis Botanicorum Poloniae</i> , 2020, 89, . | 0.8 | 1 |
| 5 | <i>Ptychomitrium subcrispatum</i> ThÄ©r. & P.de la Varde, an east southern African species excluded from the Cape Verde bryoflora. <i>Journal of Bryology</i> , 2019, 41, 281-284. | 1.2 | 1 |
| 6 | <i>Octospora conidiophora</i> (Pyronemataceae) â€™ a new species from South Africa and the first report of anamorph in bryophilous Pezizales. <i>MycKeys</i> , 2019, 54, 49-76. | 1.9 | 17 |
| 7 | Fifty shades of red: Lost or threatened bryophytes in Africa. <i>Bothalia</i> , 2019, 49, . | 0.3 | 3 |
| 8 | A revision of the family Sematophyllaceae (Bryophyta) in southern Africa. <i>Acta Musei Silesiae: Scientiae Naturales</i> , 2019, 68, 157-174. | 0.2 | 1 |
| 9 | New national and regional bryophyte records, 47. <i>Journal of Bryology</i> , 2016, 38, 151-167. | 1.2 | 19 |
| 10 | Volatile constituents and antimicrobial activities of nine South African liverwort species. <i>Phytochemistry Letters</i> , 2016, 16, 61-69. | 1.2 | 16 |
| 11 | Centres of moss diversity in southern Africa . <i>Bryophyte Diversity and Evolution</i> , 2016, 38, 27. | 1.1 | 4 |
| 12 | What is the potential of spread in invasive bryophytes?. <i>Ecography</i> , 2015, 38, 480-487. | 4.5 | 44 |
| 13 | Chemical constituents and biological properties of liverworts from South Africa. <i>Planta Medica</i> , 2015, 81, . | 1.3 | 1 |
| 14 | New national and regional bryophyte records, 39. <i>Journal of Bryology</i> , 2014, 36, 134-151. | 1.2 | 42 |
| 15 | A new species of <i>Sematophyllum</i> (Sematophyllaceae) from South Africa and a key to the southern African species of the genus. <i>Bryologist</i> , 2014, 117, 297-300. | 0.6 | 6 |
| 16 | Distribution of <i>Bucklandiella lamprocarpa</i> (Grimmiaceae, Musci) in South Africa. <i>Cryptogamie, Bryologie</i> , 2013, 34, 359-366. | 0.2 | 40 |
| 17 | Studies in the liverwort family Metzgeriaceae (Metzgeriales) from southern Africa. 1. <i>Metzgeria nudifrons</i> Stephani and a key to the species. <i>Polish Botanical Journal</i> , 2013, 58, 449-455. | 0.5 | 2 |
| 18 | New national and regional bryophyte records, 37. <i>Journal of Bryology</i> , 2013, 35, 290-305. | 1.2 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | New national and regional bryophyte records, 35. <i>Journal of Bryology</i> , 2013, 35, 129-139. | 1.2 | 63 |
| 20 | <i>Dicranella hookeri</i> (Dicranaceae, Musci), An Addition to the Moss Flora of Continental Africa. <i>Herzogia</i> , 2013, 26, 169-174. | 0.4 | 9 |
| 21 | New combinations and a key to the species of <i>Pelekium</i> (Thuidiaceae) in sub-Saharan Africa and the East African Islands. <i>Phytotaxa</i> , 2013, 84, . | 0.3 | 4 |
| 22 | Exsiccatae in the bryophyte collection of the National Herbarium, Pretoria. <i>Bothalia</i> , 2013, 43, 55-66. | 0.3 | 1 |
| 23 | Sarie Magdalena Perold (1928–2011). <i>Bothalia</i> , 2013, 43, 121-126. | 0.3 | 1 |
| 24 | New national and regional bryophyte records, 32. <i>Journal of Bryology</i> , 2012, 34, 231-246. | 1.2 | 46 |
| 25 | Note on the occurrence of <i>Metzgeria saxbyi</i> Pearson in southern Africa. <i>Journal of Bryology</i> , 2011, 33, 85-85. | 1.2 | 4 |
| 26 | New national and regional bryophyte records, 27. <i>Journal of Bryology</i> , 2011, 33, 158-162. | 1.2 | 9 |
| 27 | The type locality of <i>Hypnofabronia marginata</i> Dixon. <i>Journal of Bryology</i> , 2011, 33, 327-328. | 1.2 | 3 |
| 28 | The bryofloristic elements of southern Africa. <i>Journal of Bryology</i> , 2011, 33, 17-29. | 1.2 | 10 |
| 29 | New national and regional bryophyte records, 26. <i>Journal of Bryology</i> , 2011, 33, 66-73. | 1.2 | 43 |
| 30 | Bryophyta. <i>Bothalia</i> , 2011, 41, 188-189. | 0.3 | 2 |
| 31 | Marchantiophyta. <i>Bothalia</i> , 2011, 41, 185-186. | 0.3 | 1 |
| 32 | The bryofloristic regions of southern Africa. <i>Journal of Bryology</i> , 2010, 32, 80-91. | 1.2 | 21 |
| 33 | New national and regional bryophyte records, 25. <i>Journal of Bryology</i> , 2010, 32, 311-322. | 1.2 | 29 |
| 34 | New national and regional bryophyte records, 7. <i>Journal of Bryology</i> , 2003, 25, 141-144. | 1.2 | 20 |
| 35 | Distribution of <i>Bryurn viguieri</i> Thér. (Bryaceae), a new record for the moss flora of southern Africa. <i>Journal of Bryology</i> , 1997, 19, 830-832. | 1.2 | 1 |
| 36 | BRYOPHYTA. <i>Bothalia</i> , 1997, 27, 136-137. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Conspectus of the Subfamily Macromitrioideae (Bryopsida: Orthotrichaceae) in Southern Africa. <i>Bryologist</i> , 1992, 95, 205. | 0.6 | 10 |
| 38 | BRYOPHYTA. <i>Bothalia</i> , 1992, 22, 37. | 0.3 | 0 |
| 39 | BRYOPHYTA. <i>Bothalia</i> , 1992, 22, 195. | 0.3 | 2 |
| 40 | The Genus <i>Rhabdoweisia</i> in Southern Africa: <i>R. crispata</i> New to Africa, and <i>R. fugax</i> . <i>Bryologist</i> , 1991, 94, 409. | 0.6 | 1 |
| 41 | New taxa, new records and name changes for southern African plants. <i>Bothalia</i> , 1991, 21, 191-213. | 0.3 | 1 |
| 42 | A new species and a new record of <i>Macromitrium</i> (Orthotrichaceae) from southern Africa: <i>M. lebomboense</i> sp. nov. and <i>M. richardii</i> Schwaegr.. <i>Journal of Bryology</i> , 1990, 16, 209-214. | 1.2 | 1 |
| 43 | New species and a new record of <i>Orthotrichum</i> from southern Africa: <i>O. incurvomarginatum</i> sp. nov., <i>O. armatum</i> sp. nov., <i>O. oreophilum</i> sp. nov. and <i>O. firmum</i> Vent.. <i>Journal of Bryology</i> , 1990, 16, 67-78. | 1.2 | 8 |
| 44 | Bryophyta. <i>Bothalia</i> , 1990, 20, 209-213. | 0.3 | 1 |
| 45 | New taxa, new records and name changes for southern African plants. <i>Bothalia</i> , 1990, 20, 249-266. | 0.3 | 5 |
| 46 | New taxa, new records and name changes for southern African plants. <i>Bothalia</i> , 1989, 19, 275-294. | 0.3 | 4 |
| 47 | Studies in the liverwort family Metzgeriaceae (Metzgeriales) from southern Africa. 3. The widespread species. <i>Telopea</i> , 0, 18, 177-184. | 0.4 | 1 |
| 48 | BRYACEAE (MUSCI). <i>Bothalia</i> , 0, 16, 42-44. | 0.3 | 0 |