Eric Laille

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6139140/publications.pdf Version: 2024-02-01



FRICLALLE

#	Article	IF	CITATIONS
1	Enasidenib vs conventional care in older patients with late-stage mutant- <i>IDH2</i> relapsed/refractory AML: a randomized phase 3 trial. Blood, 2023, 141, 156-167.	1.4	27
2	Azacitidine is removed effectively by hemodialysis. Leukemia and Lymphoma, 2021, 62, 743-745.	1.3	2
3	Phase III, Randomized, Placebo-Controlled Trial of CC-486 (Oral Azacitidine) in Patients With Lower-Risk Myelodysplastic Syndromes. Journal of Clinical Oncology, 2021, 39, 1426-1436.	1.6	49
4	Phase I and Pharmacokinetic Study of Romidepsin in Patients with Cancer and Hepatic Dysfunction: A National Cancer Institute Organ Dysfunction Working Group Study. Clinical Cancer Research, 2020, 26, 5329-5337.	7.0	6
5	Evaluation of the bioequivalence and food effect on the bioavailability of CC-486 (oral azacitidine) tablets in adult patients with cancer. Cancer Chemotherapy and Pharmacology, 2020, 85, 621-626.	2.3	9
6	Efficacy, safety and pharmacokinetics of subcutaneous azacitidine in Chinese patients with higher risk myelodysplastic syndromes: Results from a multicenter, singleâ€arm, open″abel phase 2 study. Asia-Pacific Journal of Clinical Oncology, 2018, 14, 270-278.	1.1	9
7	Phase I Study of CC-486 Alone and in Combination with Carboplatin or nab-Paclitaxel in Patients with Relapsed or Refractory Solid Tumors. Clinical Cancer Research, 2018, 24, 4072-4080.	7.0	25
8	CC-486 Maintenance after Stem Cell Transplantation in Patients with Acute Myeloid Leukemia or Myelodysplastic Syndromes. Biology of Blood and Marrow Transplantation, 2018, 24, 2017-2024.	2.0	122
9	Extended dosing with CCâ€486 (oral azacitidine) in patients with myeloid malignancies. American Journal of Hematology, 2018, 93, 1199-1206.	4.1	54
10	Efficacy, safety, and pharmacokinetics of subcutaneous azacitidine in Taiwanese patients with higherâ€risk myelodysplastic syndromes. Asia-Pacific Journal of Clinical Oncology, 2017, 13, e430-e439.	1.1	4
11	Romidepsin in Japanese patients with relapsed or refractory peripheral T-cell lymphoma: a phase I/II and pharmacokinetics study. International Journal of Hematology, 2017, 106, 655-665.	1.6	33
12	Efficacy and safety of extended dosing schedules of CC-486 (oral azacitidine) in patients with lower-risk myelodysplastic syndromes. Leukemia, 2016, 30, 889-896.	7.2	94
13	Evaluation of CYP3Aâ€mediated drug–drug interactions with romidepsin in patients with advanced cancer. Journal of Clinical Pharmacology, 2015, 55, 1378-1385.	2.0	9
14	Pharmacokinetics and Pharmacodynamics with Extended Dosing of CC-486 in Patients with Hematologic Malignancies. PLoS ONE, 2015, 10, e0135520.	2.5	54
15	Pharmacokinetics of different formulations of oral azacitidine (CCâ€486) and the effect of food and modified gastric pH on pharmacokinetics in subjects with hematologic malignancies. Journal of Clinical Pharmacology, 2014, 54, 630-639.	2.0	31
16	A Phase I Study in Patients with Solid or Hematologic Malignancies of the Dose Proportionality of Subcutaneous Azacitidine and Its Pharmacokinetics in Patients with Severe Renal Impairment. Pharmacotherapy, 2014, 34, 440-451.	2.6	14
17	Pharmacokinetics and safety of apremilast (CC-10004) in subjects with hepatic impairment. International Journal of Medical Engineering and Informatics, 2014, 6, 100.	0.3	3
18	Quantitative determination of azacitidine triphosphate in peripheral blood mononuclear cells using liquid chromatography coupled with high-resolution mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 90, 7-14.	2.8	15

Eric Laille

#	Article	IF	CITATIONS
19	Phase I Study of Oral Azacitidine in Myelodysplastic Syndromes, Chronic Myelomonocytic Leukemia, and Acute Myeloid Leukemia. Journal of Clinical Oncology, 2011, 29, 2521-2527.	1.6	232
20	In vitro assessment of cytochrome P450 inhibition and induction potential of azacitidine. Cancer Chemotherapy and Pharmacology, 2010, 65, 995-1000.	2.3	10
21	Phase I Study of MGCD0103 Given As a Three-Times-Per-Week Oral Dose in Patients With Advanced Solid Tumors. Journal of Clinical Oncology, 2008, 26, 1940-1947.	1.6	116
22	Phase 1 study of the oral isotype specific histone deacetylase inhibitor MGCD0103 in leukemia. Blood, 2008, 112, 981-989.	1.4	229
23	Plasma concentrations of praziquantel after oral administration of single and multiple doses in loggerhead sea turtles (Caretta caretta). American Journal of Veterinary Research, 2003, 64, 304-309.	0.6	21