

Liwen Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6142016/publications.pdf>

Version: 2024-02-01

224
papers

18,611
citations

17405

63
h-index

14702

127
g-index

237
all docs

237
docs citations

237
times ranked

25090
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
2	MicroRNAs Inhibit the Translation of Target mRNAs on the Endoplasmic Reticulum in Arabidopsis. <i>Cell</i> , 2013, 153, 562-574.	13.5	451
3	Identification of Multivesicular Bodies as Prevacuolar Compartments in <i>Nicotiana tabacum</i> BY-2 Cells[W]. <i>Plant Cell</i> , 2004, 16, 672-693.	3.1	386
4	Activation of ethylene signaling is mediated by nuclear translocation of the cleaved EIN2 carboxyl terminus. <i>Cell Research</i> , 2012, 22, 1613-1616.	5.7	336
5	The novel quantitative trait locus GL3.1 controls rice grain size and yield by regulating Cyclin-T1;3. <i>Cell Research</i> , 2012, 22, 1666-1680.	5.7	334
6	Organelle pH in the Arabidopsis Endomembrane System. <i>Molecular Plant</i> , 2013, 6, 1419-1437.	3.9	310
7	A Killer-Protector System Regulates Both Hybrid Sterility and Segregation Distortion in Rice. <i>Science</i> , 2012, 337, 1336-1340.	6.0	263
8	Rice SCAMP1 Defines Clathrin-Coated, trans-Golgi-located Tubular-Vesicular Structures as an Early Endosome in Tobacco BY-2 Cells. <i>Plant Cell</i> , 2007, 19, 296-319.	3.1	258
9	A role for the AtMTP11 gene of Arabidopsis in manganese transport and tolerance. <i>Plant Journal</i> , 2007, 51, 198-210.	2.8	235
10	EXPO, an Exocyst-Positive Organelle Distinct from Multivesicular Endosomes and Autophagosomes, Mediates Cytosol to Cell Wall Exocytosis in Arabidopsis and Tobacco Cells. <i>Plant Cell</i> , 2011, 22, 4009-4030.	3.1	229
11	Molecular Cloning and Further Characterization of a Probable Plant Vacuolar Sorting Receptor. <i>Plant Physiology</i> , 1997, 115, 29-39.	2.3	224
12	The Endosomal System of Plants: Charting New and Familiar Territories. <i>Plant Physiology</i> , 2008, 147, 1482-1492.	2.3	223
13	Integral Membrane Protein Sorting to Vacuoles in Plant Cells: Evidence for Two Pathways. <i>Journal of Cell Biology</i> , 1998, 143, 1183-1199.	2.3	213
14	Isolation and proteomic analysis of the SYP61 compartment reveal its role in exocytic trafficking in Arabidopsis. <i>Cell Research</i> , 2012, 22, 413-424.	5.7	211
15	Rha1, an Arabidopsis Rab5 Homolog, Plays a Critical Role in the Vacuolar Trafficking of Soluble Cargo Proteins. <i>Plant Cell</i> , 2003, 15, 1057-1070.	3.1	208
16	Transient expression of fluorescent fusion proteins in protoplasts of suspension cultured cells. <i>Nature Protocols</i> , 2007, 2, 2348-2353.	5.5	206
17	ATG9 regulates autophagosome progression from the endoplasmic reticulum in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E426-E435.	3.3	200
18	A BAR-Domain Protein SH3P2, Which Binds to Phosphatidylinositol 3-Phosphate and ATG8, Regulates Autophagosome Formation in Arabidopsis. <i>Plant Cell</i> , 2013, 25, 4596-4615.	3.1	195

#	ARTICLE	IF	CITATIONS
19	A Unique Plant ESCRT Component, FREE1, Regulates Multivesicular Body Protein Sorting and Plant Growth. <i>Current Biology</i> , 2014, 24, 2556-2563.	1.8	194
20	Activation of the Rab7 GTPase by the MON1-CCZ1 Complex Is Essential for PVC-to-Vacuole Trafficking and Plant Growth in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2080-2097.	3.1	192
21	Biogenesis of the Protein Storage Vacuole Crystalloid. <i>Journal of Cell Biology</i> , 2000, 150, 755-770.	2.3	171
22	The protein storage vacuole. <i>Journal of Cell Biology</i> , 2001, 155, 991-1002.	2.3	169
23	Dual roles of an <i>Arabidopsis</i> ESCRT component FREE1 in regulating vacuolar protein transport and autophagic degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1886-1891.	3.3	166
24	PICK1 deficiency causes male infertility in mice by disrupting acrosome formation. <i>Journal of Clinical Investigation</i> , 2009, 119, 802-812.	3.9	159
25	Essential role for TrpC5-containing extracellular vesicles in breast cancer with chemotherapeutic resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6389-6394.	3.3	152
26	Unconventional protein secretion. <i>Trends in Plant Science</i> , 2012, 17, 606-615.	4.3	147
27	Plant Retromer, Localized to the Prevacuolar Compartment and Microvesicles in <i>Arabidopsis</i> , May Interact with Vacuolar Sorting Receptors. <i>Plant Cell</i> , 2006, 18, 1239-1252.	3.1	143
28	Pten Deletion Promotes Regrowth of Corticospinal Tract Axons 1 Year after Spinal Cord Injury. <i>Journal of Neuroscience</i> , 2015, 35, 9754-9763.	1.7	143
29	A cross-kingdom conserved ER-phagy receptor maintains endoplasmic reticulum homeostasis during stress. <i>ELife</i> , 2020, 9, .	2.8	139
30	Wortmannin induces homotypic fusion of plant prevacuolar compartments*. <i>Journal of Experimental Botany</i> , 2009, 60, 3075-3083.	2.4	134
31	PROTEIN S-ACYL TRANSFERASE10 Is Critical for Development and Salt Tolerance in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 1093-1107.	3.1	131
32	FYVE1/FREE1 Interacts with the PYL4 ABA Receptor and Mediates Its Delivery to the Vacuolar Degradation Pathway. <i>Plant Cell</i> , 2016, 28, 2291-2311.	3.1	129
33	Localization of Green Fluorescent Protein Fusions with the Seven <i>Arabidopsis</i> Vacuolar Sorting Receptors to Prevacuolar Compartments in Tobacco BY-2 Cells. <i>Plant Physiology</i> , 2006, 142, 945-962.	2.3	125
34	Plant extracellular vesicles. <i>Protoplasma</i> , 2020, 257, 3-12.	1.0	116
35	Retromer recycles vacuolar sorting receptors from the <i>trans</i> -Golgi network. <i>Plant Journal</i> , 2010, 61, 107-121.	2.8	115
36	Biogenesis of Plant Prevacuolar Multivesicular Bodies. <i>Molecular Plant</i> , 2016, 9, 774-786.	3.9	115

#	ARTICLE	IF	CITATIONS
37	Plant ESCRT Complexes: Moving Beyond Endosomal Sorting. <i>Trends in Plant Science</i> , 2017, 22, 986-998.	4.3	109
38	TRAF Family Proteins Regulate Autophagy Dynamics by Modulating AUTOPHAGY PROTEIN6 Stability in Arabidopsis. <i>Plant Cell</i> , 2017, 29, 890-911.	3.1	108
39	BFA-induced compartments from the Golgi apparatus and trans-Golgi network/early endosome are distinct in plant cells. <i>Plant Journal</i> , 2009, 60, 865-881.	2.8	107
40	Functional Analysis of Nuclear Estrogen Receptors in Zebrafish Reproduction by Genome Editing Approach. <i>Endocrinology</i> , 2017, 158, 2292-2308.	1.4	105
41	Salicylic acid-mediated plasmodesmal closure via Remorin-dependent lipid organization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21274-21284.	3.3	102
42	BP-80 and Homologs are Concentrated on Post-Golgi, Probable Lytic Prevacuolar Compartments. <i>Plant and Cell Physiology</i> , 2002, 43, 726-742.	1.5	99
43	The Golgi-Localized Arabidopsis Endomembrane Protein12 Contains Both Endoplasmic Reticulum Export and Golgi Retention Signals at Its C Terminus. <i>Plant Cell</i> , 2012, 24, 2086-2104.	3.1	98
44	Overproduction of Upper-Layer Neurons in the Neocortex Leads to Autism-like Features in Mice. <i>Cell Reports</i> , 2014, 9, 1635-1643.	2.9	96
45	Unconventional protein secretion in plants: a critical assessment. <i>Protoplasma</i> , 2016, 253, 31-43.	1.0	96
46	Dynamics of Autophagosome Formation. <i>Plant Physiology</i> , 2018, 176, 219-229.	2.3	95
47	Overexpression of AtOGG1, a DNA glycosylase/AP lyase, enhances seed longevity and abiotic stress tolerance in Arabidopsis. <i>Journal of Experimental Botany</i> , 2012, 63, 4107-4121.	2.4	93
48	Tracking down the elusive early endosome. <i>Trends in Plant Science</i> , 2007, 12, 497-505.	4.3	91
49	A whole-cell electron tomography model of vacuole biogenesis in Arabidopsis root cells. <i>Nature Plants</i> , 2019, 5, 95-105.	4.7	89
50	A two-locus interaction causes interspecific hybrid weakness in rice. <i>Nature Communications</i> , 2014, 5, 3357.	5.8	88
51	Trans-Golgi Network-Located AP1 Gamma Adaptins Mediate Dileucine Motif-Directed Vacuolar Targeting in Arabidopsis. <i>Plant Cell</i> , 2014, 26, 4102-4118.	3.1	87
52	Retention mechanisms for ER and Golgi membrane proteins. <i>Trends in Plant Science</i> , 2014, 19, 508-515.	4.3	83
53	Unconventional protein secretion (UPS) pathways in plants. <i>Current Opinion in Cell Biology</i> , 2014, 29, 107-115.	2.6	78
54	The Arabidopsis Endosomal Sorting Complex Required for Transport III Regulates Internal Vesicle Formation of the Prevacuolar Compartment and Is Required for Plant Development. <i>Plant Physiology</i> , 2014, 165, 1328-1343.	2.3	76

#	ARTICLE	IF	CITATIONS
55	Endoplasmic reticulum (ER) stress and the unfolded protein response (UPR) in plants. <i>Protoplasma</i> , 2016, 253, 753-764.	1.0	76
56	PICK1 and ICA69 Control Insulin Granule Trafficking and Their Deficiencies Lead to Impaired Glucose Tolerance. <i>PLoS Biology</i> , 2013, 11, e1001541.	2.6	74
57	Protein secretion in plants: conventional and unconventional pathways and new techniques. <i>Journal of Experimental Botany</i> , 2018, 69, 21-37.	2.4	74
58	Autophagosome Biogenesis and the Endoplasmic Reticulum: A Plant Perspective. <i>Trends in Plant Science</i> , 2018, 23, 677-692.	4.3	74
59	Exo70E2 is essential for exocyst subunit recruitment and EXPO formation in both plants and animals. <i>Molecular Biology of the Cell</i> , 2014, 25, 412-426.	0.9	71
60	Overexpression of Arabidopsis AGD7 Causes Relocation of Golgi-Localized Proteins to the Endoplasmic Reticulum and Inhibits Protein Trafficking in Plant Cells. <i>Plant Physiology</i> , 2007, 143, 1601-1614.	2.3	70
61	Protein Mobilization in Germinating Mung Bean Seeds Involves Vacuolar Sorting Receptors and Multivesicular Bodies. <i>Plant Physiology</i> , 2007, 143, 1628-1639.	2.3	70
62	Proteomic and functional analyses of <i>Nelumbo nucifera</i> annexins involved in seed thermotolerance and germination vigor. <i>Planta</i> , 2012, 235, 1271-1288.	1.6	70
63	A dual-targeted purple acid phosphatase in <i>Arabidopsis thaliana</i> moderates carbon metabolism and its overexpression leads to faster plant growth and higher seed yield. <i>New Phytologist</i> , 2012, 194, 206-219.	3.5	70
64	The vacuolar transport of aleurain-GFP and 2S albumin-GFP fusions is mediated by the same pre-vacuolar compartments in tobacco BY-2 and <i>Arabidopsis</i> suspension cultured cells. <i>Plant Journal</i> , 2008, 56, 824-839.	2.8	69
65	The plant ESCRT component FREE1 shuttles to the nucleus to attenuate abscisic acid signalling. <i>Nature Plants</i> , 2019, 5, 512-524.	4.7	68
66	Multiple cytosolic and transmembrane determinants are required for the trafficking of SCAMP1 via an ER-Golgi-TGN-PM pathway. <i>Plant Journal</i> , 2011, 65, 882-896.	2.8	67
67	AtSec62 is critical for plant development and is involved in ER-phagy in <i>Arabidopsis thaliana</i> . <i>Journal of Integrative Plant Biology</i> , 2020, 62, 181-200.	4.1	67
68	Dynamic Response of Prevacuolar Compartments to Brefeldin A in Plant Cells. <i>Plant Physiology</i> , 2006, 142, 1442-1459.	2.3	66
69	The <i>Arabidopsis</i> Dynamin-Like Proteins ADL1C and ADL1E Play a Critical Role in Mitochondrial Morphogenesis. <i>Plant Cell</i> , 2003, 15, 2357-2369.	3.1	65
70	Unique COPII component AtSar1a/AtSec23a pair is required for the distinct function of protein ER export in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14360-14365.	3.3	65
71	Endocytic and autophagic pathways crosstalk in plants. <i>Current Opinion in Plant Biology</i> , 2015, 28, 39-47.	3.5	65
72	K ⁺ Efflux Antiporters 4, 5, and 6 Mediate pH and K ⁺ Homeostasis in Endomembrane Compartments. <i>Plant Physiology</i> , 2018, 178, 1657-1678.	2.3	65

#	ARTICLE	IF	CITATIONS
73	Overexpression of <i>Nelumbo nucifera</i> metallothioneins 2a and 3 enhances seed germination vigor in <i>Arabidopsis</i> . <i>Planta</i> , 2012, 235, 523-537.	1.6	64
74	Ubiquitin initiates sorting of Golgi and plasma membrane proteins into the vacuolar degradation pathway. <i>BMC Plant Biology</i> , 2012, 12, 164.	1.6	62
75	Subcellular localization of rice acyl-CoA-binding proteins (ACBPs) indicates that OsACBP6::GFP is targeted to the peroxisomes. <i>New Phytologist</i> , 2014, 203, 469-482.	3.5	62
76	A Distinct Pathway for Polar Exocytosis in Plant Cell Wall Formation. <i>Plant Physiology</i> , 2016, 172, 1003-1018.	2.3	61
77	COPII Paralogs in Plants: Functional Redundancy or Diversity?. <i>Trends in Plant Science</i> , 2016, 21, 758-769.	4.3	61
78	MTV1 and MTV4 Encode Plant-Specific ENTH and ARF GAP Proteins That Mediate Clathrin-Dependent Trafficking of Vacuolar Cargo from the Trans-Golgi Network. <i>Plant Cell</i> , 2013, 25, 2217-2235.	3.1	60
79	Selective Membrane Protein Internalization Accompanies Movement from the Endoplasmic Reticulum to the Protein Storage Vacuole Pathway in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2005, 17, 3066-3080.	3.1	59
80	The Rice RMR1 Associates with a Distinct Prevacuolar Compartment for the Protein Storage Vacuole Pathway. <i>Molecular Plant</i> , 2011, 4, 854-868.	3.9	59
81	Isolation, Culture, and Transient Transformation of Plant Protoplasts. <i>Current Protocols in Cell Biology</i> , 2014, 63, 2.8.1-17.	2.3	58
82	ATM and ATR play complementary roles in the behavior of excitatory and inhibitory vesicle populations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E292-E301.	3.3	58
83	The roles of endomembrane trafficking in plant abiotic stress responses. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 55-69.	4.1	57
84	Multivesicular bodies: a mechanism to package lytic and storage functions in one organelle?. <i>Trends in Cell Biology</i> , 2002, 12, 362-367.	3.6	56
85	Vacuolar sorting receptors (VSRs) and secretory carrier membrane proteins (SCAMPs) are essential for pollen tube growth. <i>Plant Journal</i> , 2010, 61, 826-838.	2.8	56
86	NnHSP17.5, a cytosolic class II small heat shock protein gene from <i>Nelumbo nucifera</i> , contributes to seed germination vigor and seedling thermotolerance in transgenic <i>Arabidopsis</i> . <i>Plant Cell Reports</i> , 2012, 31, 379-389.	2.8	56
87	Ephexin1 Is Required for Structural Maturation and Neurotransmission at the Neuromuscular Junction. <i>Neuron</i> , 2010, 65, 204-216.	3.8	55
88	Transient expression and analysis of fluorescent reporter proteins in plant pollen tubes. <i>Nature Protocols</i> , 2011, 6, 419-426.	5.5	55
89	Subcellular Localization of Class II HDAs in <i>Arabidopsis thaliana</i> : Nucleocytoplasmic Shuttling of HDA15 Is Driven by Light. <i>PLoS ONE</i> , 2012, 7, e30846.	1.1	55
90	Chloroplast Degradation: Multiple Routes Into the Vacuole. <i>Frontiers in Plant Science</i> , 2019, 10, 359.	1.7	54

#	ARTICLE	IF	CITATIONS
91	Improved expression and purification of recombinant human serum albumin from transgenic tobacco suspension culture. <i>Journal of Biotechnology</i> , 2011, 155, 164-172.	1.9	52
92	Golgi Apparatus-Localized Synaptotagmin 2 Is Required for Unconventional Secretion in Arabidopsis. <i>PLoS ONE</i> , 2011, 6, e26477.	1.1	51
93	SCAMPs Highlight the Developing Cell Plate during Cytokinesis in Tobacco BY-2 Cells. <i>Plant Physiology</i> , 2008, 147, 1637-1645.	2.3	50
94	QUASIMODO 3 (QUA3) is a putative homogalacturonan methyltransferase regulating cell wall biosynthesis in Arabidopsis suspension-cultured cells. <i>Journal of Experimental Botany</i> , 2011, 62, 5063-5078.	2.4	50
95	Apical α -actinin-regulated exocytic targeting of NtPPME1 is essential for construction and rigidity of the pollen tube cell wall. <i>Plant Journal</i> , 2013, 76, 367-379.	2.8	50
96	Vacuole Biogenesis in Plants: How Many Vacuoles, How Many Models?. <i>Trends in Plant Science</i> , 2020, 25, 538-548.	4.3	50
97	Production of active human glucocerebrosidase in seeds of Arabidopsis thaliana complex-glycan-deficient (cgl) plants. <i>Glycobiology</i> , 2012, 22, 492-503.	1.3	48
98	Ectopic expression of NnPER1, a <i>Nelumbo nucifera</i> cysteine peroxiredoxin antioxidant, enhances seed longevity and stress tolerance in Arabidopsis. <i>Plant Journal</i> , 2016, 88, 608-619.	2.8	48
99	Vacuolar Sorting Receptor (VSR) Proteins Reach the Plasma Membrane in Germinating Pollen Tubes. <i>Molecular Plant</i> , 2011, 4, 845-853.	3.9	47
100	ARA7(Q69L) expression in transgenic Arabidopsis cells induces the formation of enlarged multivesicular bodies. <i>Journal of Experimental Botany</i> , 2013, 64, 2817-2829.	2.4	47
101	Friendly mediates membrane depolarization-induced mitophagy in Arabidopsis. <i>Current Biology</i> , 2021, 31, 1931-1944.e4.	1.8	47
102	Injured adult retinal axons with Pten and Socs3 co-deletion reform active synapses with suprachiasmatic neurons. <i>Neurobiology of Disease</i> , 2015, 73, 366-376.	2.1	46
103	SINAT E3 Ubiquitin Ligases Mediate FREE1 and VPS23A Degradation to Modulate Abscisic Acid Signaling. <i>Plant Cell</i> , 2020, 32, 3290-3310.	3.1	46
104	EXPO and Autophagosomes are Distinct Organelles in Plants. <i>Plant Physiology</i> , 2015, 169, pp.00953.2015.	2.3	43
105	AGC1.5 Kinase Phosphorylates RopGEFs to Control Pollen Tube Growth. <i>Molecular Plant</i> , 2018, 11, 1198-1209.	3.9	43
106	SH3 Domain-Containing Protein 2 Plays a Crucial Role at the Step of Membrane Tubulation during Cell Plate Formation. <i>Plant Cell</i> , 2017, 29, 1388-1405.	3.1	42
107	Conserved function of the lysine-based KXD/E motif in Golgi retention for endomembrane proteins among different organisms. <i>Molecular Biology of the Cell</i> , 2015, 26, 4280-4293.	0.9	41
108	A plant Bro1 domain protein BRAF regulates multivesicular body biogenesis and membrane protein homeostasis. <i>Nature Communications</i> , 2018, 9, 3784.	5.8	41

#	ARTICLE	IF	CITATIONS
109	A mechanism for differential sorting of the planar cell polarity proteins Frizzled6 and Vangl2 at the trans-Golgi network. <i>Journal of Biological Chemistry</i> , 2018, 293, 8410-8427.	1.6	40
110	OsNOA1/RIF1 is a functional homolog of AtNOA1/RIF1: implication for a highly conserved plant cGTPase essential for chloroplast function. <i>New Phytologist</i> , 2010, 187, 83-105.	3.5	39
111	Vacuolar Degradation of Two Integral Plasma Membrane Proteins, <sc>AtLRR84A</sc> and <sc>OsSCAMP1</sc>, Is Cargo Ubiquitination-Independent and Prevacuolar Compartment-Mediated in Plant Cells. <i>Traffic</i> , 2012, 13, 1023-1040.	1.3	39
112	Signal motifs-dependent ER export of Qc-SNARE BET12 interacts with MEMB12 and affects PR1 trafficking in <i>Arabidopsis</i> . <i>Journal of Cell Science</i> , 2018, 131, .	1.2	39
113	VPS36-Dependent Multivesicular Bodies Are Critical for Plasma Membrane Protein Turnover and Vacuolar Biogenesis. <i>Plant Physiology</i> , 2017, 173, 566-581.	2.3	39
114	Plasma Membrane Localization and Potential Endocytosis of Constitutively Expressed XA21 Proteins in Transgenic Rice. <i>Molecular Plant</i> , 2010, 3, 917-926.	3.9	38
115	An <i>in vivo</i> expression system for the identification of cargo proteins of vacuolar sorting receptors in <i>Arabidopsis</i> culture cells. <i>Plant Journal</i> , 2013, 75, 1003-1017.	2.8	38
116	PPero, a Computational Model for Plant PTS1 Type Peroxisomal Protein Prediction. <i>PLoS ONE</i> , 2017, 12, e0168912.	1.1	38
117	Subnanometer resolution cryo-EM structure of <i>Arabidopsis thaliana</i> ATG9. <i>Autophagy</i> , 2020, 16, 575-583.	4.3	36
118	Functional analysis of a Golgi-localized Kex2p-like protease in tobacco suspension culture cells. <i>Plant Journal</i> , 1999, 18, 23-32.	2.8	35
119	Autophagosome biogenesis in plants. <i>Autophagy</i> , 2014, 10, 704-705.	4.3	35
120	Homomeric Interaction of AtVSR1 Is Essential for Its Function as a Vacuolar Sorting Receptor. <i>Plant Physiology</i> , 2010, 154, 134-148.	2.3	34
121	Calcium-dependent protein kinase <sc>CPK</sc>28 targets the methionine adenosyltransferases for degradation by the 26S proteasome and affects ethylene biosynthesis and lignin deposition in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2017, 90, 304-318.	2.8	34
122	A unique AtSar1D-AtRabD2a nexus modulates autophagosome biogenesis in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	34
123	<i>Arabidopsis</i> COG Complex Subunits COG3 and COG8 Modulate Golgi Morphology, Vesicle Trafficking Homeostasis and Are Essential for Pollen Tube Growth. <i>PLoS Genetics</i> , 2016, 12, e1006140.	1.5	33
124	Membrane anchors for vacuolar targeting: application in plant bioreactors. <i>Trends in Biotechnology</i> , 2002, 20, 99-102.	4.9	32
125	Plant RMR proteins: unique vacuolar sorting receptors that couple ligand sorting with membrane internalization. <i>FEBS Journal</i> , 2011, 278, 59-68.	2.2	32
126	Secretory carrier membrane proteins. <i>Protoplasma</i> , 2012, 249, 269-283.	1.0	32

#	ARTICLE	IF	CITATIONS
127	Plant Prevacuolar/Endosomal Compartments. <i>International Review of Cytology</i> , 2006, 253, 95-129.	6.2	31
128	<i>N-linked glycosylation of AtVSR1 is important for vacuolar protein sorting in Arabidopsis</i> . <i>Plant Journal</i> , 2014, 80, 977-992.	2.8	31
129	Expression and characterization of two functional vacuolar sorting receptor (VSR) proteins, BP-80 and AtVSR4 from culture media of transgenic tobacco BY-2 cells. <i>Plant Science</i> , 2010, 179, 68-76.	1.7	30
130	<i>PINOID</i> Is Required for Formation of the Stigma and Style in Rice. <i>Plant Physiology</i> , 2019, 180, 926-936.	2.3	30
131	Vacuoles protect plants from high magnesium stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2931-2932.	3.3	29
132	AtNBR1 Is a Selective Autophagic Receptor for AtExo70E2 in Arabidopsis. <i>Plant Physiology</i> , 2020, 184, 777-791.	2.3	28
133	AtBRO1 Functions in ESCRT-I Complex to Regulate Multivesicular Body Protein Sorting. <i>Molecular Plant</i> , 2016, 9, 760-763.	3.9	27
134	Lhx1/5 control dendritogenesis and spine morphogenesis of Purkinje cells via regulation of Espin. <i>Nature Communications</i> , 2017, 8, 15079.	5.8	26
135	MONENSIN SENSITIVITY1 (MON1)/CALCIUM CAFFEINE ZINC SENSITIVITY1 (CCZ1)-Mediated Rab7 Activation Regulates Tapetal Programmed Cell Death and Pollen Development. <i>Plant Physiology</i> , 2017, 173, 206-218.	2.3	25
136	TM9SF4 is a novel factor promoting autophagic flux under amino acid starvation. <i>Cell Death and Differentiation</i> , 2018, 25, 368-379.	5.0	25
137	SINAT E3 ligases regulate the stability of the ESCRT component FREE1 in response to iron deficiency in plants. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1399-1417.	4.1	25
138	An in vitro vesicle formation assay reveals cargo clients and factors that mediate vesicular trafficking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	25
139	The Multivesicular Body and Autophagosome Pathways in Plants. <i>Frontiers in Plant Science</i> , 2018, 9, 1837.	1.7	24
140	Vicilin and Napin Storage-Protein Gene Promoters Are Responsive to Abscisic Acid in Developing Transgenic Tobacco Seed but Lose Sensitivity following Premature Desiccation. <i>Plant Physiology</i> , 1996, 110, 1135-1144.	2.3	23
141	Sorting of membrane proteins to vacuoles in plant cells. <i>Plant Science</i> , 1999, 146, 55-67.	1.7	23
142	Storage globulins pass through the Golgi apparatus and multivesicular bodies in the absence of dense vesicle formation during early stages of cotyledon development in mung bean. <i>Journal of Experimental Botany</i> , 2012, 63, 1367-1380.	2.4	23
143	MTV proteins unveil ER- and microtubule-associated compartments in the plant vacuolar trafficking pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9884-9895.	3.3	23
144	Gene Expression Profiles of Cold-stored and Fresh Pollen to Investigate Pollen Germination and Growth. <i>Plant and Cell Physiology</i> , 2004, 45, 1519-1528.	1.5	22

#	ARTICLE	IF	CITATIONS
145	Heterologous expression analyses of rice OsCAS in Arabidopsis and in yeast provide evidence for its roles in cyanide detoxification rather than in cysteine synthesis in vivo. <i>Journal of Experimental Botany</i> , 2009, 60, 993-1008.	2.4	22
146	Î±2-COP is involved in early secretory traffic in Arabidopsis and is required for plant growth. <i>Journal of Experimental Botany</i> , 2016, 68, erw446.	2.4	22
147	Sorting Motifs Involved in the Trafficking and Localization of the PIN1 Auxin Efflux Carrier. <i>Plant Physiology</i> , 2016, 171, 1965-1982.	2.3	22
148	Structural basis of substrate recognition and thermal protection by a small heat shock protein. <i>Nature Communications</i> , 2021, 12, 3007.	5.8	22
149	Plant Bioreactors for Pharmaceuticals. <i>Biotechnology and Genetic Engineering Reviews</i> , 2008, 25, 363-380.	2.4	21
150	How Vacuolar Sorting Receptor Proteins Interact with Their Cargo Proteins: Crystal Structures of Apo and Cargo-Bound Forms of the Protease-Associated Domain from an <i>Arabidopsis</i> Vacuolar Sorting Receptor. <i>Plant Cell</i> , 2014, 26, 3693-3708.	3.1	21
151	Polycystin-2 Plays an Essential Role in Glucose Starvation-Induced Autophagy in Human Embryonic Stem Cell-Derived Cardiomyocytes. <i>Stem Cells</i> , 2018, 36, 501-513.	1.4	20
152	ER-Phagy and ER Stress Response (ERSR) in Plants. <i>Frontiers in Plant Science</i> , 2019, 10, 1192.	1.7	20
153	RST1 Is a FREE1 Suppressor That Negatively Regulates Vacuolar Trafficking in Arabidopsis. <i>Plant Cell</i> , 2019, 31, 2152-2168.	3.1	20
154	A plant-unique ESCRT component, FYVE4, regulates multivesicular endosome biogenesis and plant growth. <i>New Phytologist</i> , 2021, 231, 193-209.	3.5	20
155	Na ⁺ ,K ⁺ /H ⁺ antiporters regulate the pH of endoplasmic reticulum and auxin-mediated development. <i>Plant, Cell and Environment</i> , 2018, 41, 850-864.	2.8	19
156	Fast-Suppressor Screening for New Components in Protein Trafficking, Organelle Biogenesis and Silencing Pathway in Arabidopsis thaliana Using DEX-Inducible FREE1-RNAi Plants. <i>Journal of Genetics and Genomics</i> , 2015, 42, 319-330.	1.7	18
157	Possible Roles of Membrane Trafficking Components for Lipid Droplet Dynamics in Higher Plants and Green Algae. <i>Frontiers in Plant Science</i> , 2019, 10, 207.	1.7	18
158	Plant Rho GTPase signaling promotes autophagy. <i>Molecular Plant</i> , 2021, 14, 905-920.	3.9	18
159	Compartmentation of proteins in the protein storage vacuole: A compound organelle in plant cells. <i>Advances in Botanical Research</i> , 2001, 35, 139-170.	0.5	17
160	Plant Prevacuolar Compartments and Endocytosis. , 0, , 37-61.		17
161	Origin of the Autophagosomal Membrane in Plants. <i>Frontiers in Plant Science</i> , 2016, 7, 1655.	1.7	17
162	The interplay between endomembranes and autophagy in plants. <i>Current Opinion in Plant Biology</i> , 2019, 52, 14-22.	3.5	17

#	ARTICLE	IF	CITATIONS
163	The 5 [prime] Flanking Regions of Vicilin and Napin Storage Protein Genes Are Down-Regulated by Desiccation in Transgenic Tobacco. <i>Plant Physiology</i> , 1995, 107, 1439-1449.	2.3	15
164	Organelle Identification and Characterization in Plant Cells: Using a Combinational Approach of Confocal Immunofluorescence and Electron Microscope. <i>Journal of Plant Biology</i> , 2009, 52, 1-9.	0.9	15
165	Production and characterization of soluble human lysosomal enzyme β -iduronidase with high activity from culture media of transgenic tobacco BY-2 cells. <i>Plant Science</i> , 2009, 177, 668-675.	1.7	15
166	A distinct giant coat protein complex II vesicle population in <i>Arabidopsis thaliana</i> . <i>Nature Plants</i> , 2021, 7, 1335-1346.	4.7	15
167	<i>Arabidopsis</i> HOPS subunit VPS41 carries out plant-specific roles in vacuolar transport and vegetative growth. <i>Plant Physiology</i> , 2022, 189, 1416-1434.	2.3	14
168	TRPM2 Promotes Atherosclerotic Progression in a Mouse Model of Atherosclerosis. <i>Cells</i> , 2022, 11, 1423.	1.8	14
169	The Role of BP-80 and Homologs in Sorting Proteins to Vacuoles. <i>Plant Cell</i> , 1999, 11, 2069-2071.	3.1	13
170	AtCAP2 is crucial for lytic vacuole biogenesis during germination by positively regulating vacuolar protein trafficking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1675-E1683.	3.3	13
171	<i>Drosophila</i> Exo70 Is Essential for Neurite Extension and Survival under Thermal Stress. <i>Journal of Neuroscience</i> , 2018, 38, 8071-8086.	1.7	13
172	TRPM2 promotes autophagic degradation in vascular smooth muscle cells. <i>Scientific Reports</i> , 2020, 10, 20719.	1.6	13
173	Membrane imaging in the plant endomembrane system. <i>Plant Physiology</i> , 2021, 185, 562-576.	2.3	13
174	Molecular Characterization of Plant Prevacuolar and Endosomal Compartments. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1119-1128.	4.1	12
175	Aortic Baroreceptors Display Higher Mechanosensitivity than Carotid Baroreceptors. <i>Frontiers in Physiology</i> , 2016, 7, 384.	1.3	12
176	MYB106 is a negative regulator and a substrate for CRL3 ^{BPM} E3 ligase in regulating flowering time in <i>Arabidopsis thaliana</i> . <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1104-1119.	4.1	12
177	Mechanistic insights into an atypical interaction between ATG8 and SH3P2 in <i>Arabidopsis thaliana</i> . <i>Autophagy</i> , 2022, 18, 1350-1366.	4.3	12
178	Plant ESCRT protein ALIX coordinates with retromer complex in regulating receptor-mediated sorting of soluble vacuolar proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2200492119.	3.3	12
179	Role of desiccation in the termination of expression of genes for storage proteins. <i>Seed Science Research</i> , 1994, 4, 149-173.	0.8	11
180	Organelle identification and proteomics in plant cells. <i>Trends in Biotechnology</i> , 2003, 21, 331-332.	4.9	11

#	ARTICLE	IF	CITATIONS
181	Molecular mechanisms that regulate export of the planar cell-polarity protein Frizzled-6 out of the endoplasmic reticulum. <i>Journal of Biological Chemistry</i> , 2020, 295, 8972-8987.	1.6	11
182	Subcellular Localization of Rice Acyl-CoA-Binding Proteins ACBP4 and ACBP5 Supports Their Non-redundant Roles in Lipid Metabolism. <i>Frontiers in Plant Science</i> , 2020, 11, 331.	1.7	11
183	Correlation of vacuole morphology with stomatal lineage development by whole-cell electron tomography. <i>Plant Physiology</i> , 2022, 188, 2085-2100.	2.3	11
184	A 64 kDa sucrose binding protein is membrane-associated and tonoplast-localized in developing mung bean seeds. <i>Journal of Experimental Botany</i> , 2009, 60, 629-639.	2.4	9
185	Successful transport to the vacuole of heterologously expressed mung bean 8S globulin occurs in seed but not in vegetative tissues. <i>Journal of Experimental Botany</i> , 2013, 64, 1587-1601.	2.4	9
186	TRPV6 protects ER stress-induced apoptosis via ATF6 β -TRPV6-JNK pathway in human embryonic stem cell-derived cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 120, 1-11.	0.9	9
187	Structural Biology and Electron Microscopy of the Autophagy Molecular Machinery. <i>Cells</i> , 2019, 8, 1627.	1.8	9
188	ESCRT α -dependent vacuolar sorting and degradation of the auxin biosynthetic enzyme YUC1 flavin monooxygenase. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 968-973.	4.1	9
189	Systematic prediction of autophagy-related proteins using <i>Arabidopsis thaliana</i> interactome data. <i>Plant Journal</i> , 2021, 105, 708-720.	2.8	9
190	Hydrolysis of organophosphorus by diatom purple acid phosphatase and sequential regulation of cell metabolism. <i>Journal of Experimental Botany</i> , 2021, 72, 2918-2932.	2.4	9
191	TM9SF4 Is a Crucial Regulator of Inflammation and ER Stress in Inflammatory Bowel Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 14, 245-270.	2.3	9
192	The plant ESCRT component FREE1 regulates peroxisome-mediated turnover of lipid droplets in germinating <i>Arabidopsis</i> seedlings. <i>Plant Cell</i> , 2022, 34, 4255-4273.	3.1	9
193	Enigmatic Brefeldin A. <i>Plant Signaling and Behavior</i> , 2007, 2, 199-202.	1.2	8
194	Using Fluorescent Protein Fusions to Study Protein Subcellular Localization and Dynamics in Plant Cells. <i>Methods in Molecular Biology</i> , 2016, 1474, 113-123.	0.4	8
195	Modulating the activities of chloroplasts and mitochondria promotes adenosine triphosphate production and plant growth. <i>Quantitative Plant Biology</i> , 2021, 2, .	0.8	8
196	Structural insights into how vacuolar sorting receptors recognize the sorting determinants of seed storage proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	8
197	Targeting and processing of membrane-anchored YFP fusion proteins to protein storage vacuoles in transgenic tobacco seeds. <i>Seed Science Research</i> , 2005, 15, 361-364.	0.8	7
198	Targeting tail-anchored proteins into plant organelles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1762-1764.	3.3	7

#	ARTICLE	IF	CITATIONS
199	Re-assessment of biolistic transient expression: An efficient and robust method for protein localization studies in seedling-lethal mutant and juvenile plants. <i>Plant Science</i> , 2018, 274, 2-7.	1.7	7
200	Membrane Contact Sites and Organelles Interaction in Plant Autophagy. <i>Frontiers in Plant Science</i> , 2020, 11, 477.	1.7	7
201	COPII vesicles in plant autophagy and endomembrane trafficking. <i>FEBS Letters</i> , 2022, 596, 2314-2323.	1.3	7
202	Response to Gomord et al.: Golgi-bypassing: delivery of biopharmaceutical proteins to protein storage vacuoles in plant bioreactors. <i>Trends in Biotechnology</i> , 2006, 24, 147-149.	4.9	6
203	Hormone modulates protein dynamics to regulate plant growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3521-3523.	3.3	6
204	New insights into AtNBR1 as a selective autophagy cargo receptor in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2021, 16, 1839226.	1.2	6
205	MYB117 is a negative regulator of flowering time in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2021, 16, 1901448.	1.2	6
206	Leucine-rich repeat receptor-like protein kinase AtORPK1 promotes oxidative stress resistance in an AtORPK1-AtKAPP mediated module in Arabidopsis. <i>Plant Science</i> , 2022, 315, 111147.	1.7	6
207	Protein Co-localization Studies: Issues and Considerations. <i>Molecular Plant</i> , 2016, 9, 1221-1223.	3.9	5
208	Premature Drying Increases the GA-Responsiveness of Developing Aleurone Layers of Barley (<i>Hordeum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 ⁷	1.5	4
209	Membrane anchors effectively traffic recombinant human glucocerebrosidase to the protein storage vacuole of Arabidopsis seeds but do not adequately control N-glycan maturation. <i>Plant Cell Reports</i> , 2014, 33, 2023-2032.	2.8	4
210	A rapid and efficient method to study the function of crop plant transporters in Arabidopsis. <i>Protoplasma</i> , 2017, 254, 737-747.	1.0	4
211	Transmembrane 6 superfamily 1 (Tm6sf1) is a novel lysosomal transmembrane protein. <i>Protoplasma</i> , 2015, 252, 977-983.	1.0	2
212	Analysis of Prevacuolar Compartment-Mediated Vacuolar Proteins Transport. <i>Methods in Molecular Biology</i> , 2014, 1209, 119-129.	0.4	2
213	Organelle biogenesis and function in plants. <i>Scientia Sinica Vitae</i> , 2019, 49, 1679-1694.	0.1	2
214	Transient Expression of Fluorescent Fusion Proteins in Arabidopsis Protoplasts. <i>Methods in Molecular Biology</i> , 2021, 2200, 157-165.	0.4	2
215	Back to the roots: A focus on plant cell biology. <i>Plant Cell</i> , 2022, 34, 1-3.	3.1	1
216	The Role of BP-80 and Homologs in Sorting Proteins to Vacuoles. <i>Plant Cell</i> , 1999, 11, 2069.	3.1	0

#	ARTICLE	IF	CITATIONS
217	Multivesicular bodies in developing tobacco seed and mung bean are functionally equivalent. <i>Plant Signaling and Behavior</i> , 2012, 7, 450-453.	1.2	0
218	Arabidopsis ENDOMEMBRANE PROTEIN 12 contributes to the endoplasmic reticulum stress response by regulating K/HDEL receptor trafficking. <i>Plant Cell</i> , 2019, , tpc.00913.2018.	3.1	0
219	Identification and characterization of unconventional membrane protein trafficking regulators in Arabidopsis: A genetic approach. <i>Journal of Plant Physiology</i> , 2020, 252, 153229.	1.6	0
220	SCAMP, VSR, and Plant Endocytosis. , 2012, , 217-231.		0
221	SH Domain Proteins in Plants: Roles in Signaling Transduction and Membrane Trafficking. , 2015, , 17-33.		0
222	Polar Protein Exocytosis: Lessons from Plant Pollen Tube. , 2017, , 107-127.		0
223	Genetic Suppressor Screen Using an Inducible FREE1-RNAi Line to Detect ESCRT Genetic Interactors in Arabidopsis thaliana. <i>Methods in Molecular Biology</i> , 2019, 1998, 273-289.	0.4	0
224	Analysis of Membrane Proteins Transport from Endosomal Compartments to Vacuoles. <i>Methods in Molecular Biology</i> , 2020, 2177, 15-21.	0.4	0