Edward KoÅ^oluk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6142246/publications.pdf

Version: 2024-02-01

59	591	14	23
papers	citations	h-index	g-index
63	63	63	932
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Contact Force-Sensing versus Standard Catheters in Non-Fluoroscopic Radiofrequency Catheter Ablation of Idiopathic Outflow Tract Ventricular Arrhythmias. Journal of Clinical Medicine, 2022, 11, 593.	2.4	O
2	Efficacy and Safety of Zero-Fluoroscopy Approach during Catheter Ablation of Accessory Pathway. Journal of Clinical Medicine, 2022, 11, 1814.	2.4	2
3	Is Increased Resting Heart Rate after Radiofrequency Pulmonary Vein Isolation a Predictor of Favorable Long-Term Outcome of the Procedure?. Journal of Clinical Medicine, 2022, 11, 2159.	2.4	O
4	Cardioneuroablation in neurocardiogenic syncope – hype or hope?. European Journal of Translational and Clinical Medicine, 2022, 5, 47-52.	0.1	0
5	Difference in demand for analgesic and sedative medication according to the type of catheter ablation for atrial fibrillation. European Journal of Translational and Clinical Medicine, 2021, 4, 35-42.	0.1	O
6	Irrigated DiamondTemp catheter and return to ablation under temperature control. First Polish experience with DiamondTemp catheter in pulmonary vein isolation European Journal of Translational and Clinical Medicine, 2021, 4, 44-51.	0.1	0
7	High-power and short-durationÂablationÂwith the Qdot+ algorithm for pulmonary vein isolation and the right superior ganglion plexus ablation without fluoroscopy. European Journal of Translational and Clinical Medicine, 2021, 4, 10-17.	0.1	O
8	Diagnostic value of implantable loop recorder in patients undergoing cryoballoon ablation of atrial fibrillation. Annals of Noninvasive Electrocardiology, 2020, 25, e12733.	1.1	8
9	Paroxysmal and persistent atrial fibrillation ablation outcomes with the pulmonary vein ablation catheter GOLD duty-cycled phased radiofrequency ablation catheter: quality of life and 12-month efficacy results from the GOLD Atrial Fibrillation Registry. Europace, 2020, 22, 888-896.	1.7	13
10	Non-fluoroscopic radiofrequency catheter ablation of right- and left-sided ventricular arrhythmias. Postepy W Kardiologii Interwencyjnej, 2020, 16, 321-329.	0.2	3
11	Short-Term Hemodynamic Variability in Supine and Tilted Position in Young Men. IFMBE Proceedings, 2020, , 787-792.	0.3	0
12	First experience with left atrial arrhythmia ablation using a bi-directional steerable transseptal sheath (Vizigo) visible in the CARTO system as a method to reduce fluoroscopy European Journal of Translational and Clinical Medicine, 2020, 3, 18-21.	0.1	0
13	Direct results of a prospective randomized study comparing ablation with the nMARQ catheter and the PVAC catheter used with and without a 3D system (MAPER 3D Study). Archives of Medical Science, 2019, 15, 78-85.	0.9	4
14	Transfer Information Assessment in Diagnosis of Vasovagal Syncope Using Transfer Entropy. Entropy, 2019, 21, 347.	2.2	3
15	Entropy Measures in Analysis of Head up Tilt Test Outcome for Diagnosing Vasovagal Syncope. Entropy, 2018, 20, 976.	2.2	6
16	The complexity of hemodynamic response to the tilt test with and without nitroglycerine provocation in patients with vasovagal syncope. Scientific Reports, 2018, 8, 14554.	3.3	8
17	Safety and efficacy of cryoablation without the use of fluoroscopy. Cardiology Journal, 2018, 25, 327-332.	1.2	9
18	Ventricular fibrillation induced by a radiofrequency energy delivery for premature ventricular contractions arising from the right ventricular outflow tract $\hat{a} \in \text{``is ICD indicated?'}$. Polish Archives of Internal Medicine, 2018, 128, 166-170.	0.4	0

#	Article	IF	CITATIONS
19	Effectiveness comparison of various atrial fibrillation ablation methods in patients with common venous trunk. Advances in Clinical and Experimental Medicine, 2018, 28, 461-467.	1.4	1
20	Temporal Trends and Temperature-Related Incidence of Electrical Storm. Circulation: Arrhythmia and Electrophysiology, 2017, 10 , .	4.8	21
21	Entropy in Investigation of Vasovagal Syndrome in Passive Head Up Tilt Test. Entropy, 2017, 19, 236.	2.2	7
22	Pulmonary vein isolation in a patient with atrial fibrillation and a filter in the inferior vena cava. Postepy W Kardiologii Interwencyjnej, 2017, 3, 279-280.	0.2	1
23	The influence of the atrial fibrillation episode duration on the endothelial function in patients treated with pulmonary veins isolation. Advances in Clinical and Experimental Medicine, 2017, 26, 109-113.	1.4	5
24	Catheter ablation of cardiac arrhythmias in pregnancy without fluoroscopy: A case control retrospective study. Advances in Clinical and Experimental Medicine, 2017, 26, 129-134.	1.4	25
25	Takotsubo syndrome after pericardial tamponade following cryoballoon ablation of pulmonary veins for paroxysmal atrial fibrillation and complicated by right coronary artery thrombosis. Cardiology Journal, 2017, 24, 216-216.	1.2	2
26	The $4q25$, $1q21$, and $16q22$ polymorphisms and recurrence of atrial fibrillation after pulmonary vein isolation. Archives of Medical Science, 2016 , 1 , $38-44$.	0.9	19
27	Entropy in description of vasovagal syndrome. , 2015, , .		0
28	Presence and severity of obstructive sleep apnea and remote outcomes of atrial fibrillation ablations $\hat{a} \in \mathbb{R}^n$ a long-term prospective, cross-sectional cohort study. Sleep and Breathing, 2015, 19, 849-856.	1.7	43
29	Antazoline for termination of atrial fibrillation during the procedure of pulmonary veins isolation. Advances in Medical Sciences, 2015, 60, 231-235.	2.1	10
30	Members of the emergency medical team may have difficulty diagnosing rapid atrial fibrillation in Wolff-Parkinson-White syndrome. Cardiology Journal, 2015, 22, 247-252.	1.2	4
31	Early hemodynamic response to the tilt test in patients with syncope. Archives of Medical Science, 2014, 6, 1078-1085.	0.9	15
32	The presence of pacing artifacts may impede diagnosis of ventricular fibrillation during cardiac arrest. Resuscitation, 2014, 85, e167-e168.	3.0	3
33	Computer program for analysis of hemodynamic response to head-up tilt test. , 2014, , .		0
34	Does a blanking period after pulmonary vein isolation impact long-term results? Results after 55 months of follow-up. Cardiology Journal, 2014, 21, 384-391.	1.2	22
35	Obstructive sleep apnoea in patients with atrial fibrillation: prevalence, determinants and clinical characteristics of patients in Polish population. Kardiologia Polska, 2014, 72, 716-724.	0.6	34
36	Influence of left atrial size on the outcome of pulmonary vein isolation in patients with atrial fibrillation. Kardiologia Polska, 2014, 72, 1135-1140.	0.6	3

#	Article	IF	CITATIONS
37	Authors' response. Cardiology Journal, 2014, 21, 584-584.	1.2	o
38	Successful catheter ablation of Mahaim potential in a patient with wide QRS complex tachycardia. Kardiologia Polska, 2014, 72, 983-983.	0.6	0
39	The knowledge of public access to defibrillation in selected cities in Poland. Archives of Medical Science, 2013, 1, 27-33.	0.9	16
40	Radiofrequency ablation without the use of fluoroscopy $\hat{a} \in \text{``in what kind of patients is it feasible?}$. Archives of Medical Science, 2013, 5, 821-825.	0.9	12
41	The Choice of Surgical Specialization by Medical Students and Their Syncopal History. PLoS ONE, 2013, 8, e55236.	2.5	5
42	Lack of movement of the cardiac silhouette in fluoroscopy is an early sign of pericardial fluid during catheter ablation: a three-case report. Kardiologia Polska, 2013, 71, 432-432.	0.6	0
43	Efficacy of multi-electrode duty-cycled radiofrequency ablation in patients with paroxysmal and persistent atrial fibrillation. Cardiology Journal, 2013, 20, 618-625.	1.2	3
44	Electrophysiological features in patients with sinus node dysfunction and vasovagal syncope. Archives of Medical Science, 2011, 6, 963-970.	0.9	6
45	Association between Variants on Chromosome 4q25, 16q22 and 1q21 and Atrial Fibrillation in the Polish Population. PLoS ONE, 2011, 6, e21790.	2.5	31
46	Physiologic Resynchronization Therapy: A Case of His Bundle Pacing Reversing Physiologic Conduction in a Patient with CHF and LBBB During 2 Years of Observation. Journal of Cardiovascular Electrophysiology, 2011, 22, 813-817.	1.7	22
47	Efficacy of catheter ablation in patients with an electrical storm. Kardiologia Polska, 2011, 69, 665-70.	0.6	13
48	Ablation of Severe Drugâ€Resistant Tachyarrhythmia During Pregnancy. Journal of Cardiovascular Electrophysiology, 2010, 21, 877-882.	1.7	67
49	The clinical relevance of the duration of loss of consciousness provoked by tilt testing. Acta Cardiologica, 2010, 65, 203-209.	0.9	2
50	Evaluation of safety and the success rate of cryoballoon ablation of the pulmonary vein ostia in patients with atrial fibrillationa preliminary report. Kardiologia Polska, 2010, 68, 175-80.	0.6	1
51	Is the diagnostic function of pacemakers a reliable source of information about ventricular arrhythmias?. Cardiology Journal, 2010, 17, 495-502.	1.2	4
52	Clinical relevance of syncope and presyncope induced by tilt testing. Acta Cardiologica, 2009, 64, 461-465.	0.9	4
53	Unusual thrombo-embolic event after radiofrequency ablation. Europace, 2008, 10, 609-609.	1.7	0
54	Electrocardiographic characteristics of atrioventricular block induced by tilt testing. Europace, 2008, 11, 225-230.	1.7	26

#	Article	IF	CITATIONS
55	The LocaLisa system as the key to shortening the procedure duration and fluoroscopy time during ablation of atrial fibrillation. Kardiologia Polska, 2008, 66, 624-9; discussion 630-1.	0.6	1
56	Near-infrared spectroscopy in evaluation of cerebral oxygenation during vasovagal syncope. Physiological Measurement, 2004, 25, 823-836.	2.1	31
57	Stroke volume and systolic time intervals: Beat-to-beat comparison between echocardiography and ambulatory impedance cardiography in supine and tilted positions. Medical and Biological Engineering and Computing, 2004, 42, 707-711.	2.8	55
58	Histological Examination of the Topography of the Atrioventricular Nodal Artery within the Triangle of Koch. PACE - Pacing and Clinical Electrophysiology, 1998, 21, 163-167.	1.2	14
59	Short:term Hemodynamic Variability in Supine and Tilted Position in Young Women., 0,,.		1