

Hermann Nabi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6143449/publications.pdf>

Version: 2024-02-01

89
papers

4,827
citations

94433

37
h-index

98798

67
g-index

90
all docs

90
docs citations

90
times ranked

8201
citing authors

#	ARTICLE	IF	CITATIONS
1	Issues associated with a hereditary risk of cancer: Knowledge, attitudes and practices of nurses in oncology settings. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2022, 32, 272-285.	0.5	5
2	Survey of palliative care providers'™ needs, perceived roles, and ethical concerns about addressing cancer family history at the end of life. Palliative and Supportive Care, 2021, 19, 217-222.	1.0	2
3	Women'™s Views on Multifactorial Breast Cancer Risk Assessment and Risk-Stratified Screening: A Population-Based Survey from Four Provinces in Canada. Journal of Personalized Medicine, 2021, 11, 95.	2.5	28
4	A Collaborative Model to Implement Flexible, Accessible and Efficient Oncogenetic Services for Hereditary Breast and Ovarian Cancer: The C-MOnGene Study. Cancers, 2021, 13, 2729.	3.7	8
5	Whether, when, how, and how much? General public'™s and cancer patients'™ views about the disclosure of genomic secondary findings. BMC Medical Genomics, 2021, 14, 167.	1.5	10
6	What do cancer patients'™ relatives think about addressing cancer family history and performing genetic testing in palliative care?. European Journal of Human Genetics, 2020, 28, 213-221.	2.8	4
7	Increased risk of type 2 diabetes in antidepressant users: evidence from a 6'™year longitudinal study in the E3N cohort. Diabetic Medicine, 2020, 37, 1866-1873.	2.3	4
8	Development of a community pharmacy-based intervention to enhance adherence to adjuvant endocrine therapy among breast cancer survivors guided by the Intervention Mapping approach. Research in Social and Administrative Pharmacy, 2020, 16, 1724-1736.	3.0	7
9	Addressing cancer family history at the end of life: How frequent, relevant, and feasible is it? A survey of palliative care providers. Palliative Medicine, 2019, 33, 856-858.	3.1	5
10	Cardiovascular risk goes up as your mood goes down: Interaction of depression and socioeconomic status in determination of cardiovascular risk in the CONSTANCES cohort. International Journal of Cardiology, 2018, 262, 99-105.	1.7	17
11	Body mass index and clinical outcomes in trastuzumab-treated metastatic breast cancer patients: An alternative explanation for the lack of association. Breast, 2018, 39, 150-151.	2.2	1
12	Body-mass index and metastatic melanoma outcomes. Lancet Oncology, The, 2018, 19, e226.	10.7	2
13	What Characterizes Cancer Family History Collection Tools? A Critical Literature Review. Current Oncology, 2018, 25, 335-350.	2.2	21
14	When Blue-Collars Feel Blue. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	15
15	Increased Use of BRCA Mutation Test in Unaffected Women Over the Period 2004'™2014 in the U.S.: Further Evidence of the 'œAngelina Jolie Effect'œ?. American Journal of Preventive Medicine, 2017, 53, e195-e196.	3.0	7
16	Temporal trend in socioeconomic inequalities in the uptake of cancer screening programmes in France between 2005 and 2010: results from the Cancer Barometer surveys. BMJ Open, 2017, 7, e016941.	1.9	30
17	COFAC-Col: A Cervical Cancer Control Networking Initiative in Five French-Speaking African Countries. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1004-1005.	2.5	6
18	Association between current perceived stress and incident diabetes is dependent on occupational status: Evidence from the IPC cohort study. Diabetes and Metabolism, 2016, 42, 328-335.	2.9	14

#	ARTICLE	IF	CITATIONS
19	Longitudinal association of antidepressant medication use with metabolic syndrome: Results of a 9-year follow-up of the D.E.S.I.R. cohort study. <i>Psychoneuroendocrinology</i> , 2016, 74, 34-45.	2.7	10
20	Perceived stress, common carotid intima media thickness and occupational status: The Paris Prospective Study III. <i>International Journal of Cardiology</i> , 2016, 221, 1025-1030.	1.7	12
21	Hostility and the risk of peptic ulcer in the GAZEL cohort.. <i>Health Psychology</i> , 2015, 34, 181-185.	1.6	11
22	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). <i>BMJ Open</i> , 2015, 5, e005971-e005971.	1.9	61
23	Antidepressant medication use and trajectories of fasting plasma glucose, glycated haemoglobin, β -cell function and insulin sensitivity: a 9-year longitudinal study of the D.E.S.I.R. cohort. <i>International Journal of Epidemiology</i> , 2015, 44, 1927-1940.	1.9	14
24	Excess non-psychiatric hospitalizations among employees with mental disorders: a 10-year prospective study of the GAZEL cohort. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 307-317.	4.5	2
25	Metabolically healthy obesity and the risk of cardiovascular disease and type 2 diabetes: the Whitehall II cohort study. <i>European Heart Journal</i> , 2015, 36, 551-559.	2.2	283
26	The Authors Reply. <i>American Journal of Epidemiology</i> , 2014, 179, 792-793.	3.4	1
27	Perceived stress, sex and occupational status interact to increase the risk of future high blood pressure. <i>Journal of Hypertension</i> , 2014, 32, 1979-1986.	0.5	27
28	Optimism and pessimism as predictors of initiating and ending an antidepressant medication treatment. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 1-7.	1.3	6
29	Trajectories of the Framingham general cardiovascular risk profile in midlife and poor motor function later in life: The Whitehall II study. <i>International Journal of Cardiology</i> , 2014, 172, 96-102.	1.7	33
30	Sleep duration and sleep disturbances partly explain the association between depressive symptoms and cardiovascular mortality: the Whitehall II cohort study. <i>Journal of Sleep Research</i> , 2014, 23, 94-97.	3.2	30
31	Subjective cognitive complaints and mortality: Does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014, 48, 73-78.	3.1	63
32	Association of personality with the development and persistence of obesity: a meta-analysis based on individual participant data. <i>Obesity Reviews</i> , 2013, 14, 315-323.	6.5	176
33	Association of serum homocysteine with major depressive disorder: Results from a large population-based study. <i>Psychoneuroendocrinology</i> , 2013, 38, 2309-2318.	2.7	48
34	Mortality associated with depression as compared with other severe mental disorders: A 20-year follow-up study of the GAZEL cohort.. <i>Journal of Psychiatric Research</i> , 2013, 47, 851-857.	3.1	29
35	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2013, 34, 2697-2705.	2.2	103
36	Informal Caregiving and the Risk for Coronary Heart Disease: The Whitehall II Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1316-1323.	3.6	54

#	ARTICLE	IF	CITATIONS
37	Occupational Status Moderates the Association Between Current Perceived Stress and High Blood Pressure. <i>Hypertension</i> , 2013, 61, 571-577.	2.7	47
38	Personality and the Risk of Cancer. <i>Psychosomatic Medicine</i> , 2013, 75, 262-271.	2.0	35
39	Depression and the Risk of Cancer: A 15-year Follow-up Study of the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 1712-1720.	3.4	40
40	Trait Anxiety Levels Before and After Antidepressant Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 371-377.	1.4	6
41	Influence of retirement on nonadherence to medication for hypertension and diabetes. <i>Cmaj</i> , 2013, 185, E784-E790.	2.0	23
42	Personality and All-Cause Mortality: Individual-Participant Meta-Analysis of 3,947 Deaths in 76,150 Adults. <i>American Journal of Epidemiology</i> , 2013, 178, 667-675.	3.4	257
43	Socioeconomic position predicts long-term depression trajectory: a 13-year follow-up of the GAZEL cohort study. <i>Molecular Psychiatry</i> , 2013, 18, 112-121.	7.9	88
44	Effect of depression onset on adherence to medication among hypertensive patients. <i>Journal of Hypertension</i> , 2013, 31, 1477-1484.	0.5	24
45	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 643-647.	0.3	27
46	Bidirectional association between physical activity and symptoms of anxiety and depression: the Whitehall II study. <i>European Journal of Epidemiology</i> , 2012, 27, 537-546.	5.7	233
47	Low conscientiousness and risk of all-cause, cardiovascular and cancer mortality over 17years: Whitehall II cohort study. <i>Journal of Psychosomatic Research</i> , 2012, 73, 98-103.	2.6	41
48	Personality and hormone therapy use among postmenopausal women in the GAZEL cohort study. <i>Fertility and Sterility</i> , 2012, 98, 929-936.	1.0	10
49	Obesity phenotypes in midlife and cognition in early old age. <i>Neurology</i> , 2012, 79, 755-762.	1.1	94
50	Association between Dietary Patterns and Depressive Symptoms Over Time: A 10-Year Follow-Up Study of the GAZEL Cohort. <i>PLoS ONE</i> , 2012, 7, e51593.	2.5	145
51	Early retirement from work among employees with a diagnosis of personality disorder compared to anxiety and depressive disorders. <i>European Psychiatry</i> , 2011, 26, 18-22.	0.2	15
52	Cognitive hostility and suicide. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 62-69.	4.5	25
53	Optimism and pessimism as predictors of work disability with a diagnosis of depression: A prospective cohort study of onset and recovery. <i>Journal of Affective Disorders</i> , 2011, 130, 294-299.	4.1	28
54	Association of lung function with physical, mental and cognitive function in early old age. <i>Age</i> , 2011, 33, 385-392.	3.0	45

#	ARTICLE	IF	CITATIONS
55	Letter by Nabi Regarding Article, "Attained Educational Level and Incident Atherothrombotic Events in Low- and Middle-Income Compared With High-Income Countries"; <i>Circulation</i> , 2011, 123, e605; author reply e606.	1.6	0
56	Low Level of Optimism Predicts Initiation of Psychotherapy for Depression: Results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 238-244.	8.8	14
57	Predictive utility of the Framingham general cardiovascular disease risk profile for cognitive function: evidence from the Whitehall II study. <i>European Heart Journal</i> , 2011, 32, 2326-2332.	2.2	93
58	Influence of retirement and work stress on headache prevalence: A longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011, 31, 696-705.	3.9	34
59	Trajectories of Depressive Episodes and Hypertension Over 24 Years. <i>Hypertension</i> , 2011, 57, 710-716.	2.7	81
60	Combined Effects of Depressive Symptoms and Resting Heart Rate on Mortality. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1199-1206.	2.2	10
61	Childhood adversities, adulthood life events and depression. <i>Journal of Affective Disorders</i> , 2010, 127, 130-138.	4.1	71
62	Trends in the association between height and socioeconomic indicators in France, 1970-2003. <i>Economics and Human Biology</i> , 2010, 8, 396-404.	1.7	39
63	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 16-23.	4.7	28
64	Incremental Predictive Value of Adding Past Blood Pressure Measurements to the Framingham Hypertension Risk Equation. <i>Hypertension</i> , 2010, 55, 1058-1062.	2.7	28
65	Hostility and depressive mood: results from the Whitehall II prospective cohort study. <i>Psychological Medicine</i> , 2010, 40, 405-413.	4.5	30
66	Low Pessimism Protects Against Stroke. <i>Stroke</i> , 2010, 41, 187-190.	2.0	45
67	Hostility May Explain the Association between Depressive Mood and Mortality: Evidence from the French GAZEL Cohort Study. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 164-171.	8.8	85
68	Association of Socioeconomic Position With Health Behaviors and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1159.	7.4	783
69	Effects of depressive symptoms and coronary heart disease and their interactive associations on mortality in middle-aged adults: the Whitehall II cohort study. <i>Heart</i> , 2010, 96, 1645-1650.	2.9	53
70	Psychological and Somatic Symptoms of Anxiety and Risk of Coronary Heart Disease: The Health and Social Support Prospective Cohort Study. <i>Biological Psychiatry</i> , 2010, 67, 378-385.	1.3	87
71	Lost work days in the 6 years leading to premature death from cardiovascular disease in men and women. <i>Atherosclerosis</i> , 2010, 211, 689-693.	0.8	6
72	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1016-1024.	1.9	56

#	ARTICLE	IF	CITATIONS
73	Common mental disorder and obesity: insight from four repeat measures over 19 years: prospective Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3765-b3765.	2.3	100
74	Health Behaviors From Early to Late Midlife as Predictors of Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2009, 170, 428-437.	3.4	134
75	Prevalence of educational inequalities in obesity between 1970 and 2003 in France. <i>Obesity Reviews</i> , 2009, 10, 511-518.	6.5	36
76	Association between common mental disorder and obesity over the adult life course. <i>British Journal of Psychiatry</i> , 2009, 195, 149-155.	2.8	61
77	Does personality explain social inequalities in mortality? The French GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 591-602.	1.9	38
78	Do Psychological Factors Affect Inflammation and Incident Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1398-1406.	2.4	49
79	History of coronary heart disease and cognitive performance in midlife: the Whitehall II study. <i>European Heart Journal</i> , 2008, 29, 2100-2107.	2.2	81
80	Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 386-396.	1.9	48
81	Hostility and Trajectories of Body Mass Index Over 19 Years: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 347-354.	3.4	11
82	The Role of Conventional Risk Factors in Explaining Social Inequalities in Coronary Heart Disease. <i>Epidemiology</i> , 2008, 19, 599-605.	2.7	39
83	Do psychological attributes matter for adherence to antihypertensive medication? The Finnish Public Sector Cohort Study. <i>Journal of Hypertension</i> , 2008, 26, 2236-2243.	0.5	35
84	Positive and negative affect and risk of coronary heart disease: Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a118-a118.	2.3	82
85	Attitudes associated with behavioral predictors of serious road traffic crashes: results from the GAZEL cohort. <i>Injury Prevention</i> , 2007, 13, 26-31.	2.4	45
86	Aggressive/hostile personality traits and injury accidents: an eight-year prospective study of a large cohort of French employees – the GAZEL cohort. <i>Psychological Medicine</i> , 2006, 36, 365-373.	4.5	12
87	Awareness of driving while sleepy and road traffic accidents: prospective study in GAZEL cohort. <i>BMJ: British Medical Journal</i> , 2006, 333, 75.	2.3	82
88	Road mobility and the risk of road traffic accident as a driver. <i>Accident Analysis and Prevention</i> , 2005, 37, 1121-1134.	5.7	13
89	Type A Behavior Pattern, Risky Driving Behaviors, and Serious Road Traffic Accidents: A Prospective Study of the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2005, 161, 864-870.	3.4	86