

# Maria Caterina Turco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6145034/publications.pdf>

Version: 2024-02-01

119  
papers

4,035  
citations

117453

34  
h-index

128067

60  
g-index

121  
all docs

121  
docs citations

121  
times ranked

4966  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | BAG3 induces fibroblasts to release key cytokines involved in pancreatic cell migration. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 65-76.  | 1.2 | 6         |
| 2  | BAG3 induces $\alpha$ -SMA expression in human fibroblasts and its overexpression correlates with poorer survival in fibrotic cancer patients. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 91-101. | 1.2 | 4         |
| 3  | The chaperone BAG3: Orchestrator of the cellular task force in response to stress. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 3-3.  | 1.2 | 0         |
| 4  | Concerted BAG3 and SIRP1 blockade impairs pancreatic tumor growth. <i>Cell Death Discovery</i> , 2022, 8, 94.   | 2.0 | 2         |
| 5  | Proteomics Approach Highlights Early Changes in Human Fibroblasts-Pancreatic Ductal Adenocarcinoma Cells Crosstalk. <i>Cells</i> , 2022, 11, 1160.  | 1.8 | 4         |
| 6  | An emerging role for BAG3 in gynaecological malignancies. <i>British Journal of Cancer</i> , 2021, 125, 789-797.  | 2.9 | 10        |
| 7  | What's in the BAGs? Intrinsic disorder angle of the multifunctionality of the members of a family of chaperone regulators. <i>Journal of Cellular Biochemistry</i> , 2021, , .                              | 1.2 | 3         |
| 8  | Iodine intake among children: Letter. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020, 62, 126610.  | 1.5 | 0         |
| 9  | Comment on: "Development of PancRISK, a urine biomarker-based risk score for stratified screening of pancreatic cancer patients"™. <i>British Journal of Cancer</i> , 2020, 123, 1467-1467.                 | 2.9 | 0         |
| 10 | BAG3 in Tumor Resistance to Therapy. <i>Trends in Cancer</i> , 2020, 6, 985-988.  | 3.8 | 12        |
| 11 | Diagnostic accuracy of p53 immunohistochemistry as surrogate of TP53 sequencing in endometrial cancer. <i>Pathology Research and Practice</i> , 2020, 216, 153025.  | 1.0 | 30        |
| 12 | The multiple activities of BAG3 protein: Mechanisms. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129628.  | 1.1 | 24        |
| 13 | Development of an anti-BAG3 humanized antibody for treatment of pancreatic cancer. <i>Molecular Oncology</i> , 2019, 13, 1388-1399.   | 2.1 | 18        |
| 14 | CAF-Derived IL6 and GM-CSF Cooperate to Induce M2-like TAMs"Letter. <i>Clinical Cancer Research</i> , 2019, 25, 892-893.  | 3.2 | 10        |
| 15 | Combined effect of anti-BAG3 and anti-PD-1 treatment on macrophage infiltrate, CD8 <sup>+</sup> T cell number and tumour growth in pancreatic cancer. <i>Gut</i> , 2018, 67, gutjnl-2017-314225.            | 6.1 | 33        |
| 16 | Evaluation of BAG3 levels in healthy subjects, hypertensive patients, and hypertensive diabetic patients. <i>Journal of Cellular Physiology</i> , 2018, 233, 1791-1795.                                     | 2.0 | 6         |
| 17 | Role of BAG3 in cancer progression: A therapeutic opportunity. <i>Seminars in Cell and Developmental Biology</i> , 2018, 78, 85-92.   | 2.3 | 61        |
| 18 | Microbiota effects on cancer: from risks to therapies. <i>Oncotarget</i> , 2018, 9, 17915-17927.  | 0.8 | 155       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Chaperone-assisted selective autophagy in healthy and papillomavirus-associated neoplastic urothelium of cattle. <i>Veterinary Microbiology</i> , 2018, 221, 134-142.   | 0.8 | 11        |
| 20 | Discovery and synthesis of the first selective BAG domain modulator of BAG3 as an attractive candidate for the development of a new class of chemotherapeutics. <i>Chemical Communications</i> , 2018, 54, 7613-7616. | 2.2 | 13        |
| 21 | Identification of BAG3 target proteins in anaplastic thyroid cancer cells by proteomic analysis. <i>Oncotarget</i> , 2018, 9, 8016-8026.  | 0.8 | 4         |
| 22 | BAG3 Protein Is Overexpressed in Endometrioid Endometrial Adenocarcinomas. <i>Journal of Cellular Physiology</i> , 2017, 232, 309-311.  | 2.0 | 16        |
| 23 | The anti-apoptotic BAG3 protein is involved in BRAF inhibitor resistance in melanoma cells. <i>Oncotarget</i> , 2017, 8, 80393-80404.   | 0.8 | 16        |
| 24 | The prosurvival protein BAG3: a new participant in vascular homeostasis. <i>Cell Death and Disease</i> , 2016, 7, e2431-e2431.  | 2.7 | 15        |
| 25 | BAG3 regulates formation of the SNARE complex and insulin secretion. <i>Cell Death and Disease</i> , 2015, 6, e1684-e1684.  | 2.7 | 19        |
| 26 | Analysis of BAG3 plasma concentrations in patients with acutely decompensated heart failure. <i>Clinica Chimica Acta</i> , 2015, 445, 73-78.  | 0.5 | 17        |
| 27 | BAG3 promotes pancreatic ductal adenocarcinoma growth by activating stromal macrophages. <i>Nature Communications</i> , 2015, 6, 8695.  | 5.8 | 81        |
| 28 | A novel miR-371a-5p-mediated pathway, leading to BAG3 upregulation in cardiomyocytes in response to epinephrine, is lost in Takotsubo cardiomyopathy. <i>Cell Death and Disease</i> , 2015, 6, e1948-e1948.           | 2.7 | 35        |
| 29 | VW Domain of BAG3 Is Required for the Induction of Autophagy in Glioma Cells. <i>Journal of Cellular Physiology</i> , 2015, 230, 831-841.   | 2.0 | 45        |
| 30 | BAG3 protein expression in melanoma metastatic lymph nodes correlates with patients' survival. <i>Cell Death and Disease</i> , 2014, 5, e1173-e1173.  | 2.7 | 18        |
| 31 | BAG3 Protein in Advanced-Stage Heart Failure. <i>JACC: Heart Failure</i> , 2014, 2, 673-675.  | 1.9 | 15        |
| 32 | Design, structural and biological characterization of a VEGF inhibitor $\beta$ 2-hairpin-constrained peptide. <i>European Journal of Medicinal Chemistry</i> , 2014, 73, 210-216.                                     | 2.6 | 21        |
| 33 | The anti-apoptotic BAG3 protein is expressed in lung carcinomas and regulates small cell lung carcinoma (SCLC) tumor growth. <i>Oncotarget</i> , 2014, 5, 6846-6853.  | 0.8 | 27        |
| 34 | Therapeutic potential of a pyridoxal-based vanadium(IV) complex showing selective cytotoxicity for cancer versus healthy cells. <i>Journal of Cellular Physiology</i> , 2013, 228, 2202-2209.                         | 2.0 | 46        |
| 35 | Polymorphisms of the antiapoptotic protein bag3 may play a role in the pathogenesis of tako-tsubo cardiomyopathy. <i>International Journal of Cardiology</i> , 2013, 168, 1663-1665.                                  | 0.8 | 27        |
| 36 | Role of WT1-ZNF224 interaction in the expression of apoptosis-regulating genes. <i>Human Molecular Genetics</i> , 2013, 22, 1771-1782.  | 1.4 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Detection of soluble BAG3 and anti-BAG3 antibodies in patients with chronic heart failure. <i>Cell Death and Disease</i> , 2013, 4, e495-e495.   | 2.7 | 26        |
| 38 | BAG3 Is a Novel Serum Biomarker for Pancreatic Adenocarcinomas. <i>American Journal of Gastroenterology</i> , 2013, 108, 1178-1180.  | 0.2 | 30        |
| 39 | Expression of the Anti-Apoptotic Protein BAG3 in Human Melanomas. <i>Journal of Investigative Dermatology</i> , 2012, 132, 252-254.  | 0.3 | 20        |
| 40 | BAG3 Down-Modulation Reduces Anaplastic Thyroid Tumor Growth by Enhancing Proteasome-Mediated Degradation of BRAF Protein. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E115-E120.      | 1.8 | 28        |
| 41 | BAG3 controls angiogenesis through regulation of ERK phosphorylation. <i>Oncogene</i> , 2012, 31, 5153-5161.   | 2.6 | 39        |
| 42 | Scouting new molecular targets for CFTR therapy: the HSC70/BAG-1 complex. A computational study. <i>Medicinal Chemistry Research</i> , 2012, 21, 4430-4436.  | 1.1 | 2         |
| 43 | Plasmacytoids dendritic cells are a therapeutic target in anticancer immunity. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 407-414.  | 3.3 | 6         |
| 44 | Expression of the Antiapoptotic Protein BAG3 Is a Feature of Pancreatic Adenocarcinoma and Its Overexpression Is Associated With Poorer Survival. <i>American Journal of Pathology</i> , 2012, 181, 1524-1529. | 1.9 | 53        |
| 45 | Matrine modulates HSC70 levels and rescues $\hat{\gamma}$ F508 $\hat{\alpha}$ CFTR. <i>Journal of Cellular Physiology</i> , 2012, 227, 3317-3323.  | 2.0 | 14        |
| 46 | Role of BAG3 protein in leukemia cell survival and response to therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 365-369.   | 3.3 | 22        |
| 47 | Functional and pharmacological characterization of a VEGF mimetic peptide on reparative angiogenesis. <i>Biochemical Pharmacology</i> , 2012, 84, 303-311.   | 2.0 | 88        |
| 48 | Bag3-Induced Autophagy Is Associated with Degradation of JCV Oncoprotein, T-Ag. <i>PLoS ONE</i> , 2012, 7, e45000.   | 1.1 | 34        |
| 49 | Characterization of a Designed Vascular Endothelial Growth Factor Receptor Antagonist Helical Peptide with Antiangiogenic Activity in Vivo. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 1391-1400.       | 2.9 | 40        |
| 50 | BAG3 Protein Is Overexpressed in Human Glioblastoma and Is a Potential Target for Therapy. <i>American Journal of Pathology</i> , 2011, 178, 2504-2512.  | 1.9 | 111       |
| 51 | $\hat{\gamma}$ 2-Hairpin Peptide That Targets Vascular Endothelial Growth Factor (VEGF) Receptors. <i>Journal of Biological Chemistry</i> , 2011, 286, 41680-41691.  | 1.6 | 32        |
| 52 | Exposure to 50 $\hat{\alpha}$ %Hz electromagnetic field raises the levels of the anti $\hat{\alpha}$ apoptotic protein BAG3 in melanoma cells. <i>Journal of Cellular Physiology</i> , 2011, 226, 2901-2907.   | 2.0 | 25        |
| 53 | The expression of the pro $\hat{\alpha}$ apoptotic gene <i>air</i> is inducible in human pancreatic adenocarcinoma cells. <i>Journal of Cellular Physiology</i> , 2011, 226, 2207-2212.                        | 2.0 | 4         |
| 54 | BAG3 is required for IKK $\hat{\alpha}$ nuclear translocation and emergence of castration resistant prostate cancer. <i>Cell Death and Disease</i> , 2011, 2, e139-e139.                                       | 2.7 | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | BAG3: a multifaceted protein that regulates major cell pathways. <i>Cell Death and Disease</i> , 2011, 2, e141-e141.  | 2.7 | 266       |
| 56 | BAG3 protein is induced during cardiomyoblast differentiation and modulates myogenin expression. <i>Cell Cycle</i> , 2011, 10, 850-852.   | 1.3 | 14        |
| 57 | BAG3 Protein: Role in Some Neoplastic Cell Types and Identification as a Candidate Target for Therapy. , 2010, , 137-146.   |     | 3         |
| 58 | BAG3 protein delocalisation in prostate carcinoma. <i>Tumor Biology</i> , 2010, 31, 461-469.  | 0.8 | 34        |
| 59 | Ferritin Heavy Chain (FHC) is Up-regulated in Papillomavirus-Associated Urothelial Tumours of the Urinary Bladder in Cattle. <i>Journal of Comparative Pathology</i> , 2010, 142, 9-18.           | 0.1 | 12        |
| 60 | WT1 protein is a transcriptional activator of the antiapoptotic bag3 gene. <i>Leukemia</i> , 2010, 24, 1204-1206.   | 3.3 | 31        |
| 61 | IKK $\beta$ protein is a target of BAG3 regulatory activity in human tumor growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 7497-7502. | 3.3 | 101       |
| 62 | Review of Molecular Mechanisms Involved in the Activation of the Nrf2-ARE Signaling Pathway by Chemopreventive Agents. <i>Methods in Molecular Biology</i> , 2010, 647, 37-74.                    | 0.4 | 210       |
| 63 | The co-chaperone BAG3 interacts with the cytosolic chaperonin CCT: New hints for actin folding. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 641-650.                | 1.2 | 44        |
| 64 | Evidence for modulation of BAG3 by polyomavirus JC early protein. <i>Journal of General Virology</i> , 2009, 90, 1629-1640.   | 1.3 | 17        |
| 65 | Novel Targets for Apoptosis Modulation: BAG3 Protein and Other Co- Chaperones. <i>Recent Patents on Endocrine, Metabolic &amp; Immune Drug Discovery</i> , 2009, 3, 80-86.                        | 0.7 | 0         |
| 66 | Physiology of Immune System: Regulation of Stem Cell Survival. <i>Recent Patents on Endocrine, Metabolic &amp; Immune Drug Discovery</i> , 2009, 3, 35-41.  | 0.7 | 0         |
| 67 | BAG3 protein regulates caspase $\beta$ activation in HIV $\beta$ -infected human primary microglial cells. <i>Journal of Cellular Physiology</i> , 2009, 218, 264-267.                            | 2.0 | 35        |
| 68 | Identification of a Btk $\beta$ -BAG3 complex induced by oxidative stress. <i>Leukemia</i> , 2009, 23, 823-824.   | 3.3 | 14        |
| 69 | The activity of hsp90 $\beta$ promoter is regulated by NF- $\kappa$ B transcription factors. <i>Oncogene</i> , 2008, 27, 1175-1178.   | 2.6 | 68        |
| 70 | Activation of BAG3 by Egr-1 in response to FGF-2 in neuroblastoma cells. <i>Oncogene</i> , 2008, 27, 5011-5018.   | 2.6 | 40        |
| 71 | <i>bag3</i> gene expression is regulated by heat shock factor 1. <i>Journal of Cellular Physiology</i> , 2008, 215, 575-577.  | 2.0 | 103       |
| 72 | Identification of a synaptosome- associated form of BAG3 protein. <i>Cell Cycle</i> , 2008, 7, 3104-3105.   | 1.3 | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The Antiapoptotic Protein BAG3 Is Expressed in Thyroid Carcinomas and Modulates Apoptosis Mediated by Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1159-1163.                                     | 1.8 | 99        |
| 74 | Apoptosis inhibition in cancer cells: A novel molecular pathway that involves BAG3 protein. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 1337-1342.  | 1.2 | 126       |
| 75 | Antiproliferative and pro-apoptotic activity of novel phenolic derivatives of resveratrol. <i>Life Sciences</i> , 2007, 81, 873-883.  | 2.0 | 19        |
| 76 | Evidence for BAG3 modulation of HIV-1 gene transcription. <i>Journal of Cellular Physiology</i> , 2007, 210, 676-683.   | 2.0 | 65        |
| 77 | Modulation of cell apoptosis by AIR. <i>Leukemia</i> , 2007, 21, 2557-2559.   | 3.3 | 1         |
| 78 | 1-Methoxy-Canthin-6-One Induces c-Jun NH2-Terminal Kinase-Dependent Apoptosis and Synergizes with Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Activity in Human Neoplastic Cells of Hematopoietic or Endodermal Origin. <i>Cancer Research</i> , 2006, 66, 4385-4393. | 0.4 | 35        |
| 79 | The Anti-Human Leukocyte Antigen-DR Monoclonal Antibody 1D09C3 Activates the Mitochondrial Cell Death Pathway and Exerts a Potent Antitumor Activity in Lymphoma-Bearing Nonobese Diabetic/Severe Combined Immunodeficient Mice. <i>Cancer Research</i> , 2006, 66, 1799-1808.    | 0.4 | 37        |
| 80 | NF- $\kappa$ B protects Behçet's disease T cells against CD95-induced apoptosis up-regulating antiapoptotic proteins. <i>Arthritis and Rheumatism</i> , 2005, 52, 2179-2191.  | 6.7 | 59        |
| 81 | Activation of NF- $\kappa$ B/Rel transcription factors in human primary peripheral blood mononuclear cells by interleukin 7. <i>Biological Chemistry</i> , 2004, 385, 415-417.  | 1.2 | 4         |
| 82 | Quassinoids can induce mitochondrial membrane depolarisation and caspase 3 activation in human cells. <i>Cell Death and Differentiation</i> , 2004, 11, S216-S218.  | 5.0 | 34        |
| 83 | NF- $\kappa$ B/Rel-mediated regulation of apoptosis in hematologic malignancies and normal hematopoietic progenitors. <i>Leukemia</i> , 2004, 18, 11-17.  | 3.3 | 84        |
| 84 | BAG3 protein regulates stress-induced apoptosis in normal and neoplastic leukocytes. <i>Leukemia</i> , 2004, 18, 358-360.   | 3.3 | 86        |
| 85 | Nuclear Factor- $\kappa$ B Regulates Inflammatory Cell Apoptosis and Phagocytosis in Rat Carrageenin-Sponge Implant Model. <i>American Journal of Pathology</i> , 2004, 165, 115-126.   | 1.9 | 33        |
| 86 | BAG3 protein controls B-chronic lymphocytic leukaemia cell apoptosis. <i>Cell Death and Differentiation</i> , 2003, 10, 383-385.  | 5.0 | 103       |
| 87 | Effect of NF- $\kappa$ B/Rel inhibition on spontaneous vs chemotherapy-induced apoptosis in AML and normal cord blood CD34+ cells. <i>Leukemia</i> , 2003, 17, 1190-1192.   | 3.3 | 12        |
| 88 | BAG3 Protein Regulates Cell Survival in Childhood Acute Lymphoblastic Leukemia Cells. <i>Cancer Biology and Therapy</i> , 2003, 2, 508-510.   | 1.5 | 65        |
| 89 | High-mobility group A1 proteins are overexpressed in human leukaemias. <i>Biochemical Journal</i> , 2003, 372, 145-150.   | 1.7 | 39        |
| 90 | Oxaliplatin (L-OHP) treatment of human myeloma cells induces in vitro growth inhibition and apoptotic cell death. <i>European Journal of Cancer</i> , 2002, 38, 1141-1147.  | 1.3 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Oxidative stress and neuroAIDS: triggers, modulators and novel antioxidants. Trends in Neurosciences, 2001, 24, 411-416.  | 4.2 | 185       |
| 92  | HLA class I antigen downregulation by interleukin (IL)-10 is predominantly governed by NF-kappaB in the short term and by TAP1+2 in the long term. Tissue Antigens, 2000, 55, 326-332.              | 1.0 | 14        |
| 93  | Synergistic induction of growth arrest and apoptosis of human myeloma cells by the IL-6 super-antagonist Sant7 and Dexamethasone. Cell Death and Differentiation, 2000, 7, 327-328.                 | 5.0 | 31        |
| 94  | Growth inhibition and synergistic induction of apoptosis by zoledronate and dexamethasone in human myeloma cell lines. Leukemia, 2000, 14, 841-844.   | 3.3 | 133       |
| 95  | CD40 and B Chronic Lymphocytic Leukemia Cell Response To Fludarabine: The Influence of NF-kB/Rel Transcription Factors On Chemotherapy-Induced Apoptosis. Leukemia and Lymphoma, 2000, 36, 255-262. | 0.6 | 12        |
| 96  | Increased Expression of CD40 Ligand in Activated CD4+T Lymphocytes of Systemic Sclerosis Patients. Journal of Autoimmunity, 2000, 15, 61-66.  | 3.0 | 44        |
| 97  | Amifostine Inhibits Hematopoietic Progenitor Cell Apoptosis by Activating NF- $\kappa$ B/Rel Transcription Factors. Blood, 1999, 94, 4060-4066.   | 0.6 | 54        |
| 98  | Regulation of cell survival in CD95-induced T cell apoptosis: role of NF-kappa B/Rel transcription factors. Apoptosis: an International Journal on Programmed Cell Death, 1999, 4, 179-186.         | 2.2 | 4         |
| 99  | Amifostine Inhibits Hematopoietic Progenitor Cell Apoptosis by Activating NF- $\kappa$ B/Rel Transcription Factors. Blood, 1999, 94, 4060-4066.   | 0.6 | 2         |
| 100 | CD36 is rapidly and transiently upregulated on phytohemagglutinin (PHA)-stimulated peripheral blood lymphocytes. Analysis by a new monoclonal antibody (UN7). Tissue Antigens, 1998, 51, 671-675.   | 1.0 | 4         |
| 101 | Triggering of CD40 Antigen Inhibits Fludarabine-Induced Apoptosis in B Chronic Lymphocytic Leukemia Cells. Blood, 1998, 92, 990-995.  | 0.6 | 127       |
| 102 | Triggering of CD40 Antigen Inhibits Fludarabine-Induced Apoptosis in B Chronic Lymphocytic Leukemia Cells. Blood, 1998, 92, 990-995.  | 0.6 | 8         |
| 103 | Induction of nuclear factor $\kappa$ B/Rel nuclear activity in human peripheral blood T lymphocytes by anti- $\epsilon$ HLA class I monoclonal antibodies. Tissue Antigens, 1997, 50, 1-7.          | 1.0 | 9         |
| 104 | CD69 expression on primitive progenitor cells and hematopoietic malignancies. Tissue Antigens, 1996, 48, 65-68.   | 1.0 | 7         |
| 105 | Detection of an antigenic marker expressed by peripheral blood monocytes and platelets by a new monoclonal antibody UN8. Tissue Antigens, 1995, 45, 288-291.  | 1.0 | 0         |
| 106 | Analysis of peripheral blood normal and malignant cells with the novel murine monoclonal antibody UN2. Immunology Letters, 1994, 42, 55-62.   | 1.1 | 1         |
| 107 | A novel monoclonal antibody recognizing human thymocytes and B-cell chronic lymphocytic leukemia cells. Immunology Letters, 1994, 39, 137-146.  | 1.1 | 2         |
| 108 | Regulation of NF- $\kappa$ B Nuclear Activity in Peripheral Blood Mononuclear Cells: Role of CD28 Antigen. Cellular Immunology, 1994, 156, 371-377.   | 1.4 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | UN1, a murine monoclonal antibody recognizing a novel human thymic antigen. <i>Tissue Antigens</i> , 1994, 44, 73-82.   | 1.0 | 13        |
| 110 | Defect of Interleukin-2 Production and T Cell Proliferation in Atopic Patients: Restoring Ability of the CD28-Mediated Activation Pathway. <i>Cellular Immunology</i> , 1993, 148, 455-463.   | 1.4 | 5         |
| 111 | UN-1, a murine monoclonal antibody recognizing a human thymocyte undescribed antigen. <i>Pharmacological Research</i> , 1992, 26, 128-129.  | 3.1 | 1         |
| 112 | Defect of CD2- and CD3-mediated activation pathways in T cells of atopic patients: Role of interleukin 2. <i>Cellular Immunology</i> , 1992, 139, 91-97.  | 1.4 | 6         |
| 113 | Identification and characterization of a T cell growth inhibitory factor produced by K562 erythromyeloid cells. <i>Cellular Immunology</i> , 1991, 138, 55-63.  | 1.4 | 1         |
| 114 | Mitogenic activity of anti-CD28 MoAb CLB-CD28/1 on peripheral blood mononuclear cells and its cooperation with other anti-T cells MoAb in the activation of purified T lymphocytes. <i>Tissue Antigens</i> , 1990, 36, 12-18.                                 | 1.0 | 4         |
| 115 | Inhibition by anti-HLA class I mAb of IL-2 and IL-2 receptor synthesis in lymphocytes stimulated with PHA-P. <i>Cellular Immunology</i> , 1990, 126, 420-427.   | 1.4 | 10        |
| 116 | Lack of a role of monocytes in the inhibition by monoclonal antibodies to monomorphic and polymorphic determinants of HLA class I antigens of PHA-P-induced peripheral blood mononuclear cell proliferation. <i>Cellular Immunology</i> , 1989, 122, 164-177. | 1.4 | 9         |
| 117 | Lymphocyte proliferative response to mitogenic monoclonal antibodies in systemic sclerosis. Evidence for unresponsiveness to murine monoclonal antibodies of IgG1 isotype. <i>Tissue Antigens</i> , 1989, 33, 457-465.  | 1.0 | 1         |
| 118 | Proliferative pathways in CD1- CD3+ CD4+ CD8+ T-prolymphocytic leukemic cells: analysis with monoclonal antibodies and cytokines. <i>Blood</i> , 1989, 74, 1651-1657.   | 0.6 | 0         |
| 119 | Heterogeneity in the mitogenic response of peripheral blood mononuclear cells to a pan T monoclonal antibody. <i>Tissue Antigens</i> , 1988, 31, 59-68.   | 1.0 | 4         |