

# Daniel Blankschtein

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6145567/publications.pdf>

Version: 2024-02-01

130  
papers

10,578  
citations

31976

53  
h-index

32842

100  
g-index

132  
all docs

132  
docs citations

132  
times ranked

11507  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gas Separations using Nanoporous Atomically Thin Membranes: Recent Theoretical, Simulation, and Experimental Advances. <i>Advanced Materials</i> , 2022, 34, e2201472.	21.0	28
2	Predicting Gas Separation through Graphene Nanopore Ensembles with Realistic Pore Size Distributions. <i>ACS Nano</i> , 2021, 15, 1727-1740.	14.6	28
3	Ion Adsorption at Solid/Water Interfaces: Establishing the Coupled Nature of Ion-Solid and Water-Solid Interactions. <i>Journal of Physical Chemistry C</i> , 2021, 125, 2666-2679.	3.1	12
4	Diameter Dependence of Water Filling in Lithographically Segmented Isolated Carbon Nanotubes. <i>ACS Nano</i> , 2021, 15, 2778-2790.	14.6	20
5	Direct Chemical Vapor Deposition Synthesis of Porous Single-Layer Graphene Membranes with High Gas Permeances and Selectivities. <i>Advanced Materials</i> , 2021, 33, e2104308.	21.0	28
6	Uncovering a Universal Molecular Mechanism of Salt Ion Adsorption at Solid/Water Interfaces. <i>Langmuir</i> , 2021, 37, 722-733.	3.5	25
7	Theory of Surface Forces in Multivalent Electrolytes. <i>Langmuir</i> , 2019, 35, 11550-11565.	3.5	47
8	Analytical Prediction of Gas Permeation through Graphene Nanopores of Varying Sizes: Understanding Transitions across Multiple Transport Regimes. <i>ACS Nano</i> , 2019, 13, 11809-11824.	14.6	46
9	Liquids with Lower Wettability Can Exhibit Higher Friction on Hexagonal Boron Nitride: The Intriguing Role of Solid-Liquid Electrostatic Interactions. <i>Nano Letters</i> , 2019, 19, 1539-1551.	9.1	39
10	Critical Knowledge Gaps in Mass Transport through Single-Digit Nanopores: A Review and Perspective. <i>Journal of Physical Chemistry C</i> , 2019, 123, 21309-21326.	3.1	234
11	Multi-scale approach for modeling stability, aggregation, and network formation of nanoparticles suspended in aqueous solutions. <i>Nanoscale</i> , 2019, 11, 3979-3992.	5.6	32
12	Addressing the isomer cataloguing problem for nanopores in two-dimensional materials. <i>Nature Materials</i> , 2019, 18, 129-135.	27.5	57
13	Ab Initio Molecular Dynamics and Lattice Dynamics-Based Force Field for Modeling Hexagonal Boron Nitride in Mechanical and Interfacial Applications. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 1584-1591.	4.6	55
14	Molecular Rotors for Universal Quantitation of Nanoscale Hydrophobic Interfaces in Microplate Format. <i>Nano Letters</i> , 2018, 18, 618-628.	9.1	3
15	Stable, Temperature-Dependent Gas Mixture Permeation and Separation through Suspended Nanoporous Single-Layer Graphene Membranes. <i>Nano Letters</i> , 2018, 18, 5057-5069.	9.1	56
16	Reconfigurable and responsive droplet-based compound micro-lenses. <i>Nature Communications</i> , 2017, 8, 14673.	12.8	119
17	Combined Use of Ultrasound and Other Physical Methods of Skin Penetration Enhancement. , 2017, , 369-377.		0
18	Fabrication, Pressure Testing, and Nanopore Formation of Single-Layer Graphene Membranes. <i>Journal of Physical Chemistry C</i> , 2017, 121, 14312-14321.	3.1	39

#	ARTICLE	IF	CITATIONS
19	Quantitative Modeling of MoS <sub>2</sub> Solvent Interfaces: Predicting Contact Angles and Exfoliation Performance using Molecular Dynamics. <i>Journal of Physical Chemistry C</i> , 2017, 121, 9022-9031.	3.1	81
20	Schizophrenic Diblock-Copolymer-Functionalized Nanoparticles as Temperature-Responsive Pickering Emulsifiers. <i>Langmuir</i> , 2017, 33, 13326-13331.	3.5	39
21	CO <sub>2</sub> -Reactive Ionic Liquid Surfactants for the Control of Colloidal Morphology. <i>Langmuir</i> , 2017, 33, 7633-7641.	3.5	4
22	Combined Molecular Dynamics Simulation and Molecular-Thermodynamic Theory Framework for Predicting Surface Tensions. <i>Langmuir</i> , 2017, 33, 8319-8329.	3.5	38
23	Insights on the Role of Many-Body Polarization Effects in the Wetting of Graphitic Surfaces by Water. <i>Journal of Physical Chemistry C</i> , 2017, 121, 28166-28179.	3.1	46
24	Mechanism and Prediction of Gas Permeation through Sub-Nanometer Graphene Pores: Comparison of Theory and Simulation. <i>ACS Nano</i> , 2017, 11, 7974-7987.	14.6	103
25	Understanding the colloidal dispersion stability of 1D and 2D materials: Perspectives from molecular simulations and theoretical modeling. <i>Advances in Colloid and Interface Science</i> , 2017, 244, 36-53.	14.7	37
26	Generalized Mechanistic Model for the Chemical Vapor Deposition of 2D Transition Metal Dichalcogenide Monolayers. <i>ACS Nano</i> , 2016, 10, 4330-4344.	14.6	190
27	mRNA vaccine delivery using lipid nanoparticles. <i>Therapeutic Delivery</i> , 2016, 7, 319-334.	2.2	414
28	Dominance of Dispersion Interactions and Entropy over Electrostatics in Determining the Wettability and Friction of Two-Dimensional MoS <sub>2</sub> Surfaces. <i>ACS Nano</i> , 2016, 10, 9145-9155.	14.6	63
29	Destabilization of Oil-in-Water Emulsions Stabilized by Non-ionic Surfactants: Effect of Particle Hydrophilicity. <i>Langmuir</i> , 2016, 32, 10694-10698.	3.5	33
30	Lipid Exchange Envelope Penetration (LEEP) of Nanoparticles for Plant Engineering: A Universal Localization Mechanism. <i>Nano Letters</i> , 2016, 16, 1161-1172.	9.1	213
31	Applicability and safety of dual-frequency ultrasonic treatment for the transdermal delivery of drugs. <i>Journal of Controlled Release</i> , 2015, 202, 93-100.	9.9	48
32	2D Equation-of-State Model for Corona Phase Molecular Recognition on Single-Walled Carbon Nanotube and Graphene Surfaces. <i>Langmuir</i> , 2015, 31, 628-636.	3.5	22
33	Dynamically reconfigurable complex emulsions via tunable interfacial tensions. <i>Nature</i> , 2015, 518, 520-524.	27.8	325
34	Liquid-Phase Exfoliation of Phosphorene: Design Rules from Molecular Dynamics Simulations. <i>ACS Nano</i> , 2015, 9, 8255-8268.	14.6	160
35	Understanding Miltefosine Membrane Interactions Using Molecular Dynamics Simulations. <i>Langmuir</i> , 2015, 31, 4503-4512.	3.5	20
36	Ultrasound-mediated gastrointestinal drug delivery. <i>Science Translational Medicine</i> , 2015, 7, 310ra168.	12.4	95

#	ARTICLE	IF	CITATIONS
37	Understanding the Stabilization of Single-Walled Carbon Nanotubes and Graphene in Ionic Surfactant Aqueous Solutions: Large-Scale Coarse-Grained Molecular Dynamics Simulation-Assisted DLVO Theory. <i>Journal of Physical Chemistry C</i> , 2015, 119, 1047-1060.	3.1	50
38	Ultrasound-enhanced transdermal delivery: recent advances and future challenges. <i>Therapeutic Delivery</i> , 2014, 5, 843-857.	2.2	60
39	Single compartment drug delivery. <i>Journal of Controlled Release</i> , 2014, 190, 157-171.	9.9	46
40	Understanding selective molecular recognition in integrated carbon nanotube-polymer sensors by simulating physical analyte binding on carbon nanotube-polymer scaffolds. <i>Soft Matter</i> , 2014, 10, 5991-6004.	2.7	9
41	Skin permeabilization for transdermal drug delivery: recent advances and future prospects. <i>Expert Opinion on Drug Delivery</i> , 2014, 11, 393-407.	5.0	260
42	How "transparent" is graphene?. <i>Membrane Technology</i> , 2013, 2013, 7.	0.1	0
43	Molecular recognition using corona phase complexes made of synthetic polymers adsorbed on carbon nanotubes. <i>Nature Nanotechnology</i> , 2013, 8, 959-968.	31.5	282
44	Wetting translucency of graphene. <i>Nature Materials</i> , 2013, 12, 866-869.	27.5	241
45	Computer Simulation-Molecular-Thermodynamic Framework to Predict the Micellization Behavior of Mixtures of Surfactants: Application to Binary Surfactant Mixtures. <i>Journal of Physical Chemistry B</i> , 2013, 117, 6430-6442.	2.6	11
46	Molecular Perspective on Diazonium Adsorption for Controllable Functionalization of Single-Walled Carbon Nanotubes in Aqueous Surfactant Solutions. <i>Journal of the American Chemical Society</i> , 2012, 134, 8194-8204.	13.7	29
47	Understanding the pH-Dependent Behavior of Graphene Oxide Aqueous Solutions: A Comparative Experimental and Molecular Dynamics Simulation Study. <i>Langmuir</i> , 2012, 28, 235-241.	3.5	517
48	Rapid skin permeabilization by the simultaneous application of dual-frequency, high-intensity ultrasound. <i>Journal of Controlled Release</i> , 2012, 163, 154-160.	9.9	50
49	Breakdown in the Wetting Transparency of Graphene. <i>Physical Review Letters</i> , 2012, 109, 176101.	7.8	313
50	Role of Adsorbed Surfactant in the Reaction of Aryl Diazonium Salts with Single-Walled Carbon Nanotubes. <i>Langmuir</i> , 2012, 28, 1309-1321.	3.5	37
51	Fluorescent penetration enhancers for transdermal applications. <i>Journal of Controlled Release</i> , 2012, 158, 85-92.	9.9	18
52	A physical mechanism to explain the delivery of chemical penetration enhancers into skin during transdermal sonophoresis " Insight into the observed synergism. <i>Journal of Controlled Release</i> , 2012, 158, 250-260.	9.9	54
53	Molecular Insights into the Surface Morphology, Layering Structure, and Aggregation Kinetics of Surfactant-Stabilized Graphene Dispersions. <i>Journal of the American Chemical Society</i> , 2011, 133, 12810-12823.	13.7	140
54	Experimental and Molecular Dynamics Investigation into the Amphiphilic Nature of Sulforhodamine B. <i>Journal of Physical Chemistry B</i> , 2011, 115, 1394-1402.	2.6	19

#	ARTICLE	IF	CITATIONS
55	Ultrasound-mediated transdermal drug delivery: Mechanisms, scope, and emerging trends. <i>Journal of Controlled Release</i> , 2011, 152, 330-348.	9.9	325
56	Transport Pathways and Enhancement Mechanisms Within Localized and Non-Localized Transport Regions in Skin Treated with Low-Frequency Sonophoresis and Sodium Lauryl Sulfate. <i>Journal of Pharmaceutical Sciences</i> , 2011, 100, 512-529.	3.3	55
57	Application of the Aqueous Porous Pathway Model to Quantify the Effect of Sodium Lauryl Sulfate on Ultrasound-Induced Skin Structural Perturbation. <i>Journal of Pharmaceutical Sciences</i> , 2011, 100, 1387-1397.	3.3	28
58	Enhancing the transdermal delivery of rigid nanoparticles using the simultaneous application of ultrasound and sodium lauryl sulfate. <i>Biomaterials</i> , 2011, 32, 933-941.	11.4	97
59	Effects of ultrasound and sodium lauryl sulfate on the transdermal delivery of hydrophilic permeants: Comparative in vitro studies with full-thickness and split-thickness pig and human skin. <i>Journal of Controlled Release</i> , 2010, 145, 26-32.	9.9	74
60	Understanding the Stabilization of Liquid-Phase-Exfoliated Graphene in Polar Solvents: Molecular Dynamics Simulations and Kinetic Theory of Colloid Aggregation. <i>Journal of the American Chemical Society</i> , 2010, 132, 14638-14648.	13.7	260
61	Role of the Bile Salt Surfactant Sodium Cholate in Enhancing the Aqueous Dispersion Stability of Single-Walled Carbon Nanotubes: A Molecular Dynamics Simulation Study. <i>Journal of Physical Chemistry B</i> , 2010, 114, 15616-15625.	2.6	138
62	Low-frequency sonophoresis: application to the transdermal delivery of macromolecules and hydrophilic drugs. <i>Expert Opinion on Drug Delivery</i> , 2010, 7, 1415-1432.	5.0	135
63	Possible Existence of Convective Currents in Surfactant Bulk Solution in Experimental Pendant-Bubble Dynamic Surface Tension Measurements. <i>Langmuir</i> , 2009, 25, 1434-1444.	3.5	9
64	New Methodology to Determine Equilibrium Surfactant Adsorption Properties from Experimental Dynamic Surface Tension Data. <i>Langmuir</i> , 2009, 25, 6191-6202.	3.5	11
65	Evaluation of Hydrophilic Permeant Transport Parameters in the Localized and Non-Localized Transport Regions of Skin Treated Simultaneously With Low-Frequency Ultrasound and Sodium Lauryl Sulfate. <i>Journal of Pharmaceutical Sciences</i> , 2008, 97, 906-918.	3.3	25
66	Heterogeneity in Skin Treated with Low-Frequency Ultrasound. <i>Journal of Pharmaceutical Sciences</i> , 2008, 97, 4119-4128.	3.3	26
67	The role of sodium dodecyl sulfate (SDS) micelles in inducing skin barrier perturbation in the presence of glycerol. <i>International Journal of Cosmetic Science</i> , 2008, 30, 73-73.	2.6	11
68	Why is sodium cocoyl isethionate (SCI) mild to the skin barrier? An in vitro investigation based on the relative sizes of the SCI micelles and the skin aqueous pores. <i>International Journal of Cosmetic Science</i> , 2008, 30, 310-310.	2.6	2
69	Application of Computer Simulation Free-Energy Methods to Compute the Free Energy of Micellization as a Function of Micelle Composition. 1. Theory. <i>Journal of Physical Chemistry B</i> , 2008, 112, 1634-1640.	2.6	11
70	Visualization and quantification of skin barrier perturbation induced by surfactant-humectant systems using two-photon fluorescence microscopy. <i>Journal of Cosmetic Science</i> , 2008, 59, 263-89.	0.1	13
71	Evaluation of the porosity, the tortuosity, and the hindrance factor for the transdermal delivery of hydrophilic permeants in the context of the aqueous pore pathway hypothesis using dual- $\alpha$ -radiolabeled permeability experiments. <i>Journal of Pharmaceutical Sciences</i> , 2007, 96, 3263-3282.	3.3	32
72	Dual-Channel Two-Photon Microscopy Study of Transdermal Transport in Skin Treated with Low-Frequency Ultrasound and a Chemical Enhancer. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2832-2846.	0.7	53

#	ARTICLE	IF	CITATIONS
73	Quantifying the Hydrophobic Effect. 1. A Computer SimulationâMolecular-Thermodynamic Model for the Self-Assembly of Hydrophobic and Amphiphilic Solutes in Aqueous Solution. <i>Journal of Physical Chemistry B</i> , 2007, 111, 1025-1044.	2.6	42
74	The role of sodium dodecyl sulfate (SDS) micelles in inducing skin barrier perturbation in the presence of glycerol. <i>Journal of Cosmetic Science</i> , 2007, 58, 109-33.	0.1	25
75	Why is sodium cocoyl isethionate (SCI) mild to the skin barrier? - An in vitro investigation based on the relative sizes of the SCI micelles and the skin aqueous pores. <i>Journal of Cosmetic Science</i> , 2007, 58, 229-44.	0.1	7
76	Ranking of aqueous surfactant-humectant systems based on an analysis of in vitro and in vivo skin barrier perturbation measurements. <i>Journal of Cosmetic Science</i> , 2007, 58, 599-620.	0.1	5
77	Complementary Use of Simulations and Molecular-Thermodynamic Theory to Model Micellization. <i>Langmuir</i> , 2006, 22, 1500-1513.	3.5	56
78	Short-time behavior of mixed diffusion-barrier controlled adsorption. <i>Journal of Colloid and Interface Science</i> , 2006, 296, 442-457.	9.4	15
79	New methodology to determine the rate-limiting adsorption kinetics mechanism from experimental dynamic surface tension data. <i>Journal of Colloid and Interface Science</i> , 2006, 302, 1-19.	9.4	15
80	Affinity-tagged green fluorescent protein (GFP) extraction from a clarified <i>E. coli</i> cell lysate using a two-phase aqueous micellar system. <i>Biotechnology and Bioengineering</i> , 2006, 93, 998-1004.	3.3	29
81	Affinity-enhanced protein partitioning in decyl $\beta$ -D-glucopyranoside two-phase aqueous micellar systems. <i>Biotechnology and Bioengineering</i> , 2005, 89, 381-392.	3.3	36
82	Protein partitioning driven by excluded-volume interactions in an aqueous nonionic micellar/gel system. <i>Biotechnology and Bioengineering</i> , 2004, 87, 695-703.	3.3	8
83	Experimental demonstration of the existence of highly permeable localized transport regions in low-frequency sonophoresis. <i>Journal of Pharmaceutical Sciences</i> , 2004, 93, 2733-2745.	3.3	41
84	Effect of Counterion Binding on Micellar Solution Behavior:â 2. Prediction of Micellar Solution Properties of Ionic SurfactantâElectrolyte Systems. <i>Langmuir</i> , 2003, 19, 9946-9961.	3.5	123
85	Glucose-6-phosphate dehydrogenase partitioning in two-phase aqueous mixed (nonionic/cationic) micellar systems. <i>Biotechnology and Bioengineering</i> , 2003, 82, 445-456.	3.3	44
86	Visualization of Oleic Acid-induced Transdermal Diffusion Pathways Using Two-photon Fluorescence Microscopy. <i>Journal of Investigative Dermatology</i> , 2003, 120, 448-455.	0.7	75
87	Challenging the surfactant monomer skin penetration model: penetration of sodium dodecyl sulfate micelles into the epidermis. <i>Journal of Cosmetic Science</i> , 2003, 54, 29-46.	0.1	49
88	Theoretical and Experimental Investigation of the Equilibrium OilâWater Interfacial Tensions of Solutions Containing Surfactant Mixtures. <i>Langmuir</i> , 2002, 18, 365-376.	3.5	82
89	Fundamental Investigation of Protein Partitioning in Two-Phase Aqueous Mixed (Nonionic/Ionic) Micellar Systems. <i>Langmuir</i> , 2002, 18, 3047-3057.	3.5	62
90	Effects of Low-Frequency Ultrasound on the Transdermal Permeation of Mannitol: Comparative Studies with In Vivo and In Vitro Skin. <i>Journal of Pharmaceutical Sciences</i> , 2002, 91, 1776-1794.	3.3	48

#	ARTICLE	IF	CITATIONS
91	Prediction of steady-state skin permeabilities of polar and nonpolar permeants across excised pig skin based on measurements of transient diffusion: Characterization of hydration effects on the skin porous pathway. <i>Journal of Pharmaceutical Sciences</i> , 2002, 91, 1891-1907.	3.3	40
92	Understanding viral partitioning in two-phase aqueous nonionic micellar systems: 1. Role of attractive interactions between viruses and micelles. <i>Biotechnology and Bioengineering</i> , 2002, 78, 190-202.	3.3	30
93	Understanding viral partitioning in two-phase aqueous nonionic micellar systems: 2. Effect of entrained micelle-poor domains. <i>Biotechnology and Bioengineering</i> , 2002, 78, 203-216.	3.3	36
94	Separating lysozyme from bacteriophage P22 in two-phase aqueous micellar systems. <i>Biotechnology and Bioengineering</i> , 2002, 80, 233-236.	3.3	38
95	An investigation of the role of cavitation in low-frequency ultrasound-mediated transdermal drug transport. <i>Pharmaceutical Research</i> , 2002, 19, 1160-1169.	3.5	138
96	Challenging the surfactant monomer skin penetration model: penetration of sodium dodecyl sulfate (SDS) micelles into the epidermis. <i>Journal of Cosmetic Science</i> , 2002, 53, 302-3.	0.1	0
97	In Vitro Visualization and Quantification of Oleic Acid Induced Changes in Transdermal Transport Using Two-Photon Fluorescence Microscopy. <i>Journal of Investigative Dermatology</i> , 2001, 117, 16-25.	0.7	92
98	Theoretical Description of Transdermal Transport of Hydrophilic Permeants: Application to Low-Frequency Sonophoresis. <i>Journal of Pharmaceutical Sciences</i> , 2001, 90, 545-568.	3.3	124
99	Molecular-Thermodynamic Prediction of Critical Micelle Concentrations of Commercial Surfactants. <i>Langmuir</i> , 2001, 17, 5801-5812.	3.5	35
100	Effects of Multisolute Steric Interactions on Membrane Partition Coefficients. <i>Journal of Colloid and Interface Science</i> , 2000, 226, 112-122.	9.4	53
101	Synergistic Effect of Low-Frequency Ultrasound and Sodium Lauryl Sulfate on Transdermal Transport. <i>Journal of Pharmaceutical Sciences</i> , 2000, 89, 892-900.	3.3	109
102	Prediction of Equilibrium Surface Tension and Surface Adsorption of Aqueous Surfactant Mixtures Containing Zwitterionic Surfactants. <i>Langmuir</i> , 2000, 16, 7640-7654.	3.5	71
103	Thermodynamic prediction of active ingredient loading in polymeric microparticles. <i>Journal of Controlled Release</i> , 1999, 60, 77-100.	9.9	23
104	Prediction of Equilibrium Surface Tension and Surface Adsorption of Aqueous Surfactant Mixtures Containing Ionic Surfactants. <i>Langmuir</i> , 1999, 15, 8832-8848.	3.5	109
105	Separation of proteins and viruses using two-phase aqueous micellar systems. <i>Biomedical Applications</i> , 1998, 711, 127-138.	1.7	128
106	Measurement and Prediction of Ionic/Nonionic Mixed Micelle Formation and Growth. <i>Langmuir</i> , 1998, 14, 7166-7182.	3.5	210
107	Predicting Micellar Solution Properties of Binary Surfactant Mixtures. <i>Langmuir</i> , 1998, 14, 1618-1636.	3.5	276
108	Statistical-Thermodynamic Framework to Model Nonionic Micellar Solutions. <i>Langmuir</i> , 1997, 13, 5258-5275.	3.5	66

#	ARTICLE	IF	CITATIONS
109	A Liquid-State Theory Approach to Modeling Solute Partitioning in Phase-Separated Solutions. <i>Industrial &amp; Engineering Chemistry Research</i> , 1996, 35, 3032-3043.	3.7	22
110	Molecular-Thermodynamic Modeling of Mixed Cationic/Anionic Vesicles. <i>Langmuir</i> , 1996, 12, 3802-3818.	3.5	96
111	Transdermal drug delivery using low-frequency sonophoresis. <i>Pharmaceutical Research</i> , 1996, 13, 411-420.	3.5	305
112	Synergistic Effects of Chemical Enhancers and Therapeutic Ultrasound on Transdermal Drug Delivery. <i>Journal of Pharmaceutical Sciences</i> , 1996, 85, 670-679.	3.3	119
113	A Mechanistic Study of Ultrasonically-Enhanced Transdermal Drug Delivery. <i>Journal of Pharmaceutical Sciences</i> , 1995, 84, 697-706.	3.3	304
114	Application of integral equation theories to predict the structure of diatomic fluids. <i>Journal of Chemical Physics</i> , 1995, 102, 4203-4216.	3.0	31
115	Analytical solution of the proper integral equations for interaction site fluids. <i>Journal of Chemical Physics</i> , 1995, 103, 1229-1231.	3.0	5
116	Application of integral equation theories to predict the structure, thermodynamics, and phase behavior of water. <i>Journal of Chemical Physics</i> , 1995, 102, 5427-5437.	3.0	64
117	Development of User-Friendly Computer Programs To Predict Solution Properties of Single and Mixed Surfactant Systems. <i>Industrial &amp; Engineering Chemistry Research</i> , 1995, 34, 4150-4160.	3.7	31
118	Integral equations for interaction site fluids: The influence of connectivity constraints and auxiliary sites. <i>Journal of Chemical Physics</i> , 1995, 102, 5460-5470.	3.0	5
119	Analytical solutions of the proper integral equations for interaction site fluids: Molecules composed of hard-sphere interaction sites. <i>Journal of Chemical Physics</i> , 1995, 103, 7086-7097.	3.0	4
120	Salt effects on intramolecular interactions and micellization of nonionic surfactants in aqueous solutions. <i>Langmuir</i> , 1994, 10, 109-121.	3.5	116
121	Proper integral equations for interaction-site fluids: Exact free-energy expressions. <i>Journal of Chemical Physics</i> , 1994, 100, 3002-3012.	3.0	12
122	Molecular-Thermodynamic Theory of Mixed Micellar Solutions. <i>ACS Symposium Series</i> , 1992, , 96-113.	0.5	17
123	Protein partitioning in two-phase aqueous polymer systems. 2. On the free energy of mixing globular colloids and flexible polymers. <i>Macromolecules</i> , 1992, 25, 3917-3931.	4.8	37
124	Protein partitioning in two-phase aqueous polymer systems. 1. Novel physical pictures and a scaling thermodynamic formulation. <i>Macromolecules</i> , 1991, 24, 4334-4348.	4.8	73
125	The effect of salt identity and concentration on liquid-liquid phase separation in aqueous micellar solutions of C8-lecithin. <i>Journal of Chemical Physics</i> , 1990, 92, 1956-1962.	3.0	21
126	Molecular-Thermodynamic approach to predict micellization, phase behavior and phase separation of micellar solutions. I. Application to nonionic surfactants. <i>Journal of Chemical Physics</i> , 1990, 92, 3710-3724.	3.0	322



#	ARTICLE	IF	CITATIONS
127	Molecular-Thermodynamic Approach to Predict Micellar Solution Properties. Materials Research Society Symposia Proceedings, 1989, 177, 129.	0.1	3
128	Phenomenological theory of equilibrium thermodynamic properties and phase separation of micellar solutions. Journal of Chemical Physics, 1986, 85, 7268-7288.	3.0	269
129	Theory of thermodynamic properties and phase separation of micellar solutions with lower consolute points. Journal of Chemical Physics, 1986, 84, 4558-4562.	3.0	44
130	Theory of phase separation in micellar solutions. Physical Review Letters, 1985, 54, 955-955.	7.8	97