

# Lori D Mcleod

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6146225/publications.pdf>

Version: 2024-02-01

33  
papers

2,028  
citations

516710

16  
h-index

434195

31  
g-index

34  
all docs

34  
docs citations

34  
times ranked

3478  
citing authors

#	ARTICLE	IF	CITATIONS
1	Worst itch numerical rating scale for prurigo nodularis: a psychometric evaluation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 573-581.	2.4	4
2	Moving Beyond the Tip of the Iceberg to Incorporate Patients'™ Perspectives and Outcomes in the Medical Device Regulatory Process. <i>Value in Health</i> , 2020, 23, 298-299.	0.3	1
3	State of the psychometric methods: patient-reported outcome measure development and refinement using item response theory. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 50.	1.9	44
4	Assessing test-retest reliability of patient-reported outcome measures using intraclass correlation coefficients: recommendations for selecting and documenting the analytical formula. <i>Quality of Life Research</i> , 2019, 28, 1029-1033.	3.1	129
5	Patient-Reported Outcome Measures: Development and Psychometric Evaluation. <i>ICSA Book Series in Statistics</i> , 2018, , 317-346.	0.2	3
6	Secukinumab sustains early patient-reported outcome benefits through 1 year: Results from 2 phase III randomized placebo-controlled clinical trials comparing secukinumab with etanercept. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 655-661.	1.2	28
7	Best (but oft-forgotten) practices: expressing and interpreting associations and effect sizes in clinical outcome assessments. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 685-693.	4.7	27
8	Using Classical Test Theory, Item Response Theory, and Rasch Measurement Theory to Evaluate Patient-Reported Outcome Measures: A Comparison of Worked Examples. <i>Value in Health</i> , 2015, 18, 25-34.	0.3	234
9	Advances in the Evaluation of Longitudinal Construct Validity of Clinical Outcome Assessments. <i>Therapeutic Innovation and Regulatory Science</i> , 2015, 49, 805-812.	1.6	4
10	Quantitative challenges facing patient-centered outcomes research. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2014, 14, 379-386.	1.4	5
11	ISOQOL recommends minimum standards for patient-reported outcome measures used in patient-centered outcomes and comparative effectiveness research. <i>Quality of Life Research</i> , 2013, 22, 1889-1905.	3.1	613
12	The Development and Initial Assessment of the Strategy and Leadership Systems Capability Evaluation Survey. <i>Health Care Manager</i> , 2012, 31, 332-341.	1.3	2
13	Sphygmomanometry-Evoked Allodynia in Chronic Pain Patients With and Without Fibromyalgia. <i>Nursing Research</i> , 2012, 61, 363-368.	1.7	10
14	Validation of the Knee Injury and Osteoarthritis Outcome Score Subscales for Patients With Articular Cartilage Lesions of the Knee. <i>American Journal of Sports Medicine</i> , 2012, 40, 2264-2272.	4.2	73
15	Prevalence of Airway Obstruction Assessed by Lung Function Questionnaire. <i>Mayo Clinic Proceedings</i> , 2011, 86, 375-381.	3.0	19
16	Evaluating Patient-Reported Outcome Measurement Comparability between Paper and Alternate Versions, Using the Lung Function Questionnaire as an Example. <i>Value in Health</i> , 2011, 14, 712-720.	0.3	9
17	The king's foot of patient-reported outcomes: current practices and new developments for the measurement of change. <i>Quality of Life Research</i> , 2011, 20, 1159-1167.	3.1	29
18	Development and psychometric evaluation of a new patient-reported outcome instrument measuring the functional impact of insomnia. <i>Quality of Life Research</i> , 2011, 20, 1457-1468.	3.1	9

#	ARTICLE	IF	CITATIONS
19	Interpreting patient-reported outcome results: US FDA guidance and emerging methods. Expert Review of Pharmacoeconomics and Outcomes Research, 2011, 11, 163-169.	1.4	242
20	Development and psychometric evaluation of the Bipolar Functional Status Questionnaire (BFSQ). Bipolar Disorders, 2010, 12, 32-44.	1.9	10
21	Effects of insulin initiation on patient-reported outcomes in patients with type 2 diabetes: Results from the DURABLE trial. Diabetes Research and Clinical Practice, 2010, 89, 157-166.	2.8	11
22	The Burden of Restless Legs Syndrome. Patient, 2008, 1, 201-210.	2.7	8
23	Responsiveness and Minimum Important Differences for the Erection Quality Scale. Journal of Urology, 2007, 178, 2076-2081.	0.4	5
24	Development and preliminary validation of the Menopause Symptoms Treatment Satisfaction Questionnaire (MS-TSQ). Menopause, 2007, 14, 1047-1055.	2.0	24
25	Erection Quality Scale: Initial scale development and validation. Urology, 2004, 64, 351-356.	1.0	32
26	Evaluating Minimal Clinically Important Differences for the Acne-Specific Quality of Life Questionnaire. Pharmacoeconomics, 2003, 21, 1069-1079.	3.3	25
27	A Bayesian Method for the Detection of Item Preknowledge in Computerized Adaptive Testing. Applied Psychological Measurement, 2003, 27, 121-137.	1.0	50
28	Minutes of the psychometric society Business Meeting June 23, 2001. Psychometrika, 2001, 66, 609-610.	2.1	0
29	An Expected Response Function Approach to Graphical Differential Item Functioning. Journal of Educational Measurement, 2000, 37, 263-280.	1.2	4
30	Minutes of the Psychometric Society business meeting July 8, 2000. Psychometrika, 2000, 65, 561-562.	2.1	0
31	On the relationship between the higher-order factor model and the hierarchical factor model. Psychometrika, 1999, 64, 113-128.	2.1	335
32	Detecting Item Memorization in the CAT Environment. Applied Psychological Measurement, 1999, 23, 147-160.	1.0	26
33	Projecting to the NAEP Scale: Results from the North Carolina End-of-Grade Testing Program. Journal of Educational Measurement, 1998, 35, 277-296.	1.2	12