

# Matthias Rose

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6148610/publications.pdf>

Version: 2024-02-01

105  
papers

6,418  
citations

212478

28  
h-index

81351

76  
g-index

108  
all docs

108  
docs citations

108  
times ranked

10189  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of a new body-focused group therapy versus a guided self-help group program for adults with psychogenic non-epileptic seizures (PNES): a pilot randomized controlled feasibility study. <i>Journal of Neurology</i> , 2022, 269, 427-436.	1.8	3
2	Inflammatory Stress Induced by Intraperitoneal Injection of LPS Increases Phoenixin Expression and Activity in Distinct Rat Brain Nuclei. <i>Brain Sciences</i> , 2022, 12, 135.	1.1	7
3	Real-world reference scores for EORTC QLQ-C30 and EORTC QLQ-BR23 in early breast cancer patients. <i>European Journal of Cancer</i> , 2022, 163, 128-139.	1.3	11
4	Dimensions of Tinnitus-Related Distress. <i>Brain Sciences</i> , 2022, 12, 275.	1.1	16
5	Comparison of the PROMIS Preference Score (PROPr) and EQ-5D-5L Index Value in General Population Samples in the United Kingdom, France, and Germany. <i>Value in Health</i> , 2022, 25, 824-834.	0.1	8
6	Hearing Therapy Improves Tinnitus-Related Distress in Mildly Distressed Patients with Chronic Tinnitus and Mild-to-Moderate Hearing Loss: A Randomized-Controlled Cross-Over Design. <i>Journal of Clinical Medicine</i> , 2022, 11, 1764.	1.0	5
7	Emergency Departments as Care Providers for Patients with Cardiac Ambulatory Care Sensitive and Mental Health Conditions: Qualitative Interview and Focus Group Study with Patients and Physicians. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6098.	1.2	2
8	Vascular and Metabolic Risk Factors and Psychological Stress in Patients with Chronic Tinnitus. <i>Nutrients</i> , 2022, 14, 2256.	1.7	6
9	Applying Item Response Theory to the OPD Structure Questionnaire: Identification of a Unidimensional Core Construct and Feasibility of Computer Adaptive Testing. <i>Journal of Personality Assessment</i> , 2021, 103, 645-658.	1.3	5
10	Telemonitoring in patients with chronic heart failure and moderate depressed symptoms: results of the Telemedical Interventional Monitoring in Heart Failure (TIM-HF) study. <i>European Journal of Heart Failure</i> , 2021, 23, 186-194.	2.9	37
11	Towards a unification of treatments and interventions for tinnitus patients: The EU research and innovation action UNITI. <i>Progress in Brain Research</i> , 2021, 260, 441-451.	0.9	31
12	Neurotensin and Xenin Show Positive Correlations With Perceived Stress, Anxiety, Depressiveness and Eating Disorder Symptoms in Female Obese Patients. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 629729.	1.0	6
13	A Modified Version of the Transactional Stress Concept According to Lazarus and Folkman Was Confirmed in a Psychosomatic Inpatient Sample. <i>Frontiers in Psychology</i> , 2021, 12, 584333.	1.1	25
14	Insecure and Unresolved/Disorganized Attachment in Patients With Psychogenic Nonepileptic Seizures. <i>Journal of the Academy of Consultation-Liaison Psychiatry</i> , 2021, 62, 337-344.	0.2	6
15	General Spanish population normative data analysis for the EORTC QLQ-C30 by sex, age, and health condition. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 208.	1.0	11
16	Mental health conditions in older multimorbid patients presenting to the emergency department for acute cardiac symptoms: Cross-sectional findings from the EMASPOT study. <i>Academic Emergency Medicine</i> , 2021, 28, 1262-1276.	0.8	5
17	PRO B: evaluating the effect of an alarm-based patient-reported outcome monitoring compared with usual care in metastatic breast cancer patients' study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 666.	0.7	11
18	Do sociodemographic variables moderate effects of an internet intervention for mild to moderate depressive symptoms? An exploratory analysis of a randomised controlled trial (EVIDENT) including 1013 participants. <i>BMJ Open</i> , 2021, 11, e041389.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Evaluation of an electronic psycho-oncological adaptive screening program (EPAS) with immediate patient feedback: findings from a German cluster intervention study. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	1.5	1
20	Psychometric Evaluation of the German Version of the Demoralization Scale-II and the Association Between Demoralization, Sociodemographic, Disease- and Treatment-Related Factors in Patients With Cancer. <i>Frontiers in Psychology</i> , 2021, 12, 789793.	1.1	10
21	Disease activity and stress are linked in a subpopulation of chronic spontaneous urticaria patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 224-226.	2.7	15
22	Accuracy of diagnostic classification and clinical utility assessment of ICD-11 compared to ICD-10 in 10 mental disorders: findings from a web-based field study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 281-289.	1.8	32
23	Ictal level of awareness in psychogenic nonepileptic seizures correlates with the experience of traumatic events in childhood: A cross sectional study. <i>Epilepsy and Behavior</i> , 2020, 112, 107492.	0.9	3
24	Pancreatic Polypeptide but Not Other Members of the Neuropeptide Y Family Shows a Moderate Association With Perceived Anxiety in Obese Men. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 578578.	1.0	2
25	Normative data for the EORTC QLQ-C30 from the Austrian general population. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 275.	1.0	20
26	Updated EORTC QLQ-C30 general population norm data for Germany. <i>European Journal of Cancer</i> , 2020, 137, 161-170.	1.3	32
27	Using subdomain-specific item sets affected PROMIS physical function scores differently in cardiology and rheumatology patients. <i>Journal of Clinical Epidemiology</i> , 2020, 127, 151-160.	2.4	5
28	Multimodal Psychotherapeutic Inpatient Therapy of Depression Is Successful in Patients With High Cytokine Production. <i>Frontiers in Psychiatry</i> , 2020, 11, 571636.	1.3	3
29	&lt;p&gt;A Step Towards a Better Understanding of Pain Phenotypes: Latent Class Analysis in Chronic Pain Patients Receiving Multimodal Inpatient Treatment&lt;/p&gt;. <i>Journal of Pain Research</i> , 2020, Volume 13, 1023-1038.	0.8	10
30	Studying the pathophysiology of coronavirus disease 2019: a protocol for the Berlin prospective COVID-19 patient cohort (Pa-COVID-19). <i>Infection</i> , 2020, 48, 619-626.	2.3	79
31	Sucrose Preference and Novelty-Induced Hypophagia Tests in Rats using an Automated Food Intake Monitoring System. <i>Journal of Visualized Experiments</i> , 2020, , .	0.2	4
32	Tinnitus-related distress and pain perceptions in patients with chronic tinnitus â€œ Do psychological factors constitute a link?. <i>PLoS ONE</i> , 2020, 15, e0234807.	1.1	24
33	Benefits and harms of high-dose haemodiafiltration versus high-flux haemodialysis: the comparison of high-dose haemodiafiltration with high-flux haemodialysis (CONVINCE) trial protocol. <i>BMJ Open</i> , 2020, 10, e033228.	0.8	41
34	Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. <i>Cognitive Behaviour Therapy</i> , 2020, 49, 22-40.	1.9	7
35	Patient-reported outcomes feedback report for knee arthroplasty patients should present selective information in a simple design - findings of a qualitative study. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 6.	0.9	11
36	Alterations in Bone Homeostasis and Microstructure Related to Depression and Allostatic Load. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 383-385.	4.0	5

#	ARTICLE	IF	CITATIONS
37	Measurement of Personality Structure by the OPD Structure Questionnaire Can Help to Discriminate Between Subtypes of Eating-Disorders. <i>Frontiers in Psychology</i> , 2019, 10, 2326.	1.1	10
38	Minimal Associations Between Clinical Data and Children's Self-Reported Health-Related Quality of Life in Children With Chronic Conditionsâ€”A Cross-Sectional Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 17.	0.9	3
39	Measuring fatigue in cancer patients: a common metric for six fatigue instruments. <i>Quality of Life Research</i> , 2019, 28, 1615-1626.	1.5	13
40	Scoring Depression on a Common Metric: A Comparison of EAP Estimation, Plausible Value Imputation, and Full Bayesian IRT Modeling. <i>Multivariate Behavioral Research</i> , 2019, 54, 85-99.	1.8	26
41	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 566.	0.9	5
42	Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. <i>Depression and Anxiety</i> , 2018, 35, 421-430.	2.0	27
43	A 67-item stress resilience item bank showing high content validity was developed in a psychosomatic sample. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 1-12.	2.4	7
44	Measurement invariance and general population reference values of the PROMIS Profile 29 in the UK, France, and Germany. <i>Quality of Life Research</i> , 2018, 27, 999-1014.	1.5	58
45	On-Chip Interference Generation Mechanisms From an Electromagnetic Perspective. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018, 60, 1889-1897.	1.4	0
46	Activity-based anorexia activates CRF immunoreactive neurons in female rats. <i>Neuroscience Letters</i> , 2018, 674, 142-147.	1.0	14
47	Predictors of self-reported health-related quality of life according to the EQ-5D-Y in chronically ill children and adolescents with asthma, diabetes, and juvenile arthritis: longitudinal results. <i>Quality of Life Research</i> , 2018, 27, 879-890.	1.5	22
48	An initial psychometric evaluation of the German PROMIS v1.2 Physical Function item bank in patients with a wide range of health conditions. <i>Clinical Rehabilitation</i> , 2018, 32, 84-93.	1.0	20
49	Nesfatin-130-59 Injected Intracerebroventricularly Increases Anxiety, Depression-Like Behavior, and Anhedonia in Normal Weight Rats. <i>Nutrients</i> , 2018, 10, 1889.	1.7	12
50	The Role of Objectively Measured, Altered Physical Activity Patterns for Body Mass Index Change during Inpatient Treatment in Female Patients with Anorexia Nervosa. <i>Journal of Clinical Medicine</i> , 2018, 7, 289.	1.0	11
51	Contingency Contracts for Weight Gain of Patients with Anorexia Nervosa in Inpatient Therapy: Practice Styles of Specialized Centers. <i>Journal of Clinical Medicine</i> , 2018, 7, 215.	1.0	2
52	Subjective experience of relaxation â€œ induced by vibroacoustic stimulation by a Body Monochord or CD music â€œ a randomised, controlled study in patients with psychosomatic disorders. <i>Nordic Journal of Music Therapy</i> , 2017, 26, 79-98.	0.7	7
53	Affective Responses in Different Stages of Anorexia Nervosa: Results from a Startleâ€”reflex Paradigm. <i>European Eating Disorders Review</i> , 2017, 25, 114-122.	2.3	17
54	Alterations of circulating NUCB2/nesfatin-1 during short term therapeutic improvement of anxiety in obese inpatients. <i>Psychoneuroendocrinology</i> , 2017, 79, 107-115.	1.3	20

#	ARTICLE	IF	CITATIONS
55	Short-term UVB irradiation significantly increases vitamin D serum concentration in obese patients: a clinical pilot study. <i>Endocrine</i> , 2017, 56, 186-195.	1.1	1
56	NK cell-derived IL-10 is critical for DC-NK cell dialogue at the maternal-fetal interface. <i>Scientific Reports</i> , 2017, 7, 2189.	1.6	30
57	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. <i>Arthritis Research and Therapy</i> , 2017, 19, 66.	1.6	11
58	Improvement in self-reported eating-related psychopathology and physical health-related quality of life after laparoscopic sleeve gastrectomy: A pre-post analysis and comparison with conservatively treated patients with obesity. <i>Eating Behaviors</i> , 2017, 24, 17-25.	1.1	3
59	Phoenixin is negatively associated with anxiety in obese men. <i>Peptides</i> , 2017, 88, 32-36.	1.2	34
60	Activity-based anorexia activates nesfatin-1 immunoreactive neurons in distinct brain nuclei of female rats. <i>Brain Research</i> , 2017, 1677, 33-46.	1.1	20
61	Phoenixin-14 injected intracerebroventricularly but not intraperitoneally stimulates food intake in rats. <i>Peptides</i> , 2017, 96, 53-60.	1.2	53
62	Central and peripheral expression sites of phoenixin-14 immunoreactivity in rats. <i>Biochemical and Biophysical Research Communications</i> , 2017, 493, 195-201.	1.0	48
63	Standardization of health outcomes assessment for depression and anxiety: recommendations from the ICHOM Depression and Anxiety Working Group. <i>Quality of Life Research</i> , 2017, 26, 3211-3225.	1.5	70
64	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 94-102.	2.4	16
65	Language-related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	14
66	Changes in self-reported eating patterns after laparoscopic sleeve gastrectomy: a pre-post analysis and comparison with conservatively treated patients with obesity. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 129-137.	1.0	16
67	Plasma kisspeptin and ghrelin levels are independently correlated with physical activity in patients with anorexia nervosa. <i>Appetite</i> , 2017, 108, 141-150.	1.8	38
68	Leptin and Physical Activity in Adult Patients with Anorexia Nervosa: Failure to Demonstrate a Simple Linear Association. <i>Nutrients</i> , 2017, 9, 1210.	1.7	14
69	German translation, cultural adaptation, and validation of the Health Literacy Questionnaire (HLQ). <i>PLoS ONE</i> , 2017, 12, e0172340.	1.1	75
70	An introduction to the "Psycho-Physiological-Stress-Test" (PPST) – A standardized instrument for evaluating stress reactions. <i>PLoS ONE</i> , 2017, 12, e0187859.	1.1	7
71	Hair and stress: A pilot study of hair and cytokine balance alteration in healthy young women under major exam stress. <i>PLoS ONE</i> , 2017, 12, e0175904.	1.1	31
72	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. <i>Journal of Medical Internet Research</i> , 2017, 19, e206.	2.1	31

#	ARTICLE	IF	CITATIONS
73	Activity-Based Anorexia Reduces Body Weight without Inducing a Separate Food Intake Microstructure or Activity Phenotype in Female Rats—Mediation via an Activation of Distinct Brain Nuclei. <i>Frontiers in Neuroscience</i> , 2016, 10, 475.	1.4	30
74	www.common-metrics.org: a web application to estimate scores from different patient-reported outcome measures on a common scale. <i>BMC Medical Research Methodology</i> , 2016, 16, 142.	1.4	17
75	Differential Spatiotemporal Patterns of Galectin Expression are a Hallmark of Endotheliochorial Placentation. <i>American Journal of Reproductive Immunology</i> , 2016, 75, 317-325.	1.2	14
76	Peripheral injection of bombesin induces c-Fos in NUCB2/nesfatin-1 neurons. <i>Brain Research</i> , 2016, 1648, 46-53.	1.1	6
77	A RAPID Method for Blood Processing to Increase the Yield of Plasma Peptide Levels in Human Blood. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	1
78	Comparison of patient-reported need of psycho-oncologic support and the doctor's perspective: how do they relate to disease severity in melanoma patients?. <i>Psycho-Oncology</i> , 2016, 25, 1271-1277.	1.0	12
79	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 218-228.	4.0	124
80	Peripheral and central localization of the nesfatin-1 receptor using autoradiography in rats. <i>Biochemical and Biophysical Research Communications</i> , 2016, 470, 521-527.	1.0	80
81	Postinfectious irritable bowel syndrome (PI-IBS) after infection with Shiga toxin-producing <i>Escherichia coli</i> (STEC) O104:H4: A cohort study with prospective follow-up. <i>United European Gastroenterology Journal</i> , 2016, 4, 121-131.	1.6	33
82	Characterizing the phenotype of multiple sclerosis-associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1476-1484.	1.4	33
83	Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 25-34.	2.4	17
84	Elevated systemic galectin-1 levels characterize HELLP syndrome. <i>Journal of Reproductive Immunology</i> , 2016, 114, 38-43.	0.8	12
85	Plasma bile acids show a positive correlation with body mass index and are negatively associated with cognitive restraint of eating in obese patients. <i>Frontiers in Neuroscience</i> , 2015, 9, 199.	1.4	79
86	Nesfatin-130~59 Injected Intracerebroventricularly Differentially Affects Food Intake Microstructure in Rats Under Normal Weight and Diet-Induced Obese Conditions. <i>Frontiers in Neuroscience</i> , 2015, 9, 422.	1.4	20
87	Determinants of Weight Loss following Laparoscopic Sleeve Gastrectomy: The Role of Psychological Burden, Coping Style, and Motivation to Undergo Surgery. <i>Journal of Obesity</i> , 2015, 2015, 1-10.	1.1	34
88	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. <i>Internet Interventions</i> , 2015, 2, 48-59.	1.4	149
89	Aggregating factors of the change process in the treatment of anorexia nervosa. <i>Eating Behaviors</i> , 2015, 19, 81-85.	1.1	3
90	Sex-specific regulation of NUCB2/nesfatin-1: Differential implication in anxiety in obese men and women. <i>Psychoneuroendocrinology</i> , 2015, 60, 130-137.	1.3	50

#	ARTICLE	IF	CITATIONS
91	The dopamine antagonist flupentixol does not alter ghrelin-induced food intake in rats. <i>Neuropeptides</i> , 2015, 53, 19-27.	0.9	4
92	NUCB2/nesfatin-1 Is Associated with Elevated Levels of Anxiety in Anorexia Nervosa. <i>PLoS ONE</i> , 2015, 10, e0132058.	1.1	45
93	Irisin Levels are Not Affected by Physical Activity in Patients with Anorexia Nervosa. <i>Frontiers in Endocrinology</i> , 2014, 4, 202.	1.5	40
94	Obese patients have higher circulating protein levels of dipeptidyl peptidase IV. <i>Peptides</i> , 2014, 61, 75-82.	1.2	48
95	Peripheral injected cholecystokinin-8S modulates the concentration of serotonin in nerve fibers of the rat brainstem. <i>Peptides</i> , 2014, 59, 25-33.	1.2	5
96	The PROMIS Physical Function item bank was calibrated to a standardized metric and shown to improve measurement efficiency. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 516-526.	2.4	301
97	Assessment of patient-reported symptoms of anxiety. <i>Dialogues in Clinical Neuroscience</i> , 2014, 16, 197-211.	1.8	59
98	The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. <i>BMC Psychiatry</i> , 2013, 13, 239.	1.1	47
99	Short and Precise Patient Self-Assessment of Heart Failure Symptoms Using a Computerized Adaptive Test. <i>Circulation: Heart Failure</i> , 2012, 5, 331-339.	1.6	6
100	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005â€“2008. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1179-1194.	2.4	3,521
101	Development and evaluation of a computer adaptive test for "Anxiety"™ (Anxiety-CAT). <i>Quality of Life Research</i> , 2007, 16, 143-155.	1.5	90
102	Development of a Computer-adaptive Test for Depression (D-CAT). <i>Quality of Life Research</i> , 2005, 14, 2277-2291.	1.5	188
103	DPP IV and Mental Depression in Crohn's Disease. , 2003, 524, 321-331.		3
104	T-Cell Immune Parameters and Depression in Patients With Crohn's Disease. <i>Journal of Clinical Gastroenterology</i> , 2002, 34, 40-48.	1.1	20
105	Severe anorexia nervosa associated with osteoporotic-linked femoral neck fracture and pulmonary tuberculosis: A case report. , 1999, 25, 463-467.		6